



VISOMAX COATING FINISH STATION

LED Finish Station
portfolio

version: 2022



OVERVIEW

DESCRIPTION OF THE PRODUCT	3
PRODUCT ADVANTAGES	4
FINISH STATION	5
TECHNICAL DATAS	6
SCOPE OF DELIVERY	7
CERTIFICATES	8
CONTACTS	10

DESCRIPTION OF THE PRODUCT

The Visomax Finish Station is a user-oriented product. It equally combines aesthetics, efficiency, quality and occupational safety. The modular conceptualized system keeps the workplace clean and allows an easy and ergonomic handling of the attached tools.

The Visomax Finish Station has solid swivel castors that enable an easy and fast re-location to a new workplace if needed.

All components used at the Visomax Finish Station have been designed, developed and put together in a sensible way for the designated area of application which is the surface finish.

The innovative LED grit light in particular is equipped with two different colour temperatures to ensure optimized light conditions at the workplace. They enormously improve the lighting conditions of the finish area in each paint shop and allow a fast and effective visual localisation of the surface defects by the operator.




Our used materials are of high-quality and meet all requirements of a mobile finish workstation for surface corrections. They fit harmoniously together, making the Finish Station a unique product in the category tool equipment.




PRODUCT ADVANTAGES

Advantages of LED Finish Station:

- Professional illumination of painted surfaces
- Increase of surface quality
- Reduction of customer complaints
- Reduction of the rework rate
- Resource-saving material and energy consumption
- Individually adjustable lighting scenarios for different object colors
- Increased work safety due to low trip hazards
- Centralized power supply for all tools
- Tidiness & cleanliness at the workplace



FINISH STATION




TECHNICAL DATAS

LED Finish Station

Art. N°: PZ-MLW-ECO-45-WSL01

Width	950 mm
Depth	800 mm
Height	2260 mm
Folded dimensions	1830 mm
Weight incl. tool cabinet	100 kg
Swivel castors	2
Swivel castors (with brakes)	2
Mains connection	230 V/AC, 50 Hz
Top illuminant	4 x 10 W
Bottom illuminant	4 x 32 W
Power	186 W illumination
Socket at the tool cabinet	1.500 W (max.)
Protection class	IP54
Dimmable	yes
Color rendering level	80-89 (class 1B)
Color temperature	3000 K & 6500 K



SCOPE OF DELIVERY

PZ-MLW-ECO-45-WSL01

LED Finish Station - tool set orbital

Light Wall Eco LED 45° with tool cabinet

Scope of delivery:

- 1x Polinator 15,0 mm offset, electric polisher, orbital (Art. N° PZ600-I-150-NV-10)
- 1x Electric Nib Sander, oscillating (Art. N° PZ850-A-30-NV-8)
- 1x Electric Polisher, orbital (Art. N° PZ600-E-140-NV-8)
- 1x Tool support incl. socket (for the Polinator)
- 2x Tool carrier for the Nib Sander and Polisher
- 1x Cord rewind for 10 m connection cable
- 2x Curly cable (Art. N° PZ005-6FS)
- 1x Backup-Pad Ø 30 mm, yellow, medium, adhesive (Art. N° PZ030-532-172)
- 1x Backup-Pad Ø 30 mm, yellow, medium, velcro (Art. N° PZ030-532-174)
- 1x Foam Pad Ø 152 mm, green, soft, (Art. N° PS970-125-4912-30)
- 1x Foam Pad Ø 152 mm, yellow, medium (Art. N° PS970-125-5112-30)
- 1x Foam Pad Ø 152 mm, red, hard (Art. N° PS970-125-5012-30)
- 1x Foam Pad Ø 80 mm, green, soft (Art. N° PS935-080-4912-25)
- 1x Foam Pad Ø 80 mm, yellow, medium (Art. N° PS935-080-5112-25)
- 1x Foam Pad Ø 80 mm, red, hard (Art. N° PS939-080-5012-25)



CERTIFICAT n° CES2201

CERTIFICAT

De Qualité 2021



Ce document certifie que le produit

Produits VISOMAX pour la rectification de défauts

de la marque



visΩmax

a réussi tous les tests CESVI France.

Les fournisseurs des produits susmentionnés sont autorisés à utiliser
le logo "Cesvi Qualité Approuvée" lors de la commercialisation desdits produits


Christophe PETRYNKA
Directeur


Nadia BESTAOU
Directeur technique




Killian BALLU
Technicien formateur
Carrossier Peintre


Nicolas HAMEIN
Ingénieur en
Carrosserie Peinture

PRIX 2018



Equipement

Un évènement **DECISION**
ATELIER

VISOMAX
importé par SGI

a reçu
La mention spéciale du Jury

Dans la catégorie :

CARROSSERIE



avec **LA STATION DE FINITION MOBILE**

CONTACT

Visomax Coating GmbH

Dachdeckerstr. 2 - 4
D - 97297 Waldbuettelbrunn
phone: +49 931 4528140
fax: +49 931 45281429
info@visomax.de

www.visomax.de

