

ik

**BY EXPERTS
FOR EXPERTS**



Goizper Group

Growing through cooperation

The origins of GOIZPER S. Coop. go back to 1959 in Spain.

Goizper has undergone a significant growth over the years, making it a group structured around different business activities:

► Goizper Industrial

International technology leader in the design, manufacturing and marketing of power transmission solutions and automation for various industries: machinery, presses, packaging, automotive ...

► Goizper Biotechnology

Experts in research, development and formulation of sustainable solutions for crop protection, environmental and food safety being environmentally friendly.

► Goizper Spraying

Experts in the design, manufacturing and marketing of manual sprayers and dusters for agriculture, gardening, industry, construction, automotive, professional cleaning and disinfection, public health, vector control and animal health treatments among others.

Our slogan **“Your partner for accurate spraying”** responds to our extensive experience of more than half of century in the market and the high degree of knowledge and expertise in the manufacturing of sprayers.

The concept of **Innovation**, is one of the pillars of the strategy of **Goizper** when designing sprayers which incorporate new features and improvements to make easier the work of the user maintaining the **efficiency and effectiveness chemical applications**.

When developing our products, the experience of the users and the search in finding ergonomic, functional and safe solutions, are a priority.

It is our customer’s satisfaction which backs us up and the reason why we continue working for continuous improvement.

Goizper is the only Spanish manufacturer and homologated supplier participating in the International Committee in charge of setting manual sprayers regulations and standards for global organisations such as FAO, WHO or ISO/TC23.

Goizper has its own Technology Centre for Research, Development and Innovation - Olaker - where value is generated through technological research and efficient and sustainable innovation is undertaken to find integrated solutions and product improvement.

We develop technological solutions which ensure the quality of the products rationalising the use and minimising the impact of the chemical products and being environmentally friendly.

INTERNATIONAL PRESENCE

Goizper’s international leadership is based on a powerful commercial network having 14 subsidiaries and own local sales offices as well as an extensive distribution network in over 100 countries on the 5 continents. This ensures a personalised and professional attention according to the characteristics and needs of each market.



* New Bedford, MA 02745

CONCRETE & INDUSTRY, CLEANING & DISINFECTION, PEST CONTROL, CAR WASH & DETAILING



MULTI & MULTI PRO

Range of sprayers equipped with the highest performance in terms of safety and ease of use. Designed for professional use with the most aggressive chemicals in various sectors. Particularly resistant to acids.

- Professional cleaning and disinfection.
- Construction.
- Automotive and all industrial workshops.



FOAM & FOAM PRO

Sprayers specifically manufactured for the generation of dry and long lasting foam. Designed for use with chemical agents with surfactant properties (surface active).

- Cleaning and disinfection of different surfaces.
- Care and cleaning of vehicles.
- Cleaning of upholstery, carpets and rugs.
- Condenser coil and contaminant removers (HVAC).



HC

Industrial sprayers especially manufactured with highly resistant materials for use with animal and vegetable oils, hydrocarbon-based solvents, lubricants and petroleum products.

- Brake cleaning, tar removal from vehicle bodies and tools, machinery and motor cleaning...
- Lubricant application; cleaning of car interior, degreasing...
- Wood treatments, waterproofing and dewaxing fluids etc.



METAL/ STAINLESS STEEL

Sprayers especially manufactured with maximum resistance materials to be used with mineral and vegetable oils, curing agents and neutral cleaners. Can be similarly used with hydrocarbon based solvents, lubricants and petroleum derivatives.


- Construction (concrete sealing, foam release agents, curing components, waterproofing agents...).
- Professional cleaning.
- Pest control.
- Wood treatment.



IK ALK

The ideal partner for cleaning and disinfection tasks. Best suited for alkaline, alcohol and acetone substances.

- Cleaning and disinfection in Food processing companies.
- Removal of: Animal, mineral and vegetable fats, proteins, blood, eggs, lubricants, mineral oils, etc.
- Construction (Acetone Dyes).



WATER SUPPLY TANK

The ideal tool for the supply of pressurised water in cutting and grinding machines used in the construction industry.



IK e 15BS

Battery-operated knapsack sprayer, manufactured under high standards of quality, robustness, reliability and safety. Its easy handling, simple maintenance and battery life make it ideal for applying the chemicals most commonly sprayed in sectors such as cleaning and disinfection, and the control of viruses, epidemics and plagues.



iK MULTI Pro

CHOOSE THE BEST. "Range of sprayers equipped with the highest performance in terms of safety and ease of use. Designed for professional use with the most aggressive chemicals in professional sectors. Particularly resistant to acids."



IK MULTI PRO 12



IK MULTI PRO 9



IK MULTI PRO 2

	IK MULTI Pro 2	IK MULTI Pro 9	IK MULTI Pro 12
USEFUL CAPACITY:	50 oz.	1.58 Gal	2.11 Gal
PACK QTY.:	1	1	1
GROSS WEIGHT:	2 lbs.	5.97 lbs.	6.59 lbs.
REFERENCE:	8.16.71	8.26.72	8.26.71

Special seals suitable for the most aggressive chemicals. Specially suitable for acids.

optimal Disinfectants, neutral products, acids

suitable Solvent-based products, alcohols, oils and petroleum derivatives

iK MULTI TR 1

CHOOSE THE BEST. "Optimal for spraying a wide variety of chemicals such as disinfectants, neutrals, alcohols, alkalis, ketones and dilute acids (max 5%)"



IK MULTI TR 1



IK MULTI TR 1

USEFUL CAPACITY:	35 oz.
PACK QTY.:	1
GROSS WEIGHT:	1.5 lbs.
REFERENCE:	8.41.70

IK MULTI TR 1

1. Specially designed for cleaning agents and professional detailing products.
2. Strong translucent tank with level indicator.
3. Colored cards for content identification.
4. Base for better stability.
5. Adjustable cone spray nozzle.

optimal Disinfectants, neutral products, alcohols, alkalis and ketones

suitable Acids (max. 5%)



IK MULTI Pro 2

1. Strong translucent tank with level indicator.
2. Innovative and ergonomic design.
3. Base for greater stability.
4. Large filling aperture.
5. Safety lock.
6. Despressurizable safety valve.
7. Protective sleeve for valve chamber.
8. Easy assembly and taking apart for cleaning and maintenance, tool free.
9. Ability to identify content via coloured caps.
10. Storage of nozzles inside the coloured caps.
11. Option of fitting other types of nozzles and accessories.



IK MULTI Pro 9 - 12

1. Strong translucent tank with level indicator.
2. Innovative and ergonomic design.
3. Stable base with support for the feet.
4. Large integrated funnel for easy filling.
5. Easy use lance parking.
6. System for inflator clamping during filling.
7. Shut off assembly (Stainless Steel) with safety lock.
8. Safety valve especially resistant to acids. Avoid contact with gases.
9. Transport belt in shoulder strap.
10. Possibility of identifying content through cards.
11. Option of fitting other types of nozzles and accessories.

iK MULTI

YOUR LIFE-LONG TOOL. "Sprayers designed to obtain the highest strength and versatility for professional use in the world of Professional Cleaning, Desinfection, Construction, Automotive and Industrial Workshops."



IK MULTI 12 BS



IK MULTI 12



IK MULTI 9



IK MULTI 6



IK MULTI 1.5

	IK MULTI 1.5	IK MULTI 6	IK MULTI 9	IK MULTI 12	IK MULTI 12 BS
USEFUL CAPACITY:	35 oz.	1 Gal	1.6 Gal	2 Gal	3 Gal
PACK QTY.:	1	1	1	1	1
GROSS WEIGHT:	1.5 lbs.	4 lbs.	4.5 lbs.	5 lbs.	8 lbs.
REFERENCE:	8.17.71	8.38.11.901	8.38.11.911	8.38.11.921	8.39.701

Special seals suitable for the most aggressive chemicals. Specially suitable for acids.

optimal Disinfectants, neutral products, acids

suitable Solvent-based products, alcohols, oils and petroleum derivatives

IK MULTI 12BS

1. Metallic shut off valve.
2. Tank lid with anti-grip valve.
3. Grip for the lance
4. Carrying handle and over the shoulder padded straps.
5. Strong translucent tank with level indicator.
6. Stable base with feet support for easy pumping.
7. Adjustable hollow cone spray and fan nozzle included.



IK MULTI 6-9-12

1. Metallic shut off valve.
2. Funnel incorporated into tank.
3. 45 psi safety valve with depressurization option.
4. Grip for the lance
5. Carrying handle and over the shoulder strap.
6. Strong translucent tank with level indicator.
7. Stable base with feet support for easy pumping.
8. Adjustable hollow cone spray and fan nozzle included.



IK MULTI 1.5

1. Safety release valve set up at 36 psi.
2. Protective sleeve for valve chamber.
3. Wide opening easy filling.
4. Strong translucent tank with level indicator.
5. Easy assembly and taking apart for cleaning and maintenance, tool free.
6. Adjustable hollow cone spray and fan nozzle included.

iK FOAM & FOAM Pro

ESPECIALLY UNIQUE. "Sprayers specifically manufactured for the generation of dry and long lasting foam. Designed for use with chemical agents with surfactant properties (surface active)."



IK FOAM PRO 12



IK FOAM PRO 2



IK FOAM 1.5



IK FOAM PRO 2+



	IK FOAM 1.5	IK FOAM PRO 2	IK FOAM PRO 12	IK FOAM Pro 2+
USEFUL CAPACITY:	35 oz.	42 oz.	1.6 Gal	42 oz.
PACK QTY.:	1	1	1	1
GROSS WEIGHT:	1.5 lbs.	1.5 lbs.	6.5 lbs.	1.5 lbs.
REFERENCE:	8.17.76	8.16.76	8.26.76	8.16.78

optimal Foaming agents

3 TYPES OF FOAM

DRY FOAM




INTERMEDIATE FOAM




WET FOAM





IK FOAM 1.5

1. Safety release valve set up at 45 psi.
2. Protective sleeve for valve chamber.
3. Wide opening easy filling.
4. Strong translucent tank with level indicator.
5. Easy assembly and taking apart for cleaning and maintenance, tool free.
6. Special "FOAM" even fan type nozzle.



IK FOAM PRO 2

1. Strong translucent tank with level indicator.
2. Innovative and ergonomic design.
3. Base for greater stability.
4. Large filling aperture.
5. Safety lock.
6. Despressurizable safety valve.
7. Protective sleeve for valve chamber.
8. Easy assembly and taking apart for cleaning and maintenance, tool free.
9. Ability to identify content via coloured caps.
10. Storage of nozzles inside the coloured caps.



IK FOAM PRO 2+

1. Safety valve with depressurisation option.
2. Compressed air connector.
3. Translucent tank with level indicator.
4. Base for greater stability.
5. Large opening easy filling.
6. Safety lock.
7. Protective sleeve for valve chamber.
8. Ability to identify content via coloured caps.



IK FOAM PRO 12

1. Strong translucent tank with level indicator.
2. Compressed air connector.
3. Innovative and ergonomic design.
4. Stable base with support for the feet.
5. Large integrated funnel for easy filling.
6. Easy use lance parking.
7. System for inflator clamping during filling.
8. Shut off assembly (Stainless Steel) with safety lock.
9. Safety valve especially resistant to acids. Avoid contact with gases.
10. Transport belt in shoulder strap.
11. Possibility of identifying content through cards.

iK HC

YOUR INDUSTRIAL TOOL. "Industrial sprayers especially manufactured with highly resistant materials for use with animal and vegetable oils, hydrocarbon-based solvents, lubricants and petroleum products."

NOT SUITABLE
FOR ACIDS



IK HC 1.5

IK HC 1.5

USEFUL CAPACITY: 35 oz.

PACK QTY.: 1

GROSS WEIGHT: 1.5 lbs.

REFERENCE: 8.17.74

optimal Oils, solvents and petroleum derivatives

IK HC 1.5

1. Safety release valve set up at 36 psi.
2. Protective sleeve for valve chamber.
3. Wide opening easy filling.
4. Strong translucent tank with level indicator.
5. Easy assembly and taking apart for cleaning and maintenance, tool free.
6. Adjustable hollow cone spray nozzle.



iK HC TR 1

YOUR INDUSTRIAL TOOL. "Industrial trigger sprayer. Suitable for most of the harsh solvent base chemicals used in industries and workshops."

NOT SUITABLE
FOR ACIDS



IK HC TR 1



IK HC TR 1

USEFUL CAPACITY:	35 oz.
PACK QTY.:	1
GROSS WEIGHT:	1.5 lbs.
REFERENCE:	8.41.74

optimal Solvent-based products, oils and petroleum derivatives, alcohols

suitable Ketones

IK HC TR 1

1. Specially designed for solvent, alcohols and ketones resistant.
2. Strong translucent tank with level indicator.
3. Colored cards for content identification.
4. Base for better stability.
5. Adjustable cone spray nozzle.

iK METAL-STAINLESS STEEL

MAXIMUM AUTONOMY. "Sprayers especially manufactured with maximum resistance materials to be used with mineral and vegetable oils, curing agents and neutral cleaners. Can be similarly used with hydrocarbon based solvents, lubricants and petroleum derivatives."

HEAVY DUTY SPRAYER

**NOT SUITABLE
FOR ACIDS**



IK INOX/SST 6

IK INOX/SST 10

IK METAL 6

IK METAL 10



iK ALK

YOUR BEST PARTNER FOR CLEANING & DISINFECTION. *"Sprayers especially designed to be compatible with chemical agents used in the world of professional cleaning and disinfection. Best suited for alkaline, alcohol and acetone substances."*



IK ALK 9



IK ALK 1.5

IK ALK 1.5

IK ALK 9

USEFUL CAPACITY: 35 oz.
 PACK QTY.: 1
 GROSS WEIGHT: 1.5 lbs.
 REFERENCE: 8.17.77

1.5 Gal
 1
 4.5 lbs.
 8.38.11.916


- optimal Disinfectants, alcohols, alkalis and ketones
- suitable Neutral products





IK ALK 1.5

1. Safety release valve set up at 36 psi.
2. Protective sleeve for valve chamber.
3. Wide opening easy filling.
4. Strong translucent tank with level indicator.
5. Easy assembly and taking apart for cleaning and maintenance, tool free.
6. Adjustable hollow cone spray and fan nozzle included.



IK ALK 9

1. Metallic shut off valve.
2. Funnel incorporated into tank.
3. 45 psi safety valve with depressurization option.
4. Grip for the lance
5. Carrying handle and over the shoulder strap.
6. Strong translucent tank with level indicator.
7. Stable base with feet support for easy pumping.
8. Adjustable hollow cone spray and fan nozzle included.

iK WATER SUPPLY TANK

YOUR CONCRETE DEVICE. "The ideal tool for the supply of pressurised water in cutting and grinding machines used in the concrete industry."



IK WATER SUPPLY TANK

IK WATER SUPPLY TANK

USEFUL CAPACITY:	2.11 Gal
PACK QTY.:	1
GROSS WEIGHT:	6.81 lbs.
REFERENCE:	8.26.73

optimal Water

suitable Cutting oils

It enables users to comply with OSHA 29CFR 1926.1153 standard of respirable crystalline silica in construction work.

Also used for cooling the cutting and drilling elements, thereby preventing the overheating.



IK WATER SUPPLY TANK

1. Safety release valve set up at 45 psi.
2. Strong translucent tank with level indicator.
3. 13 ft hose located on the bottom for maximum usage and consistent.
4. Stable base with support for the feet.
5. Anti backflow quick connector to attach the hose to the portable tools.

iK e 15BS

IDEAL FOR CLEANING, DISINFECTION AND PEST CONTROL.

"The IK e 15 BS is the ideal sprayer for the application of the most commonly used chemicals in the fields of cleaning and disinfection, virus, pest and epidemic control."



18V
Li-Ion
BATTERY



2 POSITION
ELECTRONIC CONTROL
FOR HOMOGENEOUS SPRAYING

SPECIAL NOZZLE KIT
FOR DISINFECTION AND PEST CONTROL

EASILY ACCESSIBLE AND
REPLACEABLE PROTECTED BATTERY
*CHARGER INCLUDED

IK e 15BS

IK e 15BS

USEFUL CAPACITY:	4 Gal
PACK QTY.:	1
GROSS WEIGHT:	11.2 lbs.
REFERENCE:	8.30.75

optimal Disinfectants, Neutral products, Solvent-based pesticides, Alcohols, Oils, solvents and petroleum by-products



IK e 15BS

1. Special nozzles for disinfection and pest control.
2. Long-life 18v lithium battery.
3. Dual position electronic control for homogeneous spraying (PI Pest Control/PII Disinfection).
4. Translucent tank with level indicator.
5. Integrated ergonomic carrying handle.
6. Lance grip.
7. Stainless steel wand.
8. Large filling opening.
9. Padded adjustable straps with click closure.
10. Stainless steel shut off assembly.

IK FOOD

YOUR PARTNER IN THE KITCHEN. "When it comes to spraying food, IK FOOD will be your healthiest choice."



IK FOOD

Food certification pursuant to prevailing laws and regulations CE & FDA. Declaration of conformity available on request.

IK FOOD

USEFUL CAPACITY:	35 oz.
PACK QTY.:	1
GROSS WEIGHT:	1.32 lbs.
REFERENCE:	8.17.81

1. Safety release valve set up at 50 psi.
2. Protective sleeve for valve chamber.
3. Wide opening easy filling.
4. Strong translucent tank with indicator level.
5. Easy assembly and taking apart for cleaning and maintenance, tool free.
6. Adjustable hollow cone spray and fan nozzle included.

optimal Liquid Foods


IK SPARE PARTS, MAINTENANCE KITS AND ACCESSORIES

The IK professional sprayers provide high profitability to the user thanks to their durability, robustness and quality of materials.

From the sprayer design process, our R&D team incorporates sustainable solutions, extending the life cycle of the sprayer and ensuring an effective use of water and chemicals.

The professional user has now available the most ergonomic, functional and safe tools to obtain the maximum efficiency in spraying treatments.

Get the most out of your spray tool with IK Spare Parts, Maintenance Kits, and Accessories.



At your disposal maintenance kits, spare parts and accessories to keep your sprayer always ready.



MAINTENANCE KITS

Always keep your sprayer ready. Get the most out of your professional tool.



IK MULTI 1.5 / Pro 2 nozzle kit

Ref: 8.17.71.871

- M12 complete adapter: 1 unit
- M18 full adapter: 1 unit



IK MULTI 6-9-12-12BS /

Pro 9-12 nozzle kit

Ref: 8.26.71.871

- Fan elbow: 1 unit
- Elbow with adjustable nozzle: 1 unit



IK FOAM 1.5 / Pro 2 kit

Ref: 8.16.76.800

- Felt Disc: 2 units
- Complete FOAM adapter: 1 unit



IK FOAM 9 / Pro 12 kit

Ref: 8.26.76.800

- Felt Disc: 2 units
- Complete FOAM adapter: 1 unit



IK MULTI-FOAM Pro 2 maintenance kit

Ref: 8.17.71.874

- Chamber valve No. 165: 1 unit
- Round seal Ø15 No. 603: 1 unit
- Round seal AN 5 No. 607: 1 unit
- Seal 098: 1 unit
- Seal 1269: 1 unit
- Shaft with joint No. 1285: 1 unit



IK HC 1,5 maintenance kit

Ref: 8.17.74.874

- Chamber valve No. 165: 1 unit
- Round seal Ø15 No. 603: 1 unit
- Round seal AN 5 No. 607: 1 unit
- Seal 098: 1 unit
- Seal 1269: 1 unit
- Shaft with joint No. 1284: 1 unit



IK MULTI 6-9-12 / Pro 9-12 maintenance kit

Ref: 8.26.71.874

- Round seal AN 8 No. 614: 4 units
- Round seal AN 16: 1 unit
- Round seal AN 30 No. 609: 1 unit
- Seal clamp No. 613: 1 unit
- Chamber valve No. 165: 1 unit
- Round seal AN 5 No. 607: 1 unit



IK MULTI 12BS Maintenance kit

Ref: 8.39.70.874

- Round seal AN 5 No. 607: 2 units
- Felt washer: 1 unit
- Stainless ball Ø12 No. 119: 2 units
- Viton seal No. 120: 1 unit
- Round seal AN 8 No. 614: 2 units

At your disposal maintenance kits, spare parts and accessories to keep your sprayer always ready.



SPARE PARTS

Extend the service life of your sprayer. Replace worn parts with new parts and continue spraying.

Tube with IK Pro nuts

Ref: 8.26.71.873



IK Pro shut off assembly

Ref: 8.26.71.872



Reinforced hose

Ref: 8.26.71.870



ACCESSORIES

Customize your sprayer and adapt it to your needs

- Increase your reach in height and in difficult areas
- Save time and effort
- Work in a easy and efficient way
- Identify its contents

IK 1.5 / Pro 2 identification caps

Ref: 8.16.71.900



19.7-inch extension

Ref: 8.34.60.943



5.3-inch lance

Ref: 8.38.11.831



Flexible tube 9.8-inch

Ref: 8.38.77.810



Flexible tube 19.7-inch

Ref: 8.38.77.813



IK Pro identification card

Ref: 8.26.71.875



Compressed air connector (schradr) for IK Metal/Inox models

Ref: 8.32.72.804



Adapter M18 HC

Ref: 8.17.74.602



6m / 19,7 feet hose IK

Ref: 8.26.71.836



3,2m / 10,5 feet telescopic lance

Ref: 8.35.40.913



5,4m / 17,7 feet telescopic lance

Ref: 8.35.40.915



At your disposal maintenance kits, spare parts and accessories to keep your sprayer always ready.

CHEMICAL PRODUCTS TABLE.

The following table shows several examples of the most frequently used aggressive substances and the model recommended for each use. Follow the specified maximum percentages.

The sprayers are not suitable for working with many halogenated solvents.

Given the wide variety of products on the market, Goizper does not warrant the universal validity of its products. Always use caution when working and follow the instructions of the chemical manufacturer.

	IK MULTI IK MULTI PRO	IK MULTI TR	IK FOAM IK FOAM PRO	IK ALKALINES	IK HC IK HC TR	IK METAL/INOX	IK e 15 BS
ACIDS	ACETIC ACID (MAX 20%)	✓	✓	✓	✓	✗	✗
	HYDROCHLORIC ACID (MAX 30%)	✓	✓	✓	✓	✗	✗
	PHOSPHORIC ACID	✓	✓	✓	✓	✗	✗
	NITRIC ACID (MAX 20%)	✓	✓	✓	✓	✗	✗
	SULPHURIC ACID (MAX 30%)	✓	✓	✓	✓	✗	✗
	OTHER ACIDS	✓	✓	✓	✓	✗	✗
* IK Multi TR 1: Only dilute acids – Max. 5%							
ALCOHOLS	BUTANOL	✓	✓	✓	✓	✓	✓
	ETHANOL	✓	✓	✓	✓	✓	✓
	METHANOL	✓	✓	✓	✓	✓	✓
	OTHER ALCOHOLS	✓	✓	✓	✓	✓	✓
ALIPHATIC HYDROCARBONS	DECANE	✓	✓	✓	✗	✓	✓
	HEPTANE	✓	✓	✓	✗	✓	✓
	HEXANE	✓	✓	✓	✗	✓	✓
	LIMONENE	✓	✓	✓	✗	✓	✓
	PENTANE	✓	✓	✓	✗	✓	✓
AROMATIC HYDROCARBONS	NAPHTHALENE	✓	✓	✓	✗	✓	✓
	TOLUENE (MAX 40%)	✓	✓	✓	✗	✓	✓
	XYLENE	✓	✓	✓	✗	✓	✓
OILS AND PETROLEUM PRODUCTS	MINERAL/VEGETABLE OIL	✓	✓	✓	✗	✓	✓
	DIESEL OIL	✓	✓	✓	✗	✓	✓
	GASOLINE	✓	✓	✓	✗	✓	✓
	KEROSENE	✓	✓	✓	✗	✓	✓
	WHITE SPIRIT	✓	✓	✓	✗	✓	✓
ALKALINE AND KETONES	ACETONE	✗	✓	✗	✓	✗	✗
	AMMONIA	✓	✓	✓	✓	✗	✓
	SODIUM HYDROXIDE (CAUSTIC SODA)	✗	✓	✗	✓	✗	✗
	POTASSIUM HYDROXIDE (CAUSTIC POTASH)	✗	✓	✗	✓	✗	✗
	SODIUM HYPOCHLORITE	✓	✓	✓	✓	✗	✓

*IK HC TR: Optimum with Acetone.

✓ OPTIMAL ✓ LIMITED ✗ NOT SUITABLE




MAINTENANCE AND SAFETY RULES.


CLEANING AND MAINTENANCE OF THE SPRAYER

- After each use depressurize the sprayer and clean it.
- If the nozzle becomes blocked, clean it with water and do not use metallic objects.
- If the filter of the handle is clogged, remove it and clean it with water.
- Store the sprayer under cover, avoiding freezing temperatures and extreme heat (between 86° and 39°F).
- To prolong the life of the seals, regularly apply grease to the moving parts of the sprayer.
- Make sure there is no chemical rest between the tank and the shut off assembly

SAFETY RULES

- To avoid any consumption of the product, do not eat, drink or smoke while preparing and spraying.
- Do not use the sprayer on persons, animals, or electric installations.
- Do not spray with high winds or extreme heat.
- In the event of poisoning, see your doctor, taking the chemical product packaging with you.
- Never dispose of waste product or cleaning residues near water courses, wells, etc.
- Do not spray on open flames, fire or other sources of ignition.
- Use the sprayer only with substances which are compatible (scope of application).
- Use suitable protective equipment, masks, goggles, gloves, footwear, etc., to avoid contact of the chemical products with skin, eyes and mouth.





**BY EXPERTS
FOR EXPERTS**



 **Goizper Spraying**
GOIZPER SPRAYING NORTH AMERICA, INC.

59 Tarkiln Place
New Bedford, MA 02745
www.goizperna.com

Ph: (877) 529-8722
Fax: (877) 529-3291
Email: sales@goizperna.com

Goizper Spain | Goizper Portugal | Goizper France | Goizper Central Europe | Goizper North America | Goizper El Salvador | Goizper Brazil |
Goizper Middle East | Goizper Asia | Goizper West Africa | Goizper East Africa |

GOIZPER Spraying NA, Inc. reserves the right to change the contents and information of the products shown in this catalogue without prior notice. © GOIZPER Spraying NA, Inc. all rights reserved. The reproduction in whole or in part of the contents, text and/or images of this catalogue is strictly prohibited.

www.iksprayers.com

T04.500.700