

Choose Pure Guard

Pure Guard is formulated with state-of-the-art additives and quality base stocks, to meet or exceed all new car manufacturers' warranty requirements as well as stringent industry standards. Pure Guard takes a new approach to PCMO to meet API SP with Resource Conserving, ILSAC GF-6A and ILSAC GF-6B, and capable of meeting future GM dexos[™] specifications.

Significant changes in passenger vehicle engine technology and operating conditions have resulted from engine downsizing, gasoline direct injection (GDI), turbocharging, and gasoline particulate filters (GPF). At the same time, advances in passenger vehicle engine oils have played a vital role in enabling these performance improvements.





Choose Performance

- Choose Fuel Economy
 - ILSAC GF-6A and GF-6B
 - Fuel economy retention
- **Choose Protection**
 - LSPI mitigation throughout the oil drain interval
 - Engine & Chain wear performance
 - Corrosion protection
 - Emission system compatibility
 - GPF compatibility

- **Choose Cleanliness**
 - Oxidation stability
 - Deposit control
 - Sludge & varnish protection





Pure Guard Motor Oil



Oxidation Prevention

Feature

Controls deposit formation

Benefit

 Reduces wear on cylinder liners and piston rings

End-User Inference

 Keeps essential engine components clean to prevent overheating and oil starvation and maintain performance throughout the oil drain interval

Legacy API/ILSAC Motor Oil



Pure Guard Motor Oil



Oil screen attached to pick-up tube

Sludge & Varnish Prevention

Feature

Prevents sludge and varnish build-up


Benefit

Maintains a clean motor

End-User Inference


 Ensure cleanliness of critical engine and turbocharged GDI components, allowing the motor oil to flow and prevent overheating in varying operating temperatures

Choose Efficiency



Enhanced Performance Efficiency

Higher performance lubricants are being demanded for existing and next generation engines. Legislative drivers and changes in engine hardware are leading to a new ILSAC standard.



Choose Protection

Pure Guard advanced technologies create high performance protection.

Multiple levels of stringent quality control testing are carried out in our ISO 9001 and A2LA Certified Laboratory to stay on the cutting edge of lubricant technology. Seven fully automated packaging lines with state-of-the-art inspection stations further ensure Pure Guard's quality. These stations are equipped with infrared fluid level and cap seal verification, bar code scanners, and vision systems for label accuracy. We also constantly monitor the quality of our raw materials, safety standards, shipping processes and deadlines. All of this is done to maintain the highest levels of quality and customer satisfaction.





ENGINE PROTECTION AND PERFORMANCE	PURE GUARD. 315W-40	PURE GUARD. SYNTHETIC BLEND	PURE GUARD ON THE SYNTHETIC	PURE GUARD. Guilty Pure and Simple STOW-30 STORAGE RICALE EUROPEAN FORMULA	GM dexos APPROVED
Cleaning Power & Protection	✓	✓	√√	√√√	√√√
Turbocharger cleanliness	√	✓	$\checkmark\checkmark$	√√√	///
Engine Wear Protection	√	√ √	√√	√√	√√√
Engine Deposit Protection	✓	√ √	///	V	√√√
Viscosity Stay-In-Grade	✓	√ √	√√√	√√√	√√√
Fuel Economy	✓	√√√	///	V	√ √
Cold Temperature Protection	√	√ √	√√ √	√√√	√√√
LSPI protection	✓	√√√	√√√	✓	√ √
Soot Protection (chain wear)	✓	√√ √	√√√	✓	✓

^{*} A rating of 1 \(\sqrt{} \) implies no specification or data currently available.

Choose Pure Guard

Packaging Sizes Available:

32 ounces / 946 mL 1 gallon / 3.78 Liters 5 quarts / 4.73 Liters 5 gallons / 18.9 Liters 55 gallons / 208 Liters 275 gallons / 1040 Liters Flexi Bags / Bulk



Pure Guard: World-wide Brand MADE IN USA



www.pureguard.com (888) 881-OMNI (6664)

Omni Specialty Packaging, LLC 10399 Hwy 1 Shreveport, LA 71115 (318) 524-1100 Phone (318) 524-1124 Fax

Distribution Center 5020 Flournoy Lucas Road Shreveport, LA 71129 (318) 841-0385 Phone Omni Industries, LLC 7904 Wrenwood Blvd, Suite C Baton Rouge, LA 70809 (225) 261-6559 Phone (225) 261-6580 Fax