



PRODUCT CATALOG

LEGENDARY PERFORMANCE FORMULAS SINCE 1921

With over 100 years of experience in stop-leak technology and performance chemical additives, we have the ability to provide you with the highest quality products in the industry.

Expect More From Your Additives



www.rislone.com

Contents

Cover	. 1
Contents	. 2
The Rislone Experience	. 3
Heritage	. 3
History	. 4
Graphics Key	. 5
Fuel Products	. 6
What is Your Fuel Problem?	. 6
Petrol & Diesel Fuel Products	. 7
Cooling System, Block Seal and Head Gasket Products	. 9
What is Your Cooling, Block or Head Gasket Problem?	. 9
Block Seal & Head Gasket Products	. 11
Cooling System Products	. 12
Engine Oil Products	. 14
What is Your Engine Problem?	. 14
Engine Oil Products	. 16
Transmission Products	. 20
What is Your Transmission Problem?.	. 20
Transmission Products	. 21
Power Steering Products	. 23
What is Your Steering Problem?	. 23
Power Steering Products	. 24
Jack & Hydraulic Products	. 25
What is Your Jack or Hydraulic Problem?	. 25
Jack & Hydraulic Products	. 26
Gear Repair Products	. 27
What is Your Gear Problem?	. 27
Gear Repair Products	. 28
Contact Us	. 29



YOUR CAR IS WHAT IT EATS.

MAKE IT RISLONE.





The Rislone Experience

Rislone products are specially formulated to renew, restore and repair your vehicle's overall performance and health. Whether used to repair a leak in your vehicle's critical components, or to improve your car's maintenance, performance or longevity, Rislone has a product to suit your needs.

Our extensive background in stop-leak technology and performance chemical additives for "over 100 years" has given us the ability to provide you with the highest quality products in the industry. We don't just develop Rislone products, we bring the Rislone experience to life. From sponsoring extreme sporting events to engaging our customers on social media and the web, we live and breathe the Rislone lifestyle. And it's time we share that with you.

Heritage

Rislone, the original premium automotive chemical company, was founded in 1921. Over the years, the company gained popularity in the worldwide realm with over a century of innovation and millions of loyal customers. We continue to evolve alongside the industry's automotive technological changes in order to create the most complete line of products that serve the broadest range of automotive needs – from repairs, to maintenance, to getting peak performance from your vehicle.

In 2017, the legendary Hy-per Lube brand joined the Rislone family of acclaimed performance, maintenance, and longevity products. Hy-per Lube products are now known as Rislone Hy-per family, and the lineup of solutions is better than ever. These products represent the very best of Rislone's 100-year track record in the automotive performance and maintenance industry.

Hy-per Lube Oil Supplement was originally formulated by Harold Hilton in the early 1950's. Mr. Hilton fabricated high quality valves for a wide variety of industries, including paper and pulp, electrical power generation, petrochemical and marine. The enormous amount of heat and friction generated by the worn gears within the valves was causing premature wear and failure. Finding no commercially available lubricant that was suitable, Mr. Hilton set out to develop a lubricant that met his needs.

FOUNDED IN 1921, RISLONE WAS ONE OF THE ORIGINAL AUTOMOTIVE CHEMICAL ADDITIVES.



The Rislone Experience

History









Components Graphics Key

Rislone products all fit within product categories and are graphically displayed by a particular icon and color, listed below.



Results Graphics Key

Results are essential to any product. These icon graphics outline the 'What It Does' for each product, listed below.

















STOPS LEAKS

CLEANS

LUBRICATES

SMOKING

PREVENTATIVE





INCREASES OIL PRESSURE

INCREASES COMPRESSION



REPAIRS

COOLANT TEMPERATURE



STOPS

MAINTENANCE

"THIS OIL ADDITIVE IS GREAT. MY ENGINE HAS 150 THOUSAND ON IT AND WAS STARTING **TO RUN A LITTLE ROUGH, NOW YOU CAN'T EVEN HEAR IT RUNNING EVEN WHEN YOU ARE GIVING IT PETROL. GREAT PRODUCT."**

- JASON P.

What is Your Fuel Problem?



= BEST TREATMENT = STANDARD TREATMENT

Petrol & Diesel Fuel Products





P/N 44700 Complete Fuel System Cleaner Gas

Improves the quality of petrol by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular injector & complete fuel system cleaner, upper cylinder lubricant, fuel stabilizer & conditioner, dry petrol, petrol treatment and octane booster. Patented funnel spout for all vehicles including capless. Premium P.E.A. Polyetheramine New Generation Detergent Patented Formula is a multifunctional additive improving the quality of gasoline. Dual clean-up and keep clean formula remove injector. combustion chamber and intake valve deposit which restores lost power and improves fuel economy.

DOSAGE: One bottle treats 70 litres of petrol. 1/2 bottle for 20 to 40 litres. One bottle for every 60 litres of petrol.

SIZE: 500 mL

CASE PACK: 4

WHAT IT DOES:







P/N 44701 Fuel Injector Cleaner Concentrate

This complete fuel system tune-up helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation. High performance additives maximize power, performance, kilometer and helps save petrol by cleaning & lubricating fuel injectors. Premium P.E.A. Polyetheramine New Generation Detergent Patented Formula is a multifunctional additive improving the quality of gasoline.

DOSAGE: One bottle is concentrated to treat up to 76 L of petrol or diesel fuel. For small engines, use ¼ bottle for every 19 L.

SIZE: 177 mL

CASE PACK: 12

WHAT IT DOES:



P/N 44740 Diesel Complete Fuel System Cleaner

Improves the quality of Diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular injector & complete fuel system cleaner, anti-gel cold flow improver, fuel stabilizer & conditioner, Cetane booster & diesel treatment, ULSD sulfur substitute, and UCL pump & injector lubricant. Patented funnel spout for all vehicles including capless and misfuelling device vehicles.

DOSAGE: Use one bottle every 8,000 km

SIZE: 500 mL

CASE PACK: 4



Petrol & Diesel Fuel Products





WE DON'T JUST DEVELOP RISLONE PRODUCTS, WE BRING THE RISLONE EXPERIENCE TO LIFE.



P/N 44747 Super Concentrated Octane Booster

Increases octane rating to stop engine hesitation and knock & ping, while also increasing power & performance. Street legal formula works equally well on classic muscle cars, newer smaller harder working engines, off road and racing applications. Increased octane allows the engine to run optimum spark timing which not only creates more power, but in many engines reduces emissions and increases fuel kilometer.

DOSAGE: One bottle is concentrated to treat up to 76 L of petrol

SIZE: 177 mL

CASE PACK: 12



What is Your Cooling, Block or Head Gasket Problem?



🔀 = BEST TREATMENT 🛛 🖌 = STANDARD TREATMENT

What is Your Cooling, Block or Head Gasket Problem?



Block Seal & Head Gasket Products





P/N 41109 Liquid Copper Block Seal Intake & Radiator Stop Leak

One step formula permanently repairs coolant loss problems on cars, trucks, vans, SUV's and RV's. Antifreeze compatible sodium silicate liquid glass penetrates large and small leaks in plastic, aluminum and cast iron heads, blocks, intake manifold & gaskets, freeze plugs, heater cores and radiators. Fiber additives lock together with liquid to increase strength and promote a permanent seal.

DOSAGE: One bottle treats cooling systems up to 15 L

SIZE: 510 g

CASE PACK: 6

WHAT IT DOES:





P/N 41111 Block Seal Head Gasket Fix

One step formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps and cracks then harden to permanently stop leaks. This works because of the extreme heat inside the combustion chamber that acts as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself.

DOSAGE: One bottle treats cooling systems from 7.6 litres to 15 litres. Use 1/2 bottle for cooling systems from 3.75 litres to 7.5 litres. For larger systems, use one bottle for every 15 litres of cooling system capacity.

SIZE: 680 g

CASE PACK: 4

WHAT IT DOES:





P/N 41186 Liquid Aluminum Radiator & Heater Core Stop Leak

Liquid Aluminum® is part of the next generation stop leak line which not only seal leaks, but also conditions the system. Contains Xtreme Cool[™] which stops overheating and reduces water temperature. Safely and easily seals leaks in plastic, aluminum and metal (copper/steel) radiators, heater cores, gaskets and freeze plugs.

DOSAGE: Use one bottle for regular size systems, most 4, 6, and 8 cylinder engines

SIZE: 500 mL

CASE PACK: 6



Cooling System Products





P/N 41196 **Radiator Stop Leak Concentrate**

Specially designed to stop minor cooling system leaks and drips caused by normal cooling system wear and age. It works with ALL types and colors of antifreeze coolant and/or water.

DOSAGE: Passenger cars and light trucks— Use one bottle for 6 & 8 cylinders and half bottle for 4 cylinder engines. Small engines or other small systems use approximately 20 mL per liter of fluid capacity. Over the road and heavyduty equipment—Install one bottle for every 15 litres of coolant capacity

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:







P/N 41201 Heavy Duty Super Radiator Flush

Rislone Xtreme Clean[™] Super Radiator Flush will help your cooling system by removing deposits that build up over time causing overheating. Heavy Duty formulation is specifically designed to clean solder bloom, oily residue, rust and scale. Harmless to all parts of the cooling system, including copper and aluminum. Nonacid formula is safe to use on all cooling system materials.

DOSAGE: One bottle cleans up to 15 litre systems

SIZE: 650 mL

CASE PACK: 6

WHAT IT DOES:



P/N 41240 Radiator Cleaner & Super Flush

Helps your cooling system by removing deposits that build up over time causing overheating. Heavy duty formulation is specially designed to clean solder bloom, oily residue, rust and scale. Contains water pump lubricant and corrosion inhibitors and will not damage the pump.

DOSAGE: Use one 473 mL bottle for every 15 litres of capacity

SIZE: 473 mL

CASE PACK: 4



Cooling System Products





P/N 41300 **Super Coolant**

Contains new technology wetting agents which lower the surface tension of the water/coolant mixture, allowing it to improve the heat transfer of your cooling system. This will make your system dissipate more heat more efficiently, reducing engine temperatures by up to 17°C helping to prevent overheating. Super Coolant lubricates and protects water pump seals, and helps prevent corrosion of ALL metals commonly found in cooling systems, including aluminum. Up to 41°C lower cylinder head temperatures (CHT) enhance engine efficiency, proving better fuel economy, power and performance.

DOSAGE: One bottle treats up to 20 L

SIZE: 473 mL

CASE PACK: 4

WHAT IT DOES:



"I HAD A SMALL ANNOYING LEAK FROM MY POWER STEERING SYSTEM. LOCAL SHOP OUOTED JUST OVER \$500 TO REPAIR. **ON A FLYER, I TRIED THIS AT THE** RECOMMENDATION **OF MY LOCAL** AUTOMOTIVE **STORE. WORKED INSTANTLY AND COST ME UNDER** \$10. LEAK IS GONE, **AND STEERING IS A** LITTLE EASIER TOO. **GOOD PRODUCT."**

- JENNIFER T.

What is Your Engine Problem?



= BEST TREATMENT 🖌 = STANDARD TREATMENT

What is Your Engine Problem?







P/N 44110 **High Mileage** Engine Repair

Contains a combination of the best performance additives to repair the most common oil-related problems. Restores lost compression and power, reduces noise and oil consumption while improving the performance of worn cylinders, rings, bearings, and seals. Compatible with ALL types of engine oils, including petroleum, semisynthetic, synthetic and high-kilometer formulas.

DOSAGE: One bottle treats 4 to 6 litres of oil

SIZE: 500 mL

CASE PACK: 4

WHAT IT DOES:







P/N 44209 Engine Oil Stop Leak Concentrate

Specially designed to stop seal and gasket leaks caused by normal engine wear and age. Works with ALL petrol and diesel engines using conventional, high kilometer and synthetic engine oil.

DOSAGE: One bottle treats up to 5 litres of oil

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:



P/N 44223 Oil Seal® Engine Oil Burning & Leak Repair

Your vehicle is a good candidate for Bar's Oil Seal® Engine Oil Burning & Leak Repair if it does not consume more than one quart of oil per day. We have designed this product to work in all petrol and diesel engines including turbocharged, EcoBoost™, hybrid and even racing engines. This covers 3, 4, 5, 6, 8 and 10 cylinder engines in all cars, trucks, vans and SUV's. Our product can also be used in heavy-duty applications referencing the appropriate dosage level. This applies to a wide range of other motor applications too: tractors, boats, RV's, motorcycles (including wet clutch), ATV's, lawn equipment.

DOSAGE: One bottle treats oil capacity from 4 to 6 litres

SIZE: 500 mL

CASE PACK: 4







P/N 44240 **Rear Main Seal Repair**

Restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Compatible with all petroleum based engines oils including highkilometer and synthetic. Works with ALL vehicle types including petrol, diesel and turbocharged. Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.

DOSAGE: One bottle treats 4 to 6 litres of oil

SIZE: 500 mL

CASE PACK: 6

WHAT IT DOES:







P/N 44334 One Seal Stop Leak

Multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.

DOSAGE: One bottle will treat one engine oil, transmission fluid or power steering fluid system leak

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:



P/N 44102 High Kilometre Engine Treatment

High quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. Multi-grade formula allows the oil to flow freely and provides protection over a broader temperature range. Designed to penetrate into bearing surfaces, piston rings and ring grooves, where sludge and varnish is likely to form. Regular use of Rislone Engine Treatment, with oil and filter changes at the proper intervals, will keep such deposits to a minimum. A cleaner engine is a better lubricated engine with less friction & wear.

DOSAGE: In passenger car and light truck engines, use one bottle for a 3.5 to 6 liter system

SIZE: 500 mL

CASE PACK: 6







P/N 44405 ZINC ZDDP Supplement

Petroleum oil performance "booster" containing ZDDP (zinc dialkyldithiophosphate) Zinc and Phosphorous EP (extreme pressure) additives along with mixed esters to help protect internal engine components including pistons, flat tappet camshafts, lifters, pushrod tips and the rest of the valve train. High performance formula stabilizes the motor oil to insure against viscosity and thermal breakdown. Reduces friction & wear, especially at start-up, helping to eliminate dry starts. Less friction means less wear and a cooler running, longer lasting engine. Clinging action keeps bearings and other internal engine parts lubricated where normal oil fails.

DOSAGE: Petrol Engines (Cars & Light Trucks): 1996 and older – Add one bottle to engine crankcase; 1997 to 2004 – Add approximately ½ bottle (162 mL) to engine; 2005 and newer – Add approximately 1/4 bottle (81 mL) to engine. Diesel Engines (Light, Medium & Heavy-Duty): 2006 and older – Add one bottle to engine crankcase for every 5 litres of oil capacity; 2007 and newer – Add 1/2 bottle to engine.

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:





NUMBER OF STATES

P/N 44416 High Kilometre Ring Seal Smoke Repair

Formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused from "blow-by". Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Contains high-shear polymers which provide a seal for worn pistons and rings to stop blow-by. High kilometer formula is specifically designed for older higher kilometer engines. Viscosity improver cushions and coats engine parts helping to reduce wear and quiet noisy engines. All weather formula retains oil flow characteristic in hot and cold weather.

DOSAGE: One bottle treats 4 to 6 litres of oil for regular 4, 6 and 8 cylinder engines

SIZE: 473 mL

CASE PACK: 6

WHAT IT DOES:



P/N 44447 High Kilometre Compression Repair with Ring Seal

Proprietary blend of high-shear and premium polymers developed for higher kilometer engines that are suffering from decreased or uneven compression. Low compression can be caused by normal engine wear and decreased sealing between the piston rings and cylinder walls. The non-dispersant olefin copolymers fill scratches & grooves in cylinder walls to increase and stabilize compression in all cylinders. Renews worn engines, rebuilds compression, restores lost power and repairs engine blow-by.

DOSAGE: One bottle treats 4 to 6 litres of oil

SIZE: 500 mL

CASE PACK: 12







P/N 4471 **710 Oil Treatment**

High-viscosity formula developed for older and higher kilometer engines to increase all oil film thickness, building a thicker oil cushion and increasing oil pressure in worn engines. Protects against engine wear. Quiets noisy engines & lifters. Increases oil pressure & power.

DOSAGE: One bottle treats 4 to 6 litres of oil

SIZE: 443 mL

CASE PACK: 12



What is Your Transmission Problem?



Transmission Products





P/N 44334 One Seal Stop Leak

Multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.

DOSAGE: One bottle will treat one engine oil, transmission fluid or power steering fluid system leak

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:





P/N 44502 High Kilometre Transmission Stop Slip with Leak Repair

Contains a special blend of viscosity improvers, anti-wear friction modifiers and extreme pressure performance additives to solve most transmission problems. These additives reduce rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining. Excellent to use as a preventative maintenance product. Use to top off existing fluid when low or add a bottle when changing fluid. Specifically designed for higher kilometer vehicles over 75,000 miles.

DOSAGE: One bottle to treat 12 L to 16 L of transmission fluid.

SIZE: 946 mL

CASE PACK: 6

WHAT IT DOES:





P/N 44515 **Transmission Fix**

Synthetic-blend treatment for the transmission fluid, seals, metal surfaces, bands and clutch plates. Global domestic / import formulation can be used in all automatic, manual, CVT & DCT transmissions. Stops slipping, rough shifting, seal fluid leaks and reduce noise. Renews worn fluid and restores older & high kilometer/ mileage transmission performance. Works and safe to use on regular automatic (step, overdrive transmission, 2WD, 4WD, AWD), CVT (continually variable transmission), DCT (dual clutch transmission), ECT (electronically controlled transmission), manual (stick shift transmission), transaxle (front / all-wheel drive).

DOSAGE: One bottle treats transmission systems from 6.5 to 10 litres of total fluid capacity. Use a half bottle for fluid capacity from 3 to 6.4 litres. For larger systems, use 1 bottle for every 8.5 litres.

SIZE: 340 mL

CASE PACK: 6



Transmission Products





P/N 44519 **Transmission Stop Leak Concentrate**

Specially designed to stop seal and gasket leaks caused by normal transmission wear and age. Works with ALL domestic and import, automatic and manual transmission fluids. Safe to use in CVT transmissions.

DOSAGE: Automatic – one bottle treats up to 9.5 litres of fluid. For larger systems, use one bottle for every 9 litres of fluid capacity. Manual – Use approximately 60 mL per liter of fluid capacity.

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:



"I DRIVE A 1998 FORD TAURUS SE. IT HAS 218,870 KILOMETERS, A FEW MONTHS BACK, I STARTED TO EXPERIENCE SEVERE TRANSMISSION PROBLEMS. THE TRANNY WAS SLIPPING, THE GEARS WERE LAGGY WHEN SHIFTING, AND SHIFTING BACK **DOWN THROUGH SPEEDS WAS ROUGH. I EXPECTED** THE WORST FOR MY CAR AS I AM IN HIGH SCHOOL AND CAN'T EXACTLY AFFORD A NEW TRANSMISSION. I HAD ALREADY TRIED DRAINING THE TRANS OIL AND REPLACING IT, WITH THE SAME PROBLEMS. I WAS WALKING THROUGH THE AUTOMOTIVE STORE ONE DAY AND NOTICED "RISLONE AUTOMATIC TRANSMISSION REPAIR" ON THE SHELF. I THOUGHT IT WAS MY BEST CHANCE IF ANY, EVEN THOUGH I WAS VERY SKEPTICAL. AFTER HAVING THE TRANS OIL DRAINED AGAIN, AND ADDING A BOTTLE OF RISLONE, IMPROVEMENT WAS QUICKLY AND OBVIOUSLY NOTICED RIGHT OFF. **ALL TRANS FAILURE SIGNS WERE GONE WITHIN 160 KILOMETERS. I'VE DRIVEN THE CAR OVER 4,800 KILOMETERS WITHOUT A SINGLE TRANSMISSION PROBLEM. TRULY AMAZING, I DON'T KNOW HOW** YOU DO IT, BUT KEEP IT UP!"

> - S.M. GLASGOW, SCOTLAND

What is Your Steering Problem?

Product Selector	44334 One Seal™ Stop Leak	44629 Power Steering Stop Leak Concentrate	44650 High Mileage Power Steering Repair
Small Fluid Leaks – <i>Need to Add</i> Fluid 1 X per Month	✓	✓	*
Medium Fluid Leaks – <i>Need to</i> Add Fluid 1 X per Week			*
Noise – Whining, Squeals and Growling			*
Rough / Hard Steering			\bigstar
Slack or Loose Steering			$\overrightarrow{\mathbf{x}}$
Morning Sickness – Hard or Tight Steering When Cold			*
Worn Rack & Pinion			\bigstar
Renews Worn Fluid			
Reduces Friction & Heat			
Extends Steering Life			
High Kilometre Formulation			

= BEST TREATMENT = STANDARD TREATMENT

Power Steering Products





P/N 44334 One Seal Stop Leak

Multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.

DOSAGE: One bottle will treat one engine oil, transmission fluid or power steering fluid system leak

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:







P/N 44629 **Power Steering Stop Leak Concentrate**

Designed to stop seal and 0-ring leaks caused by normal power steering wear and age. Works on rack & pinion units, gear boxes and pumps. Keeps power steering seals soft and pliable. Noncorrosive, non-clogging and non-foaming. Works with ALL domestic, import and heavy duty power steering fluids; including petroleum, mineral oil, synthetics and ATF automatic transmission fluid.

DOSAGE: One bottle treats up to 2.5 litres of fluid

SIZE: 325 mL

CASE PACK: 6

WHAT IT DOES:



P/N 44650 **High Mileage Power Steering Repair**

A combination of the best performance additives to repair the most common power steering fluid related problems. Can be used to top-off the existing fluid when low, or add a bottle when changing fluid. Works on all vehicles, domestic and import. Compatible with ALL types of power steering fluid or ATF, including petroleum, mineral oil and synthetic formulas.

DOSAGE: One bottle treats 2 to 3 litres of power steering fluid

SIZE: 500 mL

CASE PACK: 4



What is Your Jack or Hydraulic Problem?

	41812	
Product Selector	Jack Oil with Stop Leak	Hydraulic Seal Hydraulic Stop Leak & Conditioner
Small Oil Leaks – <i>Need to Add Oil</i> 1 X per Month	\checkmark	*
Medium Oil Leaks – <i>Need to Add</i> <i>Oil 1 X per Week</i>	~	*
Noise – Whining and Chatter		\bigstar
Extends System Life	\checkmark	\mathbf{X}
Lubricates		\mathbf{X}
Protects		\mathbf{X}
Reduces Friction & Heat		\mathbf{X}
Preventative Maintenance		\mathbf{X}
Reduces Wear		
Inhibits Foam		
High Dielectric Strength		
Corrosion Protection		
Floor & Bottle Jacks	\bigstar	

★= BEST TREATMENT ✓= STANDARD TREATMENT

Jack and Hydraulic Products





P/N 41812 **Jack Oil with Stop Leak**

Designed to stop seal and O-ring leaks caused by normal jack wear and age. This product renews old jacks and prevents leaks and seepage on newer jacks. Mixes with all approved hydraulic jack oils, it works in all floor and bottle jacks, and it's non-corrosive, non-clogging and nonfoaming.

DOSAGE: One bottle treats 2 to 3 litres of oil

SIZE: 370 mL

CASE PACK: 6

WHAT IT DOES:







P/N 41820, 41821, 41822, 41823 Hydraulic Seal Hydraulic Stop Leak & Conditioner

Designed to keep hydraulic seals soft and pliable and reduce friction and wear in hydraulic systems. Our formula cleans and prevents harmful formation of sludge and varnish while helping keep the hydraulic systems run cooler and last longer. Rislone Hydraulic Seal Stop Leak & Conditioner mixes with all factory approved hydraulic fluids and synthetics. Works on all petroleum synthetic tluid, pump seals, control valve seals, actuators, rams, cylinders, O-ring boss hose fitting, and hydrostatic transmission.

DOSAGE: One bottle treats up to 30 L (41820); One bottle treats up to 121 L (41821); One bottle treats up to 633 L (41822); One bottle treats up to 6933 L (41823)

SIZE: 950 mL (41820); 3.8 L (41821); 19 L (41822); 208 L (41823)

CASE PACK: 6 (41820); 4 (41821); 1 (41822); 1 (41823)







What is Your Gear Problem?



Product Selector

Axle & Differential Gear Repair

Differential – Limited Slip, Posi, Open and Electric	*
Gears – Hypoid, Spider, Worm and Rack	\mathbf{A}
Transfer Case – Gear Oil and ATF Fluid	\mathbf{A}
Manual Transmission – Gear/Engine Oil and ATF Fluid	\mathbf{X}
Hubs – Trailer Oil Bath	$\overrightarrow{\mathbf{x}}$
Marine – Lower Drive Unit and Stern Drive	\mathbf{X}
Leaks – Seals, O-Ring and Gasket Leaks	★
Pinion and Axle Seals	\mathbf{X}
Noise – Clunking Gear and Bearing Whine	\mathbf{X}
Sludge Buildup – Reduces Friction	
Extends Fluid Life	★

★ = BEST TREATMENT ✓ = STANDARD TREATMENT

Gear Repair Products





P/N 41816 **Axle & Differential Gear Repair**

Formulated to stop leaks, reduce noise and improve gear performance to extend system life. Works on all gear boxes, differentials, open axles, traction differential, and much more. Stops leaking pinion, shaft, output shaft and other seal types. Safe for use on differential axles (limited slip, drive, open, electric), gears (hypoid, crosshead, worm, rack), transfer case (AWD, 4WD, gear oil, ATF), standard manual transmissions (gear oil, motor oil, ATF), hubs, boats and much more.

DOSAGE: Add 150 mL to 175 mL per litre of system capacity

SIZE: 500 mL

CASE PACK: 4





Contact Us

We'd love to hear from you! Don't forget to check out our support section online for product details and technical info.

Rislone

P.O. Box 187 Holly, MI 48442 USA

Website

www.rislone.com

HIGHER PERFORMANCE.

BETTER FUEL ECONOMY.

GREATER DURABILITY.

