



DIPACO
DIESEL
PARTS
U S A

An Employee Owned Company

DIPACO, Inc.

Combined Catalog

If you need assistance on how Acrobat Reader works, chose HELP on the Reader menu bar and go through the Reader Online Guide.

The Table of Contents can be found on page 5 of this catalog.

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

INTRODUCTION

An Employee Owned Company

Address

DIPACO, Inc.
105 East Parr Blvd.
Reno, Nevada 89512 USA
Phone: (775) 329-7511
Fax: (775) 329-9740
Toll Free Phone: (800) 648-4720
Toll Free Fax: (888) 320-7761
E-Mail: sales@dipaco.com
Internet: www.dipaco.com

What we offer

- Providing **quality diesel parts since 1948**
- Comprehensive **warranty**
- **Competitive** pricing
- Excellence in customer **service**
- Company **representation** before and after sales
- **Multi-skilled** staff
- **Extended trading hours**
- **Toll free** phone and fax ordering
- Full **technical** support
- Quality **commitment**
- Superior **quality inventory**
- Same day **shipping**

Information

Copyright
DIPACO, Inc., 1998, and
INPACparts Pty Ltd, 1998. No part
of this publication may be reproduced
in any form by any means without
written permission.

This catalog is in loose leaf form
to allow for continuous updating
as we add additional parts. For
current parts availability, please
consult our current price list or
contact DIPACO or your DIPACO
distributor.

This catalog is for reference
purposes only. DIPACO assumes
no responsibility or liability for any
errors or inaccuracies that may
appear in this publication. All
mention of OEM names and part
numbers is for reference only.

Product Lines

- Allis-Chalmers
- Caterpillar
- Cummins
- AMBAC
- Navistar
- GM
- Ford
- Lucas/CAV
- Bosch
- Zexel
- Denso
- Stanadyne
- Special Tool Kits and Tools
- Special Installation and Mounting Kits

DIPACO is located in Reno, Nevada, in the western United States. DIPACO has distributors throughout North America, our Australian sister company, **INPACparts**, and distributors around the world to provide prompt service to the fuel injection industry.

Our Vision

To be the leader in marketing and distribution of fuel injection and related products to the global diesel industry.

Our Mission

DIPACO is an employee owned company providing quality diesel fuel injection and related products and training as an alternative to the original equipment manufacturer

We serve each customer with convenient products in an efficient manner at competitive prices in the global market.

Length Conversion

Many of the dimensional measurements used in this catalog are metric (millimeters) while others are in inches. We are including this conversion guide to help you translate between measurement systems.

LENGTH FORMULAS

Inch to Millimeter

Use the inch decimal equivalent.

$$\text{Inch} \times 25.4 = \text{mm}$$

Millimeter to Inch

The result is the inch decimal equivalent.

$$\text{mm} \times .0394 = \text{Inch}$$

DECIMAL EQUIVALENTS

8ths

$$1/8 = .125$$

$$1/4 = .250$$

$$3/8 = .375$$

$$1/2 = .500$$

$$5/8 = .625$$

$$3/4 = .750$$

$$7/8 = .875$$

16ths

$$1/16 = .062$$

$$3/16 = .187$$

$$5/16 = .312$$

$$7/16 = .437$$

$$9/16 = .562$$

$$11/16 = .687$$

$$13/16 = .812$$

$$15/16 = .937$$

32nds

$$1/32 = .031$$

$$3/32 = .093$$

$$5/32 = .156$$

$$7/32 = .218$$

$$9/32 = .281$$

$$11/32 = .343$$

$$13/32 = .406$$

$$15/32 = .468$$

$$17/32 = .531$$

$$19/32 = .593$$

$$21/32 = .656$$

$$23/32 = .718$$

$$25/32 = .781$$

$$27/32 = .843$$

$$29/32 = .906$$

$$31/32 = .968$$

DECIMAL EQUIVALENTS

64ths

$$1/64 = .015$$

$$3/64 = .046$$

$$5/64 = .078$$

$$7/64 = .109$$

$$9/64 = .140$$

$$11/64 = .171$$

$$13/64 = .203$$

$$15/64 = .234$$

$$17/64 = .265$$

$$19/64 = .296$$

$$21/64 = .328$$

$$23/64 = .359$$

$$25/64 = .390$$

$$27/64 = .421$$

$$29/64 = .453$$

$$31/64 = .484$$

$$33/64 = .515$$

$$35/64 = .546$$

$$37/64 = .578$$

$$39/64 = .609$$

$$41/64 = .640$$

$$43/64 = .671$$

$$45/64 = .703$$

$$47/64 = .734$$

$$49/64 = .765$$

$$51/64 = .796$$

$$53/64 = .828$$

$$55/64 = .859$$

$$57/64 = .890$$

$$59/64 = .921$$

$$61/64 = .953$$

$$63/64 = .984$$



DIPACO
DIESEL
PARTS
U S A

TABLE OF CONTENTS

SUBJECT	SECTION
ALLIS-CHALMERS	ALLIS-CHALMERS
CATERPILLAR	CATERPILLAR
CUMMINS	CUMMINS
OTHER FUEL SYSTEMS	OTHER FUEL SYSTEMS
COMPONENTS	COMPONENTS
NOZZLE WASHERS	CHAPTER 1
HEAT SHIELDS	CHAPTER 2
LEAK-OFF WASHERS	CHAPTER 3
CAP NUT WASHERS	CHAPTER 4
DUST SEALS AND O-RINGS	CHAPTER 5
FINISHING MATERIALS	CHAPTER 6
plastic bags	6-1
plastic caps and plugs	6-3
lead seals, wires and sealing paint	6-11
FUEL INJECTION LINES	CHAPTER 7
BANJO BOLTS	CHAPTER 8
BANJO FITTINGS	CHAPTER 9
OVERFLOW & NON RETURN VALVES	CHAPTER 10
FUEL LINE COMPONENTS	CHAPTER 11
PLUGS AND FITTINGS	CHAPTER 12
PINS, BUSHES & ROLLERS	CHAPTER 13
pins	13-1
bushes	13-7
rollers	13-11
roller kits	13-17
OIL SEALS	CHAPTER 14
MOUNTING GASKETS, O-RINGS AND HARDWARE	CHAPTER 15
COUPLINGS AND DISCS	CHAPTER 16
LIFT PUMP REPAIR KITS AND ACCESSORIES	CHAPTER 17
BEARINGS AND BUSHINGS	CHAPTER 18
HAND PRIMERS	CHAPTER 19
SOLENOIDS	CHAPTER 20
INSTALLATION KITS	CHAPTER 21
INDEX	INDEX




DIPACO
DIESEL
PARTS

U S A

DIPACO Parts Catalog For Allis-Chalmers Fuel Injection

November 1998



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



INTRODUCTION

Allis-Chalmers made their own holders and nozzle for a number of years. Often they used the same holder and nozzle with a different opening pressure due to different fuel injection pumps and engine applications. This has lead to some confusion, trying to identify which holder assembly is in use. The Application Guide of this catalog should help reduce the confusion.

The information presented has been adapted from published information and may not represent all applications. If in doubt, refer to the appropriate Allis-Chalmers manual. Manufacturer names, numbers, and descriptions are used for reference only.

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 3
November 1998

TABLE OF CONTENTS

DESCRIPTION	PAGE
"Old Style" Allis-Chalmers Holder for 2200-3500/6000-11000 Series Engines	4
"New Style" Allis-Chalmers Holder for 2200-3500/2900 MKII/6000-11000 Series Engines	5
Allis-Chalmers Holder for 16000-25000 Series Engines	6
Allis-Chalmers Holder for D175/D262 Series Engines	7
AMBAC Bar Stock Style Holder for 433/649/670 Series Engines	8
Application Guide	10




DIPACO
DIESEL
PARTS
U S A



DIPACO
DIESEL
PARTS
U S A

"OLD STYLE" ALLIS-CHALMERS HOLDER 2200-3500/6000-11000 ENGINES



REF	PART	DESCRIPTION	QTY
1	4396054	CAP NUT	1
2	4511243	CAP NUT GASKET	2
3	4378033	ADJUSTING SCREW	1
4	4517266	LOCKING NUT	1
5	4380652	SPRING	1
6	4025148	SPINDLE ROD 2200-3500 Engines	1
6	4380656	SPINDLE ROD 6000-11000 Engines	1
7		NOZZLE HOLDER BODY Not serviced separately	1
8	922943	DOWEL PIN	2
9	See Application Guide	NOZZLE ASSEMBLY	1
10	4025146	NOZZLE RETAINING NUT 2200-3500 Engines	1
10	4380662	NOZZLE RETAINING NUT 6000-1100 Engines	1
11	4025150	NOZZLE GASKET 2200-3500 Engines	1
11	4378031	NOZZLE GASKET 6000-11000 Engines	1

REF	PART	DESCRIPTION	QTY
12	4025385	DUST SHIELD	2

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

"NEW STYLE" ALLIS-CHALMERS HOLDER
2200-3500/2900MKII/6000-11000 ENGINES



REF	PART	DESCRIPTION	QTY
1	4023570	PRESSURE ADJUSTING SCREW	1
2	4517266	LOCK NUT	1
3	4023571	PRESSURE ADJ. SPRING WASHER	1
4	4380652	PRESSURE ADJUSTING SPRING	1
5	4025148	SPINDLE ROD	1
5	4380656	SPINDLE ROD 2200-3500/2900 MKII Engines 6000-11000 Engines	1
6	930506	O RING	1
7		NOZZLE HOLDER BODY Not serviced separately	1
8	922943	DOWEL PIN	2
9	4025146	NOZZLE RETAINING NUT 2200-3500 Engines	1
9	4024011	NOZZLE RETAINING NUT 2900 MKII Engines	1
9	4380662	NOZZLE RETAINING NUT 6000-11000 Engines	1
10	See Application Guide	NOZZLE ASSEMBLY	1
11	4025150	NOZZLE GASKET 2200-3500 Engines	1

REF	PART	DESCRIPTION	QTY
11	4378031	NOZZLE GASKET 6000-11000 Engines The 2900 MKII eng and 5455B/605 tractors do not use a nozzle gasket.	1
12	4025385	DUST SHIELD 2200-3500/6000-11000 Engines	2
12	4024010	DUST SHIELD 2900 MKII Engines	1
-	4060859	HOLDER ASSEMBLY - LESS NOZZLE 2200-3500 Engines	1
-	4060908	HOLDER ASSEMBLY - LESS NOZZLE 6000-11000 Engines	1
-	4007968	HOLDER ASSEMBLY - LESS NOZZLE 2900 MKII Engines	1

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

ALLIS-CHALMERS HOLDER 16000-25000 ENGINES



REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	4396054	CAP NUT	1				
2	4511243	CAP NUT GASKET	2				
3	4517266	LOCKING NUT	1				
4	4378033	ADJUSTING SCREW	1				
5	4380652	SPRING	1				
6	4391240	SPINDLE ROD	1				
7		NOZZLE BODY HOLDER	1				
		<i>Not serviced separately</i>					
8	4396702	NOZZLE ASSEMBLY	1				
9	4392057	NOZZLE RETAINING NUT WITH HEAT SHIELD	1				
10	4390619	NOZZLE RETAINING NUT	1				
11	4378031	NOZZLE GASKET	1				
-	4062106	HOLDER ASSEMBLY - LESS NOZZLE 16000 Engine	1				
-	4396701	HOLDER ASSEMBLY - LESS NOZZLE 25000 Engine	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




REF	PART	DESCRIPTION	QTY

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

AMBAC BAR STOCK STYLE HOLDER 433/649/670 ENGINES



REF	PART	DESCRIPTION	QTY
1	4025150	GASKET	1
2	4062808	RETAINING NUT, HEAT SHIELD	1
2	4063244	RETAINING NUT, TAPERED	1
3	See Application Guide	NOZZLE ASSEMBLY	1
4	4062807	SPACER ASSEMBLY	1
5	4062806	SPRING SEAT	1
6	4062805	SPRING	1
7	AKN85SM-6852A	HOLDER BODY	1
8	4062761	SHIM KIT	1

REF	PART	DESCRIPTION	QTY

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




DIPACO
DIESEL
PARTS
U S A


Page 9
November 1998



This Page Left Blank

DIPACO
DIESEL
PARTS
U S A

REF	PART	DESCRIPTION	QTY
			

REF	PART	DESCRIPTION	QTY
			



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	TORQUE CAP NUT
D15 TRACTOR								
D175 ENGINE								
PRIOR TO ENG S/N D05033	4511200	4050032	4060858	4511204	-	2175±25	70	70
EFF ENG S/N D05033 UP	4516394	4516393	4060858	4511204	-	2175±25	70	70
D17 WHEEL TRACTOR								
D262 ENGINE								
PRIOR S/N D01680	4511200	4050032	4060858	4511204	-	2175±25	70	70
S/N D01680 UP	4516394	4516393	4060858	4511204	-	2175±25	70	70
D19 WHEEL TRACTOR								
D262 ENGINE								
PRIOR S/N D01499	4511200	4050032	4060858	4511204	-	2175±25	70	70
EFF S/N D01499 UP	4516394	4516393	4060858	4511204	-	2175±25	70	70
D21 TRACTOR								
3400 ENGINE	4026576	4035507	4060859 (A)	4025150	4025385	2825±25	50	70
3400 MKII ENGINE	4027880	4035507	4060859 (A)	4025150	4025385	2825±25	50	70
3500 ENGINE	4022904	4036044	4060859 (A)	4025150	4025385	3125±25	50	70
160, 170, 175 TRACTOR	CAV FUEL SYSTEM							
180, 185 TRACTOR								
2800 ENGINE								
PRIOR S/N 15561	4022901	4007218	4060859 (A)	4025150	4025385	2825±25	50	70
S/N 15561 UP	USE AMBAC STYLE HOLDER AND NOZZLE ASSEMBLY							
190, 190XT, 190XT III TRACTOR								
2800 ENGINE	4022901	4007218	4060859 (A)	4025150	4025385	2825±25	50	70
2800 MKII ENGINE	4024028	4007223	4007968	-	4024010	3475±25	50	50
2900 ENGINE	4022904	4036044	4060859 (A)	4025150	4025385	3125±25	50	70
200 TRACTOR								
2900 ENGINE	4022904	4036044	4060859 (A)	4025150	4025385	3125±25	50	70
210, 220 TRACTOR								
3500 ENGINE	4027883	4035508	4060859 (A)	4025150	4025385	3125±25	50	70
440 TRACTOR	CUMMINS ENGINE							
5040, 5045 TRACTOR	CAV FUEL SYSTEM							
5050, 6040 TRACTOR	FIAT ENGINE							
6060, 6070, 6080 TRACTOR								
433/2200 ENGINE	4063575	4063245	(B)	4009035	4009040	3975±75	30-35	-
	4063266	4063329	(B)	4009035	4009040	3950±60	30-35	-
7000 TRACTOR								
649I ENGINE								
PRIOR S/N 2556	4023489	4007224	4007968	-	4024010	3675±25	50	50
S/N 2556 UP			(B)					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	CAP NUT
7010 TRACTOR 649T ENGINE PRIOR S/N 2556 S/N 2556 UP	4006797 4063575 4063266	4007225 4063245 4063329	4007968 (B) (B)	- 4009035 4009035	4024010 4009040 4009040	4025±25 3975±75 3950±60	50 30-35 30-35	50 - -
7020 WHEEL TRACTOR 649I ENGINE PRIOR S/N 4392 S/N 4392 UP	4006797 4063575 4063266	4007225 4063245 4063329	4007968 (B) (B)	- 4009035 4009035	4024010 4009040 4009040	4025±25 3975±75 3950±60	50 30-35 30-35	50 - -
7030, 7040, 7050 TRACTOR 3500/3700 ENGINES	4022904	4036044	4060859 (A)	4025150	4025385	3125±25	50	70
7045 TRACTOR 670T ENGINE PRIOR S/N 3732 S/N 3732 UP	4022904 4036654	4036044 4036653	4060859 (A) (B)	4025150 4025150	4025385 4009040	3125±25 3950±50	50 30-35	70 -
7050 TRACTOR 3700 ENGINE PRIOR S/N 3D-53558 S/N 3D-53558 UP	4027883 4036654	4035508 4036653	4060859 (A) (B)	4025150 4025150	4025385 4009040	3125±25 3950±50	50 30-35	70 -
7060 TRACTOR 3700 ENGINE	4029898	4036044	4060859 (A)	4025150	4025385	3825±25	60	60
7080 TRACTOR 3750 ENGINE PRIOR S/N 3718 S/N 3718 UP	4029013 4036652	4035509 4036651	4060859 (A) (B)	4025150 4025150	4025385 4009040	3825±25 4275±75	50 30-35	50 -
8010 WHEEL TRACTOR 649T ENGINE	4063575 4063266	4063245 4063329	(B) (B)	4009035 4009035	4009040 4009040	3975±75 3950±60	30-35 30-35	- -
8030, 8050, 8070, 4W220 WHEEL TRACTOR 670I/670T ENGINES	4036652	4036651	(B)	4025150	4009040	4275±75	30-35	-
4W305 WHEEL TRACTOR 6120 ENGINE	4391957	4396702	(B)	4378031	-	4125±25	75	50
A, R COMBINE D262 ENGINE PRIOR S/N 122396	4511200	4050032	4060858	4511204	-	2175±25	70	70
A COMBINE D262 ENGINE S/N D01681 UP	4516394	4516393	4060858	4511204	-	2175±25	70	70
C, CII COMBINE D262 ENGINE PRIOR ENG S/N D01499 EFF ENG S/N D01499 UP	4511200 4516394	4050032 4516393	4060858 4060858	4511204 4511204	- -	2175±25 2175±25	70 70	70 70

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	TORQUE CAP NUT
E COMBINE	GASOLINE	MODEL						
EIII COMBINE	GASOLINE	MODEL						
F COMBINE 2800 ENGINE	4023577	4007218	4060859	4025150	4025385	3475±25	50	50
FII COMBINE 2800 ENGINE PRIOR S/N 48201 S/N 48201 UP	4023577 4063575 4063266	4007218 4063245 4063329	4060859 (B) (B)	4025150 4009035 4009035	4025385 4009040 4009040	3475±25 3975±25 3950±25	50 30-35 30-35	50 - -
FIII COMBINE 2800 ENGINE S/N 49601 UP	4063575 4063266	4063245 4063329	(B) (B)	4009035 4009035	4009040 4009040	3975±25 3950±25	30-35 30-35	- -
G COMBINE 2900 ENGINE PRIOR S/N 17001 S/N 17001 UP	4022904 4023069	4036044 4036044	4060859 (A) 4060859 (A)	4025150 4025150	4025385 4025385	3125±25 3425±25	50 60	70 60
KII COMBINE 2200 ENGINE PRIOR S/N 25201 S/N 25201 UP	GASOLINE 4007968 4063575 4063266	MODEL 4007224 4063245 4063329	4007968 (B) (B)	- 4009035 4009035	4024010 4009040 4009040	3425±25 3975±25 3950±25	50 30-35 30-35	50 - -
L COMBINE 2900 ENGINE PRIOR ENG S/N 13000 W/D2900 W/158 H.P. D3500 "ROOSA"	4023489 4022904	4007224 4036044	4007968 4060859 (A)	- 4025150	4024010 4025385	3425±25 3125±25	50 50	50 70
LII COMBINE TRACTOR S/N 13001-15500 670T ENGINE PRIOR S/N 70-11322 (C) 670T ENGINE S/N 70-11322 UP (C)	- 4036042 4036654	4007225 4036044 4036653	4007968 4060859 (A) (B)	- 4025150 4025150	4024010 4025385 4009040	3425±25 3850±25 3950±25	50 50 30-35	50 50 -
LIII COMBINE TRACTOR S/N 28001 649I/T ENGINE TYPE "E" 649I/T ENGINE TYPE "K" 670T ENGINE	4063565 4063577 4036652	4063350 4063350 4036651	(B) (B) (B)	- - 4025150	4009040 4009040 4009040	3950±25 3950±25 4275±25	30-35 30-35 30-35	- - -
M COMBINE 2900MKII ENGINE PRIOR TRACTOR S/N 15400 MKI 120 H.P. W/ROOSA M II 130 H.P.	4022904 4023489	4036044 4007224	4060859 (A) 4007968	4025150 -	4024010 4024010	3125±25 3425±25	50 50	70 50

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	CAP NUT
MII COMBINE 2900 ENGINE TRACTOR S/N 15401-18400 TRACTOR S/N 22101-23801	- 4009013 4063266 4063575	4007225 4029014 4063329 4063245	4007968 4060859 (A) (B) (B)	- 4025150 4009035 4009035	4024010 4024010 4009040 4009040	3425±25 3825±25 3950±60 3975±75	50 50 30-35 30-35	50 50 - -
N V COMBINE 670 ENGINE PRIOR S/N 70-11332 S/N 70-11332 UP COMBINE S/N 6101 UP	4022904 4036654 4036652	4036044 4036653 4036651	4060859 (A) (B) (B)	4025150 4025150 4025150	4025385 4009040 4009040	3125±25 3950±25 4275±75	50 30-35 30-35	70 - -
N VI COMBINE 670 ENGINE	4036652	4036651	(B)	4025150	4009040	4275±75	30-35	-
N VII COMBINE 685I ENGINE PRIOR TRACTOR S/N 4500 TRACTOR S/N 4501 UP PRIOR S/N 85-02441	4322412 4322412 4322412	4322227 4322227 4322227	(B) (B) (B)	4378031 4378031 4378031	4322607 4322607 4025385	3850±25 3850±25 3850±25	30-35 30-35 30-35	- - -
HD3 CRAWLER D175 ENGINE PRIOR S/N D05033 S/N D05034 UP	4511200 4516394	4050032 4516393	4060858 4060858	4511204 4511204	- -	2175±25 2175±25	70 70	70 70
HD4 CRAWLER 433/2200 ENGINE	4022901	4007218	4060859 (A)	4025150	4025385	2825±25	50	70
HD6 CRAWLER 344/516 ENGINE PRIOR S/N 13322	4346227	4050594	4040553	4511204	4025385	2825±25	50	60
HD6G CRAWLER 344/516 ENGINE PRIOR S/N 13322 6000/7000 ENGINE S/N 6-15383 UP	4346227 4359369	4050594 4321933	4040553 4060908	4511204 4378031	4025385 4025385	2825±25 3825±25	50 50	60 70
HD6A, AG, B, E, EP CRAWLER 6000 ENGINE PRIOR S/N 6-15383	4359369	4321933	4060908	4378031	4025385	3825±25	50	70
HD7G CRAWLER 6000/7000 ENGINE PRIOR S/N 7-15384 S/N 7-15384 UP	4359369 4359369	4321933 4321933	4060908 4060908	4378031 4378031	4025385 4025385	3825±25 3825±25	50 50	70 70
HD7G-B CRAWLER 3500 ENGINE PRIOR S/N 3D-15949 S/N 3D-15949-3D-18869 S/N 3D-18870 UP	4027883 4028860 4027883	4035508 4035508 4035508	4060859 (A) 4060859 (A) 4060859 (A)	4025150 4025150 4025150	4025385 4025385 4025385	3125±25 3125±25 3125±25	50 50 50	70 50 70

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	TORQUE CAP NUT
HD11B, E, EC, ES, S, F, FC, CRAWLER 344/516 ENGINE S/N 101-6427 10000/11000 ENGINE S/N 6428-12201	4346227 4359369	4050594 4321933	- 4060908	4511204 4378031	4025385 4025385	2850±50 2825±25	50 50	60 70
D11G, GC CRAWLER 10000 ENGINE S/N 10-7107 UP	4359369	4321933	4060908	4378031	4025385	3825±25	50	70
HD11EP CRAWLER 685T/10000/11000 PRIOR S/N 12201 S/N 12201 UP	4354783 4354785	4321933 4321932	4060908 (A) 4060908 (A)	4378031 4378031	4025385 4025385	2825±25 2825±25	50 50	70 70
HD11E, ES, AG CRAWLER 10000/11000 ENGINES S/N 12201 UP	4359370	4321932	4060908 (A)	4378031	4025385	2825±25	50	70
HD11B CRAWLER 11000 ENGINE PRIOR S/N 11-18999 S/N 11-18882-18934 S/N 11-18999-20378 S/N 11-20378 UP	4359401 4359396 4359396 4320642	4321932 4321933 4321933 4321935	4060908 (A) 4060908 (A) 4060908 (A) 4060908 (A)	4378031 4378031 4378031 4378031	4025385 4025385 4025385 4025385	3825±25 3825±25 3825±25 3825±25	50 50 50 50	70 70 70 70
HD 12G CRAWLER 685T/10000/11000 ENGINE S/N 43C1001 UP	4359401	4321932	4060908 (A)	4378031	4025385	3825±25	50	70
HD12GB CRAWLER 685T/10000/11000 ENGINE	4359396	4321933	4060908 (A)	4378031	4025385	3825±25	50	70
HD16 CRAWLER 844 ENGINE PRIOR TRACTOR S/N 4001	4320642	4321935	4060908 (A)	4378031	-	3825±25	50	70
HD16GC CRAWLER 16000 ENGINE	4390623	4378021	4062106	4378031	-	2825±25	70	70
HD16D, DC, DP CRAWLER 16000/21000/25000/6120/6138 ENGINE PRIOR S/N 16-05069 S/N 16-05069-08963 S/N 16-08964-19862 S/N 16-08963 UP (D)	4390624 4390625 4391957 4392121	4378020 4396702 4396702 4396702	4062106 4062106 4062106 4396701	4378031 4378031 4378031 4378031	- - - -	2825±25 3825±25 4125±25 4125±25	70 70 75 75	70 70 75 75
HD16B CRAWLER 16000/21000/25000/6120/6138 ENGINE (D)	4392121	4396702	4396701	4378031	-	4125±25	75	75
HD21A, F CRAWLER 16000/21000/25000 ENGINES PRIOR TRACTOR S/N 11001	4363761	4050594	-	4511204	-	2150±50	50	60

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	TORQUE CAP NUT
HD21G CRAWLER 16000/21000/25000 ENGINES TRACTOR S/N 11001-12801 PRIOR S/N 21-3380 S/N 21-3814-3833	4390624 4390624 4390624	4378020 4378020 4378020	4062106 4062106 4062106	4378031 4378031 4378031	- - -	2825±25 2825±25 2825±25	70 70 70	70 70 70
HD21A CRAWLER 16000/21000/25000 ENGINES S/N 12801 UP (D)	4390625	4396702	4062106	4378031	-	3825±25	70	70
HD21P CRAWLER 16000/21000/25000/6120/6138 S/N 12904-14605 S/N 14606-16000 (D)	4390625 4391957	4396702 4396702	4062106 4062106	4378031 4378031	- -	3825±25 4125±25	70 75	70 75
HD21B CRAWLER 16000/21000/25000/6120/6138 S/N 16005 UP (D)	4392121	4396702	4396701	4378031	-	4125±25	75	75
HD21C CRAWLER 25000 ENGINE S/N 71A21001 UP	4392121	4396702	4396701	4378031	-	4125±25	75	75
TL12D LOADER D262 ENGINE LOADER S/N 2003 UP PRIOR S/N 122405 S/N 122405 UP	4511200 4511200 4516394	4050032 4050032 4516393	4060858 4060858 4060858	4511204 4511204 4511204	- - -	2175±25 2175±25 2175±25	70 70 70	70 70 70
TL14D LOADER D262 ENGINE LOADER S/N 1525 UP	4359369	4321933	4060908 (A)	4378031	4025385	3825±25	50	70
TL16D LOADER 6000/7000 ENGINE LOADER S/N 1801 UP	4359369	4321933	4060908 (A)	4378031	4025385	3825±25	50	70
TL20D LOADER 516 ENGINE LOADER S/N 536 UP PRIOR S/N 108983 S/N 108983-116788 S/N 116789-118346 S/N 118347 UP	4346227 4346227 4336039 4359369 4359369	4050594 4050594 4050594 4321933 4321933	- - 4060908 (A) 4060908 (A) 4060908 (A)	4511204 4511204 4511204 4378031 4378031	4025385 4025385 4025385 4025385 4025385	2150±50 2150±50 2150±50 3825±25 3825±25	50 50 50 50 50	60 60 60 70 70
TL30D LOADER 685T/10000/11000 ENGINE PRIOR S/N 118347 S/N 118347 UP	4359369 4359369	4321933 4321933	4060908 (A) 4060906 (A)	4378031 4378031	4025385 4025385	3825±25 3825±25	50 50	70 70
TL40D LOADER 16000/21000/25000/6120/6138 ENGINE	4390625	4396702	4062106	4378031	-	3825±25	70	70
345 LOADER 2800 ENGINE PRIOR S/N 3D-99234 S/N 3D-99234 UP	4023577 4007219	4007218 4007218	4060859 4060859	4025150 4025150	4025385 4025385	3475±25 3475±25	50 50	50 50

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	TORQUE CAP NUT
545, 545H LOADER 2900 ENGINE PRIOR TO SERIES B PRIOR S/N 2D-53675 S/N 2D-53675 UP	4022904 4022904 4023568	4036044 4036044 4036044	4060859 (A) 4060859 (A) 4060859 (A)	4025150 4025150 4025150	4025385 4025385 4025385	3125±25 3125±25 3125±25	50 50 60	70 70 60
545B, 605B LOADER 2900 MKII ENGINE PRIOR S/N 2D-83104 2900 MKII ENGINE S/N 2D-83104 UP 649T ENGINE	4023489 4006748 4024033	4007224 4007224 4007225	4007968 4007968 4007968	- - -	4024010 4024010 4024010	3475±25 3475±25 3475±25	50 50 50	50 50 50
645 WHEEL LOADER 3400/3500/3500MKII/3700/670 ENGINE PRIOR S/N 3D-10184 S/N 3D-10184 UP	4023568 4027883	4036044 4035508	4060859 4060859 (A)	4025150 4025150	4025385 4025385	3125±25 3125±25	60 50	60 70
645B WHEEL LOADER 3400/3500/3500MKII/3700/670 ENGINE S/N 11Y03501 UP S/N 16L03501 UP	4029013 4029013	4035509 4035509	4060859 4060859	4025150 4025150	4025385 4025385	3825±25 3825±25	50 50	50 50
745, 745H LOADER 685T/10000/11000 ENGINE PRIOR S/N 11-12871 S/N 11-12871-18335 S/N 11-18336-18779 S/N 11-18780-20377 S/N 11-20378 UP	4359370 4359401 4359396 4359401 4320642	4321932 4321932 4321933 4321932 4321935	4060908 (A) 4060908 (A) 4060908 (A) 4060908 (A) 4060908 (A)	4378031 4378031 4378031 4378031 4378031	4025385 4025385 4025385 4025385 4025385	2850±50 3825±25 3825±25 3825±25 3825±25	50 50 50 50 50	70 70 70 70 70
745B, 745HB LOADER 685T/10000/11000 ENGINE S/N 72C02901 UP S/N 62Y02901 UP S/N 94A02901 UP	4320642 4320642 4320642	4321935 4321935 4321935	4060908 (A) 4060908 (A) 4060908 (A)	4378031 4378031 4378031	4025385 4025385 4025385	3825±25 3825±25 3825±25	50 50 50	70 70 70
745C LOADER 685T/10000/11000 ENGINE S/N 64M03651 UP S/N 22Y03651 UP	4320642 4320642	4321935 4321935	4060908 (A) 4060908 (A)	4378031 4378031	4025385 4025385	3825±25 3825±25	50 50	70 70
945, 945B LOADER 16000/21000/25000/6120/6138 ENGINE PRIOR S/N 25-06564 S/N 25-06565 UP	4392121 4392121	4396702 4396702	4396701 4396701	4378031 4378031	- -	4125±25 4125±25	75 75	75 75
ACC 60, 70 FORKLIFT D262 ENGINE	4516394	4516393	4060858	4511204	-	2175±25	70	70
ACC 80, 100CD FORKLIFT D262 ENGINE	4516394	4516393	4060858	4511204	-	2175±25	70	70

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	TORQUE CAP NUT
DD GRADER								
D262 ENGINE								
PRIOR S/N 98590	4500533	4050032	4060858	4511204	-	2150±25	70	70
EFF ENG S/N 98590 UP	4511200	4050032	4060858	4511204	-	2175±25	70	70
EFF ENG S/N 2573 UP	4516394	4516393	4060858	4511204	-	2175±25	70	70
65 GRADER								
D262 ENGINE								
S/N 24A00201 UP	4516394	4516393	4060858	4511204	-	2175±25	70	70
S/N 56Y02201 UP	4516394	4516393	4060858	4511204	-	2175±25	70	70
65B GRADER								
D262 ENGINE								
S/N 62S02401 UP	BOSCH - OMAP - CAV - FIAT -	00771065 00770958 00770899 007677451						
M100, M100B GRADER								
685T/10000/11000 ENGINE								
PRIOR GRADER S/N 1209	4354783	4321933	4060908 (A)	4378031	4025385	2825±25	50	70
GRADER S/N 1209 UP	4354785	4321932	4060908 (A)	4378031	4025385	2825±25	50	70
S/N 67S05001-06588	4354785	4321932	4060908 (A)	4378031	4025385	2825±25	50	70
S/N 67S06589 UP	4359396	4321933	4060908 (A)	4378031	4025385	2825±25	50	70
MD100C GRADER								
685T/10000/11000 ENGINE								
ENGINE S/N 27Y08001 UP	4320642	4321935	4060908	4378031	4025385	3825±25	50	70
M150C, 200C GRADER								
685T/10000/11000 ENGINE								
S/N 99C01001 UP	4320642	4321935	4060908	4378031	4025385	3825±25	50	70
S/N 90M01001 UP	4320642	4321935	4060908	4378031	4025385	3825±25	50	70
260 SCRAPER								
16000 ENGINE								
15000 ENGINE								
	4390623	4378021	4062106	4378031	-	2825±25	70	70
	4390624	4378020	4062106	4378031	-	2825±25	70	70
260A, AE SCRAPER								
19000/25000 ENGINES								
SCRAPER S/N 8001-9000	4391957	4396702	4062106	4378031	-	4125±25	75	75
S/N 59L06001 UP	4391957	4396702	4062106	4378031	-	4125±25	75	75
PRIOR S/N 21-10115	4391957	4396702	4062106	4378031	-	4125±25	75	75
S/N 21-10115 UP (D)	4392121	4396702	4396701	4378031	-	4125±25	75	75
260B SCRAPER								
6138I/25000 MKII ENGINES								
S/N 29M00101 UP	4392121	4396702	4396701	4378031	-	4125±25	75	75
260E SCRAPER								
19000 ENGINES								
PRIOR S/N 19-01765	4390625	4396702	4062106	4378031	-	3825±25	70	70
S/N 19-01765-01868	4390625	4396702	4062106	4378031	-	3825±25	70	70
S/N 19-01869 UP (D)	4391957	4396702	4062106	4378031	-	4125±25	75	75

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

APPLICATION GUIDE

See Page 19 For Application Guide Notes

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	CAP NUT
261B SCRAPER 6138I/25000 MKII ENGINES	4392121	4396702	4396701	4378031	-	4125±25	75	75
262B SCRAPER 685T/11000 MKII ENGINES	4392121	4396702	4396701	4378031	-	4125±25	75	75
263B SCRAPER 685T/11000 MKII ENGINES REAR ENGINE - ALL	4392121 4320642	4396702 4321935	4396701 4060908	4378031 4378031	- -	4125±25 3825±25	75 50	75 70
TS300 SCRAPER 844 BUDA ENGINE PRIOR S/N 39965 S/N 39965 UP	4361580 4363761	4050594 4050594	- AKB95S1874	4511204 4511204	4025385 4025385	2150±25 2150±25	50 50	60 60
TS360 SCRAPER 844 BUDA ENGINE PRIOR SCRAPER S/N 2001 SCRAPER S/N 2001 UP	4363761 4390624	4050594 4378020	4062106 4062106	4511204 4378031	4025385 4025385	2150±25 2825±25	50 70	60 70
460 SCRAPER 25000 ENGINE PRIOR SCRAPER S/N 4300	4390625	4396702	4062106	4378031	-	3825±25	70	70
460B SCRAPER 25000 ENGINE PRIOR SCRAPER S/N 4300-5000 PRIOR S/N 25-01978 S/N 25-01979 UP (D)	4390625 4390625 4391957	4396702 4396702 4396702	4062106 4062106 4062106	4378031 4378031 4378031	- - -	3825±25 3825±25 4125±25	70 70 75	70 70 75
840B LOADER 2800 ENGINE	4022901	4007218	4060859	4025150	4025385	2825±25	50	70
940 LOADER 2900 ENGINE	4023489	4007224	4007968	4025150	4024010	3825±25		
APPLICATION GUIDE NOTES								
(A) This is a late style holder with a one piece top nut and o-ring seal. This requires an adapter, part number D4023572, and a gasket, part number D4023573, to bring its height even with the return line.								
(B) Robert Bosch and AMBAC bar stock style holder assembly.								
(C) Below 200 BHP.								
(D) Long-sac versus short-sac as used in 16000H, 17000, 21000 MKII and 25000 MKII engines. Some engines originally used holder assembly D4392304, which was a long-sac type and is discontinued. remove the D4392576 insert from the head and use the D4396702 nozzle. The above change was effective with the following engine serial numbers: 16-10155 plus 16-09919 through 16-09943 17-01009 19-02158 21-10854 plus 21-10581 through 21-10585 25-02871 Use 4062106 holder for short-sac applications.								

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

NOTES TO APPLICATION GUIDE

APPLICATION AND ENGINE	HOLDER ASSY	NOZZLE	HOLDER	NOZZLE GASKET	DUST SHIELD	OPENING PRESSURE	TORQUE RET NUT	CAP NUT
(A) This is a late style holder with a one piece top nut and o-ring seal. This requires an adapter, part number D4023572, and a gasket, part number D4023573, to bring its height even with the return line. (B) Robert Bosch and AMBAC bar stock style holder assembly. (C) Below 200 B.H.P. (D) Long-sac versus short-sac as used in 16000H, 17000, 21000 MKII and 25000 MKII engines. Some engines originally used holder assembly D4392304, which was a "long-sac type" and is discontinued. Remove the D4392576 insert from the head and use the D4396702 nozzle. The above change was effective with the following engine serial numbers: 16-10155 plus 16-09919 through 16-09943 17-01009 19-02158 21-10854 plus 21-10581 through 21-10585 25-02871 Use 4062106 holder for short-sac applications. Use 4396701 for long-sac applications.								

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS

U S A

DIPACO Replacement Parts Catalog For Caterpillar Fuel Injection Systems

November 1998

3208 SLEEVE METERING
3304/3306 SLEEVE METERING

3304B/3306B NEW SCROLL
3406B/3406C NEW SCROLL



The information presented in this catalog has been adapted from published information and is believed to be correct, however this catalog is an overview of each pump group. Many parts used within a pump group, i.e. 3406B, are the same, however there are some changes within each Serial Number and Arrangement Number group.

Within each pump group is a serial number and arrangement number break which gives specific information regarding the configuration of each particular pump. When ordering any parts, except DIPACO DIESEL PARTS gasket sets and overhaul gasket kits to rebuild Caterpillar pumps, you will need the Serial Number and Arrangement Number for your specific pump. If in doubt on any information regarding the pump you are servicing refer to current Caterpillar repair manuals or contact DIPACO DIESEL PARTS.

Each parts illustration in this catalog is accompanied by a parts list. When a part number is indented, it is included with the part number under which it is indented.

DIPACO DIESEL PARTS is continually adding new parts to our line. For parts availability, please consult our current price list or contact your DIPACO distributor or DIPACO DIESEL PARTS directly.

Manufacturers names, numbers, or descriptions are used as reference only.



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TABLE OF CONTENTS

TOPIC	PAGE
3208 SLEEVE METERING FUEL PUMP	
PUMP BODY - CAMSHAFT	4
PLUNGER AND BARREL - FRONT COVER	6
GOVERNOR	8
3304/3306 SLEEVE METERING FUEL PUMP	
PUMP BODY - CAMSHAFT	10
PLUNGER AND BARREL - FRONT COVER	12
GOVERNOR	14
3304B/3306B NEW SCROLL FUEL PUMP	
PUMP BODY - CAMSHAFT	18
PLUNGER AND BARREL	20
GOVERNOR	22
3406B/3406C NEW SCROLL FUEL PUMP	
PUMP BODY - CAMSHAFT	26
PLUNGER AND BARREL	28
GOVERNOR (MECHANICAL)	30
GOVERNOR (ELECTRONIC)	34
AIR FUEL RATIO (ALL FUEL PUMPS)	
SLEEVE METERING AND NEW SCROLL	40
PRIMER PUMP/SOLENOID/TORQUE CONTROL (ALL FUEL PUMPS)	
SLEEVE METERING AND NEW SCROLL	42
OVERHAUL GASKET SETS (ALL FUEL PUMPS)	
SLEEVE METERING AND NEW SCROLL	44

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS

U S A

This technical drawing is an exploded view of a mechanical assembly, likely a pump or valve component. It features 60 numbered parts, including a main housing (1), internal valves (2, 3, 4), a top cover (5), and various internal components like springs (36, 37, 38, 39), seals (40, 41, 42, 43, 44, 45), and a piston rod (46). The diagram also shows a cross (32) and a small cap (33) on the right side, and a large circular flange (60) at the bottom right. The background includes a large, faint watermark of the Dipac logo and the text 'DIPACO, INC.' and 'PARTS'.

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3208 PUMP BODY - CAMSHAFT (SLEEVE METERING)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
-	7W6335	FRONT CAMSHAFT BUSHING (SEE PAGE 6-7)	1	-	DPE17219	BEARING AND RISER ASSEMBLY	1
-	8N0628	REAR CAMSHAFT BUSHING (SEE PAGE 6-7)	1	49	4N2927	THRUST WASHER	1
1	4N0556	GASKET	1	50	7M7219	BEARING	1
2	4N2333	PIN	1	51	4N2927	THRUST WASHER	1
3	4N3713	SEAL	1	52	4N2953	RETAINING CLIP	1
4	4N0938	SHAFT	1	53	4N3779	KEY	1
5	4N0532	GASKET	1	54	4N0511	WEIGHT DOWEL	3
6	4N0531	COVER	1	55	4N1723	WEIGHT CARRIER SHIELD	1
7	6L1756	BOLT	1	56	4N0425	BOLT	3
8	6L1756	BOLT	1	57	8N2663	WEIGHT CARRIER	1
9	4N5481	STUD	1	58	8N2662	GOVERNOR WEIGHT	3
10	4N6315	DEFLECTOR	2	59	9L6542	CAMSHAFT TYPE NA-1 16°	1
11	4N0940	LEVER	1	59	9N3751	CAMSHAFT TYPE NA-2 NA-3 16°	1
12	4N0937	SHAFT	1	59	7C1507	CAMSHAFT TYPE NA-4 17.5°	1
13	6D3031	CAPSCREW	4	59	9N5858	CAMSHAFT TYPE T-1 T-2 T-3 15° (EXCEPT CALIFORNIA)	1
14	4N0941	LEVER	1	59	1W6738	CAMSHAFT TYPE T-1 8°	1
15	8N0984	PIN	8	59	7W5480	CAMSHAFT T-2 10°	1
16	4N0505	GASKET	1	59	7W6831	CAMSHAFT TYPE T-3 12.5°	1
17	0S1615	BOLT	7	59	4W6737	CAMSHAFT TYPE T-4 18°	1
18	3J7354	O RING	1	60	9N5822	THRUST BEARING	1
19	9S4182	PLUG	1				
20	8H3127	CAPSCREW	2				
21	9S9332	ELBOW	1				
22	6N1729	COVER	1				
23	2M5471	BOLT	2				
24	9Y0546	INLET FLANGE ASSEMBLY	1				
25	4N3088	GASKET	1				
26	9Y0546	CHECK VALVE FLANGE ASSEMBLY	1				
27	7E5346	CHECK VALVE	1				
28	4N0975	GASKET	1				
29	4N0605	SPRING	1				
30	4N1767	FUEL BYPASS VALVE	1				
31	4N0595	GASKET	1				
32	6N1716	VALVE	1				
33	3J7354	O RING	1				
34	2D6392	O RING	2				
35	4N1826	DOWEL	2				
36	4N4276	SPRING SEAT	1				
37	-	OUTER GOVERNOR SPRING (*SEE NOTE)	1				
38	4N5482	WEIGHT CARRIAGE SHAFT	1				
39	-	INNER GOVERNOR SPRING (**SEE NOTE)	1				
40	4N9019	DOWEL	1				
41	4N6404	RETAINER RING	1				
42	4N6406	SPACER	1				
43	4N6407	SPOOL	1				
44	4N6408	PISTON ASSEMBLY	1				
45	6N2517	DASHPOT SPRING	1				
46	2W5623	SEAT	1				
47	4N0527	OVERFUELING SPRING	1				
48	4N0434	RISER	1				

***NOTE: OUTER GOVERNOR SPRING
COLOR CODE**

1W4793	PURPLE-PURPLE
1W4925	PURPLE
1W6804	PINK-PINK-PINK
2W9003	YELLOW-YELLOW
4N5659	PINK-WHITE
4N5661	WHITE-WHITE
4N6119	GREEN-GREEN-GREEN
4N9226	GREEN-GREEN
6N2129	PINK-PINK
6N2132	GREEN
7N3807	PINK
9L6508	YELLOW

****NOTE: INNER GOVERNOR SPRING
COLOR CODE**

4N5663	PINK
--------	------

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3208 PLUNGER AND BARREL - FRONT COVER (SLEEVE METERING)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3208 PLUNGER AND BARREL - FRONT COVER (SLEEVE METERING)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	7W8120	RETAINER	8				
2	6F6672	O RING	8				
3	4N0209	BONNET	8				
4	4N0224	CLIP	8				
5	9L9424	SPRING	8				
6	9B1320	CHECK VALVE (HAT-SMOOTH)	8				
6	7N5148	CHECK VALVE (HAT-SCRATCHED)	8				
6	8N1414	CHECK VALVE (RFC)	8				
6	1W6987	CHECK VALVE (ORFC)	8				
6	1W6987	CHECK VALVE (ORFC)	8				
7	6N7527	P & B 8.0 MM (NA)	8				
7	1W3010	P & B 8.5 MM (TURBO)	8				
8	8N1317	LIFTER (NA-1 CAMSHAFT)	8				
8	6N6794	LIFTER (NA-2/3/4 CAMSHAFT)	8				
8	9N5817	LIFTER (TURBO)	8				
9	4N2685	ROLLER (NA)	8				
9	9N5827	ROLLER (TURBO)	8				
10	9N5862	SPRING	8				
11	4N2728	RETAINER	8				
12	8N0628	REAR CAMSHAFT BUSHING	1				
13	7W6335	FRONT CAMSHAFT BUSHING	1				
14	4N0429	DRIVE GEAR	1				
15	4N0406	IDLER GEAR	1				
16	5M6509	O RING	1				
17	8H9804	SHAFT	1				
18	4N1132	TRANSFER HOUSING	1				
19	9F6641	BOLT	4				
20	4N2954	HUB	1				
21	8S6814	DOWEL	1				
22	4N1584	SEAL	1				
23	4N0636	SEAL	1				
24	9M9729	MOUNTING O RING	1				
-	1P4001	OUTLET FITTING (NOT SHOWN)	1				
-	6N9988	SOLENOID 12V (NOT SHOWN)	1				
-	6N9987	SOLENOID 24V (NOT SHOWN)	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3208 GOVERNOR ASSEMBLY (SLEEVE METERING)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3208 GOVERNOR ASSEMBLY (SLEEVE METERING)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	1D4716	NUT	1	*NOTE: THROTTLE SHAFT-A WORN SHAFT CAN BE PRESSED OUT OF THE PLATE AND A NEW DIPACO SHAFT PRESSED IN, ORDER PART NUMBER D4N2773B.			
2	4N2708	BOLT	1				
3	9M1311	NUT	1				
4	6L3921	WASHER	1				
5	6N4176	SETSCREW	1				
6	031-0214	BOLT	A/R				
7	2M7819	RETAINER CLIP	1				
8	4N0445	LEVER	1				
9	4N0523	DOWEL	1				
10	2D6392	O RING	1				
11	4N0528	SHAFT	1				
12	3H0442	O RING	1				
13	4N9828	CONTROL SHAFT ASSEMBLY	1				
14	4N3922	CROSSOVER LEVER CONTROL	1				
15	2N2658	SCREW	10				
16	4N0563	CROSSOVER LEVER	1				
17	9N5820	P&B CONTROL LEVER	8				
18	9L6807	CONTROL SHAFT	2				
19	4N2677	RISER LEVER	1				
20	4N2333	DOWEL	1				
21	8N3946	GOVERNOR HOUSING	1				
22	8S6814	DOWEL	2				
23	2D6392	O RING	1				
24	6N7523	WASHER	1				
25	1D4533	BOLT	3				
26	3J7354	O RING	1				
27	9S4182	PLUG	1				
28	8F8178	BOLT	1				
29	2A4781	BOLT	3				
30	8N3945	BUSHING	2				
31	2W4037	SEAL	1				
32	4N3329	WASHER	1				
33	7C6202	LEVER	1				
-	7C6201	LEVER SEAT	1				
34	4N3329	WASHER	1				
35	4N2773B	THROTTLE SHAFT (*SEE NOTE)	1				
36	4N2773	THROTTLE SHAFT ASSEMBLY	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA



www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 PUMP BODY - CAMSHAFT (SLEEVE METERING)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 PUMP BODY - CAMSHAFT (SLEEVE METERING)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	6N0248	SHAFT ASSEMBLY	1	50	DPE17219	BEARING AND RACE ASSEMBLY	1
2	9S8597	SPRING	1		4N2927	THRUST WASHER (.060" EACH)	2
3	-	TORQUE CONTROL GROUP	1		7M7219	BEARING	1
4	4N2333	PIN	1	51	4N2953	RETAINING SPRING	1
5	-	FUEL INJECTION PUMP GROUP	1	52	4N1723	WEIGHT CARRIER SHIELD	1
6	9F7022	BOLT	2	53	8N2662	BOLT	3
7	9F6580	BOLT	2	54	8N2663	WEIGHT CARRIER	1
8	4N5490	BASE ASSEMBLY	1	55	4N0425	GOVERNOR WEIGHT	3
	9S4167	STUD	1	56	4N0511	WEIGHT DOWEL	3
9	4N7572	ELBOW	1	57	6N6567	CAMSHAFT - 3304	1
10	4N9337	GASKET	1	57	4N4313	CAMSHAFT - 3306	1
11	8S4710	BOLT	1	58	4N3779	KEY	1
12	6D0238	VALVE ASSEMBLY	1	59	9N5822	THRUST BEARING	1
13	9S4167	STUD	1				
14	4N1826	DOWEL	1				
15	2D6392	SEAL	1				
16	5J5314	BOLT	4				
17	1P4001	FITTING	1				
18	9S4180	PLUG	1				
19	4J7533	SEAL	1				
20	6N2810	CHANNEL	1				
21	4N4431	GASKET	1				
22	0S1616	BOLT - 3304	11				
22	0S1616	BOLT - 3306	13				
23	4N4350	COVER - 3304	1				
23	4N4351	COVER - 3306	1				
24	4N9056	GASKET - 3304	1				
24	4N9057	GASKET - 3306	1				
25	4N5481	STUD	1				
26	6N7375	ADAPTER ASSEMBLY	1				
27	3N2820	LEVER ASSEMBLY	1				
	7L4993	DOWEL	1				
28	3N2813	SEAL	1				
29	2W1626	GASKET	1				
30	9N0967	SPRING	1				
31	4N9467	BEARING	2				
32	3N2815	SHAFT	1				
33	7L4993	DOWEL	1				
34	3N2824	LEVER ASSEMBLY	1				
35	2N2658	BOLT	1				
36	7N3096	BASE	1				
37	4N4276	SPRING SEAT	1				
38	-	OUTER GOVERNOR SPRING (*SEE NOTE)	1				
39	4N9018	WEIGHT CARRIER SHAFT	1				
40	-	INNER GOVERNOR SPRING (**SEE NOTE)	1				
41	4N9019	DOWEL	1				
42	4N6404	RETAINING RING	1				
43	4N6406	SPACER	1				
44	4N6407	SPOOL	1				
45	4N6408	PISTON ASSEMBLY	1				
46	6N2517	DASHPOT SPRING	1				
47	2W8623	SEAT	1				
48	4N0527	OVERFUELING SPRING	1				
49	4N0434	RISER	1				

***NOTE: OUTER GOVERNOR SPRING**

COLOR CODE

1W4793	PURPLE-PURPLE
1W4925	PURPLE
1W6804	PINK-PINK-PINK
2W9003	YELLOW-YELLOW
4N5659	PINK-WHITE
4N5661	WHITE-WHITE
4N6119	GREEN-GREEN-GREEN
4N9226	GREEN-GREEN
6N2129	PINK-PINK
6N2132	GREEN
7N3807	PINK
9L6508	YELLOW

****NOTE: INNER GOVERNOR SPRING**

COLOR CODE

4N5663	PINK
--------	------

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA




www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 PLUNGER & BARREL - FRONT COVER (SLEEVE METERING)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 PLUNGER & BARREL - FRONT COVER (SLEEVE METERING)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	6N7527	P & B 8.0 MM (NA)	4/6				
1	1W3010	P & B 8.5 MM (TURBO)	4/6				
2	4N0209	BONNET	4/6				
3	6F6672	O RING	4/6				
4	7W8120	RETAINER	4/6				
5	9B1320	CHECK VALVE	4/6				
6	4N0224	CLIP	4/6				
7	9N5862	SPRING	4/6				
8	4N2728	RETAINER	4/6				
9	8N1317	LIFTER	4/6				
10	4N2685	ROLLER	4/6				
11	9N5820	P & B CONTROL LEVER	4/6				
12	2N2658	SCREW	4/6				
13	9L6863	BODY ASSEMBLY - FRONT COVER	1				
14	4N0636	SEAL	1				
15	4N2954	SLEEVE	1				
16	4N1584	SEAL	1				
17	8S6814	DOWEL	1				
18	4N0429	GEAR (15 TEETH)	1				
19	4N3779	KEY	1				
20	8H9804	SHAFT	1				
21	4N0406	GEAR (10 TEETH)	1				
22	5M6509	O RING	1				
-	2H3934	COVER MOUNTING O RING	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA



www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 GOVERNOR (SLEEVE METERING)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 GOVERNOR (SLEEVE METERING)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	4N1881	LEVER	1	47	2A4781	BOLT [6.99 CM (2.75 IN) LONG]	1
2	9L8571	DOWEL	1	47	3B8695	BOLT [8.89 CM (3.50 IN) LONG]	1
3	8F5368	WASHER	1	48	1P2497	BOLT	1
4	6N5482	PLATE	2	49	4N5578	COVER	1
5	4N0687	COVER ASSEMBLY	1	-	4N0049	GASKET	1
6	2W4037	SEAL	1	50	4N0054	SCREW	1
7	0S1616	BOLT	4	-	5B3180	NUT	1
8	4N0402	GASKET	1				
9	9S8601	PIN	1				
10	4N0528	SHAFT	1				
11	4N2677	SHAFT ASSEMBLY	1				
12	2M7819	RING	1				
13	3H0442	SEAL	1				
14	4N0508	GASKET	1				
15	2M5471	BOLT	2				
16	4N1591	COVER ASSEMBLY	1				
17	6N0412	MACHINE SCREW	1				
-	4B2042	NUT	1				
-	3B4501	LOCKWASHER	1				
-	1P7326	WASHER [1.52MM (.060 IN) THICK]	1				
-	8F1326	WASHER [.813MM (.032 IN) THICK]	1				
18	2P3200	BOLT	1				
19	1J9671	SEAL	1				
20	4N0523	DOWEL	1				
21	2D6392	SEAL	1				
22	4N0445	LEVER	1				
23	4N1767	VALVE	1				
24	4N0605	SPRING	1				
25	2W4037	SEAL	1				
26	4N0927	SHAFT ASSEMBLY	1				
27	4N0260	SEAL	2				
28	6N2578	BEARING	1				
29	4N6547	HOUSING ASSEMBLY	1				
30	4N2333	DOWEL	1				
31	-	DASHPOT ASSEMBLY (SEE CAMSHAFT VIEW PAGE 10)					
32	4N0572	SHAFT ASSEMBLY	1				
33	1P2298	VALVE ASSEMBLY	1				
34	8N0984	PIN	6				
35	8S6814	DOWEL	2				
36	9S4180	PLUG	1				
37	4J7533	SEAL	1				
38	4N9018	SHAFT	1				
39	5M6214	PLUG	1				
40	4N0260	SEAL	1				
41	4N0116	GUIDE	1				
42	9S8632	SPRING	1				
43	1P9925	BOLT [6.35 CM (2.50 IN) LONG]	1				
43	2A4781	BOLT [6.99 CM (2.75 IN) LONG]	1				
43	3B8695	BOLT [8.89 CM (3.50 IN) LONG]	1				
44	1P9925	BOLT [6.35 CM (2.50 IN) LONG]	1				
44	2A4781	BOLT [6.99 CM (2.75 IN) LONG]	1				
44	3B8695	BOLT [8.89 CM (3.50 IN) LONG]	1				
45	4N0594	GASKET	1				
46	6N7523	WASHER	1				
47	1P9925	BOLT [6.35 CM (2.50 IN) LONG]	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA



www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 GOVERNOR (SLEEVE METERING)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304/3306 GOVERNOR (SLEEVE METERING)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	2A0762	BOLT	4				
2	4N0117	GASKET	2				
3	4N8507	COVER	2				
4	6L5773	GASKET	1				
5	4N0444	SPACER	1				
6	2P0726	SPRING	1				
7	4N8179	PIN	1				
8	4L3776	BOLT	1				
9	9S4191	PLUG	1				
10	3J1907	SEAL	1				
11	1P9925	BOLT [6.35 CM (2.5 IN.) LONG]	1				
12	4N1881	LEVER	1				
13	9L5871	DOWEL	1				
14	2A4781	BOLT [6.99 CM (2.75 IN.) LONG]	1				
15	8F5368	WASHER	1				
16	6N5482	PLATE	2				
17	4N0687	COVER ASSEMBLY	1				
18	2W4037	SEAL	1				
19	0S1616	BOLT	4				
20	4N0402	GASKET	1				
21	9S8601	PIN	1				
22	3B8695	BOLT [8.89 CM (3.50 IN.) LONG]	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304B/3306B PUMP BODY - CAMSHAFT (NEW SCROLL)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304B/3306B PUMP BODY - CAMSHAFT (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	6M5062	SEAL	1				
2	2D6392	SEAL	1				
3	7N5334	SCREW	1				
4	4B2049	NUT	1				
5	4W5735	LEVER	1				
5	8N3168	THROTTLE LEVER	1				
6	6N1716	VALVE ASSEMBLY	1				
7	7N8768	GASKET	1				
8	8B2377	BOLT	4				
9	8N5783	DEFLECTOR - 3304B	1				
9	8N5784	DEFLECTOR - 3306B	1				
10	4F7957	BOLT - 3304B	4				
10	4F7957	BOLT - 3306B	6				
11	7N9521	COVER - 3304B	1				
11	7N9907	COVER - 3306B	1				
12	7N3104	GASKET - 3304B	1				
12	7N9554	GASKET - 3306B	1				
13	1B2713	BOLT	2				
14	4B4276	WASHER	2				
15	7N1046	GASKET	1				
16	0S1615	BOLT	1				
17	7N1047	COVER	1				
18	0S1615	BOLT	1				
19	8F6302	BOLT	1				
20	6B4198	BOLT	2				
21	0S1616	BOLT	1				
22	2N2878	SPRING	1				
23	7N2176	PIN (DENT)	1				
24	7N1052	DOWEL	1				
25	8N3096	SPRING	1				
26	8N2510	SHAFT	1				
27	7N7264	WEIGHT	4				
28	5P9087	BOLT	4				
29	1W5440	DOWEL	4				
30	8N2511	CARRIER	1				
31	4N9019	DOWEL	1				
32	2W6175	CAMSHAFT - 3304B	1				
32	1W2555	CAMSHAFT - 3306B	1				
33	7N7166	RACE	1				
34	7L3326	BEARING	1				
35	7N7265	SHIELD	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA



www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304B/3306B PLUNGER AND BARREL (NEW SCROLL)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304B/3306B PLUNGER AND BARREL (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	8N2516	BUSHING	4/6				
2	8N1414	CHECK ASSEMBLY	4/6				
3	8N1415	SPRING	4/6				
4	7W1927	RING	4/6				
5	1W6541	PLUNGER AND BARREL ASSEMBLY	4/6				
5	7W5929	PLUNGER AND BARREL ASSEMBLY	4/6				
6	7N1067	SPRING	4/6				
7	7N1415	WASHER	4/6				
8	9S4180	PLUG	2				
9	1W3285	RACK - 3304	1				
9	1W3286	RACK - 3306	1				
10	1S1953	BEARING	1				
11	8N5117	BUSHING	4/6				
12	3D2992	O RING	4/6				
13	4W6869	SPACER	4/6				
14	1S3285	BEARING	1				
15	4P9832	LIFTER ASSEMBLY	4/6				
16	7N8421	RING	1				
17	7N7970	BEARING	1				
18	2M8604	BEARING	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761






DIPACO
DIESEL
PARTS
U S A

3304B/3306B GOVERNOR (NEW SCROLL)



SEE PAGE 24
FOR VIEW A-A



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304B/3306B GOVERNOR (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	8F8178	BOLT	1				
2	8F8178	BOLT	1				
3	4N1761	BOLT	1				
4	4N0117	GASKET	1				
5	2W5448	COVER	1				
6	4N1761	BOLT	1				
7	0S1615	BOLT	1				
8	4N1761	BOLT	1				
9	4N1761	BOLT	4				
10	5L4758	SEAL	1				
11	8T2604	SEAL	1				
12	3J7354	SEAL	1				
13	4N5485	BODY	1				
-	5F9144	SEAL	1				
14	4N5484	VALVE	1				
-	6H9691	SEAL	1				
15	4F7957	BOLT	6				
16	7N8780	COVER ASSEMBLY	1				
17	7N8779	GASKET	1				
18	3P0009	INSULATOR	1				
19	1P2497	BOLT	2				
20	8N3258	COVER	1				
21	4N1761	BOLT	4				
22	6I2004	GASKET	1				
23	2S7383	BOLT	1				
24	5N4185	SEALING WASHER	1				
25	9M1974	WASHER	1				
26	5N3180	NUT	1				
27	7N2594	SETSCREW	1				
28	7N2171	RING	1				
29	7N2172	PIN	1				
30	8N3087	STOP	1				
31	2W7400	SPRING	1				
32	7N5334	SETSCREW	1				
33	4B2049	NUT	1				
34	8N7276	CONTROL GROUP	1				
35	8N2488	BOLT	1				
36	1W4243	SPRING	1				
37	8N3256	COLLAR	1				
38	4B2049	NUT	1				
39	5N4185	SEALING WASHER	1				
40	4N1761	BOLT	4				
41	0S1615	BOLT	2				
42	8M8515	BOLT	1				
43	9S4191	PLUG	1				
44	3J1907	SEAL	1				
45	5L4758	SEAL	1				
46	8N5403	SHAFT ASSEMBLY	1				
47	2S7383	BOLT	1				
48	8F8178	BOLT	2				
49	2W5448	COVER	1				
50	2W5447	GASKET	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304B/3306B GOVERNOR (NEW SCROLL)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3304B/3306B GOVERNOR (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	7N8785	SHAFT	1				
2	2M7819	RING	1				
3	1N3802	SEAT	1				
4	8N2496	GASKET	1				
5	1N3801	SPRING	1				
6	1N3800	SLEEVE	1				
7	2M7819	RING	1				
8	8N2507	PISTON ASSEMBLY	1				
	8N2505	VALVE	1				
	7N7271	LEVER	1				
	3G3835	PIN	1				
9	031-0216	BOLT	3				
10	7W0250	SLEEVE	1				
11	5P9757	SEAL	1				
12	1W4098	PISTON	1				
13	4N2953	RING	1				
14	4N2927	RACE	2				
15	7M7219	BEARING	1				
16	4W6868	RISER	1				
17	4N0260	SEAL	1				
18	8N2501	HOUSING ASSEMBLY	1				
19	7N8821	RING	3				
20	3D8317	RING	1				
21	4N0432	BEARING	1				
22	3K5733	SPRING	1				
23	7N7270	SLEEVE	2				
-	7N8821	RING	3				
24	8N2499	GUIDE	1				
25	4N6404	RING	1				
26	6N3504	SEAT	1				
27	2P9556	WASHER	1				
28	2N0828	WASHER	2				
29	8N2503	DASHPOT ASSEMBLY	1				
	4N6407	SPOOL	1				
	4N6406	RING	1				
30	7N7267	SPRING	1				
31	8N2495	HOUSING ASSEMBLY	1				
32	2W6120	LEVER	1				
33	8N3168	LEVER	1				
34	2W9305	PLATE	2				
35	7N5334	SETSCREW	1				
36	4B2049	NUT	1				
37	2W1861	CONTROL GROUP	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B/3406C PUMP BODY - CAMSHAFT (NEW SCROLL)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B/3406C PUMP BODY - CAMSHAFT (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	4F7957	BOLT	4				
2	9S4182	PLUG	1				
3	3J7354	SEAL	1				
4	1W5785	COVER	1				
5	1H9696	O RING	1				
6	1W3285	RACK BEARING	1				
7	8N0654	DOWEL	6				
8	2A0762	BOLT	14				
9	7W0683	COVER	1				
10	8N9374	GASKET	1				
11	1W3151	ELBOW ASSEMBLY	1				
	1W3153	ORIFICE	1				
	3J1907	SEAL	1				
12	2W5447	GASKET	1				
13	2W5448	COVER	1				
14	4F7957	BOLT	2				
15	8S6814	DOWEL PIN	1				
16	9S8001	PLUG	1				
-	4J7533	SEAL	1				
17	1S1953	RACK BEARING	1				
18	6V5894	BOLT	2				
19	8N9367	RACK	1				
20	7N7166	RACE	2				
21	7L3326	BEARING	1				
22	9S8007	PLUG	1				
-	7J0204	SEAL	1				
23	9N6668	BEARING	1				
24	8N9382	GASKET	1				
25	6V5894	BOLT	2				
26	8N2684	RING	1				
27	9S8007	PLUG	1				
-	7J0204	SEAL	1				
28	9S4182	PLUG	1				
29	3J7354	SEAL	1				
30	8N3731	PIN	6				
31	3H0442	O RING SEAL	6				
32	9S8003	O RING	1				
33	9N6667	BEARING	1				
34	7D1189	BEARING	1				
35	9J0114	RACE	2				
36	7W3102	CAMSHAFT	1				
37	6V5135	SETSCREW	4				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA



www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B/3406C PLUNGER & BARREL (NEW SCROLL)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B/3406C PLUNGER & BARREL (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	108-2102	BONNET	6				
2	4P7688	CHECK VALVE	6				
3	8N5993	SPRING	6				
4	1N3257	RETAINER RING	6				
5	108-6631	PLUNGER AND BARREL ASSEMBLY	6				
5	7W0182	PLUNGER AND BARREL ASSEMBLY	6				
5	7N1220	PLUNGER AND BARREL ASSEMBLY	6				
6	7C6617	BUSHING	6				
7	4D3107	SEAL O RING	6				
8	8N0672	SPACER	6				
9	7E6011	LIFTER	6				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA




www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B MECHANICAL GOVERNOR (NEW SCROLL)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B MECHANICAL GOVERNOR (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	1N3887	SETSCREW-SOCKET	1				
2	5B3180	JAM NUT	1				
3	1N3935	COVER	1				
4	8N3765	GASKET	1				
5	4W9362	SEALING NUT	1				
6	7N2594	SLOTTED SETSCREW	1				
7	2N5919	BOLT	2				
8	8N3765	GASKET	1				
9	8N3762	COVER	1				
10	9S8003	PLUG O RING	1				
-	1J9671	SEAL O RING	1				
11	9S8003	PLUG O RING	1				
-	1J9671	SEAL O RING	1				
12	6V5029	SEAL	1				
13	3P0009	INSULATOR STUD	1				
14	8N3956	BLOCK ASSEMBLY	1				
	8N3303	DOWEL	1				
15	1W4243	SPRING-BUMPER	1				
16	7W5836	BOLT ASSEMBLY	1				
17	4B2049	BOLT	1				
18	5H6552	SETSCREW	1				
19	6D3897	BOLT	1				
20	6L5551	BOLT	1				
21	6L5551	BOLT	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B MECHANICAL GOVERNOR (NEW SCROLL)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406B MECHANICAL GOVERNOR (NEW SCROLL)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	5H6552	SETSCREW	1	38	6V6835	SETSCREW	1
-	4B2049	NUT	1	-	4B2049	NUT	1
2	8N9384	GASKET	1	39	2M7819	RING	1
3	1N3800	SLEEVE	1	40	2W0800	LEVER	1
4	1W4098	PISTON	1	41	4W5734	LEVER ASSEMBLY	1
5	031-0216	BOLT	3	42	2W0799	SPRING	1
6	8N2507	PISTON ASSEMBLY	1	43	2W0801	SHAFT	1
	8N2505	VALVE GOVERNOR	1	44	8S7803	RING	1
	7N7271	LEVER	1	45	1W3961	SPACER	1
	3G3835	PIN	1	46	6V6835	SETSCREW	1
7	5P9757	SEAL	1	-	4B2049	NUT	1
8	1S5440	DOWEL	1	47	1W3962	SPACER	1
9	4N2927	RACE	2	48	1W5337	SHAFT ASSEMBLY	1
10	7M7219	BEARING	1	49	1K3047	WASHER	1
11	5P9087	BOLT	4	50	5H2532	KEY	1
12	4N9019	DOWEL	1	51	2W6102	LEVER	1
13	8N2510	SHAFT	1				
14	4N2953	RING	1				
15	8N2511	CARRIER	1				
16	8N9680	HOUSING ASSEMBLY	1				
	8S6814	PIN (LONG)	4				
	4F6024	PIN (SHORT)	2				
17	7N7264	WEIGHT	4				
18	4W6868	RISER	1				
19	7N7267	SPRING	1				
20	7W4068	DASHPOT ASSEMBLY	1				
	7W4882	SPRING	1				
	7N7268	SEAT	1				
	1N3861	SHIELD	1				
	4N6408	PISTON ASSEMBLY	1				
	4N6407	SPOOL	1				
	4N6406	SPACER RING	1				
	4N6404	RETAINING RING	1				
21	2P9556	WASHER	1				
-	2N0828	SPRING WASHER	1				
22	6N3504	SEAT	1				
23	7N8821	RING	2				
24	3K5733	SPRING	1				
25	7N7270	SLEEVE	2				
26	4N0432	BEARING	1				
27	4N0260	SEAL	1				
28	7W4182	VALVE BODY	1				
-	5F9144	SEAL	1				
29	4N5484	VALVE	1				
-	6H9691	SEAL	1				
30	8N3760	COVER	1				
-	8N3761	GASKET	1				
-	030-9615	SCREW	4				
31	1W5342	LEVER	1				
32	0S1588	BOLT	1				
33	2M7819	RING	2				
34	1N3802	SEAT	1				
35	2W2216	SPRING	1				
36	4N5621	SHAFT	1				
37	4W5735	LEVER ASSEMBLY	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA



www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761





DIPACO
DIESEL
PARTS
U S A


3406C ELECTRONIC GOVERNOR



SECTION A-A



SECTION B-B



SECTION C-C

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406C ELECTRONIC GOVERNOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	8M2771	CLIP	1				
2	0S1347	BOLT	2				
3	4W2482	CLAMP	2				
4	100-7055	SOLENOID-ROTARY	1				
-	2H3931	O RING	1				
5	4W2801	GOVERNOR-ELECTRONIC	1				
6	4W2491	GASKET	1				
7	3E0076	SOLENOID ASSEMBLY	1				
8	6V1903	O RING	1				
9	7F8607	O RING	1				
10	9X7793	CONTROL GROUP	1				
	6I1993	HOUSING	1				
11	3E1815	SENSOR-DIGITAL	1				
12	8S4710	BOLT	2				
-	5P0537	WASHER	2				
13	9X4450	CONTROL GROUP	1				
14	7W7290	GASKET	1				
15	4W2365	RETAINER	1				
16	9B1722	SCREW	3				
17	4W2619	HOUSING ASSEMBLY	1				
	6L2244	PIN (SPRING)	2				
	8S6814	PIN (DOWEL)	2				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA




www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406C ELECTRONIC GOVERNOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406C ELECTRONIC GOVERNOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	5P0537	WASHER	9				
2	1B2714	BOLT	1				
3	4W9590	LEVER GROUP	1				
4	1B2717	BOLT	3				
5	5P0537	WASHER	9				
6	9F6580	BOLT	3				
7	5P0537	WASHER	9				
8	5P0537	WASHER	9				
9	2A5546	BOLT	1				
10	4B4909	SPRING	1				
11	4W2480	NUT	1				
12	4P9667	COLLAR	1				
13	1B2717	BOLT	3				
14	5P0537	WASHER	9				
15	5P0537	WASHER	9				
16	1B2717	BOLT	3				
17	5P0537	WASHER	9				
18	9F6580	BOLT	3				
19	7E3502	BOLT	3				
20	4P1367	PISTON ASSEMBLY	1				
	4P1372	PISTON	1				
	5P9757	O RING	1				
	7W7809	VALVE	1				
21	2M7819	RETAINER RING	2				
22	1N3800	SLEEVE	1				
23	1N3801	SPRING	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA





www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406C ELECTRONIC GOVERNOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

3406C ELECTRONIC GOVERNOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	7E5398	HOUSING	1				
2	4W2488	GASKET	1				
3	4W2525	HOUSING ASSEMBLY	1				
4	8B2377	BOLT	1				
-	5P0537	WASHER	8				
5	4W2489	GASKET	1				
6	4W2283	COVER	1				
7	5P0537	WASHER	8				
8	4B9365	BOLT	3				
9	7C2646	CLIP ASSEMBLY	1				
-	8C3334	RIVET	6				
10	6L1559	BOLT	2				
11	5P0537	WASHER	8				
12	2A5546	BOLT	2				
-	5P0537	WASHER	8				
13	4W2372	SHAFT	1				
14	8S7803	RETAINING RING	1				
15	6V5029	SEAL	1				
16	7W9850	SPRING	1				
17	5P0537	WASHER	8				
18	2A5546	BOLT	2				
19	4W2371	LEVER	1				
20	2W7819	RETAINING RING	1				
21	4W6962	PLATE	1				
22	4P1351	LEVER ASSEMBLY	1				
	6H3956	PIN	1				
23	4W6961	SHAFT	1				
24	9Y7836	CLIP ASSEMBLY	1				
	8C3334	RIVET	4				
25	4W6963	CLAMP	1				
26	1H3340	BOLT	1				
27	4W2484	SPRING	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




DIPACO
DIESEL
PARTS
U S A

AIR FUEL RATIO (ALL FUEL PUMPS)



NEW SCROLL



SLEEVE METERING

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

AIR FUEL RATIO (ALL FUEL PUMPS)

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	1W2076	COVER	1				
2	6V2689	TUBE .007M	1				
3	1B4201	NUT	1				
4	4W0924	RETAINER	1				
5	7N9215	STOP	1				
6	3S4701	NUT	1				
7	7N9160	SPRING	1				
8	7N9216	WASHER	1				
9	7N8502	COVER	1				
10	7N9062	HOUSING	1				
11	8N5763	SEAL	1				
12	8N5764	PISTON	1				
13	8F4610	RING	1				
14	2W9316	VALVE ASSEMBLY	1				
15	2W9315	WASHER	2				
16	7N9036	VALVE (INTERNAL)	1				
17	8N5765	SPRING	1				
18	7N8316	EXTENSION (VALVE)	1				
19	7N9159	SPRING	1				
20	9N1754	SPRING	1				
21	4W1034	DIAPHRAGM	1				
22	7J0204	SEAL	1				
23	4P9608	GASKET	1				
24	5P0537	WASHER	2				
25	2A5546	BOLT	2				
26	5P6945	BOLT	2				
27	5P0537	WASHER	2				
28	6L5764	COVER	1				
29	6L5766	GASKET	1				
30	6N1606	SPRING	1				
31	6L5769	WASHER	1				
32	6N1603	HOUSING ASSEMBLY	1				
33	6N0968	SPRING	1				
34	9N0866	BOLT	1				
35	4S7458	DIAPHRAGM	1				
36	5S6120	RETAINER ASSEMBLY	1				
37	6L5767	COVER	1				
38	6N7523	WASHER	2				
39	4F7957	BOLT	2				
40	5S6120	RETAINER ASSEMBLY	1				
41	6L5767	COVER	1				
42	2N5919	BOLT	3				
43	6N7523	WASHER	3				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA





www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

PRIMER PUMP - SOLENOID - TORQUE CONTROL AUTOMATIC TIMING ADVANCE UNIT (ALL FUEL PUMPS)



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

**PRIMER PUMP - SOLENOID - TORQUE CONTROL
AUTOMATIC TIMING ADVANCE UNIT (ALL FUEL PUMPS)**

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
		PRIMER PUMPS				AUTOMATIC TIMING ADVANCE UNIT	
1	4W0788	3208, 3300 SERIES, 3400B SERIES PUMP ASSEMBLY	1	20	1S5440	DOWEL	4
2	1H5514	BOLT	1	21	1W5434	CARRIER	4
3	9M1974	WASHER	1	22	5P3383	NUT	2
4	5P0537	WASHER	1	23	1W5441	RETAINING ASSEMBLY	1
5	1P0436	GASKET	1	24	1W5431	RING	1
6	9M1974	WASHER	1	25	7W0993	GEAR (64 TEETH)	1
7	9F7022	BOLT	1	26	6H3958	BOLT	4
		SOLENOID ASSEMBLY		27	4W0436	SEAL	1
8	8C5523	12V SOLENOID ASSEMBLY	1	28	4W0435	SEAL	1
9	4F7957	BOLT	2	29	1W5438	SPOOL	1
10	4N0117	GASKET	1	30	4W4616	SEAL	1
8	8C5524	24V SOLENOID ASSEMBLY	1	31	4W4617	PLUG	1
9	4F7957	BOLT	2	32	4W4618	BODY	1
10	4N0117	GASKET	1	33	1W5436	CARRIER	1
8	8C4772	32V SOLENOID ASSEMBLY	1	34	7W3218	RING	1
9	9F6580	BOLT	2	35	8F1145	RING	1
10	6I2002	GASKET	1	36	4N2927	RACE	1
		TORQUE CONTROL		37	6V7543	BOLT	4
11	1P6452	INSULATOR	2	38	6L5897	BOLT	4
12	8M9064	SHIM	1	39	8S7803	RING	1
13	4L6458	NUT	1	40	1W5427	SPRING	1
14	4L7124	BOLT	1	41	3S4701	NUT	1
15	4N3882	CONTACT	1	42	4W0811	SCREW	1
16	4N3881	SCREW	1	43	5H6552	SETSCREW	1
17	9M1311	NUT	1	44	4B2049	NUT	1
18	4N3884	WASHER	1	45	2W4742	SPRING	1
19	4N3883	BAR	1	46	7N7264	WEIGHT	4
		LIFT PUMP REPAIR KITS					
-	DPE22240	REPAIR KIT 3300-3406 SERIES 1W1695-1W1700 PUMP GROUP-LATE	1				
-	DPE22245	REPAIR KIT 3300-3406 SERIES 7N6831 PUMP GROUP-EARLY	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



OVERHAUL GASKET SETS

PART NUMBER	DESCRIPTION	APPLICATION
DPE3208	GASKET SET	3208
DPE3208A	OVERHAUL GASKET SET	3208
DPE3208OH	OVERHAUL GASKET KIT	3208
DPE3208OHS	SUPER OVERHAUL GASKET SET	3208
DPE3208PM	PUMP MOUNT GASKET KIT	3208
DPE22240	LIFT PUMP REPAIR KIT (1W1695-1W1700 PUMP GROUP-LATE)	3300-3406 SERIES
DPE22245	LIFT PUMP REPAIR KIT (7N6831 PUMP GROUP-EARLY)	3300-3406 SERIES
DPE3300SC	SCROLL GASKET KIT	3300 SERIES
DPE3300SL	SLEEVE METERING GASKET KIT	3300 SERIES
DPE3300SLOH	SLEEVE METERING OVERHAUL GASKET KIT	3300 SERIES
DPE3300SLOHS	SLEEVE METERING SUPER OVERHAUL GASKET KIT	3300 SERIES
DPE3300SLPM	SLEEVE METERING PUMP MOUNT GASKET KIT	3300 SERIES
DPE3406BPM	NEW SCROLL PUMP MOUNT GASKET KIT	3406B
DPE43406	NEW SCROLL INJECTOR INSTALLATION KIT	3406B
DPE3406A	NEW SCROLL OVERHAUL GASKET KIT	3406B
DPE3406B	OVERHAUL GASKET KIT (W/ MECHANICAL GOVERNORS)	3406 B&C
DPE3406C	OVERHAUL GASKET KIT (W/ ELECTRONIC GOVERNORS)	3406C

DIPACO has developed special gasket sets and overhaul gasket sets for Caterpillar fuel pumps. These sets are designed to contain all of the gaskets, seals, o-rings, and other items you need to work on any fuel pump within the applicable series. These sets eliminate the need for a fuel shop to stock numerous different versions of gasket sets for one fuel pump series, saving the fuel shop time and money.




DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 ■ USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




DIPACO
DIESEL
PARTS

U S A

DIPACO Parts Catalog For Cummins Fuel Injection Systems

November 1998



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com


Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




DIPACO
DIESEL
PARTS
U S A

PICTORIAL TABLE OF CONTENTS


**FUEL SHUTDOWN
VALVE ASSEMBLY**
PAGE 32



**GEAR PUMP
& FILTER HEAD
ASSEMBLY**
PAGE 34




**AFC VALVE
ASSEMBLY**
PAGE 10
DUAL SPRING
PAGE 12




**GOVERNOR
SPRING PACK
ASSEMBLY**
PAGE 26
VS PAGE 28




**HOUSING
ASSEMBLY**
AFC PAGE 4
PTG PAGE 14
VS PAGE 20



**THROTTLE SHAFT
ASSEMBLY**
AFC PAGE 8
PTG PAGE 18




**FRONT COVER
ASSEMBLY**
AFC PAGE 6
PTG PAGE 16
VS PAGE 22



**GOVERNOR
ASSEMBLY**
PAGE 30



**INJECTOR
ASSEMBLY**
PAGE 44
THROUGH
PAGE 57



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TABLE OF CONTENTS

TOPIC	PAGE
AFC PUMP HOUSING	4
AFC FRONT COVER	6
AFC THROTTLE ASSEMBLY	8
AFC VALVE ASSEMBLY	10
AFC DUAL SPRING VALVE ASSEMBLY	12
PTG PUMP HOUSING	14
PTG FRONT COVER	16
PTG THROTTLE ASSEMBLY	18
VS PUMP HOUSING	20
VS FRONT COVER	22
VS UPPER SPRING PACK	24
STANDARD GOVERNOR SPRING PACK	26
VS GOVERNOR SPRING PACK	28
GOVERNOR ASSEMBLY	30
FUEL SHUTDOWN VALVE ASSEMBLY	32
GEAR PUMP AND DAMPER ASSEMBLY	34
CELECT™ FUEL SYSTEM	36
STC VALVE WITH DIAPHRAGM	38
STC VALVE WITH GASKET	40
TORQUE MODIFYING DEVICE	42
PTD INJECTOR ASSY	44
TOP STOP INJECTOR ASSY	46
5/16 PTD INJECTOR ASSY	48
K-PTD INJECTOR ASSY	50
NT-STC INJECTOR ASSY	52
K-STC INJECTOR ASSY	54
L-10 INJECTOR ASSY	56
PTG GASKET SET AND SPECIAL DIPACO OVERHAUL GASKET SET CONTENTS	66
AFC GASKET SET AND SPECIAL DIPACO OVERHAUL GASKET SET CONTENTS	68
O RING SPECIFICATIONS	70
PUMP TORQUE SPECIFICATIONS	72
FRONT COVER AND MAIN SHAFT SEAL INFORMATION	74
CALIBRATION KIT FOR PT FUEL SYSTEMS	76

NOTE: Each parts illustration is accompanied by a parts list. When a part number is indented, it is included with the part number under which it is indented.

The information presented in this catalog has been adapted from published information and is believed to be correct. If in doubt, refer to current Cummins repair manuals or contact DIPACO DIESEL PARTS. DIPACO DIESEL PARTS is continually adding new parts to our line. For parts availability, please consult our current price list or contact your DIPACO distributor or DIPACO. Manufacturer names, numbers, or descriptions are used as reference only.

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

AFC PUMP HOUSING



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 5
November 1998

AFC PUMP HOUSING

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	157088	CAP, FUEL PUMP FILTER	1				
2	70700	SPRING, FILTER	1				
3	154088	O RING	1				
4	146483	FILTER SCREEN WITH MAGNET	1				
4	137808	FILTER SCREEN W/O MAGNET	1				
4	149767	FILTER SCREEN WITH MAGNET	1				
4	149767N	FILTER SCREEN W/O MAGNET	1				
5	68607	PIPE PLUG	1				
6	195755	SET SCREW	1				
7	68061A	O RING	1				
8	214144	NEEDLE VALVE	1				
9	S248	NUT, NEEDLE VALVE	1				
10	S251	NUT, ADJUSTING SCREW	2				
11	163733	ROLL PIN	1				
12	3025460	PIPE PLUG	3				
13	3046407	SETSCREW	1				
14	214139	BALL PLUG	1				
15	118227	DOWEL	2				
16	3059632	PUMP HOUSING, VENTED	1				
17	3018888	CONNECTION	1				
18	154087	O RING	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

AFC FRONT COVER



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 7
November 1998

AFC FRONT COVER

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	100193	BUSHING	1	-	3803676	CONVERSION KIT	
2	212639	DRIVE COUPLING	1		3075524	HOUSING	1
3	212605	DRIVE GEAR	1		3075523	SEAL	1
4	212604	RETAINER	1		3062676	SEAL	1
5	S16052	BEARING	1				
6	212601	MAIN DRIVE SHAFT	1	-	DPE890015	FRONT COVER SEAL KIT	1
7	100764	GASKET W/O BLEED HOLE	1		D100764	GASKET, FRONT COVER	1
7	3063052	GASKET WITH BLEED HOLE	1		D212601	SHAFT, AFC MAIN	1
8	3063054	FRONT COVER (*See Note)	1		D3062676	SEAL (Metal Case - Green Coat)	2
8	3075524	FRONT COVER, NEW STYLE (*See Note)	1		D212603	SEAL, AFC TACH SHAFT	1
					D212607	SHAFT, AFC TACH	1
9	70704	WASHER	4		D3018682	CAPSCREW	1
10	3017051	CAPSCREW	3		D3000446	COVER, AFC THROTTLE SHAFT	1
11	103089	WASHER	2		D3069103	GASKET, FUEL PUMP MOUNT	1
12	S606	LOCK WASHER	2		D163945	SNAP RING, THROTTLE SHAFT	1
13	118226	CAPSCREW	2		DS2286	SCREW, NAMEPLATE MOUNTING	2
14	162426	SPIDER (Black)	1		D162426	SPIDER (Black)	1
14	3046200	SPIDER (White) NYLON	1		D100478	O RING, VITON	1
15	S110	CAPSCREW	1		DPE30200	DECAL	1
16	S605	LOCK WASHER	1		D3063052	GASKET	1
17	146160	WASHER	1				
18	212613	DRIVE COUPLING	1				
19	212668	KEY	1				
20	212602	TACH DRIVE GEAR (RH)	1				
20	216906	TACH DRIVE GEAR (LH)	1				
21	3062676	SEAL (Metal Case, Green Coated) (*See Note)	2				
21	3009625	SEAL (Metal Case) (*See Note)	2				
21	3075523	SEAL (New Style Front Cover) (*See Note)	2				
22	3069103	GASKET	1				
23	3018682	CAPSCREW, SEALING	1				
24	70704	WASHER	4				
25	212610	GEAR, TACH SHAFT (RH) [**Assy]	1				
25	216911	GEAR, TACH SHAFT (LH) [**Assy]	1				
26	212609	BUSHING	4				
27	212607	TACH SHAFT	1				
28	212603	SEAL	1				
29	3002110	ADAPTER	1				
-	3040815	PLUG, TACH DRIVE	1				
-	3040817	O RING, TACH DRIVE PLUG	1				
-	3015665	**TACH DRIVE ASSEMBLY (RH)	1				
	212607	TACH SHAFT	1				
	212609	BUSHING	1				
	212610	TACH SHAFT GEAR (RH)	1				
-	216913	**TACH DRIVE ASSEMBLY (LH)	1				
	212607	TACH SHAFT	1				
	212609	BUSHING	1				
	216911	TACH SHAFT GEAR (LH)	1				

***NOTE:Front Cover and Main Shaft Seal Bulletin, refer to page 74 and 75**

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

AFC THROTTLE ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA



www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



AFC THROTTLE ASSEMBLY

REF	PART	DESCRIPTION	QTY
1	163945	RETAINER	1
2	DPE46680	SHIM .005 (*See Note)	A/R
2	DPE46680A	SHIM .010 (*See Note)	A/R
3	100478	O RING	1
4	3046680	THROTTLE SHAFT (**See Note) [***Assembly-See Below] (Slit - New Style) SERIES 0-15	1
4	3006350	THROTTLE SHAFT (**See Note) [***Assembly-See Below] (Slot - Old Style) SERIES 0-15	1
4	3006360	THROTTLE SHAFT (**See Note) [***Assembly-See Below] (High Output) SERIES 0-7	1
5	213768	O RING	1
6	3076040	ADJUSTING SCREW (Nylok Insert)	1
7	3006343	STOP	1
8	3006344	SET SCREW	1
9	3000446	THROTTLE SHAFT COVER	1
10	DPE30200	DECAL	1
11	3048296	THROTTLE LEVER (Short)	1
11	3048294	THROTTLE LEVER (Long)	1
12	S251	NUT, JAM	1
13	S600	LOCK WASHER	1
14	70704	WASHER	1
15	S2286	DRIVE SCREW	2
16	S195B	CAPSCREW	1
17	213769	CHECK BALL (Steel)	1
17	213769N	CHECK BALL (Nylon)	1
4	3006430	****THROTTLE ASSY (Slit) Series 0 - 15	1
	3046680	THROTTLE SHAFT	1
	213769	CHECK BALL (Steel)	1
	3076040	ADJUSTING SCREW (Nylok Insert)	1
	213768	O RING	1
	100478	O RING	1
4	DPE6350	****THROTTLE ASSY (Slot) Series 0 - 15	1
	3006350	THROTTLE SHAFT	1
	213769	CHECK BALL (Steel)	1
	3076040	ADJUSTING SCREW (Nylok Insert)	1
	213768	O RING	1
	100478	O RING	1
4	3006400	****THROTTLE ASSY (High Output) Series 0 - 7	1
	3006360	THROTTLE SHAFT	1
	213769	CHECK BALL (Steel)	1
	3076040	ADJUSTING SCREW (Nylok Insert)	1
	213768	O RING	1
	100478	O RING	1

REF	PART	DESCRIPTION	QTY
*Note:Throttle Shaft Shims- Over time the throttle shaft retainer will wear against the pump housing. This wear increases the amount of lateral travel the shaft can have. This increased travel coupled with the small slit on the throttle shaft can cause poor throttle response.			
			
To correct for the housing wear we are introducing two shims for use on the throttle shaft. The part numbers are DPE46680 for a .005" shim and DPE46680A for a .010" shim. If needed, one or more of these shims should be placed on the throttle shaft inside of the retainer. These shims will compensate for housing wear and allow for correct throttle action.			
**Note:Throttle Shaft Identification- In the past throttle leakage adjustment has been very sensitive to flow setting and adjusting screw position or wear. In order to reduce sensitivity and thereby increase stability the shape of the throttle shaft port was changed.			
			
OLD "SLOT" DESIGN NEW "SLIT" DESIGN			
The simplest way to identify the change is to differentiate between the "slit" and "slot" designs. The "slot" is the previous design where the port was set into a channel. The new "slit" design has a fine groove coming from the shaft port. The "slit" design throttle shaft now requires about three times as much movement of the shaft as the "slot" design required to achieve the same flow.			
DIPACO carries both the old design and new designs of the 0.173" port size throttle shafts. The old throttle shaft was the D3006350 series. The new throttle shafts are the D3046680 series.			
High Output shafts with the 0.250" port size have also been updated to the new "slit" design. Currently, we only have available the older "slot" design series, D3006360, in eight sizes. The new series, D3046690, will be available at a later date.			

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

AFC VALVE ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 11
November 1998

AFC VALVE ASSEMBLY

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	70772B	CAPSCREW	3	16	3020739-6	AFC VENTED ANEROID PLUNGER (.3750)	1
2	S631	WASHER	3	17	S16240	SNAP RING	1
3	3015522	CHECK VALVE	1	18	3042542	O RING (Brown Viton)	1
-	S1098	SEAL SLEEVE (Not Shown)	1	19	3021068	ANEROID BARREL	1
4	3015520	COVER	1	20	3045986	O RING (Brown Viton)	1
5	S251	JAM NUT	1	21	3066914	O RING (Brown Viton)	1
6	3023171	CENTER BOLT (*See Note)	1	22	3018655	SPRING	1
7	3023870	WASHER (*See Note)	1	23	3000438	ANEROID PLUG	1
-	3044942	CENTER BOLT O RING, (*See Note)	1	-	3028347	ANEROID PLUG KIT	1
		NEW STYLE (Not Shown)			3000438	PLUG	1
8	214150	RETAINER	1		3042542	O RING	1
9	3013811	DIAPHRAGM (Rubber)	1		3045986	O RING	1
9	3013811S	DIAPHRAGM (Silicone)	1				
10	3013810	PISTON	1				
11	3023088	PISTON RETAINER	1				
12	S213A	NUT, JAM	1				
13	179804	SPRING (White)	1				
13	179806	SPRING (Orange)	1				
13	179808	SPRING (Purple)	1				
13	179816	SPRING (Blue/White)	1				
13	179818	SPRING (Blue/Orange)	1				
13	179820	SPRING (Blue/Purple)	1				
13	179822	SPRING (White/Green)	1				
13	179824	SPRING (White/Red)	1				
13	179826	SPRING (White/Yellow)	1				
13	179828	SPRING (Green/Red)	1				
13	179830	SPRING (Green/Yellow)	1				
13	179832	SPRING (Orange/Purple)	1				
13	179834	SPRING (Red/Purple)	1				
13	179836	SPRING (Purple/Yellow)	1				
13	3000592	SPRING (Light Green)	1				
13	3007692	SPRING (Light Blue/Green)	1				
13	3007694	SPRING (Light Blue/Red)	1				
13	3007696	SPRING (Light Blue/Yellow)	1				
13	3007698	SPRING (Green/White)	1				
14	3001707	SHIM	1				
15	68061A	O RING	1				
16	3021676-0	ANEROID PLUNGER (.3738)	1				
16	3021676-1	ANEROID PLUNGER (.3740)	1				
16	3021676-2	ANEROID PLUNGER (.3742)	1				
16	3021676-3	ANEROID PLUNGER (.3744)	1				
16	3021676-4	ANEROID PLUNGER (.3746)	1				
16	3021676-5	ANEROID PLUNGER (.3748)	1				
16	3021676-6	ANEROID PLUNGER (.3750)	1				
16	3020739-0	VENTED ANEROID PLUNGER (.3738)	1				
16	3020739-1	AFC VENTED ANEROID PLUNGER (.3740)	1				
16	3020739-2	AFC VENTED ANEROID PLUNGER (.3742)	1				
16	3020739-3	AFC VENTED ANEROID PLUNGER (.3744)	1				
16	3020739-4	AFC VENTED ANEROID PLUNGER (.3746)	1				
16	3020739-5	AFC VENTED ANEROID PLUNGER (.3748)	1				

***Note: Cummins AFC Barrel and Plunger Sealing Changes-**
Cummins has made a change to their AFC Barrel and Plunger assemblies. The center bolt, part number 3023171, now has an o-ring groove for sealing purposes. The new o-ring for this application is part number 3044942.

You may encounter either style bolt which is listed under the same part number 3023171. When you encounter the old style center bolt you must use the sealing gasket, part number 3023870. When you encounter the new style center bolt with the o-ring groove you can use either the old style gasket, or the new style o-ring for sealing purposes.

DIPACO includes both the sealing gasket, part number 3023870, and sealing o-ring part number 3044942, in our Overhaul Gasket Kits.

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

AFC DUAL SPRING VALVE ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 13
November 1998

AFC DUAL SPRING VALVE ASSEMBLY

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3058868	COVER, PROTECTIVE	1				
2	3029301	NUT, LOCKING	2				
3	70772B	CAPSCREW	3				
4	S631	WASHER	3				
5	3058867	COVER, FUEL CONTROL	1				
6	109917	CAPSCREW	2				
7	3049041	RETAINER, SPRING	1				
8	3067831	SPRING, COMPRESSION	1				
9	3051461	NUT, LOCKING	1				
10	3051463	WASHER	2				
11	3047276	PISTON, AFC	1				
12	3013811	DIAPHRAGM (Rubber)	1				
12	3013811S	DIAPHRAGM (Silicone)	1				
13	3047278	PISTON, AFC	1				
14	3051463	WASHER, PLAIN	2				
15	3067832	** PLUNGER, AFC	1				
16	3051069	BIAS SPRING (Yellow/Red)	1				
16	3051070	BIAS SPRING (Red/Green)	1				
16	3051071	BIAS SPRING (Green)	1				
16	3051072	BIAS SPRING (Purple)	1				
16	3051073	BIAS SPRING (Blue)	1				
16	3051074	BIAS SPRING (White)	1				
16	3051075	BIAS SPRING (Red)	1				
16	3051076	BIAS SPRING (Yellow)	1				
16	3054526	BIAS SPRING (Orange)	1				
17	PAGE 11	AFC SPRING	1				
18	3001707	SHIM, AFC	1				
19	S16240	RING, RETAINER	1				
20	3042542	O RING	2				
21	3067833	** BARREL, AFC	1				
22	3066914	O RING	1				
23	3045986	O RING	1				
24	3018655	SPRING, COMPRESSION	1				
**	3058944	PLUNGER AND BARREL ASSY (Sold as an Assembly Only)	1				

DIPACO, Inc.


105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



PTG PUMP HOUSING



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 15
November 1998

PTG PUMP HOUSING

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	70772A	SCREW	2				
2	127018	WASHER	2				
3	155445	TACH SHAFT HOUSING	1				
4	70732	GASKET	1				
5	210218	FELT WASHER	1				
6	70809	SEAL	1				
7	104087	TACH SHAFT	1				
8	189638	SPACER	1				
9	112076	PLUG	1				
10	70723	BUSHING	1				
11	101981	GEAR, RH DRIVE	1				
11	70720	GEAR, LH DRIVE	1				
12	157088	CAP, FUEL PUMP FILTER	1				
13	70700	SPRING, FILTER	1				
14	154088	SQUARE CUT O RING	1				
15	146483	FILTER SCREEN WITH MAGNET	1				
15	137808	FILTER SCREEN W/O MAGNET	1				
15	149767	FILTER SCREEN WITH MAGNET	1				
15	149767N	FILTER SCREEN W/O MAGNET	1				
16	S251	NUT, LOCKING	2				
17	109915	ADJUSTING SCREW (Mech Gov)	2				
17	175578	ADJUSTING SCREW (MVS Gov)	2				
18	105375	NAMEPLATE	1				
19	S2286	DRIVE SCREW	2				
20	-	PUMP HOUSING	1				
21	200635	PLUG	1				
22	163733	ROLL PIN	1				
23	118227	DOWEL	2				
24	100193	BUSHING	1				
25	68549	DOWEL	1				
26	43696A	O RING	1				
27	139473	PLUG	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

PTG FRONT COVER



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 17
November 1998

PTG FRONT COVER

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	69793	CAPSCREW	1				
2	S604	LOCK WASHER	1				
3	108330	WASHER	1				
4	101918	DRIVE COUPLING	1				
5	3062676	SEAL (Metal Case - Green Coat)	2				
5	3009625	SEAL (Metal Case)	2				
5	104038	SEAL (Metal Case - Double Lip)	2				
6	3069103	MOUNTING GASKET	1				
7	139668	FRONT COVER	1				
8	100192	MAIN DRIVE SHAFT	1				
9	S1650	MAIN SHAFT BEARING	1				
10	70699	RETAINER	1				
11	103036	DRIVE GEAR	1				
12	101983	TACH DRIVE GEAR (RH)	1				
12	100205	TACH DRIVE GEAR (LH)	1				
13	100764	GASKET W/O BLEED HOLE	1				
14	162426	SPIDER (Black)	1				
14	3046200	SPIDER (White) NYLON	1				
15	118226	CAPSCREW	2				
16	S606	LOCKWASHER	2				
17	103089	WASHER	2				
18	S105C	CAPSCREW	4				
19	S600	LOCKWASHER	4				
20	70704	WASHER	4				
21	68174	KEY	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

PTG THROTTLE ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 19
November 1998

PTG THROTTLE ASSEMBLY

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	163945	SNAP RING	1				
2	DPE46680	SHIM .005 (*See Note, Page 9)	A/R				
2	DPE46680A	SHIM .010 (*See Note, Page 9)	A/R				
3	100478	O RING	1				
4	3006350	THROTTLE SHAFT SERIES 0-15	1				
5	3006342	STOP	1				
6	3006344	SETSCREW	1				
7	213768	O RING	1				
8	3076040	SETSCREW	1				
9	213769	CHECK BALL (Steel)	1				
9	213769N	CHECK BALL (Nylon)	1				
10	148977	THROTTLE SHAFT COVER, STANDARD	1				
11	100765	THROTTLE SHAFT COVER, MVS GOVERNOR	1				
12	S16206	SNAP RING	1				
13	3048296	THROTTLE LEVER (Short)	1				
13	3048294	THROTTLE LEVER (Long)	1				
14	S195B	CAPSCREW	1				
15	70704	WASHER	1				
16	S600	WASHER	1				
17	S251	NUT	1				
-	AR12530-0	THROTTLE SHAFT KIT Series 0 - 15	1				
	3006350	THROTTLE SHAFT	1				
	100478	O RING	1				
	3006342	STOP	1				
	3006344	SET SCREW	1				
	213768	O RING	1				
	3076040	ADJUSTING SCREW (Nylok Insert)	1				
	213769	CHECK BALL (Steel)	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TYPICAL VS PUMP HOUSING



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TYPICAL VS PUMP HOUSING

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	AR40240	GOVERNOR PLUNGER ASSY (Upper)	1				
-	70690	DRIVER (T Shape)	1				
-	3035230	THRUST WASHER	1				
-	213610	GOVERNOR PLUNGER	1				
2	3045212	BARREL	1				
3	108384	SLEEVE PACK	1				
4	118227	DOWEL RING	2				
5	S2286	DRIVE SCREW	4				
6	105375	NAMEPLATE	1				
7	*	PUMP HOUSING, AFC	1				
8	118227	DOWEL RING	2				
9	3046407	SETSCREW	1				
*Due to the number of parts available for this housing assembly consult Cummins Parts Topic 94T5-10 or contact DIPACO customer service.							

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TYPICAL VS FRONT COVER



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 23
November 1998

TYPICAL VS FRONT COVER

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	162426	SPIDER (Black)	1	42	S16052	BEARING, MAIN SHAFT	1
1	3046200	SPIDER (White) NYLON	1	43	212601	SHAFT, MAIN	1
2	S110	CAPSCREW	1	44	3075525	COVER, FRONT (*See Note) (See Page 74 and 75)	1
3	S605	LOCK WASHER	1	45	212668	KEY	1
4	S626	WASHER	1	46	163945	RING, RETAINING	1
5	212613	COUPLING, DRIVE	1	47	3017996	WEIGHT ASSY	2
6	212602	GEAR, TACH DRIVE (RH)	1	47	3024991	WEIGHT ASSY	2
6	216906	GEAR, TACH DRIVE (LH)	1	47	3024988	WEIGHT ASSY	2
7	3062676	SEAL (Metal Case - Green Coated) (See Page 74 and 75)	2	48	70704	WASHER	8
7	3009625	SEAL (Metal Case) (See Page 74 and 75)	2	49	S600	LOCKWASHER	8
7	3019962	SEAL (Rubber Case) (See Page 74 and 75)	2	50	3017051	CAPSCREW	8
8	3069103	GASKET	1	51	103089	WASHER	1
9	212610	GEAR, TACH (RH)	1	52	S607	LOCKWASHER	1
9	216911	GEAR, TACH (LH)	-	53	118226	CAPSCREW	1
10	212609	BUSHING, TACH	1	-	3801095	GOVERNOR KIT	1
11	3004724	SPACER, TACH SEAL	1		3024215	BUSHING	1
12	212603	SEAL, TACH SHAFT	1		3027236	SHAFT	1
13	212607	SHAFT, TACH	1				
14	212606	HOUSING, TACH	1				
15	175831	PLUG	1				
16	S114	CAPSCREW	1				
17	S600	LOCKWASHER	1				
18	129069	NUT	1				
19	203630	BEARING (*See Note)	1				
20	113244	GEAR	1				
21	-	WEIGHT SHIELD	1				
22	-	WEIGHT CARRIER	1				
23	144178	PLUNGER, WEIGHT ASSIST	1				
24	144179	SHIM, WEIGHT ASSIST, .008	1				
25	143846	SPRING (Red)	1				
25	143847	SPRING (Blue)	1				
25	143848	SPRING (Pink)	1				
25	143849	SPRING (Yellow)	1				
25	143854	SPRING (Blue/Yellow)	1				
25	143855	SPRING (White/Yellow)	1				
25	650662	SPRING (Green)	1				
-	3024989	WEIGHT ASSY, UPPER	1				
26	163826	WEIGHT, CARRIER	2				
27	211635	PIN, WEIGHT CARRIER	2				
28	3006550	CARRIER	1				
29	211636	GEAR, CARRIER	1				
30	211633	SHAFT	1				
31	163944	BUSHING, CARRIER	1				
32	163945	RING, CARRIER RETAINING	1				
33	135169	RING, RETAINING	1				
34	201745	WASHER	1				
35	201008	SHAFT, IDLER	1				
36	201010	BUSHING, SHAFT	1				
37	113244	GEAR, CARRIER	1				
38	200998	GASKET, COVER TO HOUSING	1				
38	3063053	GASKET W/BLEED HOLE	1				
39	212639	COUPLING, GEAR PUMP	1				
40	212605	GEAR, PUMP DRIVE	1				
41	212604	RING, RETAINER	1				

***NOTE:**Old style VS front cover used bearing 203630. D3801095 kit can be used to replace the bearing with a bushing and shaft.

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TYPICAL VS UPPER SPRING PACK ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 25
November 1998

TYPICAL VS UPPER SPRING PACK ASSEMBLY

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	70415	O RING	1				
2	3010942	THROTTLE SHAFT (Long)	1				
2	3010943	THROTTLE SHAFT (Short)	1				
3	70415	O RING	1				
4	3010941	STEEL BUSHING	1				
4	70812	BRASS BUSHING	1				
5	3010945	SEAL, DUST	1				
6	70834	STOP, THROTTLE	1				
7	70813	SCREW, SET	1				
8	3010941	STEEL BUSHING	1				
8	70812	BRASS BUSHING	1				
9	3010945	SEAL, DUST	1				
10	110058	NUT, FUEL PUMP ADJUSTING	1				
11	112408	WASHER	1				
12	S270	NUT	1				
13	112408	WASHER	1				
14	109917	SCREW	1				
15	110058	NUT, FUEL PUMP ADJUSTING	1				
16	112408	WASHER	1				
17	S270	NUT	1				
18	112408	WASHER	1				
19	109917	SCREW	1				
20	3017051	CAPSCREW	6				
21	3016021	HOUSING, GOVERNOR	1				
22	70705	GASKET	1				
23	70836	PLUNGER, THROTTLE LEVER	1				
24	70811	SHIM .020	A/R				
24	70811A	SHIM .010	A/R				
24	70811B	SHIM .005	A/R				
25	70823	RING, RETAINING	1				
26	109686	SPRING, GOVERNOR (Blue)	1				
26	109687	SPRING, GOVERNOR (Yellow)	1				
26	109688	SPRING, GOVERNOR (Green/White)	1				
26	109689	SPRING, GOVERNOR (Gray)	1				
26	109690	SPRING, GOVERNOR (Pink)	1				
27	70798	GUIDE, SPRING	1				
28	70778	SPRING, COMPRESSION	1				
29	70820	PLUNGER, GOVERNOR	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

STANDARD GOVERNOR SPRING PACK



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 27
November 1998

STANDARD GOVERNOR SPRING PACK

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3025459	PIPE PLUG W/ HOLE	1				
1	3025458	PIPE PLUG W/O HOLE	1				
2	S105C	CAPSCREW	4				
2	203619	CAPSCREW, DRILLED	4				
3	S600	LOCK WASHER	4				
4	70704	WASHER	4				
5	44678	COVER	1				
6	70705	GASKET	1				
7	S16240	SNAP RING	1				
8	70713	RETAINER	1				
9	70717	SHIM .020	A/R				
9	70717A	SHIM .005	A/R				
9	70717B	SHIM .002	A/R				
10	PAGE 58	HIGH SPEED SPRING	1				
11	70716	IDLE ADJUSTMENT SCREW	1				
12	204120	CLIP	1				
13	3036472	GUIDE	1				
14	70715	WASHER	1				
15	144195	INNER IDLE SPRING	1				
15	3018767	INNER IDLE SPRING	1				
16	PAGE 59	IDLE SPRING PLUNGER BUTTON	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

VS GOVERNOR SPRING PACK



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 29
November 1998

VS GOVERNOR SPRING PACK

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	141626	PLUNGER, IDLE SPRING	1				
2	3018767	SPRING, COMPRESSION	1				
3	70715	WASHER	1				
4	3036474	GUIDE, IDLE	1				
5	70716	SCREW, KNURLED	1				
6	PAGE 58	SPRING, COMPRESSION	1				
7	70717	SHIM .020	A/R				
7	70717A	SHIM .010	A/R				
7	70717B	SHIM .005	A/R				
8	70713	RETAINER	1				
9	S16240	RETAINER RING	1				
10	70705	GASKET	1				
11	44678	COVER	1				
12	70704	WASHER	4				
13	S600	LOCKWASHER	4				
14	3017052	CAPSCREW	1				
15	3025459	PLUG	1				
15	3025458	PLUG WITHOUT HOLE	1				
16	3017051	CAPSCREW	3				
17	S600	LOCKWASHER	4				
18	70704	WASHER	4				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

GOVERNOR ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 31
November 1998

GOVERNOR ASSEMBLY

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3036970	SPRING PACK HOUSING	1				
2	3001737	BARREL ASSY PTG STD, 16 HOLE	1				
2	3001738	BARREL ASSY PTG .010 OS, 16 HOLE	1				
2	3058555	BARREL ASSY AFC STD, 16 HOLE	1				
2	3058556	BARREL ASSY AFC .010 OS, 16 HOLE	1				
2	3045214	BARREL ASSY PTG STD, 14 HOLE	1				
2	3045446	BARREL ASSY PTG .010 OS, 14 HOLE	1				
2	3058561	BARREL ASSY AFC STD, 14 HOLE	1				
2	3058562	BARREL ASSY AFC .010 OS, 14 HOLE	1				
3	177150	SLEEVE, 16 HOLE	1				
3	3045206	SLEEVE, 14 HOLE	1				
4	PAGE 60	GOVERNOR PLUNGER	1				
5	144302	SPACER (WITH HOLES)	1				
5	3048557	SPACER (NO HOLES)	1				
6	PAGE 60	TORQUE CONTROL SPRING	1				
7	101841	SHIM .005	A/R				
7	101842	SHIM .010	A/R				
7	101843	SHIM .020	A/R				
8	3027633	WASHER, PLUNGER	1				
9	70690	DRIVER, T SHAPE	1				
9	70690C	DRIVER, CYLINDRICAL	1				
10	144178	WEIGHT ASSIST PLUNGER	1				
11	144179	SHIM	1				
12	143846	SPRING (Red)	1				
12	143847	SPRING (Blue)	1				
12	143848	SPRING (Pink)	1				
12	143849	SPRING (Yellow)	1				
12	143854	SPRING (Blue/Yellow)	1				
12	143855	SPRING (White/Yellow)	1				
12	650662	SPRING (Green)	1				
13	146437	WEIGHT	2				
13	163826	WEIGHT, VS UPPER	2				
13	650508	WEIGHT	2				
14	3017996	WEIGHT AND CARRIER ASSY	1				
14	3024989	WEIGHT AND CARRIER ASSY UPPER VS	1				
15	211635	CARRIER PIN	2				
16	211636	GEAR	1				
17	211633	CARRIER SHAFT	1				
18	163944	BUSHING	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




DIPACO
DIESEL
PARTS
U S A

SHUTDOWN VALVE ASSEMBLY



NEW STYLE SHUTDOWN VALVE ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 33
November 1998

SHUTDOWN VALVE ASSEMBLY

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	187556	CAPSCREW	4				
2	3054611	COIL, 12 VOLT, 1 TERMINAL	1				
2	3054610	COIL, 24 VOLT, 1 TERMINAL	1				
2	134075	COIL, 12 VOLT, 2 TERMINAL	1				
2	134076	COIL, 24 VOLT, 2 TERMINAL	1				
3	129839	SHIELD	1				
4	129888	SQUARE CUT O RING	1				
5	129768	SPRING	1				
6	3030970	PLATE	1				
7	3002481	O RING, VITON	1				
8	3000266	SHAFT	1				
9	3025458	PIPE PLUG	1				
10	129838	KNOB	1				
11	129826	HOUSING	1				
12	67684	WASHER	2				
13	181466	LOCK WASHER	2				
14	S189C	CAPSCREW	2				
15	3018889	OUTLET FITTING	1				
-	DPE10010	SHUTDOWN VALVE REPAIR KIT	1				
	129838	SHIELD	1				
	129888	O RING	1				
	3030970	PLATE	1				
	154087	O RING	1				
	190876	O RING	1				
-	DPE890011	SHUT DOWN VALVE REPAIR	1				
	129826	HOUSING	1				
	129838	SHIELD	1				
	129888	O RING	1				
	3030970	PLATE	1				
	154087	O RING	1				
	190876	O RING	1				
		VALVE ASSEMBLIES					
-	3035342	12 VOLT, 1 TERMINAL	1				
-	3035344	24 VOLT, 1 TERMINAL	1				
-	3035345	12 VOLT, 2 TERMINAL	1				
-	3035346	24 VOLT, 2 TERMINAL	1				
-	BM69974	VALVE ASSY W/ MOUNTING PARTS	1				
		NEW STYLE SHUT DOWN VALVE ASSEMBLY					
16	3052623	COUPLING	1				
17	3062107	BODY	1				
18	3008466	PIPE PLUG	1				
19	3013036	SHAFT	1				
		All parts for the new style shut down valve assembly except the four listed above are common with the standard type shut down valve assembly.					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

GEAR PUMP AND DAMPER ASSEMBLY



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

GEAR PUMP AND DAMPER ASSEMBLY

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	151900	O RING, SQUARE CUT	1	32	3034412	O RING	1
2	153336	BODY, FUEL PUMP DAMPER	1	33	3027507	CHECK VALVE, PIPE THREAD	1
3	139988	SEAL, SQUARE CUT	1	33	3033740	CHECK VALVE, STRAIGHT THREAD	1
4	202897	DIAPHRAGM, DAMPER	1	34	S105C	CAPSCREW	1
5	160514	WASHER	1	35	S600	LOCKWASHER	4
6	100099	O RING, SQUARE CUT	1	36	70704	WASHER	8
7	153338	COVER, FUEL PUMP DAMPER	1	37	100099	O RING, SQUARE CUT	1
8	70704	WASHER	2	38	202897	DIAPHRAGM	1
9	181466	LOCK WASHER	2	39	139988	O RING, SQUARE CUT	1
10	S174C	CAPSCREW	2	40	160514	NYLON WASHER	1
11	3017051	CAPSCREW	2	41	153338	DAMPER PLATE	1
12	S174C	CAPSCREW	2	42	70704	WASHER	3
13	133538	CAPSCREW	1	43	S600	LOCK WASHER	3
14	177999	PIPE PLUG	1			GEAR PUMP ASSEMBLIES	
15	129866	INLET FITTING	1	-	3034215	7/16" RH PRESSURIZED	1
15	203848	INLET FITTING-ELBOW	1	-	3034216	7/16" LH PRESSURIZED	1
15	203849	INLET FITTING-ELBOW W/SIDE TAP	1	-	3034231	7/16" RH NON-PRESSURIZED	1
15	DPE10500	ELBOW, GEAR PUMP (*See Note)	1	-	3034232	7/16" LH NON-PRESSURIZED	1
15	DPE10501	ELBOW, GEAR PUMP (*See Note)	1	-	3034217	3/4" RH PRESSURIZED	1
15	DPE10502	ADAPTER, GEAR PUMP (*See Note)	1	-	3034218	3/4" LH PRESSURIZED	1
16	3040817	O RING, VITON	1	-	3034233	3/4" RH NON-PRESSURIZED	1
17	205451	HEAD W/FILTER BASE NO DAMPER	1	-	3034234	3/4" LH NON-PRESSURIZED	1
17	153336	HEAD W/O FILTER BASE	1	-	3034219	1" RH PRESSURIZED	1
17	3026198	HEAD W/FILTER BASE AND DAMPER	1	-	3034220	1" LH PRESSURIZED	1
18	213079	O RING	1	-	3034235	1" RH NON-PRESSURIZED	1
19	70790	CAPSCREW	4	-	3034236	1" LH NON-PRESSURIZED	1
20	S600	LOCKWASHER	8	-	3034221	1-1/4" RH PRESSURIZED	1
21	3033742	PIPE PLUG	1	-	3034222	1-1/4" LH PRESSURIZED	1
22	167166	GEAR 7/16"	2	-	3034237	1-1/4" RH NON-PRESSURIZED	1
22	119363	GEAR 3/4"	2				
22	170942	GEAR 1"	2				
22	119364	GEAR 1-1/14"	2				
23	3034017	BODY AND COVER 7/16"	1				
23	3024523	BODY AND COVER 3/4"	1				
23	3033736	BODY AND COVER 1"	1				
23	3033739	BODY AND COVER 1-1/4"	1				
24	110855	GASKET, RED .0020"/.0022"	1				
24	121193	GASKET, PURPLE .0015"/.0017"	1				
25	3069017	GASKET	1				
26	3033719	DOWEL RING 7/32"	1				
26	101468	DOWEL RING 5/16"	1				
27	3050624	PRESSURIZING VALVE	1				
28	167169	DRIVE SHAFT 7/16"	1				
28	100215	DRIVE SHAFT 3/4"	1				
28	100216	DRIVE SHAFT 1"	1				
28	100217	DRIVE SHAFT 1-1/4"	1				
29	175866	IDLER SHAFT 7/16"	1				
29	175864	IDLER SHAFT 3/4"	1				
29	100133	IDLER SHAFT 1"	1				
29	175865	IDLER SHAFT 1-1/4"	1				
30	64816A	DOWEL	2				
31	151900	O RING, SQUARE CUT	1				

*Note: DIPACO has developed DPE10500 gear pump elbow. This design has a removable straight thread adapter for newer style pumps with the straight thread inlet port. For older style pumps with pipe threads, remove the adapter and you have a pipe threaded end.

Also, we have the two components of the DPE10500 elbow, which can be purchased separately.

DPE10501 is a longer version of the standard inlet elbow with pipe threads. This elbow can also be used in place of the Komatsu/Cummins elbow D6610-71-2571.

DPE10502 is an adapter which screws onto the DPE10501 elbow and changes the pipe threads into straight threads for the newer style pumps.

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

CELECT™ FUEL SYSTEM



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 37
November 1998

CELECT™ FUEL SYSTEM

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3046200	SPIDER	1			MOUNTING PARTS	
2	3041572	HUB	1	9	69324	WASHER	4
3	3069103	GASKET, FUEL PUMP	1	8	135783	LOCKWASHER	4
				7	206326	CAPSCREW, TWELVE POINT	4
4	3068760	SUPPORT, FUEL PUMP	1	2	3041572	HUB	1
5	3084713	RED SEAL	2	1	3046200	SPIDER	1
				3	3048341	GASKET, FUEL PUMP	1
4	3070149	SUPPORT, FUEL PUMP	1	15	3046201	O RING	1
5	3084713	RED SEAL	1	17	203849	ELBOW, SIDE TAP	1
5	3071643	BLUE SEAL	1	18	3042618	NIPPLE, COUPLING	1
						FUEL PUMP SUPPORT	
4	3074318	SUPPORT	1			SEAL KITS	
5	3071643	BLUE SEAL	1	-	3803476	SEAL KIT(Fits 3068760 Support)	
5	3074316	SEAL SPACER	1		3084713	RED SEAL	2
5	3084713	RED SEAL	1				
5	3074317	SEAL SPACER	1	-	3803477	SEAL KIT(Fits 3070149 Support and 3074318 Support)	
5	128807	RETAINER	1		3084713	RED SEAL	1
					3071643	BLUE SEAL	1
6	206326	CAPSCREW, TWELVE POINT	4			FUEL PUMP REPAIR KIT	
7	135783	LOCK WASHER	4	-	3803478	CELECT SERVICE REPAIR KIT (Fits 3074318 and 3070149 Support) See Page 65	1
8	69324	WASHER	4				
9	119364	GEAR, FUEL PUMPING	2				
10	3033742	PLUG, THREADED	1				
11	3034412	O RING	1				
12	70704	WASHER	8				
13	181466	LOCKWASHER	8				
14	3046201	O RING	1				
15	100129	CAPSCREW	6				
16	203849	ELBOW, SIDE TAP	1				
17	3042618	NIPPLE, COUPLING	1				
18	181466	LOCKWASHER	8				
19	70704	WASHER	8				
20	175865	SHAFT	1				
21	3068889	DRIVE SHAFT (OLD STYLE)	1				
21	3095356	DRIVE SHAFT (SPLINED)	1				
22	3045442	GASKET, FUEL PUMP	1				
23	3029857	PIN, ROLL	2				
24	3041623	COVER, FUEL PUMP GEAR	1				
25	3033719	DOWEL, RING	1				
26	3063782	SPRING, COMPRESSION	1				
27	3068764	PLUNGER	1				
		PRESSURE REGULATING					
28	3069017	GASKET, FUEL PUMP	1				
29	151900	O RING, SQUARE CUT	1				
30	153336	BODY	1				
31	139988	O RING, SQUARE CUT	1				
32	202897	DIAPHRAGM, FUEL DAMPER	1				
33	160514	WASHER	1				
34	100099	O RING, SQUARE CUT	1				
35	153338	COVER	1				
36	70704	WASHER	8				
37	181466	LOCKWASHER	8				
38	193838	CAPSCREW	2				
39	181466	LOCKWASHER	8				
40	70704	WASHER	8				
41	3017051	CAPSCREW	2				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

STC VALVE WITH DIAPHRAGM



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 39
November 1998

STC VALVE WITH DIAPHRAGM

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3075637	CAPSCREW	4				
2	181466	LOCKWASHER	8				
3	70704	FLAT WASHER	8				
4	3069989	COVER	1				
5	3034408	O RING	1				
6	3029301	NUT	2				
7	3073998	DISC VALVE	1				
8	*	BODY	1				
9	3054411	BEVELLED SPRING	1				
10	3045986	O RING	1				
11	3066914	O RING	1				
12	3042542	O RING	2				
13	3060605	BARREL AND PLUNGER	1				
14	S16240	RETAINING RING	1				
15	8078	COPPER WASHER	1				
16	3054405	WASHER RETAINER	1				
17	3054407	DIAPHRAGM	1				
18	3054163	PISTON	1				
19	3029301	NUT	2				
20	PAGE 65	SPRING	1				
21	3049041	SPRING RETAINER	1				
22	70446	CAPSCREW PLUG	1				
23	3069998	SEAL WASHER	1				
24	*	SPRING COVER	1				
25	70704	FLAT WASHER	8				
26	181466	LOCKWASHER	8				
27	3075638	CAPSCREW	1				
28	3055687	ACORN NUT	1				
29	*	SOCKET SET SCREW	1				
30	3021639	NUT	1				
-	3803282	REPAIR KIT (Page 65)	1				
		*Due to the quantity of part numbers available for the above categories please consult your Cummins microfiche or contact DIPACO customer service.					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

STC VALVE WITH GASKET



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 41
November 1998

STC VALVE WITH GASKET

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3075637	CAPSCREW	4				
2	181466	LOCK WASHER	8				
3	70704	FLAT WASHER	8				
4	3069989	COVER	1				
5	3034408	O RING	1				
6	3029301	NUT	2				
7	3073998	DISC VALVE	1				
8	*	BODY	1				
9	3070108	GASKET	1				
10	3054411	BEVELLED SPRING	1				
11	3045986	O RING	1				
12	3066914	O RING	1				
13	3042542	O RING	2				
14	3060605	BARREL AND PLUNGER	1				
15	S16240	RETAINING RING	1				
16	3070186	PLAIN WASHER	1				
17	3029301	NUT	2				
18	PAGE 65	SPRING	1				
19	3049041	SPRING RETAINER	1				
20	70446	CAPSCREW PLUG	1				
21	3069998	SEAL WASHER	1				
22	*	SPRING COVER	1				
23	70704	FLAT WASHER	8				
24	181466	LOCKWASHER	8				
25	3075638	CAPSCREW	1				
26	3055687	ACORN NUT	1				
27	*	SOCKET SET SCREW	1				
28	3021639	NUT	1				
-	3803282	REPAIR KIT (Page 65)	1				
		* Due to the quantity of part numbers available for the above categories please consult your Cummins microfiche or contact DIPACO customer service.					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TORQUE MODIFYING DEVICE



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TORQUE MODIFYING DEVICE

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	124022	CAP, BYPASS VALVE	1				
2	70775	O RING	1				
3	109686	SPRING (Blue)	1				
3	109687	SPRING (Yellow)	1				
3	109688	SPRING (Green/White)	1				
3	109689	SPRING (Gray)	1				
3	109690	SPRING (Pink)	1				
4	70779	RING, BYPASS VALVE	1				
5	101841	SHIM .005	A/R				
6	101842	SHIM .010	A/R				
7	101843	SHIM .020	A/R				
8	3003150	PLUNGER, PRESSURE REGULATOR	1				
9	126337	SLEEVE, BYPASS VALVE	1				
10	S965E	PLUG, PIPE	2				
11	126119	ADAPTER, ANEROID CONTROL	1				
12	154087	O RING, SQUARE CUT	1				
13	154086	O RING, SQUARE CUT	1				
14	194870	BODY, TORQUE MOD. VALVE	1				
15	133538	CAPSCREW, SOCKET HEAD	2				
16	S102A	CAPSCREW, HEX HEAD	1				
17	106943	WASHER	1				
18	102030	O RING	1				
19	126333	O RING, SQUARE CUT	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

PTD INJECTOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




*Refer to Cummins Bulletin 3379664-14 or contact DIPACO customer service.

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TOP STOP INJECTOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 47
November 1998

TOP STOP INJECTOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3049333	CAPSCREW, TWELVE POINT	2				
2	3049332	CLAMP	1				
3	3000465	LOCK NUT	1				
4	212954	RETAINER	1				
5	*	LINK	1				
6	PAGE 62	PLUNGER AND BARREL	1				
7	3015469	RETAINER	1				
8	166009	SPRING	1				
9	3000464	BODY	1				
10	173086	ORIFICE GASKET	1				
10	173086C	ORIFICE GASKET, COPPER	1				
11	PAGE 64	ORIFICE PLUG	1				
12	3008706	SCREEN	1				
13	174299	CLIP	1				
14	167157	CHECK BALL	1				
15	203426	ROLL PIN	2				
16	193736	O RING	3				
17	PAGE 63	CUP	1				
18	185138	RETAINER	1				
		*Refer to Cummins Bulletin 3379664-14 or contact DIPACO customer service.					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

5/16 PTD INJECTOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 49
November 1998

5/16 PTD INJECTOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	166009	SPRING	1				
2	PAGE 62	PLUNGER AND BARREL	1				
3	101754	O RING	3				
4	556895	BODY	1				
5	173086	ORIFICE GASKET	1				
5	173086C	ORIFICE GASKET, COPPER	1				
6	PAGE 64	ORIFICE	1				
7	3008706	SCREEN	1				
8	174299	CLIP	1				
9	203426	ROLL PIN	2				
10	167157	CHECK BALL	1				
11	185782	GASKET	1				
12	PAGE 63	CUP	1				
13	556894	RETAINER	1				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

K-PTD INJECTOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 51
November 1998

K-PTD INJECTOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	165006	CAPSCREW	2				
2	3006696	CLAMP	1				
3	*	LINK	1				
4	205464	SPRING	1				
5	PAGE 62	PLUNGER AND BARREL	1				
6	205463	BODY	1				
7	173086	ORIFICE GASKET	1				
7	173086C	ORIFICE GASKET, COPPER	1				
8	PAGE 64	ORIFICE	1				
9	3008706	SCREEN	1				
10	174299	CLIP	1				
11	167157	BALL	1				
12	203426	ROLL PIN	2				
13	3010510	O RING	1				
14	205216	O RING	1				
15	193736	O RING	1				
16	PAGE 63	CUP	1				
17	207245	RETAINER	1				
18	207244	SEAL	1				
18	3001658	SEAL	1				
18	3001659	SEAL	1				
18	3001660	SEAL	1				
		*Refer to Cummins Bulletin 3379664-14 or contact DIPACO customer service.					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

NT-STC INJECTOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

NT-STC INJECTOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3058686	CAPSCREW	1	-	3803101	TAPPET REPAIR KIT	1
2	3048326	CLAMP	1	-	3027988	THIN SOCKET	1
3	3053769	CAP	1	-	3027994	RETAINING RING	1
4	3062139	NUT	1	-	3027996	SPRING	1
5	**	LINK	1	-	3031198	BALL	1
6	3052231	RETAINER	1	-	3050345	SOCKET	1
7	*	TAPPET	1	-	3062119	SPRING	1
8	3028447	LINK	1	-	3050344	CHECK BALL	1
9	3000465	LOCK NUT	1	-	3054852	GUIDE	1
10	3041493	WASHER	1	-	3076033	SPRING	1
11	3055742	SCREW	1	-	3076033	GUIDE SPRING	1
12	PAGE 62	PLUNGER AND BARREL	1	-	3803497	TAPPET REPAIR KIT	1
13	174299	CLIP	1	-	3027988	THICK SOCKET	1
14	3008706	SCREEN	1	-	3027994	RETAINING RING	1
15	PAGE 64	ORIFICE	1	-	3027996	SPRING	1
16	173086	ORIFICE GASKET	1	-	3050345	BALL	1
16	173086C	ORIFICE GASKET, COPPER	1	-	3054852	SPRING	1
17	3052218	RETAINER	1	-	3062119	CHECK BALL	1
18	3023478	SPRING	1	-	3075384	SOCKET	1
19	3034167	SPRING	1	-	3075385	GUIDE	1
20	3023934	BODY	1	-	3076033	GUIDE SPRING	1
21	203426	ROLL PIN	2				
22	167157	CHECK BALL	1				
23	193736	O RING. VITON	3				
24	PAGE 63	CUP	1				
25	185138	NUT	1				
*Due to the amount of part numbers available consult Cummins Technical Bulletin 94T6-7 or contact DIPACO customer service.							
**Refer to Cummins Bulletin 3379664-14 or contact DIPACO customer service.							

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

K-STC INJECTOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

K-STC INJECTOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3053769	CAP	1	-	3803101	TAPPET REPAIR KIT	1
2	3055743	NUT	1	-		THIN SOCKET	
3	*	TAPPET ASSY	1	-	3027988	RETAINING RING	1
4	**	LINK	1	-	3027994	SPRING	1
5	3000465	LOCK NUT	1	-	3027996	BALL	1
6	3048326	CLAMP	1	-	3031198	SOCKET	1
7	3055742	SCREW	1	-	3050345	SPRING	1
8	PAGE 62	PLUNGER AND BARREL	1	-	3062119	CHECK BALL	1
9	3001510	SCREW	2	-	3050344	GUIDE	1
10	174299	CLIP	1	-	3054852	SPRING	1
11	3008706	SCREEN	1	-	3076033	GUIDE SPRING	1
12	PAGE 64	ORIFICE	1	-	3803497	TAPPET REPAIR KIT	1
13	173086	ORIFICE GASKET	1	-		THICK SOCKET	
13	173086C	ORIFICE GASKET, COPPER	1	-	3027988	RETAINING RING	1
14	3052218	RETAINER	1	-	3027994	SPRING	1
15	3042428	SPRING	1	-	3027996	BALL	1
16	3042427	SPRING	1	-	3050345	SPRING	1
17	3042425	BODY	1	-	3054852	SPRING	1
18	203426	ROLL PIN	2	-	3062119	CHECK BALL	1
19	167157	CHECK BALL	1	-	3075384	SOCKET	1
20	3010510	O RING, RED DOT	1	-	3075385	GUIDE	1
21	193736	O RING, GREEN DOT	1	-	3076033	GUIDE SPRING	1
22	205216	O RING	1				
23	PAGE 63	CUP	1				
24	3042430	RETAINER	1				
*Due to the amount of part numbers available consult Cummins Technical Bulletin 94T6-7 or contact DIPACO customer service.							
**Refer to Cummins Bulletin 3379664-14 or contact DIPACO customer service.							

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

L-10 INJECTOR



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 57
November 1998

L-10 INJECTOR

REF	PART	DESCRIPTION	QTY	REF	PART	DESCRIPTION	QTY
1	3028066	BODY	1				
2	173086	ORIFICE GASKET	1				
2	173086C	ORIFICE GASKET, COPPER	1				
3	PAGE 64	ORIFICE	1				
4	3008706	SCREEN	1				
5	174299	CLIP	1				
6	193736	O RING	3				
7	167157	CHECK BALL	1				
8	203426	ROLL PIN	2				
9	PAGE 63	CUP	1				
10	185138	RETAINER	1				
11	PAGE 62	PLUNGER AND BARREL	1				
12	3028367	CAPSCREW	1				
13	3028346	CLAMP	1				
14	3009362	NUT	1				
15	3018772	SCREW	1				
16	*	LINK	1				
17	3049995	RETAINER	1				
18	3062104	SPRING	1				
		*Refer to Cummins Bulletin 3379664-14 or contact DIPACO customer service.					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

GOVERNOR SPRING PACK

REF	PART	DESCRIPTION	REF	PART	DESCRIPTION
		HIGH SPEED SPRINGS WITH COLORS			
-	143247	YELLOW	-	3004752	PINK
-	143248	YELLOW/GREEN	-	3004753	PINK/YELLOW
-	143249	YELLOW/WHITE	-	3004754	PINK/GREEN
-	143250	RED/WHITE	-	3004755	PINK/WHITE
-	143251	BLUE/PURPLE	-	3004756	PINK/BLUE
-	143252	RED	-	3051817	RED/BLUE/YELLOW
-	143253	RED/YELLOW	-	3051818	RED/BLUE/WHITE
-	143254	RED/PURPLE	-	3052119	RED/BLUE/GREEN
-	143255	RED/GREEN	-	3052120	RED/BLUE/PURPLE
-	143256	WHITE/BLUE	-	3052121	RED/BLUE/ORANGE
-	144478	WHITE	-	3052122	RED/GREEN/ORANGE
-	144479	GREEN	-	3053100	BLACK/PINK
-	144490	ORANGE	-	3053101	GRAY/PINK
-	144491	LT BLUE	-	3053102	ORANGE/PINK
-	147292	PURPLE	-	3053103	LT BLUE/PINK
-	147293	ORANGE/YELLOW	-	3053104	PINK/PURPLE
-	147294	WHITE/PURPLE	-	3053105	PINK/RED
-	147295	ORANGE/RED	-	3053106	BLACK/BLUE/GREEN
-	147296	GREEN/PURPLE	-	3053107	BLACK/BLUE/GRAY
-	153232	BLUE	-	3053108	BLACK/BLUE/LT BLUE
-	153235	GREEN/ORANGE	-	3053109	BLACK/BLUE/ORANGE
-	153236	GREEN/BLUE	-	3053110	BLACK/BLUE/PINK
-	153237	BLUE/YELLOW	-	3053111	BLACK/BLUE/PURPLE
-	153238	BLUE/RED	-	3053112	BLACK/BLUE/RED
-	3000932	PURPLE/LT BLUE	-	3053113	BLACK/BLUE/WHITE
-	3000933	PURPLE/ORANGE	-	3053114	BLACK/BLUE/YELLOW
-	3000934	BLUE/LT BLUE			
-	3000935	LT BLUE/GREEN			
-	3000936	YELLOW/LT BLUE			
-	3000937	WHITE/LT BLUE			
-	3000938	RED/LT BLUE			
-	3000939	WHITE/ORANGE			
-	3000940	ORANGE/LT BLUE			
-	3000941	GREEN/WHITE			
-	3001146	YELLOW/PURPLE			
-	3001147	BLACK			
-	3001148	BLACK/GREEN			
-	3001149	BLACK/WHITE			
-	3001150	BLACK/YELLOW			
-	3001151	BLACK/RED			
-	3001152	BLACK/BLUE			
-	3001153	GRAY			
-	3001154	BLACK/ORANGE			
-	3001155	BLACK/LT BLUE			
-	3001156	BLACK/PURPLE			
-	3001157	YELLOW/GRAY			
-	3001158	GREEN/GRAY			
-	3001159	GRAY/WHITE			
-	3001160	GRAY/RED			
-	3001161	GRAY/BLUE			
-	3001162	GRAY/BLACK			
-	3001163	GRAY/ORANGE			
-	3004750	GRAY/PURPLE			
-	3004751	GRAY/LT BLUE			

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

Page 59
November 1998

GOVERNOR SPRING PACK

REF	PART	DESCRIPTION
		IDLE SPRING PLUNGER BUTTONS CODE/COUNTERBORE DIAMETERS
-	137370	40 - .2785/.2815"
-	138862	45 - .2885/.2915"
-	139618	52 - .3035/.3065"
-	139619	55 - .3085/.3115"
-	139894	15 - .2285/.2315"
-	140417	17 - .2335/.2365"
-	140418	37 - .2735/.2765"
-	140922	35 - .2685/.2715"
-	140923	42 - .2835/.2865"
-	140924	47 - .2935/.2965"
-	140925	50 - .2985/.3015"
-	140926	57 - .3135/.3165"
-	140927	60 - .3185/.3215"
-	141623	5 - .2085/.2115"
-	141624	7 - .2135/.2165"
-	141625	10 - .2185/.2215"
-	141626	12 - .2235/.2265"
-	141629	20 - .2385/.2415"
-	141630	22 - .2435/.2465"
-	141631	25 - .2485/.2515"
-	141632	27 - .2535/.2565"
-	141633	30 - .2585/.2615"
-	141634	32 - .2635/.2665"
-	141638	67 - .3335/.3365"
-	145947	170 - .3385/.3415"
-	145948	172 - .3435/.3465"
-	145949	175 - .3485/.3515"
-	145950	177 - .3535/.3565"
-	145951	180 - .3585/.3615"
-	145952	182 - .3635/.3665"
-	145953	185 - .3685/.3715"
-	145954	187 - .3735/.3765"
-	145955	190 - .3785/.3815"
-	145956	192 - .3835/.3865"
-	145957	195 - .3885/.3915"
-	145958	197 - .3935/.3965"
-	145959	200 - .3985/.4015"

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

GOVERNOR PLUNGERS, SPRINGS AND ASSEMBLIES

REF	PART	DESCRIPTION	REF	PART	DESCRIPTION	QTY
		203350 SERIES			3063060 55 DEGREE CHAMFER	
		AFC & PTG				
-	203350-0	STANDARD - RED	-	3063060-0	GOVERNOR PLUNGER	
-	203350-1	.3747 - BLUE	-	3063060-1	GOVERNOR PLUNGER	
-	203350-2	.3748 - GREEN	-	3063060-2	GOVERNOR PLUNGER	
-	203350-3	.3749 - YELLOW	-	3063060-3	GOVERNOR PLUNGER	
-	203350-4	.3750 - ORANGE	-	3063060-4	GOVERNOR PLUNGER	
-	203350-5	.3751 - BLACK	-	3063060-5	GOVERNOR PLUNGER	
-	203350-6	.3752 - GRAY	-	3063060-6	GOVERNOR PLUNGER	
-	203350-7	.3753 - PURPLE	-	3063060-7	GOVERNOR PLUNGER	
-	203350-8	.3754 - BROWN			GOVERNOR PLUNGER	
-	203350-9	.3755 - PINK			ASSEMBLIES	
-	203350-10	.3756 - RED/GRAY	-	3039070	GOVERNOR PLUNGER ASSY	1
-	203350-11	.3757 - BLUE/GRAY		203350	GOVERNOR PLUNGER - BY SIZE	1
-	203350-12	.3758 - GREEN/GRAY		3027633	WASHER	1
-	203350-13	.3759 - YELLOW/GRAY		144302	SPACER	1
-	203350-14	.3760 - ORANGE/GRAY		70690	DRIVER	1
-	203350-15	.3761 - BLACK/GRAY				
-	203350-16	.3762 - VIOLET/GRAY	-	3010810	GOVERNOR PLUNGER ASSY	1
-	203350-17	.3763 - BROWN/GRAY		3009380	GOVERNOR PLUNGER - BY SIZE	1
-	203350-18	.3764 - PINK/GRAY		3027633	WASHER	1
-	203350-19	.3765 - BLUE/PURPLE		144302	SPACER	1
-	203350-20	.3766 - RED/PURPLE		70690	DRIVER	1
-	203350-21	.3767 - BLACK/PURPLE				
-	203350-22	.3768 - GREEN/PURPLE	-	3040760	GOVERNOR PLUNGER ASSY	1
-	203350-23	.3769 - YELLOW/PURPLE		3040750	GOVERNOR PLUNGER - BY SIZE	1
-	203350-24	.3770 - BROWN/PURPLE		3027633	WASHER	1
-	203350-25	.3771 - ORANGE/PURPLE		144302	SPACER	1
		3009380 AFC TAPER SEAT				
-	3009380-0	STANDARD - RED	-	3063080	GOVERNOR PLUNGER ASSY	1
-	3009380-1	.3747 - BLUE		3063060	GOVERNOR PLUNGER - BY SIZE	1
-	3009380-2	.3748 - GREEN		3027633	WASHER	1
-	3009380-3	.3749 - YELLOW		3048557	SPACER	1
-	3009380-4	.3750 - ORANGE		70690	DRIVER	1
-	3009380-5	.3751 - BLACK				
-	3009380-6	.3752 - GRAY	-	3065420	GOVERNOR PLUNGER ASSY	1
-	3009380-7	.3753 - PURPLE		3063060	GOVERNOR PLUNGER - BY SIZE	1
-	3009380-8	.3754 - BROWN		3021488	WASHER	1
-	3009380-9	.3755 - PINK		3021489	WASHER	1
-	3009380-10	.3756 - RED/GRAY		3066638	SPACER	1
-	3009380-11	.3757 - BLUE/GRAY		70690	DRIVER	1
-	3009380-12	.3758 - GREEN/GRAY				
-	3009380-13	.3759 - YELLOW/GRAY			TORQUE CONTROL	
-	3009380-14	.3760 - ORANGE/GRAY			SPRINGS WITH COLORS	
		3040750 AFC				
-	3040750-0	STANDARD - RED	-	138768	RED	
-	3040750-1	.3747 - BLUE	-	138769	BLUE	
-	3040750-2	.3748 - GREEN	-	138780	GREEN	
-	3040750-3	.3749 - YELLOW	-	138781	YELLOW	
-	3040750-4	.3750 - ORANGE	-	138782	RED/BLUE	
-	3040750-5	.3751 - BLACK	-	138783	RED/GREEN	
-	3040750-6	.3752 - GRAY	-	138784	RED/YELLOW	
-	3040750-7	.3753 - PURPLE	-	138785	RED/ORANGE	
			-	138786	BLUE/ORANGE	
			-	138787	GREEN/ORANGE	
			-	138788	YELLOW/LT BLUE	
			-	138789	RED/BLUE/BLACK	

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

TORQUE CONTROL SPRINGS

REF	PART	DESCRIPTION
-	138790	RED/GREEN/BLACK
-	138791	RED/YELLOW/BLACK
-	138792	BLUE/GREEN/BLACK
-	138793	RED/PURPLE
-	138794	BLUE/WHITE/ORANGE
-	138795	GREEN/LT BLUE
-	138796	YELLOW/GRAY
-	138797	RED/BLUE/PURPLE
-	138798	RED/GREEN/PURPLE
-	138799	RED/YELLOW/PURPLE
-	138800	BLUE/GREEN/PURPLE
-	138801	BLUE/YELLOW
-	138802	GREEN/YELLOW
-	138803	RED/GRAY/LT. BLUE
-	138804	BLUE/GRAY/YELLOW
-	138805	BLUE/YELLOW
-	138993	GREEN/PINK
-	138994	YELLOW/PINK
-	138995	RED/BLUE/LT BLUE
-	138996	RED/YELLOW/LT BLUE
-	138997	BLUE/GREEN/LT BLUE
-	138998	BLUE/YELLOW/LT BLUE
-	138999	GREEN/YELLOW/LT BLUE
-	139584	BLUE/GREEN/PINK
-	139585	BLUE/YELLOW/PURPLE
-	139586	GREEN/YELLOW/PURPLE
-	139587	BLUE/YELLOW/PINK
-	139588	GREEN/YELLOW/PINK
-	142696	WHITE/BLUE/BLACK
-	142697	WHITE/YELLOW/BLACK
-	142698	WHITE/GREEN/BLACK
-	142699	WHITE/BLUE/PURPLE
-	142701	WHITE/GREEN/PURPLE
-	142703	WHITE/YELLOW/LT. BLUE
-	142704	WHITE/GREEN/LT. BLUE
-	142705	WHITE/BLUE/GRAY
-	142861	YELLOW/WHITE
-	142862	RED/BLUE/ORANGE
-	142864	WHITE/BLUE/YELLOW
-	142865	RED/WHITE/ORANGE
-	142866	BLUE/ORANGE/GREEN
-	142867	GREEN/WHITE
-	142868	YELLOW/ORANGE
-	142869	RED/BLUE/YELLOW
-	142870	RED/GREEN/YELLOW
-	3002047	WHITE/PURPLE
-	3002048	WHITE/RED/LT BLUE
-	3002049	ORANGE/PURPLE
-	3002050	ORANGE/RED/LT BLUE
-	3002051	ORANGE/BLUE/PURPLE
-	3002052	ORANGE/GREEN/PURPLE
-	3002053	WHITE/PINK
-	3002054	WHITE/RED/PURPLE
-	3002055	ORANGE/GRAY
-	3002056	ORANGE/RED/PURPLE
-	3002057	ORANGE/BLUE/PURPLE
-	3002058	ORANGE/GREEN/PINK

REF	PART	DESCRIPTION
-	3035816	PURPLE/LT BLUE/BLUE
-	3035817	PURPLE/LT BLUE/GREEN
-	3035818	PURPLE/LT BLUE/RED
-	3035819	PURPLE/LT BLUE/ORANGE
-	3035820	PURPLE/PINK/WHITE
-	3035821	PURPLE/PINK/BLUE
-	3035822	PURPLE/PINK/GREEN
-	3035823	PURPLE/PINK/RED
-	3051812	YELLOW/BLUE/RED
-	3051813	YELLOW/BLUE/GREEN
-	3051814	YELLOW/BLUE/ORANGE
-	3051815	YELLOW/BLUE/PURPLE
-	3051816	LT BLUE/BLUE/GREEN
-	3052123	RED/BLUE/YELLOW
-	3052124	RED/BLUE/WHITE
-	3053156	LT BLUE
-	3053157	ORANGE
-	3053158	PINK
-	3053159	PURPLE
-	3053160	WHITE
-	3053161	BLACK/BLUE
-	3053162	BLACK/RED
-	3053163	BLACK/LT BLUE
-	3053164	BLACK/ORANGE
-	3053165	BLACK/PINK
-	3053166	BLACK/PURPLE
-	3053167	BLACK/WHITE
-	3053168	BLACK/YELLOW
-	3053169	BLUE/GREEN
-	3053170	BLUE/GRAY
-	3053171	BLUE/LT BLUE
-	3053172	BLUE/PINK
-	3053173	BLUE/PURPLE
-	3053174	BLUE/WHITE
-	3053175	GRAY/LT BLUE
-	3053176	GRAY/RED
-	3053177	GRAY/PINK
-	3053178	GRAY/PURPLE
-	3053179	GRAY/WHITE
-	3053180	LT BLUE/ORANGE
-	3053181	LT BLUE/PINK
-	3053182	LT BLUE/PURPLE
-	3821486	LT BLUE/BLUE/WHITE
-	3821487	LT BLUE/GREEN/WHITE
-	3821488	LT BLUE/RED/WHITE
-	3821489	LT BLUE/ORANGE/WHITE
-	3821490	PINK/WHITE/WHITE
-	3821491	PINK/BLUE/WHITE
-	3821492	PINK/GREEN/WHITE
-	3821493	PINK/RED/WHITE

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

INJECTOR PLUNGERS AND PLUNGER & BARREL ASSEMBLIES

REF	PART	DESCRIPTION	REF	PART	DESCRIPTION
		INJECTOR PLUNGERS		P & B	
-	AR40063	PTD 5/16 SMALL V PLUNGER From .313" to .323" .0005" increments	-	AR40063	SMALL V
-	AR40065	PTD STANDARD PLUNGER From .375" to .385" .0005" increments	-	AR73665	NON-TOP STOP, HI FLOW, SMALL V
-	3018368	PTD TOP STOP PLUNGER From .375" to .385" .0005" increments	-	3018322	NON-TOP STOP, LOW FLOW
-	C3018368	PTD TOP STOP CHROME PLUNGER From .375" to .385" .0005" increments	-	3018324	NON-TOP STOP, HI FLOW
-	K3018368	PTD-K PLUNGER From .375" to .385" .0005" increments	-	3018325	NON-TOP STOP, HI FLOW
-	L3018368	L-10 PLUNGER From .375" to .385" .0005" increments	-	3018366	HIGH FLOW, NON-TOP STOP
			-	3018368	TOP STOP, HI FLOW, NON STC
			-	3018586	TOP STOP, DIRECT FEED, HI FLOW
			-	3018587	TOP STOP, DIRECT FEED, HI FLOW
			-	3018588	NON-TOP STOP, DIRECT FEED
			-	3018779	TOP STOP, DIRECT FEED, HI FLOW
			-	3022968	TOP STOP, HI FLOW
			-	3037292	NON-TOP STOP, DIRECT FEED, K ENG.
			-	3047963	TOP STOP, DIRECT FEED
			-	3047964	NON-TOP STOP, DIRECT FEED
			-	3049996	TOP STOP, DIRECT FEED
			-	3052222	STC, DIRECT FEED
			-	3054532	NON-TOP STOP, DIRECT FEED, HI FLOW
			-	3054533	TOP STOP, DIRECT FEED
			-	3058848	NON-TOP STOP, DIRECT FEED, RDF
			-	3065348	STC, TOP STOP, DIRECT FEED
			-	3069707	STC, DIRECT FEED
			-	3069718	STC, DIRECT FEED
			-	3069758	STC, TOP STOP
			-	3069766	STC, TOP STOP

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

INJECTOR CUPS

REF	PART	DESCRIPTION	SIZE
-	BM28818	SMALL SCREW ON C, J	7-.007x18°
-	BM28826	LARGE SCREW ON	7-.007x21°
-	BM32321	SMALL SCREW ON C, J	7-.006x18°
-	BM54732	SMALL SCREW ON C, J	7-.006x16°
-	BM68672	LARGE SCREW ON	8-.0065x18°
-	BM70194	SMALL SCREW ON C, J	8-.006x14°
-	3001314	PTD K	10-.0085x10°
-	3003929	PTD V	7-.0075x4°
-	3003930	PTD V	7-.008x4°
-	3003931	PTD V	7-.0075x6°
-	3003932	PTD K	9-.0085x7°
-	3003933	PTD K	9-.0085x10°
-	3004054	PTD V	9-.007x6°
-	3005963	PTD K	10-.0075x10°
-	3006540	PTD V	8-.006x2°
-	3006543	PTD V	9-.0065x2°
-	3012535	PTD NH, HT, V12	8-.007x18°
-	3012535H	PTD NH, HT, V12	8-.007x18°
-	3012536	PTD NH, HT, V12	8-.008x18°
-	3012536H	PTD NH, HT, V12	8-.008x18°
-	3012537	PTD NH, HT, V12	8-.0065x18°
-	3012537H	PTD NH, HT, V12	8-.0065x18°
-	3012538	PTD NH, NT, V12	9-.008x18°
-	3012538H	PTD NH, HT, V12	9-.008x18°
-	3018777	PTD NH, L10	10-.0065x12°
-	3018813	PTD NH, NT, V12	10-.0065x18°
-	3018814	PTD NH, NT, V12	10-.007x18°
-	3018860	PTD	7-.007x17°
-	3018861	PTD	7-.006x21°
-	3018862	PTD	8-.009x18°
-	3018863	PTD	7-.007x21°
-	3022154	PTD V903	8-.006x4°
-	3023556	PTD NH, NT, V12	9-.0085x18°
-	3023556H	PTD NH, NT, V12	9-.0085x18°
-	3024148	PTD NH, NT, V12	9-.009x18°
-	3028068	PTD L10	9-.007x10°
-	3052229	PTD STC	8-.0093x18°
-	3052522	PTD STC	8-.008x18°
-	3052630	PTD NH, NT, STC	8-.009x18°
-	3053742	PTD NH, NT	9-.0086x18°
-	3056341	L10	10-.006x10°
-	3059423	PTD K	8-.007x14°
-	3059399	PTD, NH	8-.008x18°
-	3063227	STC	8-.007x14°
-	3064252	STC	9-.007x14°
-	3068895	STC, NH, NT	8-.0078x14°
-	3069756	L10	10-.006x10°
-	3069764	NH, NT 855	8-.007x14°
-	3070615	PTD STC	8-.0065x18°
-	3071046	PTD NH, NT, V	7-.0073x14°
-	3073570	STC NH, NT	8-.0072x17°
-	3073575	PTD NH, NT	8-.0076x17°
-	3073753	PTD L-10	9-.0072x10°
-	3074253	L10	8-.0072x14°
-	3074255	L10	8-.0068x14°
-	3202078	PTD L10	8-.006x10°
-	3275265	PTD SMALL V	7-.0055x4°

REF	PART	DESCRIPTION	SIZE
-	3275266	PTD SMALL V	7-.006x4°
-	3275267	PTD SMALL V	7-.006x3°
-	3275417	PTD SMALL V	7-.0055x6°
-	3278446	PTD L-10	9-.006x10°
H=HARDENED*			
*DIPACO offers several cups in hardened steel. Our normal cups have a hardness of Rockwell C30. The hardened cups, which have a Rockwell C45 hardness rating, offer more erosion resistance and provide longer life.			

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

INJECTOR ORIFICES

	PART	DESCRIPTION	QTY		PART	DESCRIPTION	QTY
		BUTTON HEAD ORIFICE					
-	3044990	.015" OPENING					
-	3044991	.016" OPENING					
-	3044992	.017" OPENING					
-	3044993	.018" OPENING					
-	3044994	.019" OPENING					
-	3044995	.020" OPENING					
-	3044996	.021" OPENING					
-	3044997	.022" OPENING					
-	3044998	.023" OPENING					
-	3044999	.024" OPENING					
-	3045000	.025" OPENING					
-	3045001	.026" OPENING					
-	3045002	.027" OPENING					
-	3045003	.028" OPENING					
-	3045004	.029" OPENING					
-	3045005	.030" OPENING					
-	3045006	.031" OPENING					
-	3045007	.032" OPENING					
-	3045008	.033" OPENING					
-	3045009	.034" OPENING					
-	3045010	.035" OPENING					
-	3045011	.036" OPENING					
-	3045012	.037" OPENING					
-	3045013	.038" OPENING					
-	3045014	.039" OPENING					
-	3045015	.040" OPENING					
-	3045016	.041" OPENING					
-	3045017	.042" OPENING					
-	3045018	.043" OPENING					
-	3045019	.044" OPENING					
-	3045020	.045" OPENING					
-	3045021	.046" OPENING					
-	3045022	.047" OPENING					
-	3045023	.048" OPENING					
-	3045024	.049" OPENING					
-	3045025	.050" OPENING					
-	3045026	.051" OPENING					
-	3045027	.052" OPENING					
-	3045028	.053" OPENING					
-	3045029	.054" OPENING					
-	3045030	.055" OPENING					
-	3045031	.056" OPENING					
-	3045032	.057" OPENING					
-	3045033	.058" OPENING					
-	3045034	.059" OPENING					
-	3045035	.060" OPENING					
-	3045036	.061" OPENING					
-	3045037	.062" OPENING					
-	3045038	.063" OPENING					
-	3045039	.064" OPENING					
-	3045040	.065" OPENING					
-	3045041	.066" OPENING					
-	3045042	.067" OPENING					
-	3045043	.068" OPENING					
-	3045044	.069" OPENING					
-	3045045	.070" OPENING					

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

STC VALVE AND CELECT™ FUEL SYSTEM

	PART	DESCRIPTION	QTY		PART	DESCRIPTION	QTY
	3803282	STC REPAIR KIT			3803478	CELECT™ SERVICE REPAIR KIT (FITS 3074318 AND 3070149 SUPPORT)	
-	3045986	SEAL, O RING	1	-	3803477	SEAL KIT	1
-	3066914	SEAL, O RING	1	-	3069017	GASKET, GEAR PUMP MOUNTING	1
-	3042542	SEAL, O RING	2	-	146483	FILTER SCREEN	1
-	3034408	SEAL, O RING	1	-	110855	GASKET, GEAR PUMP	1
-	8078	WASHER, PLAIN	1	-	3069103	GASKET, FUEL PUMP MOUNT	1
-	3073998	DISC VALVE	1	-	139988	SQUARE CUT O RING	1
-	3054407	DIAPHRAGM	1	-	202897	DIAPHRAGM, DAMPER	1
-	3070108	GASKET	1	-	129888	SQUARE CUT O RING	1
-	3070186	WASHER, PLAIN	1	-	100099	SQUARE CUT O RING	1
-	70446	SCREW, HEXHEAD CAP	1	-	160514	WASHER	1
-	3069998	SEAL, WASHER	1	-	213079	SQUARE CUT O RING	1
-	3051069	SPRING, COMPRESSION	1	-	151900	SQUARE CUT O RING	1
-	3054526	SPRING, COMPRESSION	1	-	3037537	O RING	1
-	3056072	SPRING, COMPRESSION	1	-	3056415	O RING	1
-	3056073	SPRING, COMPRESSION	1	-	3034412	O RING	1
-	3003156	WIRE, SEAL	1	-	3021123	O RING	1
-	3034412	SEAL, O RING	1				
-	3036666	SEAL, O RING	3				
-	3037537	SEAL, O RING	2				
-	3046201	SEAL, O RING	2				

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

DIPACO FUEL PUMP OVERHAUL SETS

PTG GASKET AND OVERHAUL SETS

IN ADDITION TO DIPACO'S COMPLETE GASKET KIT ASSORTMENT YOU CAN SPECIALIZE YOUR PTG GASKET KIT REQUIREMENTS. USE THE LAST COLUMN MARKED "SPECIAL" AND ADD THE PARTS YOU REQUIRE IN ADDITION TO THE ITEMS IN BOLD PRINT, WHICH ARE INCLUDED IN ALL DIPACO PTG GASKET KITS. FAX DIPACO FOR YOUR QUOTATION, 25 KIT MINIMUM.		DPE10020S	DPE10023	DPE10023S	DBM68356	DBM68356K	DBM68356KW	D3010240	DPE10020	DPE10025	SPECIAL
D43696A	SIDE PLUG O RING	1	1	1	1	1	1	1	1	1	1
D70415	O RING	1	1	1	1	1	1	3	1	3	1
D70705	GOVERNOR HOUSING GASKET	1	1	1	1	1	1	1	1	2	1
D70732	TACH HOUSING GASKET	1	1	1	1	1	1	1	1	1	1
D70809	TACH SHAFT SEAL	1	1	1	1	1	1	1	1	1	1
D100099	DAMPER O RING	1	1	1	1	1	1	1	1	1	1
D100478	THROTTLE SHAFT O RING	1	1	1	1	1	1	1	1	1	1
D100764	FRONT HOUSING GASKET	1	1	1	1	1	1	1	1	1	1
D110855	GEAR PUMP BODY TO COVER GASKET	1	1	1	1	1	1	1	1	1	1
D114791	VITON O RING	1	1	1	1	1	1	1	1	1	1
D129888	SHUT DOWN VALVE O RING	1	1	1	1	1	1	1	1	1	1
D139988	DAMPER SEAL RING	1	1	1	1	1	1	1	1	1	1
D151900	SQUARE CUT O RING	1	1	1	1	1	1	1	1	1	1
D154087	SHUT DOWN VALVE SQUARE CUT O RING	1	1	1	1	1	1	1	1	2	1
D154088	FILTER CAP SQUARE CUT O RING	1	1	1	1	1	1	1	1	1	1
D160514	NYLON SHUT DOWN VALVE GASKET	1	1	1	1	1	1	1	1	1	1
D163945	SNAP RING	1	1	1	1	1	1	1	1	1	1
D210218	TACH SHAFT FELT	1	1	1	1	1	1	1	1	1	1
D3002481	VITON O RING	1	1	1	1	1	1	1	1	1	1
D3003156	LEAD WIRE SEAL	1	1	1	1	1	1	1	1	1	1
D3046201	O RING	2	2	2	2	2	2	1	2	2	2
D3066914	O RING	1	1	1	1	1	1	1	1	1	1
D3069017	GEAR PUMP MOUNT GASKET	1	1	1	1	1	1	1	1	1	1
D3069103	PUMP MOUNT GASKET	1	1	1	1	1	1	1	1	1	1
D104038	DOUBLE LIP MAIN SHAFT SEAL		2	2			2	2			
D3009625	METAL CASE MAIN SHAFT SEAL										
D3062676	GREEN COATED MAIN SHAFT SEAL	2			2	2			2	2	
DS1650	MAIN SHAFT BEARING	1	1	1					1	1	
DS2286	NAMEPLATE MOUNTING SCREW	2	2	2		2	2		2	2	
D68174	COMPRESSOR KEY	1	1	1					1	1	
D70690	GOVERNOR PLUNGER T DRIVER	1		1							
D70690C	GOVERNOR PLUNGER CYLINDRICAL DRIVER										
D70723	TACH SHAFT BUSHING	1	1	1					1	1	
D70771	SEAL							1			
D70812	VS BRASS BUSHING									2	
D70813	SETSCREW										
D70815	SEAL							1			
D100192	MAIN SHAFT	1	1	1					1	1	
D102030	O RING							1			
D104087	TACH SHAFT	1	1	1					1	1	
D105375	NAME PLATE	1		1		1	1	1	1	1	
D106943	SEAL									1	
D126333	O RING							1			
D129768	SHUT DOWN VALVE SPRING										
D129839	SHUT DOWN VALVE SHIELD										

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

DIPACO FUEL PUMP OVERHAUL SETS

PTG GASKET AND OVERHAUL SETS

		DPE10020S	DPE10023	DPE10023S	DBM68356	DBM68356K	DBM68356KW	D3010240	DPE10020	DPE10025	SPECIAL
D137808	FILTER SCREEN										
D144302	GOVERNOR PLUNGER SPACER	1		1						1	
D145501	O RING							1			
D145544	O RING									1	
D146483	FILTER SCREEN	1	1	1		1	1		1		
D147901	FILTER CAP									1	
D148977	THROTTLE SHAFT COVER	1	1	1		1	1		1	1	
D149767	FILTER WITH MAGNET										
D154086	SQUARE CUT O RING									1	
D162426	BLACK SPIDER	1	1	1		1	1		1	1	
D172049	O RING							1			
D175836	CHECK VALVE ELBOW										
D193734	O RING										
D200998	VS GASKET									1	
D213079	O RING									1	
D213769	STEEL THROTTLE SHAFT BALL	1		1							
D213769N	NYLON THROTTLE SHAFT BALL										
D3010941	VS STEEL BUSHING										
D3010942	VS SHAFT, LONG									1	
D3018682	CAPSCREW										
D3027633	GOVERNOR PLUNGER THRUST WASHER	1		1							
D3030970	FUEL SHUT DOWN VALVE	1	1	1					1	1	
D3033740	GEAR PUMP CHECK VALVE										
D3040817	O RING, VITON										
D3045986	O RING										
D3046200	NYLON DRIVE SPIDER										
D3076040	THROTTLE SHAFT ADJUSTING SCREW										

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

DIPACO FUEL PUMP OVERHAUL SETS

AFC GASKET AND OVERHAUL SETS

IN ADDITION TO DIPACO'S COMPLETE GASKET KIT ASSORTMENT YOU CAN SPECIALIZE YOUR AFC GASKET KIT REQUIREMENTS. USE THE LAST COLUMN MARKED "SPECIAL" AND ADD THE PARTS YOU REQUIRE IN ADDITION TO THE ITEMS IN BOLD PRINT, WHICH ARE INCLUDED IN ALL DIPACO AFC GASKET KITS. FAX DIPACO FOR YOUR QUOTATION, 25 KIT MINIMUM.		D3004122	D3010242	D3010242K	D3010242M	D3010242MK	D3010242VS	DPE10030	DPE10030S	DPE10035	DPE10035S	SPECIAL
D43696A	O RING	1	1	1	1	1	1	1	1	1	1	1
D68061A	O RING	2	2	2	2	2	2	2	2	2	2	2
D70415	VITON O RING	2	2	2	2	2	2	2	2	2	2	2
D70705	GOVERNOR HOUSING GASKET	1	1	1	1	1	2	1	1	1	1	1
D100099	DAMPER O RING	1	1	1	1	1	1	1	1	1	1	1
D100478	THROTTLE SHAFT O RING	1	1	1	1	1	1	1	1	1	1	1
D100764	FRONT HOUSING GASKET	1	1	1	1	1	1	1	1	1	1	1
D110855	GEAR PUMP BODY TO COVER GASKET	1	1	1	1	1	1	1	1	1	1	1
D114791	VITON O RING	1	1	1	1	1	1	1	1	1	1	1
D129888	SHUT DOWN VALVE O RING	1	1	1	1	1	1	1	1	1	1	1
D139988	DAMPER O RING	1	1	1	1	1	1	1	1	1	1	1
D151900	SQUARE CUT O RING	1	1	1	1	1	1	1	1	1	1	1
D154087	SHUT DOWN VALVE SQUARE CUT O RING	1	1	1	1	1	1	1	1	1	1	1
D154088	FILTER CAP SQUARE CUT O RING	1	1	1	1	1	1	1	1	1	1	1
D160514	NYLON SHUT DOWN VALVE GASKET	1	1	1	1	1	1	1	1	1	1	1
D163945	SNAP RING	1	1	1	1	1	1	1	1	1	1	1
D172049	O RING	1	1	1	1	1	1	1	1	1	1	1
D212603	SEAL	1	1	1	1	1	1	1	1	1	1	1
D213079	O RING	1	1	1	1	1	1	1	1	1	1	1
D213768	O RING	1	1	1	1	1	1	1	1	1	1	1
D3002481	VITON O RING	1	1	1	1	1	1	1	1	1	1	1
D3003156	LEAD WIRE SEAL	2	2	2	2	2	2	2	2	2	2	2
D3018682	CAPSCREW	1	1	1	1	1	1	1	1	1	1	1
D3023870	GASKET	1	1	1	1	1	1	1	1	1	1	1
D3042542	VITON O RING WITH WHITE STRIPE	1	1	1	1	1	1	1	1	1	1	1
D3044942	SEAL RING	1	1	1	1	1	1	1	1	1	1	1
D3045986	VITON O RING WITH GREEN STRIPE	1	1	1	1	1	1	1	1	1	1	1
D3066914	O RING	2	1	1	1	1	1	1	1	1	1	1
D3069017	PUMP MOUNT GASKET	1	1	1	1	1	1	1	1	1	1	1
D3069103	PUMP MOUNT GASKET	1	1	1	1	1	1	1	1	1	1	1
D104038	DOUBLE LIP MAIN SHAFT SEAL											
D3009625	METAL CASE MAIN SHAFT SEAL				2	2				2	2	
D3062676	GREEN COATED MAIN SHAFT SEAL	2	2	2			2	2	2			
DS2286	DRIVER SCREW				2	2		2	2	2	2	
DS16052	MAIN SHAFT BEARING							1	1	1	1	
D70690	GOVERNOR PLUNGER T DRIVER								1		1	
D70690C	GOVERNOR PLUNGER CYLINDRICAL DRIVER											
D70813	SETSCREW											
D70815	SEAL											
D105375	NAME PLATE			1	1	1		1	1	1	1	
D129768	SHUT DOWN VALVE SPRING											
D129839	SHUT DOWN VALVE SHIELD											
D144302	SPACER								1		1	
D145544	O RING											

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

DIPACO FUEL PUMP OVERHAUL SETS

AFC GASKET AND OVERHAUL SETS

		D3004122	D3010242	D3010242K	D3010242M	D3010242MK	D3010242VS	DPE10030	DPE10030S	DPE10035	DPE10035S	SPECIAL
D146483	FILTER SCREEN							1	1	1	1	
D147901	FILTER CAP											
D148977	THROTTLE SHAFT COVER											
D149767	FILTER WITH MAGNET											
D154086	SQUARE CUT O RING											
D157088	FILTER CAP											
D162426	BLACK DRIVE SPIDER			1		1		1	1	1	1	
D163945	SNAP RING											
D172049	O RING											
D175836	CHECK VALVE ELBOW											
D193734	O RING											
D200998	VS GASKET						1					
D202897	DIAPHRAGM											
D212601	MAIN SHAFT							1	1	1	1	
D212607	TACH SHAFT							1	1	1	1	
D212609	BUSHING							1	1	1	1	
D212668	KEY							1	1	1	1	
D213079	O RING											
D213769	STEEL THROTTLE SHAFT BALL			1		1		1	1	1	1	
D213769N	NYLON THROTTLE SHAFT BALL											
D3000446	PT FUEL PUMP COVER			1		1		1	1	1	1	
D3002481	O RING											
D3010941	VS STEEL BUSHING											
D3010942	SHORT SHAFT											
D3010943	LONG SHAFT											
D3013811	BLACK DIAPHRAGM			1		1		1				
D3013811S	SILICONE DIAPHRAGM								1		1	
D3027633	GOVERNOR PLUNGER THRUST WASHER								1		1	
D3030970	FUEL SHUT DOWN VALVE							1	1	1	1	
D3033740	GEAR PUMP CHECK VALVE											
D3040815	TACH DRIVE PLUG											
D3040817	VITON O RING			1		1		1	1	1	1	
D3044942	SEAL RING											
D3045986	O RING, VITON											
D3046200	NYLON DRIVE SPIDER											
D3063052	FRONT HOUSING GASKET											
D3066914	O RING, VITON											
D3075523	MAIN SHAFT SEAL											
D3076040	TACH SHAFT ADJUSTING SCREW											
DPE30200	PT FUEL PUMP COVER DECAL							1	1			

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




DIPACO
DIESEL
PARTS
U S A


O RING IDENTIFICATION




122981




3048182




145544




139988 (SQC)




100099 (SQC)



145537



129888



3010510 BROWN

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA


www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761




DIPACO
DIESEL
PARTS
U S A


O RING IDENTIFICATION




205216 (V), 3070136 RED




3070137 WHITE




193736 BROWN (V),
101754, 3070138 BLUE




154088 (SQC)




3034408




43696A,
193735 (V)




3040817 (V)




213079 (SQC),
3042542 BROWN (V)




3066914 BROWN (V)




3044942




172049



193734,
3045986 BROWN (V)



102827
154087 (SQC)




126333



70861 (V)



102030 (V),
151900 (SQC),
3037537



70415 (V)



145501



100478 (V),
154086 (SQC),
3036666



3034412



68061A (V),
3056415



190876,
3002481 (V)



114791



213768 (V)

(SQC) = SQUARE CUT O RING

(V) = VITON

DIPACO, Inc.
105 East Parr Boulevard, Reno, Nevada 89512 USA
www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

PUMP TORQUE SPECIFICATIONS

COMPONENT	TORQUE VALUES		COMPONENT	TORQUE VALUE	
	IN./LB	(NEWTON/ METERS)			
AIR FUEL CONTROL					
AFC Cover Capscrew (Fillister 1/4-20 x 1)	30	(3.4)	Straight Thread O-Ring	120	(13.5)
AFC Piston Bellows Nuts	30	(3.4)	Male Union (9/16-18)		
AFC Jam Nut (1/4-28)	30	(3.4)	Straight Thread O-Ring	120	(13.5)
Jam Nut No AFC (5/16-24)	30	(3.4)	Male Union (3/4-16)		
AFC Dual Spring Jam Nut (P/N 3051461 10-32)	30	(3.4)	Hex Head Capscrew (Unless specified otherwise)	120	(13.5)
AFC Adj Screw Jam Nut (P/N 3069015 1/4-28)	50	(5.6)	Capscrews TMD & MVS	204	(23.0)
Hydraulic ASA Valve Assy.	84	(9.5)	Governor (3/16-24)		
AFC Check Valves	120	(13.5)	Fuel Strainer Cap	204	(23.0)
			MVS Governor		
			Pressure Regulator Cap	204	(23.0)
FUEL PUMP HOUSING			GEAR PUMP		
Throttle Leakage Screw	30	(3.4)	Gear Pump Cooling Kit Jam Nut	84	(9.5)
Acorn Nuts, Throttle Travel Screw, VS Throttle Housings			Gear Pump Socket Head Capscrews	120	(13.5)
Throttle Lever Screw (P/N 70208 Fillister 10-32)	30	(3.4)	Gear Pump Inlet Fitting and Jam Nuts	204	(23.0)
EFC Gov Hex Head Screws (1/4-20 x 1 1/8)	54	(6.1)	PTR Fuel Overflow Outlet	204	(13.5)
Throttle Shaft Set Screws, VS	54	(6.1)			
Throttle Shaft Set Screws, Auto	84	(9.5)	PIPE PLUGS		
Throttle Adj Screw Jam Nut (1/4-28 except VS)	84	(9.5)	1/8" with Coated Dry Sealant (Excluding SOV)	54	(6.1)
Tach Adapter Screws	64	(6.1)	1/6" in Aluminum Oiled	54	(6.1)
(PTR & Old PTG)			1/8" Uncoated (Excluding SOV)	84	(9.5)
VS Gov Barrel Retaining Setscrew	84	(9.5)	1/4" with Greased Threads	204	(23.0)
Fuel Strainer Caps, Auto	120	(13.5)			
Injector Orifice Plug	10	(1.1)	SHUTDOWN VALVE		
(Century and Pacer EFC)			Capscrew (10-24 Fillister)	30	(3.4)
			1/8" Pipe Plug	84	(9.5)
			1/4" Pipe Plug Coated	84	(9.5)
			Socket Head Capscrew (1/4-20)	120	(13.5)
FRONT COVER			STC VALVE		
VS Front Cover Capscrews (P/N 3028868 10-24 x 1 1/4)	30	(3.4)	Hex Head Capscrew (P/N 70446 1/4-20)	30	(3.4)
Front Cover Capscrews (P/N S188C 1/4-20 x 5/8)	54	(6.1)	Straight Thread Elbows and Tees (Oiled 9/16-18)	204	(23.0)
Front Cover Allen Head Screws (10-24 x 1 1/4)	54	(6.1)	Straight Thread Elbows and Tees (Oiled 3/4-16)	204	(23.0)
Drive Coupling Capscrew (AFC W/Tach in Cover)	54	(6.1)			
Drive Coupling Capscrews (PTR and PTG)	84	(9.5)			
Front Cover Capscrew w/Nylon Seal	120	(13.5)			
Front Cover Tach Adapter	204	(23.0)			
VS Throttle Housing with Self Sealing Jam Nut	204	(23.0)			
General					
Capscrew, Housing to Cover (P/N S171C and 70790, 1/4-20)	54	(6.1)			
Straight Thread O-Ring (5/16-24)	54	(6.1)			
Straight Thread O-Ring (3/8-24)	54	(6.1)			
Straight Thread O-Ring (7/16-20)	84	(9.5)			
Straight Thread O-Ring (1/2-20)	84	(9.5)			

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS

U S A

Page 73
November 1998



DIPACO
DIESEL
PARTS

U S A

DIPACO, INC.

THIS PAGE LEFT BLANK



DIPACO
DIESEL
PARTS

U S A

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

NEW CUMMINS FRONT COVER AND MAIN SHAFT SEAL



Cummins has introduced fuel pump front covers with a new design along with a design change in the main shaft seal.

There are four new front cover housings covering automotive, VS, Pacer heavy automotive, and heavy VS applications. The difference between the old and new covers is the seal bore, on the fuel side of the cover, has been enlarged and modified to accommodate a larger main shaft seal. The chart on the left shows old and new front cover part numbers. Older style front covers can continue to be used. DIPACO has available both automotive AFC front covers, part numbers **D3063054** and **D3075524**.

TYPE	OLD COVER	NEW COVER
AUTO	3063054	3075524
VS	3063055	3075525
PACER	3064254	3045526
HVY VS	3279048	3079939

The drawing on the right shows a front cover with the enlarged seal area on the fuel side and the normal seal area on the oil side.

The change in the front cover design was driven by the design of the new main shaft seal, part number 3075523. The new seal has a teflon lip and a larger, rubber coated, outside diameter. The teflon lip is used instead of the usual rubber lip to reduce leaks between the seal and the main shaft. It also reduces shaft wear caused by the low lubricity of diesel fuel, as compared to engine lubricating oil. The rubber coating on the outside diameter should reduce leakage between the housing and the seal. DIPACO also has this seal available, part number **D3075523**.



The **D3075523** seal replaces the **D3062676** seal **ONLY** on the fuel side of the main shaft. The **D3062676** seal **WILL** continue to be used on the oil side of the main shaft.

The new front cover and seal can be used on any AFC fuel pump, not just as a direct replacement. The new cover design should eliminate the problem of seals walking out of the cover due to air compressor problems and other factors.

There are special tools to use and instructions to follow when installing and removing the seal. Failure to follow the instructions will result in seal failure and potential damage to the front cover. The procedure for installing the seal is on the following page. Cummins Service Topic 92T5-26 includes the complete procedure for rebuilding the front cover assembly.

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



NEW CUMMINS FRONT COVER AND MAIN SHAFT SEAL

D3075523 MAIN SHAFT SEAL INSTALLATION INSTRUCTIONS

Very Important: Do Not Remove the support tube from the New Seal (FIGURE 1).

The rubber outside diameter of the seal must be lubricated with a thin film of diesel fuel or calibration fluid (Figure 1). Do Not use any other type of lubricant and Do Not lubricate any other part of the seal.




Figure 1

Without removing the support tube from the seal, place the seal into the insertion tool, Cummins part number 3824225. The lip of the seal must be facing toward the insertion tool (Figure 2). Press the seal fully into the fuel side of the front cover.




Figure 2

When ready to insert the drive shaft assembly, remove the support tube from the seal. Do Not leave the seal lip unsupported for more than five minutes as permanent damage can result. Insert the drive shaft assembly, keyed end of the drive shaft first, through the seal (Figure 3). Take care not to damage the teflon lip. You may want to use a tapered insertion tool to guide the assembly through the seal.




Figure 3

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



CALIBRATION KIT FOR CUMMINS FUEL PUMPS

DIPACO has developed a kit containing all of the popular springs, shims and idle spring plungers used to calibrate and set Cummins PT fuel pumps. The parts come in a sturdy parts cabinet, which can be assembled to accommodate your work area. The kit contains 90 commonly used part numbers and is designed to have the pieces readily accessible for your Cummins technician. The part numbers, quantities in the kit, and color or size are listed on the following page. The part number for the kit is DPE10060.

Our cabinet is made up of sturdy interlocking trays. Each tray contains two or four drawers, and each drawer has five compartments. The trays can be connected together vertically and horizontally, allowing you to configure the cabinet to best fit your work area. The cabinet can also be wall mounted, regardless of the shape or size.

Each drawer is numbered, and the kit comes with an easel-style directory showing drawer and compartment location for each part. The directory lists all part numbers in each parts category. As an example, we include 25 different torque springs in the kit; however, we show all 120 different torque control springs in the directory. This way, you can add springs and write in their locations. We also include the Cummins color code for all springs, the number and size for all buttons, and the thickness for all shims.

You should also know all DIPACO springs for Cummins PT fuel pumps are tested 100% to insure they meet Cummins specifications.

Each calibration kit includes four trays with four drawers each and two trays with two drawers each. Each tray measures 11-1/4" wide by 5-1/4" high by 11-1/4" deep. Each drawer in the four-drawer tray is 2 1/2" wide and each drawer in the two-drawer tray measures 5-1/4" wide.

The following are the part numbers for the calibration kit and the various components. You can expand your original DPE10060 Complete Calibration Kit with the convenience of add-on trays for almost any purpose.

DPE10060	Complete Calibration Kit
DPE10070	Parts Refill (all springs, shims and buttons)
DPE10068	Four-Drawer Tray
DPE10069	Two-Drawer Tray

THE FOLLOWING PAGE SHOWS ALL PART NUMBERS, QUANTITIES AND DESCRIPTIONS IN THE DPE10060 COMPLETE CALIBRATION KIT

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

CALIBRATION KIT FOR CUMMINS FUEL PUMPS

CONTENTS OF DPE10060 COMPLETE CALIBRATION KIT

AFC SPRINGS

D179816	2	BLUE/WHITE
D179818	2	BLUE/ORANGE
D179820	2	BLUE/PURPLE
D179822	2	WHITE/GREEN
D179824	2	WHITE/RED
D179826	2	WHITE/YELLOW
D179828	2	GREEN/RED
D179830	2	GREEN/YELLOW
D179834	2	RED/PURPLE
D179836	2	PURPLE/YELLOW

IDLE SPRING PLUNGER (BUTTON)

D137370	2	#40 .2785/.2815"
D138862	2	#45 .2885/.2915"
D140417	2	#17 .2335/.2365"
D140418	2	#37 .2735/.2765"
D140922	2	#35 .2685/.2715"
D140923	2	#42 .2385/.3865"
D141623	2	#5 .2085/.2115"
D141624	2	#7 .2135/.2165"
D141625	2	#10 .2185/.2215"
D141626	2	#12 .2235/.2265"
D141629	2	#20 .2385/.2415"
D141630	2	#22 .2435/.2465"
D141631	2	#25 .2485/.2515"
D141632	2	#27 .2535/.2565"
D141633	2	#30 .2585/.2615"
D141634	2	#32 .2635/.2665"

GOVERNOR SHIMS

D70717	20	.020"
D70717A	10	.010"
D70717B	10	.005"

TORQUE SHIMS

D101841	10	.005"
D101842	10	.010"
D101843	10	.020"

VS GOVERNOR IDLE & HIGH SPEED SHIMS

D153379	10	.020"
D153380	10	.010"
D153381	10	.005"
D70811	10	.020"
D70811A	10	.010"
D70811B	10	.005"

THROTTLE SHAFT SHIMS

D70750	25	.010"
D70750A	25	.005"
D70750B	25	.002"
DPE46680	10	.005"
DPE46680A	10	.010"

HIGH SPEED SPRINGS

D143250	2	RED/WHITE
D143251	2	BLUE/PURPLE
D143252	2	RED
D143253	2	RED/YELLOW
D143254	2	RED/PURPLE
D153235	2	GREEN/ORANGE
D153237	2	BLUE/YELLOW
D153238	2	BLUE/RED
D3000940	2	ORANGE/LT BLUE
D3000941	2	GREEN/WHITE
D3001146	2	YELLOW/PURPLE
D3001147	2	BROWN
D3004750	2	GRAY/PURPLE
D3004753	2	PINK/YELLOW
D3004754	2	PINK/GREEN

WEIGHT ASSIST SPRINGS

D143847	10
D143848	5
D143849	5
D143854	5
D143855	5

IDLE SPRINGS

D144195	5
D3018767	5

TORQUE CONTROL SPRINGS

D138768	2	RED
D138769	2	BLUE
D138780	2	GREEN
D138781	2	YELLOW
D138782	2	RED/BLUE
D138783	2	RED/GREEN
D138784	2	RED/YELLOW
D138785	2	RED/ORANGE
D138802	2	GREEN/YELLOW
D139584	2	BLUE/GREEN/PINK
D139585	2	BLUE/YELLOW/PURPLE
D139586	2	GREEN/YELLOW/PURPLE
D139587	2	BLUE/YELLOW/PINK
D3002047	2	WHITE/PURPLE
D3002048	2	WHITE/RED/LT BLUE
D3002049	2	ORANGE/PURPLE
D3002050	2	ORANGE/RED/LT BLUE
D3002051	2	ORANGE/BLUE/PURPLE
D3002052	2	ORANGE/GREEN/GRAY
D3002053	2	WHITE/PINK
D3002054	2	WHITE/RED/PURPLE
D3002055	2	ORANGE/GRAY
D3002056	2	ORANGE/RED/PURPLE
D3002057	2	ORANGE/BLUE/GRAY
D3002058	2	ORANGE/GREEN/PINK

DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



NOTES



DIPACO, Inc.

105 East Parr Boulevard, Reno, Nevada 89512 USA

www.dipaco.com ■ sales@dipaco.com

Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS

U S A

Page 79
November 1998

NOTES



®

DIPACO
DIESEL
PARTS

U S A



®

DIPACO
DIESEL
PARTS

U S A

DIPACO, Inc.
105 East Parr Boulevard, Reno, Nevada 89512 USA
www.dipaco.com ■ sales@dipaco.com
Telephone: (775) 329-7511 ■ Fax: (775) 329-9740 ■ Toll Free: (800) 648-4720 ■ Toll Free Fax: (888) 320-7761



DIPACO
DIESEL
PARTS
U S A

COMPONENTS

DIPACO, Inc. Fuel Injection Components




Application

suit GM 6.2 and 6.5 engines

Specifications

inside diameter: 17.3mm
outside diameter: 21.35mm
thickness: 2mm
material: Copper

Nozzle Washer



D14025557

Application

International D236 and D282 engines

Specifications

inside diameter: 9.7mm
outside diameter: 12.45mm
thickness: 0.9mm
material: Steel

Nozzle Washer



D279274R1


Application

various early model IHC engines
(similar to CAV 7108-28)

Specifications

inside diameter: 12.8mm
outside diameter: 17.4mm
thickness: 1.5mm
material: Steel

Nozzle Washer



D37148DA


Application

Cummins 'B' engine
(9mm nozzle tip)

Specifications

inside diameter: 9.6mm
outside diameter: 15.5mm
thickness: 1.6mm
material: Copper

Nozzle Washer



D3900808


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D3920174

Nozzle Washer



A p p l i c a t i o n


Cummins 'C' series
(7mm nozzle tip)

S p e c i f i c a t i o n s

inside diameter: 7.2mm
outside diameter: 15.5mm
thickness: 1.65mm
material: Copper

D3923261

Nozzle Washer



A p p l i c a t i o n


Cummins 'B' series
(7mm nozzle tip)

S p e c i f i c a t i o n s

inside diameter: 7.2mm
outside diameter: 15.5mm
thickness: 2.5mm
material: Copper

D4025150

Nozzle Washer



A p p l i c a t i o n

Allis-Chalmers
(2200, 3500, 6000, 11000, 2900MK2
545B & 605 loaders)

S p e c i f i c a t i o n s

inside diameter: 14.4mm
outside diameter: 19.7mm
thickness: 2.75mm
material: Copper

D4378031

Nozzle Washer



A p p l i c a t i o n

Allis-Chalmers
(2200, 3500, 6000, 11000, 2900MK2
545B & 605 loaders)

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: 18.8mm
thickness: 3.1mm
material: Copper




A p p l i c a t i o n

Allis-Chalmers holder assembly
4060858

S p e c i f i c a t i o n s

inside diameter: 15.1mm
outside diameter: 19.2mm
thickness: 1.9mm
material: Copper

Nozzle Washer



D4511204


A p p l i c a t i o n

Mack (4VH) series

S p e c i f i c a t i o n s

inside diameter: 9.3mm
outside diameter: 15.7mm
thickness: 1.6mm
material: Steel

Nozzle Washer



D590GB1338

A p p l i c a t i o n

Caterpillar '7000' series
(green coding)

S p e c i f i c a t i o n s

inside diameter: 9.8mm
outside diameter: 17.15mm
thickness: 3.15mm
material: Copper

Nozzle Washer



D7W4482

A p p l i c a t i o n

Caterpillar '7000' series
(red coding)

S p e c i f i c a t i o n s

inside diameter: 9.8mm
outside diameter: 17.15mm
thickness: 2.65mm
material: Copper

Nozzle Washer



D7W4483

NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D7W4485

Nozzle Washer



A p p l i c a t i o n


Caterpillar '7000' series

S p e c i f i c a t i o n s

inside diameter: 9.7mm
outside diameter: 15.2mm
thickness: 1.3mm
material: Copper

D7W4486

Nozzle Washer



A p p l i c a t i o n

Caterpillar '7000' series
(purple coding)

S p e c i f i c a t i o n s

inside diameter: 9.8mm
outside diameter: 17.15mm
thickness: 1.8mm
material: Copper

D11176-17010

Nozzle Washer



A p p l i c a t i o n


Land Cruiser and Toyota 12HT
(1HDT production dates up to 8/92)

S p e c i f i c a t i o n s

inside diameter: 7.5mm
outside diameter: 17mm
thickness: 2.5mm
material: Copper

D11176-17020

Nozzle Washer



A p p l i c a t i o n

turbocharged Land Cruiser and
Toyota 1HDT (1HDT production
dates 8/92 and after)

S p e c i f i c a t i o n s

inside diameter: 7.5mm
outside diameter: 17mm
thickness: 3.5mm
material: Copper




Application

suit 'S' type pintle for early Toyota series

Specifications

inside diameter: 15mm
outside diameter: 20mm
thickness: 3mm
material: Brass

Nozzle Washer



D11176-36010


Application

Toyota 2L Hi-Lux and H & 2H Land Cruiser

Specifications

inside diameter: 15mm
outside diameter: 21.5mm
thickness: 3mm
material: Brass

Nozzle Washer



D11176-56010


Application

Toyota BU Dyna (pre 1988) & 12HT direct injection

Specifications

inside diameter: 7.5mm
outside diameter: 17mm
thickness: 2.5
material: Brass

Nozzle Washer



D11176-56020


Application

Toyota 1 HDT direct injection (production dates to 8/88) & BU Dyna (to 3/97 11B, 14B)

Specifications

inside diameter: 7.5mm
outside diameter: 17mm
thickness: 2mm
material: Brass

Nozzle Washer



D11176-56030


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D11176-64010

Nozzle Washer



A p p l i c a t i o n


Toyota 3L Hi Lux & IHZ
(with 'P' type pintle nozzle)

S p e c i f i c a t i o n s

inside diameter: 12.5mm
outside diameter: 18mm
thickness: 2.5mm
material: Brass

D11176-87301

Nozzle Washer



A p p l i c a t i o n


suit Diahatsu

S p e c i f i c a t i o n s

inside diameter: 7mm
outside diameter: 21.5mm
thickness: 4mm
material: Brass

D11177-77014

Nozzle Washer



A p p l i c a t i o n

very early Toyota 78/79 series,
Dyna also DA

S p e c i f i c a t i o n s

inside diameter: 10.4mm
outside diameter: 26mm
thickness: 2.8mm
material: Copper

D11177-78010

Nozzle Washer



A p p l i c a t i o n

Hino, Mitsubishi Canter (heavy duty
Dyna truck) also some Toyota
direct injection

S p e c i f i c a t i o n s

inside diameter: 9mm
outside diameter: 19.5mm
thickness: 5mm
material: Copper (cup type)



A p p l i c a t i o n

Yanmar 'L' series

S p e c i f i c a t i o n s

inside diameter: 7.6mm

outside diameter: -

thickness: 7.5mm

material: Plastic

Nozzle Washer



D114250-11460

A p p l i c a t i o n

Yanmar 'L' series

S p e c i f i c a t i o n s

inside diameter: 9.8mm

outside diameter: 16.6mm

thickness: 1.6mm

material: Steel

Nozzle Washer



D114350-11470

A p p l i c a t i o n

Yanmar '3TN', '4TN' series

S p e c i f i c a t i o n s

inside diameter: 14mm

outside diameter: 18mm

thickness: 1mm

material: Copper

Nozzle Washer



D119600-11460

A p p l i c a t i o n

Yanmar '3TN', '4TN' series

S p e c i f i c a t i o n s

inside diameter: 10.5mm

outside diameter: 16.5mm

thickness: 1.85mm

material: Steel

Nozzle Washer



D129137-11880


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D16602-V1701

Nozzle Washer



A p p l i c a t i o n


suit Nissan Navara

S p e c i f i c a t i o n s

inside diameter: 14.3mm
outside diameter: 20.6mm
thickness: 1.6mm
material: Copper

D16625-43G00

Nozzle Washer



A p p l i c a t i o n


TD42 Nissan Patrol
(‘P’ type nozzle)

S p e c i f i c a t i o n s

inside diameter: 11.3mm
outside diameter: 17.5mm
thickness: 1.6mm
material: Copper

D16635-96000

Nozzle Washer



A p p l i c a t i o n


suit UD Nissan

S p e c i f i c a t i o n s

inside diameter: 9.1mm
outside diameter: 19.1mm
thickness: 2mm
material: Copper

D16635-96001

Nozzle Washer



A p p l i c a t i o n

suit UD Nissan

S p e c i f i c a t i o n s

inside diameter: 9mm
outside diameter: 19mm
thickness: 2.5mm
material: Copper



DIPACO
DIESEL
PARTS
U S A

NOZZLE WASHERS

CHAPTER 1


A p p l i c a t i o n

suit Nissan SD33 engine

S p e c i f i c a t i o n s

inside diameter: 6.75mm
outside diameter: 14.3mm
thickness: 0.9mm
material: Copper

Nozzle Washer



D16635-J2000


A p p l i c a t i o n

Lister HA/HB series

S p e c i f i c a t i o n s

inside diameter: 16.6mm
outside diameter: 25.5mm
thickness: 1.5mm
material: Fiber

Nozzle Washer



D201-11720


A p p l i c a t i o n

suit Perkins 4/203.2

S p e c i f i c a t i o n s

inside diameter: 11.5mm
outside diameter: 20.7mm
thickness: 0.9mm
material: Copper

Nozzle Washer



D2411127


A p p l i c a t i o n

various Lucas CAV 'S' type nozzles

S p e c i f i c a t i o n s

inside diameter: 9.1mm
outside diameter: 19.1mm
thickness: 2mm
material: Copper

Nozzle Washer



D29004A


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D33115128

Nozzle Washer



A p p l i c a t i o n


Perkins 6/354.3 turbocharged

S p e c i f i c a t i o n s

inside diameter: 9.8mm
outside diameter: 17.4mm
thickness: 0.85mm
material: Copper

D41027

Nozzle Washer



A p p l i c a t i o n


suit Scania

S p e c i f i c a t i o n s

inside diameter: 9.4mm
outside diameter: 25.5mm
thickness: 2mm
material: Copper

D41028

Nozzle Washer



A p p l i c a t i o n


suit Mercedes Benz

S p e c i f i c a t i o n s

inside diameter: 9.6mm
outside diameter: 20mm
thickness: 0.85mm
material: Copper

D41031

Nozzle Washer



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 9.8mm
outside diameter: 17.45mm
thickness: 1.6mm
material: Copper



DIPACO
DIESEL
PARTS
U S A

NOZZLE WASHERS

CHAPTER 1


A p p l i c a t i o n

Mazda and Kubota

S p e c i f i c a t i o n s

inside diameter: 14.4mm
outside diameter: 21.6mm
thickness: 2mm
material: Copper

Nozzle Washer



D41035


A p p l i c a t i o n

Mazda T3500 direct injection

S p e c i f i c a t i o n s

inside diameter: 7.2mm
outside diameter: 13.7mm
thickness: 2mm
material: Copper

Nozzle Washer



D41037


A p p l i c a t i o n

Lucas/CAV BDLL nozzles fitted with heat shroud

S p e c i f i c a t i o n s

inside diameter: 11.5mm
outside diameter: 20.7mm
thickness: 2mm
material: Copper

Nozzle Washer



D41045

A p p l i c a t i o n

suit Mitsubishi, Dodge Canter

S p e c i f i c a t i o n s

inside diameter: 10.9mm
outside diameter: 18.7mm
thickness: 3mm
material: Copper

Nozzle Washer



D41053


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D41055

Nozzle Washer



A p p l i c a t i o n


suit Mercedes V8

S p e c i f i c a t i o n s

inside diameter: 9.4mm
outside diameter: 20.6mm
thickness: 1mm
material: Copper

D5-15315003-0

Nozzle Washer



A p p l i c a t i o n


suit Isuzu

S p e c i f i c a t i o n s

inside diameter: 9.25mm
outside diameter: 19mm
thickness: 7.5mm
material: Copper

D5-15315007-0

Nozzle Washer



A p p l i c a t i o n


suit Isuzu

S p e c i f i c a t i o n s

inside diameter: 9.3mm
outside diameter: 19mm
thickness: 8.35mm
material: Copper

D5339-401

Nozzle Washer



A p p l i c a t i o n

Various Lucas CAV BDLL nozzles

S p e c i f i c a t i o n s

inside diameter: 10.1mm
outside diameter: 20.4mm
thickness: 2mm
material: Copper



DIPACO
DIESEL
PARTS
U S A

NOZZLE WASHERS

CHAPTER 1


A p p l i c a t i o n

suit Leyland's own injector type

S p e c i f i c a t i o n s

inside diameter: 9.4mm
outside diameter: 22.5mm
thickness: 1.1mm
material: Copper

Nozzle Washer



D7008-850


A p p l i c a t i o n

suit Leyland

S p e c i f i c a t i o n s

inside diameter: 8.5mm
outside diameter: 18.1mm
thickness: 1.3mm
material: Copper

Nozzle Washer



D801771


A p p l i c a t i o n

Isuzu & Jackaroo with 'P' type
nozzle

S p e c i f i c a t i o n s

inside diameter: 7.1mm
outside diameter: 15mm
thickness: 6.4mm
material: Copper

Nozzle Washer



D8-94125859-1

A p p l i c a t i o n

suit Holden Jackaroo

S p e c i f i c a t i o n s

inside diameter: 10.9mm
outside diameter: 17.5mm
thickness: 5.8mm
material: Copper

Nozzle Washer



D8-94148392-2


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D8-94377623-0

Nozzle Washer



A p p l i c a t i o n


Isuzu with 'P' type nozzle

S p e c i f i c a t i o n s

inside diameter: 7.1mm
outside diameter: 15mm
thickness: 5.2mm
material: Copper

D9659-08108

Nozzle Washer



A p p l i c a t i o n


suit Hino

S p e c i f i c a t i o n s

inside diameter: 8.2mm
outside diameter: 19.2mm
thickness: 1mm
material: Steel

DR64840

Nozzle Washer



A p p l i c a t i o n


John Deere with 'S' type nozzles

S p e c i f i c a t i o n s

inside diameter: 9.7mm
outside diameter: 17.4mm
thickness: 2mm
material: Steel

DR84472

Nozzle Washer



A p p l i c a t i o n

John Deere with 'P' type nozzles

S p e c i f i c a t i o n s

inside diameter: 7.2mm
outside diameter: 17.9mm
thickness: 2mm
material: Steel



DIPACO
DIESEL
PARTS
U S A

NOZZLE WASHERS

CHAPTER 1

A p p l i c a t i o n

Landrover Discovery turbo direct injection

S p e c i f i c a t i o n s

inside diameter: 7.4mm
outside diameter: 15.9mm
thickness: 1mm
material: Copper

Nozzle Washer



DERR4621


A p p l i c a t i o n

various (used mostly on US engines)

S p e c i f i c a t i o n s

inside diameter: 9.8mm
outside diameter: 19mm
thickness: 1.6mm
material: Copper

Nozzle Washer



DGA770009


A p p l i c a t i o n

Ambac injectors fitted to Case & International

S p e c i f i c a t i o n s

inside diameter: 9.8mm
outside diameter: 15mm
thickness: 1.7mm
material: Copper

Nozzle Washer



DGA770056


A p p l i c a t i o n

Ambac injector fitted to Leyland

S p e c i f i c a t i o n s

inside diameter: 9.2mm
outside diameter: 14.4mm
thickness: 0.7mm
material: Copper

Nozzle Washer



DGA7724-2

NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

DM0221

Nozzle Washer



A p p l i c a t i o n


suit Deutz

S p e c i f i c a t i o n s

inside diameter: 9.4mm
outside diameter: 20.3mm
thickness: 2.4mm
material: Aluminum

DMC756936

Nozzle Washer



A p p l i c a t i o n


suit Mitsubishi

S p e c i f i c a t i o n s

inside diameter: 9.6mm
outside diameter: 18.2mm
thickness: 0.9mm
material: Copper

DMD070717

Nozzle Washer



A p p l i c a t i o n

Mitsubishi with 'P' type pintle nozzle

S p e c i f i c a t i o n s

inside diameter: 12.3mm
outside diameter: 17.9mm
thickness: 1.4mm
material: Copper

DME001017

Nozzle Washer



A p p l i c a t i o n

Mitsubishi with 'S' type pintle nozzle

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 15.9mm
thickness: 4.5mm
material: Copper



DIPACO
DIESEL
PARTS
U S A

NOZZLE WASHERS

CHAPTER 1

A p p l i c a t i o n

Mitsubishi direct injection

S p e c i f i c a t i o n s

inside diameter: 7.2mm
outside diameter: 14mm
thickness: 3.7mm
material: Copper

Nozzle Washer



DME016539

A p p l i c a t i o n

Mitsubishi direct injection

S p e c i f i c a t i o n s

inside diameter: 7.2mm
outside diameter: 14mm
thickness: 4.8mm
material: Aluminum

Nozzle Washer



DME016564

A p p l i c a t i o n

Mitsubishi with 'S' pintle nozzle

S p e c i f i c a t i o n s

inside diameter: 11mm
outside diameter: 18mm
thickness: 4.6mm
material: Copper

Nozzle Washer



DME040206


A p p l i c a t i o n

Mitsubishi and Fuso

S p e c i f i c a t i o n s

inside diameter: 20.3mm
outside diameter: 35.9mm
thickness: 2mm
material: Copper

Nozzle Washer



DMH035105


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

DNW5-43W4

Nozzle Washer



A p p l i c a t i o n


Various

S p e c i f i c a t i o n s

inside diameter: 14.4mm
outside diameter: 20.5mm
thickness: 1.6mm
material: Copper

D7169-519

Nozzle Washer



A p p l i c a t i o n


CAV

S p e c i f i c a t i o n s

inside diameter: .1465"
outside diameter: .3075"
thickness: .064"
material: Copper

DF3422R

Delivery Valve Gasket



A p p l i c a t i o n


John Deere (AMBAC)

S p e c i f i c a t i o n s

inside diameter: .795"
outside diameter: .980"
thickness: .130"
material: Copper

DR928R

Delivery Valve Gasket



A p p l i c a t i o n

John Deere

S p e c i f i c a t i o n s

inside diameter: .595"
outside diameter: .780"
thickness: .154"
material: Bronze



DIPACO
DIESEL
PARTS
U S A

NOZZLE WASHERS

CHAPTER 1


A p p l i c a t i o n

John Deere 4010/4020

S p e c i f i c a t i o n s

inside diameter: .333"
outside diameter: .690"
thickness: .073"
material: Copper

Injector Washer



DR463R

A p p l i c a t i o n

John Deere 3010/4010 with
Bendix nozzle

S p e c i f i c a t i o n s

inside diameter: .382"
outside diameter: .562"
thickness: .062"
material: Copper

Nozzle Return Washer



DT11292

A p p l i c a t i o n

John Deere

S p e c i f i c a t i o n s

inside diameter: .317"
outside diameter: .550"
thickness: .004"
material: Spring Steel

Shim .004" (black oxide)



DR1109R


A p p l i c a t i o n

Ford

S p e c i f i c a t i o n s

inside diameter: .362"
outside diameter: .682"
thickness: .062"
material: Copper

Nozzle Washer



DC5NE9E529A


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

D1-1531S013

Nozzle Washer



A p p l i c a t i o n


Izusu

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Copper

D590GB1127

Nozzle Washer



A p p l i c a t i o n


Mack

S p e c i f i c a t i o n s

inside diameter: .376"
outside diameter: .750"
thickness: .066"
material: Copper

D1476211X1

Nozzle Washer



A p p l i c a t i o n


Massey-Ferguson

S p e c i f i c a t i o n s

inside diameter: .394"
outside diameter: .792"
thickness: .028"
material: Copper

D489256C1

Nozzle Washer



A p p l i c a t i o n

Navistar 6.9L/7.3L/9.0L

S p e c i f i c a t i o n s

inside diameter: .145"
outside diameter: .3075"
thickness: .062"
material: Copper




A p p l i c a t i o n

Navistar

S p e c i f i c a t i o n s

inside diameter: .370"
outside diameter: .672"
thickness: .062"
material: Copper

Injector Washer



D601076C1


A p p l i c a t i o n

Perkins

S p e c i f i c a t i o n s

inside diameter: .394"
outside diameter: .792"
thickness: .028"
material: Copper

Injector Washer



D2411126


A p p l i c a t i o n

Thermoking

S p e c i f i c a t i o n s

inside diameter: .871"
outside diameter: 1.051"
thickness: .028"
material: Copper

Injector Washer



DNW5-60


A p p l i c a t i o n

Nissan RD28

S p e c i f i c a t i o n s

inside diameter: 14.4mm
outside diameter: 21.1mm
thickness: 1.4mm
material: Copper

Nozzle Washer



D16625-05E00


NOZZLE WASHERS



DIPACO
DIESEL
PARTS
U S A

DGA770019

Nozzle Washer



A p p l i c a t i o n

International Harvester - AMBAC

S p e c i f i c a t i o n s

inside diameter: 7.4mm
outside diameter: 15.6mm
thickness: 1.5mm
material: Copper



A p p l i c a t i o n

IHC YNH injectors only

S p e c i f i c a t i o n s


inside diameter: 41.6mm

outside diameter: 48.5mm

thickness: 0.85mm

material: Steel

Combustion Ring



D43002DA

A p p l i c a t i o n

International TD24, UD24 & 1091 engines

S p e c i f i c a t i o n s


inside diameter: 56.2mm

outside diameter: 61.25mm

width: 0.8mm

material: Steel

Combustion Ring



D250602R4

A p p l i c a t i o n

International TD18 & UD16, UD18 engines

S p e c i f i c a t i o n s


inside diameter: 48.4mm

outside diameter: 53.2mm

thickness: 0.85

material: Steel

Combustion Ring



D251042R2


HEAT SHIELDS



DIPACO
DIESEL
PARTS
U S A

D141050-1072

Heat Shield



A p p l i c a t i o n


Mercedes and VW

S p e c i f i c a t i o n s

inside diameter: 5.3mm
outside diameter: 20.15mm
thickness: 3.53mm
material: Steel

D103854-11490

Heat Shield



A p p l i c a t i o n

suits most Yanmar models

S p e c i f i c a t i o n s

inside diameter: 11.2mm
outside diameter: 24.22mm
thickness: 1.13mm
material: Fiber

D11177-47010

Heat Shield



A p p l i c a t i o n

Toyota - "S" size injector (pintle)

S p e c i f i c a t i o n s

inside diameter: 6.7mm
outside diameter: 13.8mm
thickness: 1.2mm
material: Steel

D11177-54011

Heat Shield



A p p l i c a t i o n

late model Toyota 2L Hi-Lux
(after August '86)

S p e c i f i c a t i o n s

inside diameter: 10.4mm
outside diameter: 14.1mm
thickness: 1.4mm
material: Steel



A p p l i c a t i o n

Toyota '5L' Hi-Lux late 97 model

S p e c i f i c a t i o n s

inside diameter: 7.8mm
outside diameter: 11.15mm
thickness: 1.5mm
material: Steel

Heat Shield



D11177-54020

A p p l i c a t i o n

early Toyota 2L Hi-Lux and H & 2H Land Cruiser

S p e c i f i c a t i o n s

inside diameter: 7.64mm
outside diameter: 14.05mm
thickness: 1.3mm
material: Brass

Heat Shield



D11177-56010

A p p l i c a t i o n

Toyota 3L Hi-Lux & 1HZJ Land Cruiser

S p e c i f i c a t i o n s

inside diameter: 7.9mm
outside diameter: 11.15mm
thickness: 1.56mm
material: Steel

Heat Shield



D11177-64010

A p p l i c a t i o n

Yanmar 3TN, 4TN series

S p e c i f i c a t i o n s

inside diameter: 7.6mm
outside diameter: 10.5mm
width: 9.75mm
material: Plastic

Heat Shield



D119625-11870

HEAT SHIELDS



DIPACO
DIESEL
PARTS
U S A

D16626-09W00

Heat Shield



A p p l i c a t i o n

Nissan

S p e c i f i c a t i o n s

inside diameter: 6.5mm
outside diameter: 13.7mm
thickness: 1.38mm
material: Steel

D16626-43G00

Heat Shield



A p p l i c a t i o n

TD42 Nissan Patrol

S p e c i f i c a t i o n s

inside diameter: 6.9mm
outside diameter: 10.9mm
thickness: 1.66mm
material: Copper

D61 70170 260

Heat Shield



A p p l i c a t i o n

Mercedes III series

S p e c i f i c a t i o n s

inside diameter: 8mm
outside diameter: 20.2mm
thickness: 2.6mm
material: Steel

D8-94420247-0

Heat Shield



A p p l i c a t i o n

Holden Jackaroo

S p e c i f i c a t i o n s

inside diameter: 5.4mm
outside diameter: 10.5mm
thickness: 1.3mm
material: Steel



DIPACO
DIESEL
PARTS
U S A

HEAT SHIELDS

CHAPTER 2

A p p l i c a t i o n

Landrover

S p e c i f i c a t i o n s

inside diameter: 7.2mm
outside diameter: 13.5mm
thickness: 1.15mm
material: Steel

Heat Shield



D9042-603

A p p l i c a t i o n

Isuzu

S p e c i f i c a t i o n s

inside diameter: 14.5mm
outside diameter: -
width: 11.17mm
material: Steel

Heat Shield



D9-15315027-0

A p p l i c a t i o n

Mitsubishi 4D558 and 4D56 Pajero

S p e c i f i c a t i o n s

inside diameter: 7.8mm
outside diameter: 10.83mm
thickness: 1.58mm
material: Copper

Heat Shield



DMD070718


A p p l i c a t i o n

Volvo Penta 40 Series

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Aluminum

Heat Shield



D1304-13-654


HEAT SHIELDS



DIPACO
DIESEL
PARTS
U S A

D036-13-65199

Heat Shield



A p p l i c a t i o n

Volvo

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Copper



A p p l i c a t i o n

Cummins

S p e c i f i c a t i o n s

inside diameter: 6.1mm
outside diameter: -
width: 10mm
material: Copper

Leak-off Washer



D3903380

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 8.3mm
outside diameter: 11.5mm
width: 10mm
material: Copper

Leak-off Washer



DPE603

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 13.5mm
width: 12mm
material: Copper

Leak-off Washer



DPE605


A p p l i c a t i o n

UD Nissan

S p e c i f i c a t i o n s

inside diameter: 10.4mm
outside diameter: 14mm
thickness: 2mm
material: Copper

Leak-off Washer



D01351-21104


LEAK-OFF WASHERS



DIPACO
DIESEL
PARTS
U S A

D16627-43G00

Leak-off Washer



A p p l i c a t i o n


TD42 Nissan Patrol
(‘P’ size pintle injector)

S p e c i f i c a t i o n s

inside diameter: 12.2mm
outside diameter: 19.4mm
thickness: 0.7mm
material: Copper

D16635-J5570

Leak-off Washer



A p p l i c a t i o n


Nissan ‘S’ size pintle injector

S p e c i f i c a t i o n s

inside diameter: 12.2mm
outside diameter: 22.2mm
thickness: 0.7mm
material: Copper

D22186

Leak-off Washer



A p p l i c a t i o n


various Simms injectors

S p e c i f i c a t i o n s

inside diameter: 8.2mm
outside diameter: 13.2mm
thickness: 0.6mm
material: Copper

D23654-46010
(Toyota)
D1456-13-671
(Zexel)
D093245-0040
(Denso)
D60208
(Daihatsu)

Leak-off Washer



A p p l i c a t i o n

Most indirect injection

S p e c i f i c a t i o n s

inside diameter: 12.55mm
outside diameter: 24mm
thickness: 0.8mm
material: Aluminum




A p p l i c a t i o n

Various 'P' size injectors

S p e c i f i c a t i o n s

inside diameter: 12.2mm
outside diameter: 19.4mm
thickness: 0.8mm
material: Aluminum

Leak-off Washer



D23654-64010
(Toyota)
D093245-0140
(Denso)


A p p l i c a t i o n

various & to suit 1/2" banjo bolt

S p e c i f i c a t i o n s

inside diameter: 12.9mm
outside diameter: 19.1mm
thickness: 1.65mm
material: Aluminum

Leak-off Washer



D41709

A p p l i c a t i o n

Mercedes

S p e c i f i c a t i o n s

inside diameter: 8.1mm
outside diameter: 12mm
width: 9.5mm
material: Copper

Leak-off Washer (single banjo)



D41720

A p p l i c a t i o n

Mercedes

S p e c i f i c a t i o n s

inside diameter: 8.1mm
outside diameter: 12mm
width: 15mm
material: Copper

Leak-off Washer (double banjo)



D41721

LEAK-OFF WASHERS



DIPACO
DIESEL
PARTS
U S A

D4322189

Leak-off Washer



A p p l i c a t i o n

Allis-Chalmers, AMBAC injector assembly

S p e c i f i c a t i o n s

inside diameter: 6mm
outside diameter: 10mm
thickness: 1mm
material: Copper

D502220

Leak-off Washer



A p p l i c a t i o n


various

S p e c i f i c a t i o n s

inside diameter: 8mm
outside diameter: 11.2mm
thickness: 1.2mm
material: Aluminum

D5339-543A

Leak-off Washer



A p p l i c a t i o n


various Simms injectors

S p e c i f i c a t i o n s

inside diameter: 8.2mm
outside diameter: 12.7mm
thickness: 1mm
material: Aluminum

DGA404119

Leak-off Washer



A p p l i c a t i o n

various Ambac injectors

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 14mm
thickness: 0.8mm
material: Copper



DIPACO
DIESEL
PARTS
U S A

LEAK-OFF WASHERS

CHAPTER 3

A p p l i c a t i o n

various Lucas CAV injectors

S p e c i f i c a t i o n s

inside diameter: 8mm
outside diameter: 12mm
thickness: 1mm
material: Copper

Leak-off Washer



DNW5-17W4

A p p l i c a t i o n

John Deere KDEL Nozzle

S p e c i f i c a t i o n s

inside diameter: .248"
outside diameter: .380"
thickness: .077"
material: Aluminum

Return Line Washer



DR59294


A p p l i c a t i o n

Mazda 'S' size pintle series

S p e c i f i c a t i o n s

inside diameter: 12.2mm
outside diameter: 22.2mm
thickness: 0.7mm
material: Copper

Leak-off Washer



D41702


A p p l i c a t i o n

Nissan RD28

S p e c i f i c a t i o n s

inside diameter: 12.2mm
outside diameter: 22.2mm
thickness: 0.7mm
material: Copper

Leak-off Washer



D16635-16A00

LEAK-OFF WASHERS



DIPACO
DIESEL
PARTS

U S A



DIPACO
DIESEL
PARTS
U S A

CAP NUT WASHERS

CHAPTER 4


A p p l i c a t i o n

YSM series

S p e c i f i c a t i o n s

inside diameter: 17.15mm
outside diameter: 28.8mm
thickness: 0.5mm
material: Copper

Cap Nut Washer



D172100-53200


A p p l i c a t i o n

Hino

S p e c i f i c a t i o n s

inside diameter: 13.9mm
outside diameter: 19mm
thickness: 0.6mm
material: Copper

Cap Nut Washer



D23643-1010


A p p l i c a t i o n

various Zexel 'S' size injectors

S p e c i f i c a t i o n s

inside diameter: 22.2mm
outside diameter: 25.5mm
thickness: 1mm
material: Copper

Cap Nut Washer



D29332-203

A p p l i c a t i o n

various Lister Injectors

S p e c i f i c a t i o n s

inside diameter: 21.1mm
outside diameter: 25.2mm
thickness: 1.5mm
material: Steel

Cap Nut Washer



D5936-95F


CAP NUT WASHERS



DIPACO
DIESEL
PARTS
U S A

DGA404115

Cap Nut Washer



A p p l i c a t i o n


Mack

S p e c i f i c a t i o n s

inside diameter: 14.3mm
 outside diameter: 17.5mm
 thickness: 0.75mm
 material: Copper

DGA781079

Cap Nut Washer



A p p l i c a t i o n


various & Mack AKF injector series

S p e c i f i c a t i o n s

inside diameter: 20.1mm
 outside diameter: 23mm
 thickness: 1mm
 material: Copper

DNW5-56

Cap Nut Washer



A p p l i c a t i o n


various

S p e c i f i c a t i o n s

inside diameter: 18.5mm
 outside diameter: 26mm
 thickness: 1.7mm
 material: Copper

DNW5-59

Cap Nut Washer



A p p l i c a t i o n

various Lucas/CAV injectors

S p e c i f i c a t i o n s

inside diameter: 21.1mm
 outside diameter: 25mm
 thickness: 1mm
 material: Copper



DIPACO
DIESEL
PARTS
U S A

CAP NUT WASHERS

CHAPTER 4


Application

various Lucas/CAV injectors

Specifications

inside diameter: 22.1mm
outside diameter: 27mm
thickness: 0.7mm
material: Copper

Cap Nut Washer



DNW5-60


Application

Navistar DT360/DT466

Specifications

inside diameter: .330"
outside diameter: .4135"
thickness: .016"
material: Copper

Hand Primer Washer



D681298C1


Application

Navistar DT360/DT466

Specifications

inside diameter: .0193"
outside diameter: .0311"
thickness: .062"
material: Copper

Washer



D675477C1

CAP NUT WASHERS



DIPACO
DIESEL
PARTS

U S A




A p p l i c a t i o n

Iveco

S p e c i f i c a t i o n s

inside diameter: 19.6mm
outside diameter: 27.2mm
width: 10.10mm
material: Rubber

Dust Seal



D00767111

A p p l i c a t i o n

Nissan

S p e c i f i c a t i o n s

inside diameter: 24.5mm
outside diameter: 29.5mm
width: 18mm
material: Rubber

Dust Seal



D16699-96000


A p p l i c a t i o n

Hino EH700

S p e c i f i c a t i o n s

inside diameter: 25mm
outside diameter: 31mm
width: 20mm
material: Rubber

Dust Seal



D23667-1031


DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D23667-1070

Dust Seal



A p p l i c a t i o n


Hino & Toyota

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 27mm
width: 16.9mm
material: Rubber

D250608R1

O-Ring Dust Seal



A p p l i c a t i o n


IHC 'A' style injector body

S p e c i f i c a t i o n s

inside diameter: 16.6mm
outside diameter: 24mm
width: 3.8mm
material: Rubber

D250609R1

O-Ring Dust Seal



A p p l i c a t i o n

IHC 'A' style injector

S p e c i f i c a t i o n s

inside diameter: 51.1mm
outside diameter: 59.1mm
thickness: 4mm
material: Rubber



A p p l i c a t i o n

International D236 & D282 engines

S p e c i f i c a t i o n s


inside diameter: 43.5mm

outside diameter: 51.5mm

thickness: 4mm

material: Rubber

O-Ring Dust Seal



D251044R2

A p p l i c a t i o n

IHC & Bosch nozzle holders
(D361 & D407 engines)

S p e c i f i c a t i o n s


inside diameter: 22mm

outside diameter: 27mm

thickness: 2.5mm

material: Rubber

O-Ring Dust Seal



D364879R1

A p p l i c a t i o n

Cummins 'B' series (square cut)

S p e c i f i c a t i o n s


inside diameter: 15.5mm

outside diameter: 18.6mm

thickness: 1.75mm

material: Rubber

Dust Seal



D3909356


DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D3909886

Dust Seal



A p p l i c a t i o n


Cummins

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: 16.7mm
length: 38.25mm
material: Plastic

D4024010

Dust Seal



A p p l i c a t i o n

Allis-Chalmers new style injector holder

S p e c i f i c a t i o n s

inside diameter: 18mm
outside diameter: 27mm
width: 12.8mm
material: Rubber

D4025385

Dust Seal



A p p l i c a t i o n

Allis-Chalmers old style injector holder

S p e c i f i c a t i o n s

inside diameter: 21.3mm
outside diameter: 29.1mm
width: 4.6mm
material: Rubber




A p p l i c a t i o n

Mack (4 valve head) with Ambac
HNM & AKN6567A injectors

S p e c i f i c a t i o n s

inside diameter: 15mm
outside diameter: 17.5mm
thickness: 1.6mm
material: Rubber

O-Ring Dust Seal



D446GC1208


A p p l i c a t i o n

Mack (4 valve head) with Ambac
HNM & AKN6567A injectors

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 24mm
thickness: 1.8mm
material: Rubber

O-Ring Dust Seal



D56AX460


A p p l i c a t i o n

some Mack (2 valve head) old style
with 'S' size injectors

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 29.2mm
width: 3mm
material: Plastic Foam

Dust Seal



D590GB1143


A p p l i c a t i o n

IHC

S p e c i f i c a t i o n s

inside diameter: 39mm
outside diameter: 47mm
width: 4mm
material: Rubber

O-Ring Dust Seal



D61209DA

DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D682810C1

Dust Seal



A p p l i c a t i o n


Ambac injector, AKN90M6425A
Navistar DT466

S p e c i f i c a t i o n s

inside diameter: 16m
outside diameter: -
width: 16mm
material: Rubber

D702658R1

O-Ring Dust Seal



A p p l i c a t i o n

IHC AUD254 & AUD264 engines
YNH injector only

S p e c i f i c a t i o n s

inside diameter: 45mm
outside diameter: 50mm
thickness: 2.5mm
material: Rubber

D70854

Dust Seal



A p p l i c a t i o n

Cummins

S p e c i f i c a t i o n s

inside diameter: 12.1mm
outside diameter: -
width: 9.35mm
material: Rubber



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5


A p p l i c a t i o n

International, Bosch injector &
Neuss D310/D358 engines

S p e c i f i c a t i o n s

inside diameter: 17.2mm
outside diameter: 25.2mm
thickness: 4mm
material: Rubber

O-Ring Dust Seal



D717203R1


A p p l i c a t i o n

Toyota direct injection

S p e c i f i c a t i o n s

inside diameter: 16.7mm
outside diameter: 24mm
width: 6.5mm
material: Rubber

Dust Seal



D90430-17003


A p p l i c a t i o n

Isuzu

S p e c i f i c a t i o n s

inside diameter: 20.7mm
outside diameter: 26.9mm
width: 6mm
material: Rubber

Dust Seal



D9-15339051-0

DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D930506

O-Ring Dust Seal



A p p l i c a t i o n


Allis-Chalmers 2200-3500/
2900MK11/6000-11000 engines,
545B/605 tractors

S p e c i f i c a t i o n s

inside diameter: 20.4mm
outside diameter: 24.2mm
thickness: 1.9mm
material: Rubber

D1-09639019-0

Dust Seal



A p p l i c a t i o n


Isuzu E120 series

S p e c i f i c a t i o n s

inside diameter: 9.9mm
outside diameter: 23.65mm
thickness: 4.85mm
material: Rubber/Steel
outer

D1170540

O-Ring Dust Seal



A p p l i c a t i o n

Deutz

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 28.5mm
width: 4mm
material: Rubber (red)

D129470-11920

Dust Seal



A p p l i c a t i o n

Yanmar 4JHLTE series

S p e c i f i c a t i o n s

inside diameter: 12.6mm
outside diameter: 19mm
width: 9.9mm
material: Rubber



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5


A p p l i c a t i o n

Lister with Bryce and CAV injectors

S p e c i f i c a t i o n s

inside diameter: 28mm
outside diameter: 35mm
width: 3.6mm
material: Rubber

O-Ring Dust Seal



D201-11080


A p p l i c a t i o n

Leyland 600 & 680

S p e c i f i c a t i o n s

inside diameter: 13.9mm
outside diameter: -
width: 15mm
material: Rubber

Injector Dust Seal



D231931

A p p l i c a t i o n

Leyland 400

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: -
width: 13.8mm
material: Rubber

Injector Dust Seal



D233039

A p p l i c a t i o n

Perkins & Mazda

S p e c i f i c a t i o n s

inside diameter: 21.3mm
outside diameter: 30mm
width: 8.5mm
material: Rubber

Dust Seal



D33813125


DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D33813126

Dust Seal



A p p l i c a t i o n


various Perkins

S p e c i f i c a t i o n s

inside diameter: 21.5mm
outside diameter: 26.8mm
width: 15.05mm
material: Nylon (white)

D33813127

Dust Seal



A p p l i c a t i o n


various Perkins 6/354.4

S p e c i f i c a t i o n s

inside diameter: 21.2mm
outside diameter: 27.8mm
width: 14.1mm
material: Rubber

D33813129

Dust Seal



A p p l i c a t i o n

various Perkins 6/354.4
(used with D33813131)

S p e c i f i c a t i o n s

inside diameter: 21.5mm
outside diameter: 27mm
width: 3.2mm
material: Nylon (blue)



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5


A p p l i c a t i o n

various Perkins 6/354.4
(used with D33813129)

S p e c i f i c a t i o n s

inside diameter: 21.7m
outside diameter: 28mm
width: 9.8mm
material: Rubber (red)

Dust Seal



D33813131


A p p l i c a t i o n

Perkins

S p e c i f i c a t i o n s

inside diameter: 21mm
outside diameter: 36mm
width: 7mm
material: Rubber

Dust Seal



D33817114


A p p l i c a t i o n

various Perkins

S p e c i f i c a t i o n s

inside diameter: 21mm
outside diameter: 32mm
width: 7.5mm
material: Rubber

Dust Seal



D33817408


DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D33817504

Dust Seal



A p p l i c a t i o n


Perkins V8

S p e c i f i c a t i o n s

inside diameter: 20.5mm
outside diameter: -
width: 7.3mm
material: Rubber

D41501

Dust Seal



A p p l i c a t i o n


Ford

S p e c i f i c a t i o n s

inside diameter: 12.5mm
outside diameter: -
width: 19.5mm
material: Rubber

D41505

O-Ring Dust Seal



A p p l i c a t i o n


Mazda T3500 direct injection

S p e c i f i c a t i o n s

inside diameter: 14.6mm
outside diameter: 19.5mm
thickness: 2.5mm
material: Rubber

D41512

O-Ring Dust Seal



A p p l i c a t i o n

John Deere with KDEL injectors

S p e c i f i c a t i o n s

inside diameter: 19mm
outside diameter: 24mm
thickness: 2.6mm
material: Rubber



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5

Application

Ford (also used on Mazda)

Specifications

inside diameter: 20.5mm
outside diameter: 30.5mm
width: 7mm
material: Cork

Dust Seal



D41530

Application

Scania & Volvo F1280 intercooled

Specifications

inside diameter: 19.5mm
outside diameter: -
width: 5mm
material: Rubber

Dust Seal



D41531

Application

Ford

Specifications

inside diameter: 11mm
outside diameter: 17.5mm
width: 5.9mm
material: Rubber

Dust Seal



D41532


Application

Mack (2 valve head) with AMBAC
HNM injector

Specifications

inside diameter: 17.3mm
outside diameter: 20.7mm
thickness: 1.8mm
material: Rubber

O-Ring Dust Seal



D446GC1195


DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D469455

Dust Seal



A p p l i c a t i o n

Volvo intercooler

S p e c i f i c a t i o n s

inside diameter: 19.5mm


outside diameter: -

width: 10mm

material: Rubber (red)

D4717654

Dust Seal



A p p l i c a t i o n

Fiat - Trax

S p e c i f i c a t i o n s

inside diameter: 19.5mm


outside diameter: 27mm

width: 12.7mm

material: Rubber

D755671

O-Ring Dust Seal



A p p l i c a t i o n

Fiat 411-615N

S p e c i f i c a t i o n s

inside diameter: 24mm


outside diameter: 29.5mm

width: 5mm

material: Rubber

DJ916284

Injector O-Ring



A p p l i c a t i o n

Case

S p e c i f i c a t i o n s

inside diameter: -

outside diameter: -

width: -

material: -



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5


A p p l i c a t i o n

Fiat 110

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 27mm
width: 8.7mm
material: Rubber

Dust Seal



D765647


A p p l i c a t i o n

Fiat 180-697

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 27mm
width: 10.5mm
material: Rubber

Dust Seal



D767111


A p p l i c a t i o n

Isuzu 4BE1

S p e c i f i c a t i o n s

inside diameter: 14.7mm
outside diameter: 19mm
width: 2.15mm
material: Rubber

Injector Dust Seal



D8-94326439-0


A p p l i c a t i o n

Case

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
width: -
material: -

Injector Dust Seal



DJ913994


DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D9-15339044-0

Injector Dust Seal



A p p l i c a t i o n


Isuzu

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: 31.5mm
thickness: 13.3mm
material: Rubber

D90564-21001

Dust Seal



A p p l i c a t i o n


Toyota direct injection

S p e c i f i c a t i o n s

inside diameter: 21.5mm
outside diameter: 28mm
width: 1mm
material: Steel

DME036562

Dust Seal



A p p l i c a t i o n

Mitsubishi

S p e c i f i c a t i o n s

inside diameter: 24mm
outside diameter: 30mm
width: 21.5mm
material: Rubber



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5

Application

John Deere KDEL nozzle

Specifications

inside diameter: 7/32"
outside diameter: 11/32"
thickness: 1/16"
material: Rubber

Return Line O-Ring



DR77551

Application

John Deere
(Bosch and Denso pumps)

Specifications

inside diameter: 5/16"
outside diameter: -
width: .072"
material: Rubber

Transfer Pump Inlet/Outlet O-Ring



DR26286

Application

John Deere
(Bosch and Denso pumps)

Specifications

inside diameter: 11.9mm
outside diameter: -
width: 2.15mm
material: Rubber

Transfer Pump Inlet/Outlet O-Ring



DR26448


Application

John Deere
(KDEL nozzle)

Specifications

inside diameter: 5/8"
outside diameter: 13/16"
width: -
material: Rubber

Injector Dust Seal



DR51603


DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D1170540

Injector Dust Seal O-Ring



A p p l i c a t i o n


Deutz (red)

S p e c i f i c a t i o n s

inside diameter: -
 outside diameter: -
 thickness: -
 material: Rubber

DE8HZ9F596A

Injector O-Ring



A p p l i c a t i o n


Ford 6.6/7.8L

S p e c i f i c a t i o n s

inside diameter: 11/16"
 outside diameter: 13/16"
 width: -
 material: Rubber

DC5NE9F596A

Injector Dust Shield



A p p l i c a t i o n


Ford

S p e c i f i c a t i o n s

inside diameter: .80"
 outside diameter: 1.275"
 width: .305"
 material: Cork

D826F9K540DDA

Holder Inlet Seal



A p p l i c a t i o n

Ford

S p e c i f i c a t i o n s

inside diameter: .43"
 outside diameter: .715"
 width: .21"
 material: Rubber



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5


A p p l i c a t i o n

Denso/Komatsu

S p e c i f i c a t i o n s

inside diameter: 65mm
outside diameter: -
width: 5.8mm
material: Rubber

Dust Seal O-Ring (Red)



D07000-65065

A p p l i c a t i o n

Navistar

S p e c i f i c a t i o n s

inside diameter: 3/8"
outside diameter: -
width: -
material: Rubber

Fuel Line Sleeve



D265204R1


A p p l i c a t i o n

Navistar 9.0L

S p e c i f i c a t i o n s

inside diameter: .660"
outside diameter: .940"
width: .475"
material: Rubber

Injector Dust Seal



D489120C1

DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D134630H1

Fuel Line Sleeve



A p p l i c a t i o n

Navistar 6.9L/7.3L

S p e c i f i c a t i o n s

inside diameter: 5/16"
 outside diameter: -
 width: -
 material: Rubber

D144526H1

Fuel Line Sleeve



A p p l i c a t i o n

Navistar 6.9L/7.3L

S p e c i f i c a t i o n s

inside diameter: 3/16"
 outside diameter: -
 width: -
 material: Rubber

D144526H1

Fuel Line Sleeve



A p p l i c a t i o n

Navistar 6.9L/7.3L/9.0L/DT360/
 DT466

S p e c i f i c a t i o n s

inside diameter: 3/8"
 outside diameter: -
 width: -
 material: Rubber

D915500R1

Fuel Line Sleeve



A p p l i c a t i o n

Navistar DT466

S p e c i f i c a t i o n s

inside diameter: 1/4"
 outside diameter: -
 width: -
 material: Rubber



DIPACO
DIESEL
PARTS
U S A

DUST SEALS AND O-RINGS

CHAPTER 5

Application

Navistar 6.9L/7.3L/DT466

Specifications

inside diameter: 7/16"
outside diameter: 5/8"
width: -
material: Rubber

Return Line O-Ring



D355966R1

Application

Navistar 6.9L/7.3L/9.0L

Specifications

inside diameter: 7/16"
outside diameter: 9/16"
width: -
material: Rubber

Fuel Inlet Fitting O-Ring



D369384R1


Application

Perkins

Specifications

inside diameter: -
outside diameter: -
width: -
material: Rubber

Injector Dust Seal



D33817114


Application

Toyota 1HD-T

Specifications

inside diameter: 18.8mm
outside diameter: 23.6mm
width: 2.4mm
material: Rubber

Injector Dust Seal



D96711-24019

DUST SEALS AND O-RINGS



DIPACO
DIESEL
PARTS
U S A

D41533

Dust Seal



A p p l i c a t i o n

DAF 2800

S p e c i f i c a t i o n s

inside diameter: 13.5mm
outside diameter: -
width: 16.9mm
material: Rubber



Application

single injector and various

Specifications

metric: 230mm x 150mm

A/F: 9" x 6"

thickness: 100ums

Plastic Bag



D41900

Application

DPA pumps and various

Specifications

metric: 450mm x 300mm

A/F: 18" x 12"

thickness: 150ums

Plastic Bag



D41902

Application

'PE' pump and various

Specifications

metric: 710mm x 455mm

A/F: 28" x 18"

thickness: 150ums

Plastic Bag



D41904

Application

various

Specifications

metric: 75mm x 50mm

A/F: 3" x 2"

thickness: -

Write on Bag (self sealing)



D41906

Application

various

Specifications

metric: 125mm x 75mm

A/F: 5" x 3"

thickness: -

Write on Bag (self sealing)



D41907

FINISHING MATERIALS

Plastic Bags



DIPACO
DIESEL
PARTS
U S A

D41908

Write on Bag (self sealing)



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

metric: 150mm x 90mm

A/F: 6" x 3 1/2"

thickness: -

D41909

Plastic Bag



A p p l i c a t i o n

injector sets and various

S p e c i f i c a t i o n s


metric: 350mm x 230mm

A/F: 14" x 9"

thickness: 100ums

D41910

Write on Bag (self sealing)



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

metric: 76.2mm x

101.6mm

A/F: 3" x 4"

thickness: -



DIPACO
DIESEL
PARTS
U S A

FINISHING MATERIALS

Plastic Caps and Plugs

CHAPTER 6

A p p l i c a t i o n

to suit 14mm banjo bolt

S p e c i f i c a t i o n s

inside diameter: 14.5mm

width: 14.1mm

Plastic Sleeve



D029911-2020

A p p l i c a t i o n

to suit 12mm banjo bolt

S p e c i f i c a t i o n s

inside diameter: 12.5mm

width: 12.1mm

Plastic Sleeve



D029911-4030

D e s c r i p t i o n

soft, parallel 'P' type

S p e c i f i c a t i o n s

metric: 6mm x 19mm

A/F: 1/4" x 3/4"

Plastic Cap



D40200

D e s c r i p t i o n


soft, parallel long stem 'S' type

S p e c i f i c a t i o n s

metric: 8mm x 22mm

A/F: 5/16" x 7/8"

Plastic Cap



D40201

D e s c r i p t i o n

soft, 'B' size standard

S p e c i f i c a t i o n s

metric: 12mm x 16mm

A/F: 15/32" x 5/8"

Plastic Cap



D40202

FINISHING MATERIALS

Plastic Caps and Plugs



DIPACO
DIESEL
PARTS
U S A

D40203

Plastic Cap



Description

soft, 'A' size standard


Specifications

metric: 10mm x 16mm

A/F: 3/8" x 5/8"

D40204

Plastic Cap



Description

soft, leak off standard


Specifications

metric: 4.8mm x 12mm

A/F: 3/16" x 15/32"

D40205

Plastic Cap



Description

soft, various standard

Specifications

metric: 8mm x 16mm

A/F: 5/16" x 5/8"

D40206

Plastic Cap



Description

soft, various standard

Specifications

metric: 14.2mm x 16mm

A/F: 9/16" x 5/8"

D40207

Plastic Cap



Description

soft, parallel to suit GM injector tip

Specifications

metric: 8mm x 19mm

A/F: 5/16" x 3/4"



DIPACO
DIESEL
PARTS
U S A

FINISHING MATERIALS

Plastic Caps and Plugs

CHAPTER 6

Description


soft, standard, to suit Cummins

Specifications

metric: 20.5mm x 19mm

A/F: 13/16" x 3/4"

Plastic Cap (yellow)



D40208

Description


soft, standard, to suit Cummins

Specifications

metric: 24mm x 19mm

A/F: 1" x 3/4"

Plastic Cap (yellow)



D40209

Description


soft, standard, to suit Hino

Specifications

metric: 15.9mm x 16mm

A/F: 5/8" x 5/8"

Plastic Cap (yellow)



D40210

Application

suit 9mm hole

Plastic Plug



D40211

Application

suit 11mm hole

Plastic Plug



D40212

FINISHING MATERIALS

Plastic Caps and Plugs



DIPACO
DIESEL
PARTS
U S A

D40213

Plastic Plug



A p p l i c a t i o n

suit 11.5mm hole

D40214

Plastic Cap/Plug



A p p l i c a t i o n

suit 'A' size pump/injector fittings and
12mm hole

D40215

Plastic Cap/Plug



A p p l i c a t i o n

suit 'B' size pump/injector fittings and
14mm hole

D40216

Plastic Plug



A p p l i c a t i o n

suit 14.5mm hole

D40217

Plastic Plug



A p p l i c a t i o n

suit 6mm hole



DIPACO
DIESEL
PARTS
U S A

FINISHING MATERIALS

Plastic Caps and Plugs

CHAPTER 6

A p p l i c a t i o n

suit 16mm hole

Plastic Plug



D40218

A p p l i c a t i o n

suit outlet ports in Stanadyne &
Lucas head/rotor assemblies, also
8.3mm hole

Plastic Plug



D40219

A p p l i c a t i o n

suit 17mm hole

Plastic Plug



D40220

A p p l i c a t i o n

suit 18.4mm hole

Plastic Plug



D40221

A p p l i c a t i o n

suit 18.5mm hole

Plastic Plug



D40222

FINISHING MATERIALS

Plastic Caps and Plugs



DIPACO
DIESEL
PARTS
U S A

D40223

Plastic Plug (threaded)



A p p l i c a t i o n

suit 1/2" UNF threads in CAV filter heads

D40224

Plastic Plug



A p p l i c a t i o n

suit 19.7mm hole

D40225

Plastic Plug



A p p l i c a t i o n

suit 30.5mm hole

D40226

Plastic Plug



A p p l i c a t i o n

suit 22.5mm hole

D40227

Plastic Plug (threaded)



A p p l i c a t i o n

suit hole with 3/8" UNF thread



DIPACO
DIESEL
PARTS
U S A

FINISHING MATERIALS

Plastic Caps and Plugs

CHAPTER 6

A p p l i c a t i o n

suit 9/16" OD fittings

Plastic Plug



D40228

A p p l i c a t i o n

suit 7.5mm hole

Plastic Plug



D40229

A p p l i c a t i o n

suit 4.5mm hole

Plastic Plug




D40230

A p p l i c a t i o n

suit 10mm hole

Plastic Plug



D40231

A p p l i c a t i o n

suit 25mm hole

Plastic Plug



D40232

FINISHING MATERIALS

Plastic Caps and Plugs



DIPACO
DIESEL
PARTS

U S A



DIPACO
DIESEL
PARTS
U S A

FINISHING MATERIALS

CHAPTER 6

Lead Seals, Wires and Sealing Paint

Specifications

braided steel in 48mm lengths with lead seal

Sealing Wire



D3003156

Specifications

braided steel in 38mm lengths with lead seal

Sealing Wire




DPE10050

Specifications

braided steel for various pumps in 100 meter roll

Sealing Wire



D40233

FINISHING MATERIALS


Lead Seals, Wires and Sealing Paint



DIPACO
DIESEL
PARTS
U S A

D40234

Lead Seals



Specifications

square seals suit various pumps

D40235

Lead Seals



Specifications

round seals suit various pumps

D40236

Sealing Paint



Specifications

blue paint for sealing various pumps

D40237

Sealing Paint



Specifications

yellow paint for sealing various pumps



DIPACO
DIESEL
PARTS
U S A

FINISHING MATERIALS

CHAPTER 6

Lead Seals, Wires and Sealing Paint

Specifications

green paint for sealing various pumps

Sealing Paint

D40238



Specifications

red paint for sealing various pumps

Sealing Paint

D40239



Specifications

saw tooth design

Sealing Pliers

D40240



FINISHING MATERIALS

Lead Seals, Wires and Sealing Paint



DIPACO
DIESEL
PARTS

U S A



DIPACO
DIESEL
PARTS
U S A

FUEL INJECTION LINES

CHAPTER 7

A p p l i c a t i o n


various

S p e c i f i c a t i o n s

6mm x 2mm x 600mm

14mm x 1.5mm & 14mm x 1.5mm
nuts

Injection Test Line



D1 680 750 008

A p p l i c a t i o n


various

S p e c i f i c a t i o n s

6mm x 2mm x 600mm

12mm x 1.5mm & 14mm x 1.5mm
nuts

Injection Test Line



D1 680 750 014

A p p l i c a t i o n


various

S p e c i f i c a t i o n s

6mm x 3mm x 600mm

14mm x 1.5mm & 14mm x 1.5mm
nuts

Injection Test Line



D1 680 750 015

A p p l i c a t i o n


various

S p e c i f i c a t i o n s

6mm x 2mm x 840mm

12mm x 1.5mm & 14mm x 1.5mm
nuts

Injection Test Line



D1 680 750 017


FUEL INJECTION LINES



DIPACO
DIESEL
PARTS
U S A

D1 680 750 073

Injection Test Line



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 2mm x 450mm

12mm x 1.5mm & 14mm x 1.5mm
nuts

D1 680 750 075

Injection Test Line



A p p l i c a t i o n

various


S p e c i f i c a t i o n s

8mm x 3mm x 1000mm

14mm x 1.5mm & 14mm x 1.5mm
nuts

D1 680 750 085

Injection Test Line



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 1.6mm x 350mm

12mm x 1.5mm & 14mm x 1.5mm
nuts

D42000

High Pressure Injection Tube



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 2mm x 1.8meter length



DIPACO
DIESEL
PARTS
U S A

FUEL INJECTION LINES

CHAPTER 7

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 3mm x 2.0 meter length

High Pressure Injection Tube



D42001

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

8mm x 3mm x 1.8 meter length

High Pressure Injection Tube



D42002

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 1.5mm x 2.0 meter length

High Pressure Injection Tube



D42003

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 2mm x 6 meter roll (approx)

High Pressure Injection Tube



D42010

FUEL INJECTION LINES



DIPACO
DIESEL
PARTS
U S A

D42011

High Pressure Injection Tube



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 3mm x 6 meter roll (approx)

D42014

Leak-off Tubing



A p p l i c a t i o n

VW, Golf, Mercedes & Bukh engines

S p e c i f i c a t i o n s

inside diameter: 3.2mm

outside diameter: 7mm

D42015

Leak-off Tubing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 3mm

outside diameter: 7mm

D42016

Leak-off Tubing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 4.5mm

outside diameter: 9.5mm



DIPACO
DIESEL
PARTS
U S A

FUEL INJECTION LINES

CHAPTER 7

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 5.5mm
outside diameter: 10.5mm

Low Pressure Fuel Tubing



D42017

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 2mm x 845mm
12mm x 1.5mm & 14mm x 1.5mm
nuts

Injection Test Line (insulated)



D42022

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 2mm x 600mm
12mm x 1.5mm & 14mm x 1.5mm
nuts

Injection Test Line (insulated)



D42023

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm x 2mm x 450mm
12mm x 1.5mm & 14mm x 1.5mm
nuts

Injection Test Line (insulated)



D42024

FUEL INJECTION LINES



DIPACO
DIESEL
PARTS
U S A

D42020

Low Pressure Fuel Tubing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 9mm

outside diameter: 15mm



DIPACO
DIESEL
PARTS
U S A

BANJO BOLTS

CHAPTER 8

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 8mm x 1mm

Banjo Bolt



D029730-8190

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

Banjo Bolt (with filter)



D152300-3620


A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 8mm x 1.25mm

Banjo Bolt



D139808-0000

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 10mm x 1.5mm
with 0.5mm
orifice

Banjo Bolt (with orifice)



D7111-135

BANJO BOLTS



DIPACO
DIESEL
PARTS
U S A

D2 434 456 018

Banjo Bolt (with filter)



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

D2 433 456 020

Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 6mm x 1mm

D2 911 201 701

Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 10mm x 1mm

D2 911 201 702

Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm



DIPACO
DIESEL
PARTS
U S A

BANJO BOLTS

CHAPTER 8

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

Banjo Bolt



D2 911 201 703

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 16mm x 1.5mm

Banjo Bolt



D2 911 201 704

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 18mm x 1.5mm

Banjo Bolt



D2 911 202 705

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 8mm x 1mm

Leak-off Banjo Bolt



D2 911 235 700

BANJO BOLTS



DIPACO
DIESEL
PARTS
U S A

D42112

Double Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 8mm x 1.25mm

D42113

Double Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 8mm x 1mm

D42115

Double Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

D42116

Double Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 12mm x 1mm



DIPACO
DIESEL
PARTS
U S A

BANJO BOLTS

CHAPTER 8

Application

various

Specifications

thread: 12mm x 1.25mm

Double Banjo Bolt



D42117

Application

various

Specifications

thread: 8mm x 1mm

Triple Banjo Bolt



D42118

Application

various

Specifications

thread: 10mm x 1mm

Double Banjo Bolt



D42119

Application

various

Specifications

thread: 10mm x 1.25mm

Double Banjo Bolt



D42120

BANJO BOLTS



DIPACO
DIESEL
PARTS
U S A

D42126

Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 10mm x 1.25mm

D42127

Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 12mm x 1.25mm

D42129

Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 10mm x 1.5mm

D42131

Double Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm



DIPACO
DIESEL
PARTS
U S A

BANJO BOLTS

CHAPTER 8

A p p l i c a t i o n

various Lucas/CAV injectors

S p e c i f i c a t i o n s

thread: 8mm x 0.75mm

Leak-off Banjo Bolt



D7008-188

A p p l i c a t i o n

various Lucas/CAV injectors

S p e c i f i c a t i o n s

thread: 8mm x 0.75mm

Leak-off Banjo Bolt



D7008-188C

A p p l i c a t i o n

various Lucas Filter Heads

S p e c i f i c a t i o n s

thread: 10mm x 1.5mm

Banjo Bolt (with orifice)



D7111-135A

A p p l i c a t i o n

various Lucas Filter Heads

S p e c i f i c a t i o n s

thread: 1/2" UNF

Banjo Bolt



D7111-308

BANJO BOLTS



DIPACO
DIESEL
PARTS
U S A

D7123-339D

Banjo Bolt



A p p l i c a t i o n


various - mainly DPA high pressure outlet

S p e c i f i c a t i o n s

thread: 3/8" UNF

D7169-43

Leak-off Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 5/16" UNF

D772044

Leak-off Banjo Bolt



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 8mm x 1.25mm

D949180-0630

Banjo Bolt



A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

thread: 8mm x 1mm



DIPACO
DIESEL
PARTS
U S A

BANJO FITTINGS

CHAPTER 9

A p p l i c a t i o n

8mm tube

S p e c i f i c a t i o n s

inside diameter: 12mm
width: 11.9mm
barb: -

Banjo



D1 903 385 007

A p p l i c a t i o n

10mm tube

S p e c i f i c a t i o n s

inside diameter: 14mm
width: 13.8mm
barb: -

Banjo



D1 903 385 009

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 14mm
width: 14.1mm
barb: 8mm

Single Barb Banjo



D42400

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 14mm
width: 14.1mm
barb: 8mm

Single Barb Banjo



D42401

BANJO FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42402

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 14mm
 width: 14.1mm
 barb: 10mm

D42403

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm
 width: 12.1mm
 barb: 8mm

D42404

Single Barb Banjo



A p p l i c a t i o n


various

S p e c i f i c a t i o n s

inside diameter: 12mm
 width: 12.1mm
 barb: 4mm

D42405

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 10mm
 width: 10mm
 barb: 6mm



DIPACO
DIESEL
PARTS
U S A

BANJO FITTINGS

CHAPTER 9

A p p l i c a t i o n

various


S p e c i f i c a t i o n s

inside diameter: 8mm

width: 8mm

barb: 6mm

Single Barb Banjo



D42406

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 6mm

width: 8mm

barb: 4mm

Single Barb Banjo



D42407

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 6mm

width: 7.1mm

barb: 4mm

Dual Barb Banjo



D42409

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 8mm

width: 9.9mm

barb: 4mm

Dual Barb Banjo



D42410

BANJO FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42411

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 8mm

width: 10mm

barb: 4mm

D42412

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 10mm

width: 10mm

barb: 4mm

D42413

Dual Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s


inside diameter: 12mm

width: 12mm

barb: 4 & 8mm

D42414

Dual Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm

width: 12mm

barb: 4 & 8mm



DIPACO
DIESEL
PARTS
U S A

BANJO FITTINGS

CHAPTER 9

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm
width: 12.1mm
barb: 4mm

Dual Barb Banjo



D42415


A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 10mm
width: 11.5mm
barb: 8mm

Single Barb Banjo



D42416

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm
width: 12.1mm
barb: 8 (90deg) & 4mm

Pipe Bend



D42417

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm
width: 12mm
barb: 10mm

Single Barb Banjo



D42418

BANJO FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42422

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 8mm

width: 7.8mm

barb: 5mm

D42423

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 10mm

width: 9.9mm

barb: 6mm

D42425

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 16mm

width: 15.9mm

barb: 10mm

D42426

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 14mm

width: 13.8mm

barb: 6mm



DIPACO
DIESEL
PARTS
U S A

BANJO FITTINGS

CHAPTER 9

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 14mm
width: 13.9mm
barb: 8mm

Single Barb Banjo



D42427

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm
width: 11.9mm
barb: 8mm/90deg

Pipe Bend



D42428

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 14mm
width: 13.9mm
barb: 10mm/90deg

Pipe Bend



D42429

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm
width: 11.9mm
barb: 8mm/90deg

Single Barb Banjo



D42430

BANJO FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42431

Pipe Bend



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 14mm
width: 13.9mm
barb: 10mm/90deg

D42432

Single Barb Banjo



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 1/2"
width: 12.1mm
barb: 8mm

D150620-0300

Banjo (Leak-off)



A p p l i c a t i o n

Nissan

S p e c i f i c a t i o n s

inside diameter: 12.15mm
width: 6mm
barb: -



DIPACO
DIESEL
PARTS
U S A

OVERFLOW AND NON-RETURN VALVES

CHAPTER 10

A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 1.6 kg/cm
length: 51.8mm

Overflow Valve



D090310-0011

A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 2.6 kg/cm
length: 39.8mm

Overflow Valve



D090310-0110

A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 2.6 kg/cm
length: 39.4mm

Overflow Valve (stamping 22)



D090310-0220

A p p l i c a t i o n

various Denso VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
pressure: -
length: 30mm

Overflow Valve



D096020-0030

OVERFLOW AND NON-RETURN VALVES



DIPACO
DIESEL
PARTS
U S A

D096020-0180

Valve



A p p l i c a t i o n

various Denso VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
pressure: -
length: 30mm

D1 417 413 047

Valve



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 1.3 - 1.8 bar
length: 36mm

D1 463 456 303

Overflow Valve



A p p l i c a t i o n

various Bosch VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
orifice: 0.55mm
length: 29.2mm

D1 463 456 344

Valve



A p p l i c a t i o n

various Bosch VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
orifice: 0.75mm
length: 29mm



DIPACO
DIESEL
PARTS
U S A

OVERFLOW AND NON-RETURN VALVES

CHAPTER 10

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: -

length: 38.2mm

Overflow Valve (stamping A15)



D131424-1520

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: -

length: 38.2mm

Overflow Valve (stamping A34)



D131424-3420

A p p l i c a t i o n

Isuzu (6BB1, 6BD1, 6BG1 etc)

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: -

length: 52mm

Overflow Valve



D131424-4920

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: -

length: 43.2mm

Overflow Valve (stamping A51)



D131424-5120

OVERFLOW AND NON-RETURN VALVES



DIPACO
DIESEL
PARTS
U S A

D131424-5520

Overflow Valve (stamping A55)



A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: -
length: 43.2mm

D131424-6220

Overflow Valve (stamping A62)



A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: -
length: 43.2mm

D131424-7120

Overflow Valve



A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: -
length: 55.5mm

D132424-0620

Overflow Valve (stamping 16)



A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: -
length: 46mm



DIPACO
DIESEL
PARTS
U S A

OVERFLOW AND NON-RETURN VALVES

CHAPTER 10

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm

pressure: -

length: 41.7mm

Overflow Valve (stamping P09)



D134424-0920

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: -

length: 43.2mm

Overflow Valve (stamping P13)



D134424-1320

A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm

pressure: -

length: 29mm

Overflow Valve



D146120-0020

A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm

pressure: -

length: 43.1mm

Overflow Valve



D146120-0120

OVERFLOW AND NON-RETURN VALVES



DIPACO
DIESEL
PARTS
U S A

D146120-0220

Overflow Valve



A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
pressure: -
length: 29mm

D146120-1520

Overflow Valve



A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
pressure: -
length: 29mm

D2 413 359 008

Overflow Valve



A p p l i c a t i o n

Mack 8500 series

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: -
length: 30mm

D2 417 413 035

Overflow Valve



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 0.5 - 1.0 bar
length: 36mm



DIPACO
DIESEL
PARTS
U S A

OVERFLOW AND NON-RETURN VALVES

CHAPTER 10

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 16mm x 1.5mm
pressure: 1.3 - 1.8 bar
length: 26.5mm

Overflow Valve



D2 417 413 037

A p p l i c a t i o n

Cummins P-7100 pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
pressure: -
length: 40.5mm

Overflow Valve



D2 417 413 093

A p p l i c a t i o n


various

S p e c i f i c a t i o n s

male inlet: 1/2" UNF
female outlet: 1/2" UNF
pressure: 0.2 bar at 90 LPH
length: 37mm

Non-return Valve

direction
of flow



D7111-768

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

male inlet: 1/2" UNF
female outlet: 1/2" UNF
pressure: 0.2 bar at 90 LPH
length: 37mm

Non-return Valve

direction
of flow



D7111-769

OVERFLOW AND NON-RETURN VALVES



DIPACO
DIESEL
PARTS
U S A

D7111-775

Non-return Valve

direction
of flow



A p p l i c a t i o n

various


S p e c i f i c a t i o n s

male inlet: 1/2" UNF
female outlet: 10mm x 1.5mm
pressure: 0.2 bar at 90 LPH
length: 37mm

D7111-776

Non-return Valve

direction
of flow



A p p l i c a t i o n

various


S p e c i f i c a t i o n s

male inlet: 14mm x 1.5mm
female outlet: 14mm x 1.5mm
pressure: 0.2 bar at 90 LPH
length: 37mm

D7111-988

Non-return Valve

direction
of flow



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

male inlet: 14mm x 1.5mm
female outlet: 16mm x 1.5mm
pressure: 0.9 bar at 90 LPH
length: 29.5mm

DFI 8527A

Overflow Valve



A p p l i c a t i o n

various AMBAC model 100 pumps

S p e c i f i c a t i o n s

thread: -



A p p l i c a t i o n

Isuzu filter

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: -
length: 30mm

Overflow Valve



D1-13260047-0

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 1.2 - 1.5 bar
length: 39mm

Overflow Valve



D1 417 413 000

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 1.2 - 1.5 bar
length: 39.5mm

Overflow Valve



D1 417 413 025

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
pressure: 1.0 - 1.5 bar
length: 36mm

Overflow Valve



D1 417 413 046

OVERFLOW AND NON-RETURN VALVES



DIPACO
DIESEL
PARTS
U S A

D1 417 413 048

Overflow Valve



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 0.2 - 0.3 bar
length: 36mm

D1 417 413 049

Overflow Valve



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 0.5 - 1.0 bar
length: 53.5mm

D1 457 413 010

Overflow Valve



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 1.0 - 1.5 bar
length: 38.5mm

D1 457 413 013

Overflow Valve



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm
pressure: 0.5 - 1.0 bar
length: 38.5mm



DIPACO
DIESEL
PARTS
U S A

OVERFLOW AND NON-RETURN VALVES

CHAPTER 10

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: 1.3 - 1.8 bar

length: 40.5mm

Overflow Valve

D2 417 413 013



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

10mm barbs

Non-return Valve

D42100



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

8mm barbs

Non-return Valve

D42101



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm barbs

Overflow Valve

D42102



OVERFLOW AND NON-RETURN VALVES



DIPACO
DIESEL
PARTS
U S A

D42103

Overflow Valve



A p p l i c a t i o n


various

S p e c i f i c a t i o n s

8mm & 6mm barbs

D758065

Overflow Valve



A p p l i c a t i o n

various Fiat pumps

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: 1.2 - 1.5 bar

length: 44.5mm

D2 417 413 046

Overflow Valve

photo will
be available
in following
update

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: 1.3 - 1.8 bar

length: 38.5mm

D131424-4620

Overflow Valve (stamping A46)

photo will
be available
in following
update

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

pressure: -

length: 43.2mm



DIPACO
DIESEL
PARTS
U S A

OVERFLOW AND NON-RETURN VALVES

CHAPTER 10

A p p l i c a t i o n

various Bosch VA pumps

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm
pressure: .4BAR
length: 29.2mm

Overflow Valve

photo will
be available
in following
update

D1 467 413 004

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 1/4" pipe
pressure: 100 psi

Fuel Return Check Valve



DPE10514

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 1/8" pipe
pressure: 100 psi

Fuel Return Check Valve



DPE10518

OVERFLOW AND NON-RETURN VALVES



DIPACO
DIESEL
PARTS

U S A



DIPACO
DIESEL
PARTS
U S A

FUEL LINE COMPONENTS

CHAPTER 11

A p p l i c a t i o n

6mm injector line

S p e c i f i c a t i o n s

6mm

Ermeto Sleeve



D2 916 673 003

A p p l i c a t i o n

1/4" injector line

S p e c i f i c a t i o n s

1/4"

Ermeto Sleeve



D4501149

A p p l i c a t i o n

suit 1/4" injector line

S p e c i f i c a t i o n s

thread: 9/16" UNF

Nut



D4504409

A p p l i c a t i o n

suit 1/4" injection line

S p e c i f i c a t i o n s

inside diameter: 6.5mm
length: 12.8mm
material: Steel

Support Sleeve ('A' size)



DPE44442

FUEL LINE COMPONENTS



DIPACO
DIESEL
PARTS
U S A

DPE44443

Support Sleeve ('B' size)



A p p l i c a t i o n

suit 1/4" injection line

S p e c i f i c a t i o n s

inside diameter: 6.5mm

length: 12.8mm

material: Steel

DPE44444

Injector Line Nut ('B' size)



A p p l i c a t i o n

1/4" injection line

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

DPE44445

Injector Line Nut ('A' size)



A p p l i c a t i o n

1/4" injection line

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm

DPE44446

Injector Line Nut



A p p l i c a t i o n

suit 1/4" injector line

S p e c i f i c a t i o n s

thread: 9/16" UNF



DIPACO
DIESEL
PARTS
U S A

FUEL LINE COMPONENTS

CHAPTER 11

A p p l i c a t i o n

suit 6mm injector line

S p e c i f i c a t i o n s

inside diameter: 6.1mm

outside diameter: 12mm

thickness: 2.7mm

Collar ('B' size)



D1 410 103 023

A p p l i c a t i o n

suit 6mm injector line

S p e c i f i c a t i o n s

inside diameter: 6.1mm

outside diameter: 10mm

thickness: 2.7mm

Collar ('A' size)



D1 410 103 025

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm

Injector Line Nut



D24545

A p p l i c a t i o n

suit 6mm injector line

S p e c i f i c a t i o n s

material: steel

Olive



D24899

FUEL LINE COMPONENTS



DIPACO
DIESEL
PARTS
U S A

D42631

Fuel Line Nut ('A' size)



A p p l i c a t i o n

suit 6mm injector line

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm

D42632

Fuel Line Nut ('B' size)



A p p l i c a t i o n

suit 6mm injector line

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

D42633

Fuel Line Nut ('T' size)



A p p l i c a t i o n

suit 8mm injector line

S p e c i f i c a t i o n s

thread: 18mm x 1.5mm

D42634

Olive/Sleeve/Nut ('A' size)



A p p l i c a t i o n

suit 6mm injector line

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm



DIPACO
DIESEL
PARTS
U S A

FUEL LINE COMPONENTS

CHAPTER 11

A p p l i c a t i o n

suit 6mm injector line

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

Olive/Sleeve/Nut ('B' size)



D42635

A p p l i c a t i o n

suit 8mm injection tube


S p e c i f i c a t i o n s

inside diameter: 8.3mm

outside shank diameter: 9.5mm

length: 14mm

Fuel Line Sleeve (solder on type)



D42646

A p p l i c a t i o n

suit 10mm injection tube


S p e c i f i c a t i o n s

inside diameter: 10.2mm

outside shank diameter: 11.5mm

length: 14mm

Fuel Line Sleeve (solder on type)



D42647

A p p l i c a t i o n

suit 6mm injection tube
(used with P42631 nut)

S p e c i f i c a t i o n s

suit 12mm nut

inside diameter: 6mm

length: 18.7mm

Nipple/Sleeve (solder on type 'A' size)



D42648

FUEL LINE COMPONENTS



DIPACO
DIESEL
PARTS
U S A

D42649

**Nipple/Sleeve
(solder on type 'B' size)**



A p p l i c a t i o n

suit 6mm injection tube
(used with P42632 nut)

S p e c i f i c a t i o n s

inside diameter: 6mm
length: 20mm

D42650

**Nipple/Sleeve
(solder on type 'T' size)**



A p p l i c a t i o n

suit 8mm injection tube
(used with P42633 nut)

S p e c i f i c a t i o n s

inside diameter: 8mm
length: 36mm

D42651

Support Sleeve ('A' size)



A p p l i c a t i o n

suit 6mm injection tube
(used with P42631 nut)

S p e c i f i c a t i o n s

inside diameter: 6mm
length: 12.2mm

D42652

Support Sleeve ('B' size)



A p p l i c a t i o n

suit 6mm injection tube
(used with P42652 nut)

S p e c i f i c a t i o n s

inside diameter: 6mm
length: 12.2mm



DIPACO
DIESEL
PARTS
U S A

FUEL LINE COMPONENTS

CHAPTER 11

A p p l i c a t i o n

suit 6mm injection tube

S p e c i f i c a t i o n s

inside diameter: 8.1mm

outside diameter: 15mm

thickness: 7mm

Collar ('T' size)



D42657

A p p l i c a t i o n

suit 6mm injection line, used with
P42634 & P42635

S p e c i f i c a t i o n s

inside diameter: 6.1mm

length: 10.6mm

Support Sleeve



D42661

A p p l i c a t i o n

suit 5.8mm injection tube

S p e c i f i c a t i o n s

material: Steel

Olive



D42667

A p p l i c a t i o n

part of P42634

S p e c i f i c a t i o n s

material: Steel

Olive ('A' size)



D42668

FUEL LINE COMPONENTS



DIPACO
DIESEL
PARTS
U S A

D42669

Olive ('B' size)



A p p l i c a t i o n

part of P42652

S p e c i f i c a t i o n s

material: Steel

D7133-30

Olive



A p p l i c a t i o n

suit 1/4" nylon, copper, steel tubing

S p e c i f i c a t i o n s

material: Brass

D7133-34

Fuel Line Nut



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

1/2" UNF x 5/16" tubing

material: Steel

D7135-47F

Fuel Line Kit



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

1/2" UNF x 5/16" tubing

material: Steel/Brass



DIPACO
DIESEL
PARTS
U S A

FUEL LINE COMPONENTS

CHAPTER 11


A p p l i c a t i o n

John Deere (Stanadyne)

S p e c i f i c a t i o n s

inside diameter: .382"
outside diameter: .473"
thickness: .075"
material: Teflon

Fuel Line Washer



DR48511


A p p l i c a t i o n

Navistar 6.9L/7.3L

S p e c i f i c a t i o n s

inside diameter: .470"
outside diameter: .580"
width: .058"
material: Steel/Teflon

Fuel Line Connector Washer



D670207C1

FUEL LINE COMPONENTS



DIPACO
DIESEL
PARTS

U S A



DIPACO
DIESEL
PARTS
U S A

PLUGS AND FITTINGS

CHAPTER 12

A p p l i c a t i o n


leak-off line

S p e c i f i c a t i o n s

inside diameter: 3.2mm

outside diameter: 7mm

Blanking Plug



D42600

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

1/2" UNF x 8mm tube

Fuel Line Elbow



D42601

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

N/A

Adapter for Thermostart



D42603

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

10mm tube x 14mm nut

Pipe Bend



PLUGS AND FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42605

Pipe Bend



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

10mm tube x 3/8" BSP nut

D42606

Pipe Bend



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

10mm tube x 90deg plain

D42607

Adapter Union



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

12mm male x 14mm female

D42608

Adapter Union



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

14mm male x 12mm



DIPACO
DIESEL
PARTS
U S A

PLUGS AND FITTINGS

CHAPTER 12

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

1/2" UNF male x 14mm x 1.5mm
female

Adapter Union



D42609

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

1/2" UNF female x 14mm x 1.5mm
male

Adapter Union



D42610

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

8mm barb x 14mm x 1.5mm male

Adapter Union



D42611

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

8mm barb x 12mm x 1.5mm male

Adapter Union



D42612

PLUGS AND FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42613

Adapter Union



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

6mm barb x 14mm x 1.5mm male

D42614

Adapter Union



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

8mm barb x 16mm x 1.5mm male

D42615

Plug



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 14mm x 1.5mm

D42616

Tube Connector



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

8mm plain tube



DIPACO
DIESEL
PARTS
U S A

PLUGS AND FITTINGS

CHAPTER 12

A p p l i c a t i o n

12.5mm low pressure line

S p e c i f i c a t i o n s

12.5mm x 20mm length

Crimp Sleeve



D42618

A p p l i c a t i o n

14.5mm low pressure line

S p e c i f i c a t i o n s

14.5mm x 20mm length

Crimp Sleeve



D42619

A p p l i c a t i o n

16mm low pressure line

S p e c i f i c a t i o n s

16mm x 20mm length

Crimp Sleeve



D42620

A p p l i c a t i o n

17mm low pressure line

S p e c i f i c a t i o n s

17mm x 21mm length

Crimp Sleeve



D42621

PLUGS AND FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42622

Crimp Sleeve



A p p l i c a t i o n

19mm low pressure line

S p e c i f i c a t i o n s

19mm x 21mm length

D42624

Male Adapter



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

8mm barb with 14mm x 1.5mm male

D42625

Male Adapter



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

10mm barb with 16mm x 1.5mm male

D42626

Screw Plug



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

thread: 12mm x 1.5mm



DIPACO
DIESEL
PARTS
U S A

PLUGS AND FITTINGS

CHAPTER 12

A p p l i c a t i o n

used with P42678

S p e c i f i c a t i o n s

to suit 6mm injection lines

Packing for 2 Pipe Clamp



D42676


A p p l i c a t i o n

used with P42682

S p e c i f i c a t i o n s

to suit 6mm injection lines

Packing for 3 Pipe Clamp




D42677

A p p l i c a t i o n

to suit 6mm injection lines

2 Pipe Clamp Assembly




D42678

A p p l i c a t i o n

to suit 10mm steel tubing

2 Pipe Clamp Assembly



D42679


PLUGS AND FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42680


4 Pipe Clamp Assembly



A p p l i c a t i o n
to suit 6mm injection lines

D42681


6 Pipe Clamp Assembly



A p p l i c a t i o n
to suit 6mm injection lines

D42682

3 Pipe Clamp Assembly



A p p l i c a t i o n
to suit 6mm injection lines

D7023-99W

Plug



A p p l i c a t i o n
various

S p e c i f i c a t i o n s
thread: 10mm x 1.5mm



DIPACO
DIESEL
PARTS
U S A

PLUGS AND FITTINGS

CHAPTER 12

Application

various

Specifications

thread: 1/2" UNF

Filter Head Plug



D7111-312

Application

various

Specifications

8mm barb with 1/2" UNF nut

Adapter Fitting



D7176-66

Application

GM 6.2L

Hose and End Cap Clamp



D10093148

Application

GM 6.2L

Nozzle Plug



D14066301

Application

Mack

End Cap



D49AX252

PLUGS AND FITTINGS



DIPACO
DIESEL
PARTS
U S A

DPE10500

Fuel Inlet Elbow




A p p l i c a t i o n

Komatsu (replaces 6610-71-2571)

DPE10501

Fuel Inlet Elbow



A p p l i c a t i o n

Komatsu

DPE10502

Fuel Inlet Nut



A p p l i c a t i o n

Komatsu



DIPACO
DIESEL
PARTS
U S A

PLUGS AND FITTINGS

CHAPTER 12

A p p l i c a t i o n

Mack

S p e c i f i c a t i o n s

diameter: .340"-.400"

Fuel Hose Clamp



D83AX906

A p p l i c a t i o n

Mack

S p e c i f i c a t i o n s

diameter: .300"-.345"

Fuel Hose Clamp



D83AX985

A p p l i c a t i o n

Navistar

Injector Adapter (90 Degree)

D1811231C2

A p p l i c a t i o n

Navistar


Injector Adapter (Straight)

D1811230C2

A p p l i c a t i o n

Navistar 6.9L/7.3L/DT360/DT466

Injector Return Cap



D1802452C1

PLUGS AND FITTINGS



DIPACO
DIESEL
PARTS
U S A

D1811226C1

Return Hose Clamp (red)



A p p l i c a t i o n

Navistar

S p e c i f i c a t i o n s

diameter: .460"-.545"

D1802453C1

Return Hose Clamp (green)



A p p l i c a t i o n

Navistar

S p e c i f i c a t i o n s

diameter: .375"-.450"

D1804332C1

Return Hose Adapter



A p p l i c a t i o n

Navistar 6.9L/7.3L

D1807947C1

Return Hose Adapter



A p p l i c a t i o n

Navistar 6.9L/7.3L



DIPACO
DIESEL
PARTS
U S A

PLUGS AND FITTINGS

CHAPTER 12

A p p l i c a t i o n

Navistar 6.9L/7.3L

Return Hose Adapter




D1805670C1

A p p l i c a t i o n

Navistar 6.9L/7.3L

Restrictor Fitting




D687426C1

A p p l i c a t i o n

Navistar 6.9L/7.3L

Filter Head Outlet Fitting (without air bleed)



DPE69151

PLUGS AND FITTINGS



DIPACO
DIESEL
PARTS
U S A

D42684

Fuel Line Elbow



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

12mm x 8mm tube

D42685

Fuel Line Elbow



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

14mm x 8mm tube



A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

length: 21.4mm

width: 7mm

Pin



D090176-0050

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

serated edge

length: 25.7mm

width: 9mm

Pin



D131203-0500

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

serated edge

length: 23mm

width: 7mm

Pin



D131203-0800

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

length: 20.4mm

width: 7mm

Pin



D1 413 100 021

PINS, BUSHES AND ROLLERS

Pins



DIPACO
DIESEL
PARTS
U S A

D1 413 100 031

Pin



A p p l i c a t i o n

various Bosch


S p e c i f i c a t i o n s

length: 26.5mm

width: 7mm

D1 413 105 015

Pin



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

circlip groove

length: 19.9mm

width: 9mm

D1 413 120 001

Pin



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

lug one end

length: 28.6mm

width: 9mm

D1 413 100 001

Pin



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

length: 25.8mm

width: 7mm



DIPACO
DIESEL
PARTS
U S A

PINS, BUSHES AND ROLLERS

Pins

CHAPTER 13

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

length: 24mm

width: 7mm

Pin



D1 413 100 030

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

length: 31.5mm

width: 12mm

Pin



D2 413 100 000

A p p l i c a t i o n

various Simms

S p e c i f i c a t i o n s

length: 26.8mm

width: 7mm

Pin



D20082

A p p l i c a t i o n

various Simms

S p e c i f i c a t i o n s

length: 22.5mm

width: 8mm

Pin



D506653

PINS, BUSHES AND ROLLERS

Pins



DIPACO
DIESEL
PARTS
U S A

D7033-147

Pin



A p p l i c a t i o n

various Lucas/CAV

S p e c i f i c a t i o n s

serrated edge

length: 26.4mm

width: 7mm

D7097-302

Pin



A p p l i c a t i o n

various Lucas/CAV

S p e c i f i c a t i o n s

serrated edge

length: 27.4mm

width: 9mm

D133203-0400

Pin



A p p l i c a t i o n

various Zexel (Komatsu 'ZW' pumps)

S p e c i f i c a t i o n s

length: 37mm

width: 13mm

D134203-0100

Pin



A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

length: 27.5mm

width: 12mm



DIPACO
DIESEL
PARTS
U S A

PINS, BUSHES AND ROLLERS

Pins

CHAPTER 13

A p p l i c a t i o n

various AMBAC (Mack PLM pumps)

S p e c i f i c a t i o n s

length: 37.5mm

width: 12mm

Pin



DPN400517

A p p l i c a t i o n

various AMBAC (Mack 'G' pumps)

S p e c i f i c a t i o n s

length: 37.6mm

width: 12mm

Pin



DPN402683

A p p l i c a t i o n

various AMBAC
(Mack 6BB-T pumps)

S p e c i f i c a t i o n s

length: 32.5mm

width: 12mm

Pin



DPN7648

PINS, BUSHES AND ROLLERS



DIPACO
DIESEL
PARTS

U S A



DIPACO
DIESEL
PARTS
U S A

PINS, BUSHES AND ROLLERS

Bushes

CHAPTER 13

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

inside diameter: 9mm
outside diameter: 14mm
width: 12.5mm

Bush



D131205-0600

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 9mm
outside diameter: 14mm
width: 11.7mm

Bush



D1 410 300 080

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 9mm
outside diameter: 12mm
width: 10.4mm

Bush



D1 410 300 242

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 9mm
outside diameter: 13mm
width: 11.7mm

Bush



D1 410 300 244

PINS, BUSHES AND ROLLERS

Bushes



DIPACO
DIESEL
PARTS
U S A

D090178-0010

Bush



A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

inside diameter: 7mm
outside diameter: 11mm
width: 8.9mm

D1 410 300 042

Bush



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 7mm
outside diameter: 11mm
width: 10.9mm

D1 410 300 052

Bush



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 7mm
outside diameter: 10mm
width: 8.9mm

D1 410 300 053

Bush



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

with oil groove
inside diameter: 7mm
outside diameter: 11mm
width: 10.9mm



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 12mm
outside diameter: 16mm
width: 14.9mm

Bush



D2 410 300 004

A p p l i c a t i o n

various Simms

S p e c i f i c a t i o n s

inside diameter: 8mm
outside diameter: 11mm
width: 11.8mm

Bush



D506652

A p p l i c a t i o n

various Lucas CAV

S p e c i f i c a t i o n s

inside diameter: 9mm
outside diameter: 14mm
width: 13.9mm

Bush



D7097-4

A p p l i c a t i o n

various Simms

S p e c i f i c a t i o n s

inside diameter: 7mm
outside diameter: 11mm
width: 7.8mm

Bush



D82012

PINS, BUSHES AND ROLLERS

Bushes



DIPACO
DIESEL
PARTS

U S A



A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

inside diameter: 7mm
outside diameter: 17mm
width: 10.9mm

Roller



D131204-0920

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

inside diameter: 14mm
outside diameter: 20mm
width: 12.9mm

Roller



D131204-1100

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

inside diameter: 14mm
outside diameter: 20mm
width: 11.8mm

Roller



D132204-0400

A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

inside diameter: 12mm
outside diameter: 22mm
width: 17.9mm

Roller



D134204-0200

PINS, BUSHES AND ROLLERS

Rollers



DIPACO
DIESEL
PARTS
U S A

D1 410 300 248

Roller



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 7mm
outside diameter: 17mm
width: 10.9mm

D1 410 202 005

Roller



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 15mm
width: 8.9mm

D1 410 300 150

Roller



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 14.5mm
width: 8.9mm

D1 410 300 243

Roller



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 13mm
outside diameter: 20mm
width: 11.7mm



A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

inside diameter: 11mm

outside diameter: 17mm

width: 8.9mm

Roller



D090181-0010

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 11mm

outside diameter: 17mm

width: 10.9mm

Roller



D1 410 202 006

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 16mm

outside diameter: 24mm

width: 14.9mm

Roller



D2 410 202 006

A p p l i c a t i o n

various Lucas CAV

S p e c i f i c a t i o n s

inside diameter: 14mm

outside diameter: 20mm

width: 14mm

Roller



D7097-28B

PINS, BUSHES AND ROLLERS

Rollers



DIPACO
DIESEL
PARTS
U S A

DRL409853

Roller



A p p l i c a t i o n

various Ambac

S p e c i f i c a t i o n s

inside diameter: 12mm
outside diameter: 30mm
width: 16.4mm

DRL7613A

Roller



A p p l i c a t i o n

various Ambac

S p e c i f i c a t i o n s

inside diameter: 12mm
outside diameter: 25mm
width: 13.8mm

D133204-0600

Roller



A p p l i c a t i o n

various Zexel
(Komatsu 'ZW' pumps)

S p e c i f i c a t i o n s

inside diameter: 19mm
outside diameter: 28mm
width: 17.9mm

D2 410 202 024

Roller



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 12mm
outside diameter: 22mm
width: 17.35mm



DIPACO
DIESEL
PARTS
U S A

PINS, BUSHES AND ROLLERS

CHAPTER 13

Rollers

A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 12mm
outside diameter: 24mm
width: 15mm

Roller



D2 410 202 028

A p p l i c a t i o n

various Simms

S p e c i f i c a t i o n s

inside diameter: 11mm
outside diameter: 17mm
width: 11.8mm

Roller



DP506651

PINS, BUSHES AND ROLLERS



DIPACO
DIESEL
PARTS

U S A



A p p l i c a t i o n

standard Zexel VE pumps

Roller Kit



D146210-5720

A p p l i c a t i o n

Mazda Zexel VE pumps

Roller Kit



D146210-5820

A p p l i c a t i o n

various

C o n t e n t s o f K i t

Pin

inside diameter: 25.8mm
outside diameter: 25.8mm
width: 7mm

Bush

inside diameter: 7mm
outside diameter: 11mm
width: 10.9mm

Roller

inside diameter: 11mm
outside diameter: 17mm
width: 10.9mm

Roller Kit



D09282

PINS, BUSHES AND ROLLERS

Roller Kits



DIPACO
DIESEL
PARTS
U S A

D43287

Roller Kit



A p p l i c a t i o n

various Bosch VE pumps

C o n t e n t s o f K i t

4 x 1 460 300 345 Roller

4 x 1 463 100 307 Pin

4 x 1 460 120 306 Washer

D43288

Roller Kit



A p p l i c a t i o n

various Bosch VE pumps

C o n t e n t s o f K i t

4 x 1 460 300 338 Roller

4 x 1 463 100 307 Pin

4 x 1 460 120 306 Washer

D43289

Roller Kit



A p p l i c a t i o n

various Bosch VE pumps

C o n t e n t s o f K i t

4 x 2 460 300 001 Roller & Bush

4 x 1 463 100 307 Pin

4 x 1 460 120 306 Washer

4 x 1 460 300 343 Bushing

D43290

Roller Kit



A p p l i c a t i o n

various Bosch VE pumps

C o n t e n t s o f K i t

4 x 1 463 100 309 Pin

4 x 1 460 120 304 Washer

4 x 2 460 300 001 Roller & Bush

4 x 1 460 300 338 Bushing



A p p l i c a t i o n

various Zexel "P" pumps with
25mm camshafts

S p e c i f i c a t i o n s

inside diameter: 25mm
outside diameter: 35mm
width: 7.1mm
material outer: Steel
colour: Brown
double lip

Oil Seal



D026712-5010

A p p l i c a t i o n

various Zexel "A" size pumps with
17mm camshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 25mm
width: 6mm
material outer: Steel
colour: Brown
single lip

Oil Seal



D029621-7010

A p p l i c a t i o n

various Zexel "A" size pumps with
17mm camshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 28mm
width: 6mm
material outer: Steel
colour: Olive green
double lip

Oil Seal



D029621-7020

A p p l i c a t i o n

various Zexel "A" size pumps with
17mm camshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 28mm
width: 6mm
material outer: Steel
colour: Brown
double lip

Oil Seal



D029621-7050

**D029622-0140****Oil Seal*****A p p l i c a t i o n***

various Zexel "A" size pumps with
20mm camshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 30mm
 width: 7mm
 material outer: Rubber
 double lip

D029622-0190**Oil Seal*****A p p l i c a t i o n***

various Zexel "A" size pumps with
20mm camshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 30mm
 width: 6mm
 material outer: Steel
 colour: Brown
 double lip

D029622-0240**Oil Seal*****A p p l i c a t i o n***

various Zexel "A" size pumps with
20mm camshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 30mm
 width: 6mm
 material outer: Steel
 Colour: Olive Green
 double lip

D096039-0040**Oil Seal*****A p p l i c a t i o n***

various Denso "VE" pumps with
20mm driveshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 30mm
 width: 6mm
 material outer: Steel
 colour: Brown
 double lip



A p p l i c a t i o n

various Zexel "P" pumps with 25mm camshafts

S p e c i f i c a t i o n s

inside diameter: 25mm
outside diameter: 36mm
width: 6mm
material outer: Steel
colour: Brown
double lip

Oil Seal



D139620-0000

A p p l i c a t i o n

various Zexel "P" pumps with 30mm camshafts

S p e c i f i c a t i o n s

inside diameter: 29.5mm
outside diameter: 41mm
width: 7mm
material outer: Steel
colour: Brown
double lip

Oil Seal



D139625-0000

A p p l i c a t i o n

various Zexel "ZW" type pumps (Komatsu application)

S p e c i f i c a t i o n s

inside diameter: 34mm
outside diameter: 48.3mm
width: 6.7mm
material outer: Rubber
single lip

Oil Seal



D139634-0200

A p p l i c a t i o n

various Bosch "VE" pumps with 17mm driveshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 28mm
width: 7.3mm
material outer: Rubber
single lip

Oil Seal



D1 460 283 310

**D1 460 283 311****Oil Seal*****A p p l i c a t i o n***

various Bosch "VE" pumps with
20mm driveshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 31mm
 width: 7.3mm
 material outer: Rubber
 single lip

D146601-0400**Oil Seal*****A p p l i c a t i o n***

various Zexel "VE" pumps with 17mm
driveshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 28mm
 width: 7mm
 material outer: Steel
 colour: Olive Green
 double lip

D146601-0600**Oil Seal*****A p p l i c a t i o n***

various Zexel "VE" pumps with 20mm
driveshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 31mm
 width: 7mm
 material outer: Steel
 colour: Olive Green
 double lip

D146601-0700**Oil Seal*****A p p l i c a t i o n***

various Zexel "VE" pumps with 20mm
driveshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 31mm
 width: 7mm
 material outer: Steel
 colour: Olive Green
 double lip



A p p l i c a t i o n

various Zexel "VE" pumps with 17mm driveshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 28mm
width: 7mm
material outer: Steel
colour: Olive Green
double lip

Oil Seal



D146601-0900

A p p l i c a t i o n

various Zexel "VE" pumps with 20mm driveshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 31mm
width: 7mm
material outer: Steel
colour: Brown
double lip

Oil Seal



D146601-1100

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter:
outside diameter:
width:

Oil Seal



D2 410 283 010

A p p l i c a t i o n

various "P" pumps with 30mm camshafts

S p e c i f i c a t i o n s

inside diameter: 30mm
outside diameter: 61.8mm
width: 5mm
single lip

Oil Seal



D2 410 283 021

**D7174-127A****Oil Seal*****A p p l i c a t i o n***

various CAV "DPS" pumps

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 35mm
 width: 6mm
 material outer: Rubber
 single lip

D949150-0030**Oil Seal*****A p p l i c a t i o n***

various Denso "R722, R712" governors

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 35mm
 width: 5.7mm
 material outer: Steel
 colour: Olive Green
 single lip

D949150-0050**Oil Seal*****A p p l i c a t i o n***

various Denso with 17mm camshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 28mm
 width: 5.5mm
 material outer: Steel
 colour: Olive Green
 single lip

D949150-1620**Oil Seal*****A p p l i c a t i o n***

various Denso with 17mm camshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 28mm
 width: 6mm
 material outer: Steel
 colour: Olive Green
 double lip



A p p l i c a t i o n

various Denso with 20mm camshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 30mm
width: 6mm
material outer: Steel
colour: Olive Green
double lip

Oil Seal



D949150-1750

A p p l i c a t i o n

various Cummins, AFC, PTG, VS front drives

S p e c i f i c a t i o n s

inside diameter: 18.5mm
outside diameter: 32mm
width: 4.8mm
material outer: Steel
colour: Black
single lip

Oil Seal



D3009625

A p p l i c a t i o n

various Cummins, AFC, PTG, VS front drives

S p e c i f i c a t i o n s

inside diameter: 18.5mm
outside diameter: 32mm
width: 4.8mm
material outer: Steel
colour: Green
single lip

Oil Seal



D3062676

A p p l i c a t i o n

various Cummins, AFC, VS front drives

S p e c i f i c a t i o n s

inside diameter: 18.5mm
outside diameter: 36.6mm
width: 6.2mm
material outer: Rubber
single lip

Oil Seal



D3075523

**D1 410 281 012****Oil Seal*****A p p l i c a t i o n***

various Bosch "A" size pumps with
20mm camshaft (mainly Ford)

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 30mm
 width: 12.1mm
 material outer: Steel
 colour: Olive Green
 double lip

D1 410 282 003**Oil Seal*****A p p l i c a t i o n***

various Bosch "A" size pumps with
17mm camshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 28mm
 width: 6mm
 material outer: Rubber
 single lip

D1 410 282 015**Oil Seal*****A p p l i c a t i o n***

various Bosch "P" pumps with
25mm camshafts

S p e c i f i c a t i o n s

inside diameter: 25mm
 outside diameter: 35mm
 width: 7mm
 material outer: Rubber
 single lip

D1 410 283 000**Oil Seal*****A p p l i c a t i o n***

various Bosch "A" size pumps with
20mm camshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 30mm
 width: 7mm
 material outer: Rubber
 double lip



A p p l i c a t i o n

various Bosch "VA" pumps with
17mm driveshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 28mm
width: 7mm
material outer: Steel
single lip

Oil Seal



D1 460 283 301

A p p l i c a t i o n

various Bosch "A" size pumps with
20mm camshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 31mm
width: 7mm
material outer: steel
single lip

Oil Seal



D1 460 283 302

A p p l i c a t i o n

various Simms pumps

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 35mm
width: 6mm
material outer: Rubber
single lip

Oil Seal



D22159

A p p l i c a t i o n

various Simms pumps

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 35mm
width: 8mm
material outer: Rubber
double lip

Oil Seal



D502261

**D5393-252R****Oil Seal*****A p p l i c a t i o n***

various DPA uprated drive

S p e c i f i c a t i o n s

inside diameter: 22mm
 outside diameter: 35mm
 width: 6.4mm
 material outer: Rubber
 single lip

D5393-252U**Oil Seal*****A p p l i c a t i o n***

various DPA pumps

S p e c i f i c a t i o n s

inside diameter: 27.5mm
 outside diameter: 38.3mm
 width: 6.5mm
 material outer: Rubber
 single lip

D7033-295**Oil Seal*****A p p l i c a t i o n***

various CAV "BPE" type pumps

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 34.2mm
 width: 4mm
 material outer: Rubber
 single lip

D7033-309**Oil Seal*****A p p l i c a t i o n***

various CAV "BPE" type pumps

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 34mm
 width: 7.2mm
 material outer: Rubber
 double lip



A p p l i c a t i o n

various DPA pumps

S p e c i f i c a t i o n s

inside diameter: 22mm
outside diameter: 38.3mm
width: 6.1mm
material outer: Rubber
single lip

Oil Seal



D7133-114

A p p l i c a t i o n

various DPA pumps

S p e c i f i c a t i o n s

inside diameter: 14mm
outside diameter: 38.4mm
width: 6.3mm
material outer: Rubber
single lip

Oil Seal



D7133-84

A p p l i c a t i o n

various Simms majormec pumps

S p e c i f i c a t i o n s

inside diameter: 25mm
outside diameter: 38mm
width: 7mm
material outer: Rubber
single lip

Oil Seal



D86536

A p p l i c a t i o n

various Zexel 'VE' pumps with
20mm driveshafts

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 31mm
width: 7.15mm
material outer: Steel
single lip

Oil Seal



D146601-0300

OIL SEALS



DIPACO
DIESEL
PARTS
U S A

D949150-2820

Oil Seal



A p p l i c a t i o n

various Denso 'P' size pumps with 25mm camshafts

S p e c i f i c a t i o n s

inside diameter: 25mm
 outside diameter: 35mm
 width: 7mm
 material outer: Steel
 double lip

D1 410 283 006

Oil Seal



A p p l i c a t i o n

various Bosch (suit 'PES' 4m) 17mm camshafts

S p e c i f i c a t i o n s

inside diameter: 17mm
 outside diameter: 34mm
 width: 4mm
 material outer: Rubber



DIPACO
DIESEL
PARTS
U S A

MOUNTING GASKETS, O-RINGS AND HARDWARE

CHAPTER 15


A p p l i c a t i o n

Isuzu C223

S p e c i f i c a t i o n s

inside diameter: 49.5mm
outside diameter: 56.5mm
thickness: 3.5mm
material: Rubber

Mounting O-Ring



D016500-5010


A p p l i c a t i o n

Toyota B, 11B...BU60, 61, 65, 70,
83, 84, 14B...BU66, 87, 88, 89,
90, 1HDT

S p e c i f i c a t i o n s

inside diameter: 50mm
outside diameter: 55mm
thickness: 2.5mm
material: Rubber

Mounting O-Ring




D90301-49003

A p p l i c a t i o n

Cummins

Pump Mounting Gasket



D3069103


MOUNTING GASKETS, O-RINGS AND HARDWARE



DIPACO
DIESEL
PARTS
U S A

D446GC175

PLE Cover Seal



A p p l i c a t i o n


Mack with AMBAC APE6BB,
APE6G, PLM fuel pumps

S p e c i f i c a t i o n s

inside diameter: 39.6mm
outside diameter: 45mm
thickness: 3.2mm
material: Rubber

D562GB14A

Pump Mounting Gasket




A p p l i c a t i o n

Mack with AMBAC APE6BB,
APE6G, PLM fuel pumps

D590GB190D

Adapter to Timing Case Gasket



A p p l i c a t i o n

Mack with AMBAC APE6BB fuel
pump

D590GB236A

Timing Cover Gasket



A p p l i c a t i o n

Mack with AMBAC APE6BB fuel
pump



DIPACO
DIESEL
PARTS
U S A

MOUNTING GASKETS, O-RINGS AND HARDWARE


CHAPTER 15

A p p l i c a t i o n

IHC DT466 & DT360 engine

Pump Mounting Gasket

D675816C1



A p p l i c a t i o n

Ford

Mounting Gasket

DC5NE9F585A



A p p l i c a t i o n

John Deere

Pump Mounting Gasket

DR50390




A p p l i c a t i o n

DPA with 45mm spigot

Mounting Gasket

D0490685




MOUNTING GASKETS, O-RINGS AND HARDWARE



DIPACO
DIESEL
PARTS
U S A

D1 460 051 002

Mounting Gasket



A p p l i c a t i o n

various VE & VA type fuel pumps

D3930993

Mounting O-Ring



A p p l i c a t i o n

B & C series Cummins engine

S p e c i f i c a t i o n s

inside diameter: 78.7mm

outside diameter: 85mm

thickness: 3.1mm

material: Rubber

D4 030 740 059

Mounting O-Ring Seal



A p p l i c a t i o n

Mercedes V8, V6 series

S p e c i f i c a t i o n s

inside diameter: 94.6mm

outside diameter: 106mm

width: 13.2mm

material: Rubber



DIPACO
DIESEL
PARTS
U S A

MOUNTING GASKETS, O-RINGS AND HARDWARE

CHAPTER 15


A p p l i c a t i o n

Ford with Simms pump

S p e c i f i c a t i o n s

inside diameter: 57.5mm
outside diameter: 63.5mm
thickness: 3mm
material: Rubber

Pump Mounting O-Ring



D42803

A p p l i c a t i o n

DPC pumps

Mounting Gasket


photo will
be available
in following
update

D42814

A p p l i c a t i o n

PES 'A' type pumps

Mounting Gasket



D42815

MOUNTING GASKETS, O-RINGS AND HARDWARE



DIPACO
DIESEL
PARTS
U S A

D42816

Mounting Gasket

photo will
be available
in following
update

A p p l i c a t i o n

PES MW type pumps

D42817

Oil Feed O-Ring



A p p l i c a t i o n

Mercedes V8, V6 series

S p e c i f i c a t i o n s

inside diameter: 7mm


outside diameter: 13mm

thickness: 3mm

material: Rubber

D5855-30EP

Mounting O-Ring



A p p l i c a t i o n

Bedford 330 with hyd governor DPA
fuel pump

S p e c i f i c a t i o n s

inside diameter: 56.5mm

outside diameter: 63.5mm

thickness: 3.5mm

material: Rubber



DIPACO
DIESEL
PARTS
U S A

MOUNTING GASKETS, O-RINGS AND HARDWARE

CHAPTER 15

A p p l i c a t i o n

DPA with 50mm spigot

Mounting Gasket

D7167-496



A p p l i c a t i o n


2H Toyota

S p e c i f i c a t i o n s

inside diameter: 129mm
outside diameter: 135mm
thickness: 3mm
material: Rubber

Pump Mounting O-Ring

D90301-99013




A p p l i c a t i o n

CAV

Pump Mounting Gasket

D731-176M1




MOUNTING GASKETS, O-RINGS AND HARDWARE



DIPACO
DIESEL
PARTS
U S A

DR460R

Mounting O-Ring



A p p l i c a t i o n

John Deere

S p e c i f i c a t i o n s

inside diameter: 1-1/16"


outside diameter: 1-5/16"

thickness: -

material: Rubber

D2136717

Pump Mounting Gasket




A p p l i c a t i o n

Deutz

D1162625

Transfer Pump Mounting O-Ring



A p p l i c a t i o n

Deutz

S p e c i f i c a t i o n s

inside diameter: -

outside diameter: -

thickness: -

material: Rubber



DIPACO
DIESEL
PARTS
U S A


MOUNTING GASKETS, O-RINGS AND HARDWARE

CHAPTER 15

A p p l i c a t i o n

Ford

Turbo Air Outlet Gasket




DE3ZZ9F703A

A p p l i c a t i o n

Ford

Turbo Air Intake Gasket (Cork)



DE3ZZ9D634A


A p p l i c a t i o n

Ford

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Rubber

Pump Mount O-Ring



D87071S94


MOUNTING GASKETS, O-RINGS AND HARDWARE



DIPACO
DIESEL
PARTS
U S A

DC5NE9F598A

Front Plate Cover Gasket




A p p l i c a t i o n

Ford

D6C019C7TZA

Mounting O-Ring



A p p l i c a t i o n


Ford

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Rubber

D10137537

Air Cleaner Gasket



A p p l i c a t i o n

GM 6.5L



DIPACO
DIESEL
PARTS
U S A

MOUNTING GASKETS, O-RINGS AND HARDWARE


CHAPTER 15

A p p l i c a t i o n

GM 6.2L/6.5L

Intake Manifold Gasket (with Teflon anti-stick coating)

DPE91586




MOUNTING GASKETS, O-RINGS AND HARDWARE



DIPACO
DIESEL
PARTS
U S A

D14022651

Pump Mount Gasket




A p p l i c a t i o n

GM 6.2L/6.5L

D14033942

Air Cleaner Base Gasket




A p p l i c a t i o n

GM 6.2L

D56AX574

Oil Fill Tube Gasket



A p p l i c a t i o n

Mack



DIPACO
DIESEL
PARTS
U S A


MOUNTING GASKETS, O-RINGS AND HARDWARE

CHAPTER 15

A p p l i c a t i o n
Mack

Oil Fill Tube Gasket


D590GB1362



A p p l i c a t i o n
Mack

Breather Tube Gasket


D590GB2111A



A p p l i c a t i o n
Navistar DT360/DT466

Pump Mount Gasket

D675609C2



MOUNTING GASKETS, O-RINGS AND HARDWARE




DIPACO
DIESEL
PARTS
U S A

D489239C2

Pump Mount Gasket

A p p l i c a t i o n

Navistar (Robert Bosch)




D489244C1

Pump Mount Gasket

A p p l i c a t i o n

Navistar




D1342756C1

**Front Cover Pump Mount
Gasket**

A p p l i c a t i o n

Navistar





DIPACO
DIESEL
PARTS
U S A

MOUNTING GASKETS, O-RINGS AND HARDWARE

CHAPTER 15


A p p l i c a t i o n

Navistar 6.9L/7.3L
(purple)

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Rubber

Pump Mount O-Ring



D382781R1


A p p l i c a t i o n

Mack

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Rubber

Timing Cover O-Ring



D56AX548


A p p l i c a t i o n

Mack (P7100)

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: -
thickness: -
material: Rubber

Pump Adapter O-Ring



D446GC289

MOUNTING GASKETS, O-RINGS AND HARDWARE



DIPACO
DIESEL
PARTS
U S A

D28549R1

Pump Mount Bolt



A p p l i c a t i o n

Navistar 6.9L/7.3L



DIPACO
DIESEL
PARTS
U S A

COUPLINGS AND DISCS

CHAPTER 16


A p p l i c a t i o n

Denso pumps

S p e c i f i c a t i o n s

inside diameter: -
outside diameter: 90mm
thickness: 12.3mm
material: Fibre

Fibre Coupling Disc



D092436-0020


A p p l i c a t i o n

Mercedes

S p e c i f i c a t i o n s

inside diameter: 44mm
outside diameter: 94mm
thickness: 0.5mm
material: Steel

Coupling Disc



D1 410 136 005

A p p l i c a t i o n

PTG drive assembly

Coupling



D101918

A p p l i c a t i o n

AFC & PTG couplings

S p e c i f i c a t i o n s

material: Rubber

Spider (black)



D162426

COUPLINGS AND DISCS



DIPACO
DIESEL
PARTS
U S A

D212613

Coupling



A p p l i c a t i o n

AFC drive assembly

D3046200

Spider (white)



A p p l i c a t i o n


AFC & PTG couplings

S p e c i f i c a t i o n s

material: Nylon

D43224

Coupling Disc



A p p l i c a t i o n

Volvo

S p e c i f i c a t i o n s

inside diameter: 64mm


outside diameter: 116mm

thickness: 0.7mm

material: Steel

D43225

Coupling Disc



A p p l i c a t i o n

Leyland

S p e c i f i c a t i o n s

inside diameter: 48mm

outside diameter: 100mm

thickness: 0.5mm

material: Steel



DIPACO
DIESEL
PARTS
U S A

COUPLINGS AND DISCS

CHAPTER 16

A p p l i c a t i o n

suit Coupling Discs for Volvo F12 series

Bolt & Nut



D43226

A p p l i c a t i o n

suit Coupling Discs for Scania 141

S p e c i f i c a t i o n s

inside diameter: 10mm

outside diameter: 13mm

thickness: 7mm

material: Steel

Washer



D43227

A p p l i c a t i o n

various Simms pumps

S p e c i f i c a t i o n s

width: 20mm

material: Rubber

Coupling Insert



D87209

A p p l i c a t i o n

various Simms Pumps

S p e c i f i c a t i o n s

20mm taper

Coupling



DCR103

COUPLINGS AND DISCS



DIPACO
DIESEL
PARTS

U S A



DIPACO
DIESEL
PARTS
U S A

LIFT PUMP REPAIR KITS AND ACCESSORIES

CHAPTER 17

A p p l i c a t i o n

Zexel lift pumps

S p e c i f i c a t i o n s

inside diameter: 4mm
outside diameter: 14.1mm
thickness: 5mm

Spindle Seal



D029620-4000

A p p l i c a t i o n

Zexel lift pumps

S p e c i f i c a t i o n s

inside diameter: 32mm
outside diameter: 36mm
thickness: 2mm
material: Rubber

Lift Pump Mounting O-Ring



D029633-1010

A p p l i c a t i o n

Denso banjo bolts

Banjo Bolt Filter



D092220-0040

A p p l i c a t i o n

Denso KE & KS lift pumps

Lift Pump Kit



D192290-0060

LIFT PUMP REPAIR KITS AND ACCESSORIES



DIPACO
DIESEL
PARTS
U S A

D2 447 010 017

Pre-filter Kit (without clamp)



A p p l i c a t i o n

Bosch lift pumps

D2 447 010 024

Lift Pump Kit



A p p l i c a t i o n

Bosch lift pumps

D2 447 010 027

Pre-filter Kit (with clamp)



A p p l i c a t i o n

Bosch lift pumps

D949140-0380

Lift Pump Mounting O-Ring



A p p l i c a t i o n

Denso lift pumps

S p e c i f i c a t i o n s

inside diameter: 32mm

outside diameter: 36mm

thickness: 2mm

material: Rubber



DIPACO
DIESEL
PARTS
U S A

LIFT PUMP REPAIR KITS AND ACCESSORIES

CHAPTER 17

A p p l i c a t i o n

Denso lift pumps

S p e c i f i c a t i o n s

inside diameter: 4mm
outside diameter: 12.9mm
thickness: 8mm

Spindle Seal



D949150-0970

A p p l i c a t i o n

KD, KE & KS Lift pumps

S p e c i f i c a t i o n s

inside diameter: 4mm
outside diameter: 14.5mm
thickness: 4mm

Spindle Seal



D949150-2700

A p p l i c a t i o n

SPE 22B Mack

Lift Pump Kit



DKT7948

A p p l i c a t i o n

M type lift pumps

Lift Pump Mounting Gasket



D1 410 051 002

LIFT PUMP REPAIR KITS AND ACCESSORIES



DIPACO
DIESEL
PARTS
U S A

D1 411 073 004

Lift Pump Mounting Gasket



A p p l i c a t i o n

A, P, MW type (roller tappet) lift pump

D1 411 073 006

Lift Pump Mounting Gasket



A p p l i c a t i o n

MW type lift pump

D1 450 410 011

Filter Screen



A p p l i c a t i o n

Bosch pre-filters

S p e c i f i c a t i o n s

material: Nylon

D1 457 434 000

Pre-filter Assembly



A p p l i c a t i o n

various plunger type feed pumps



DIPACO
DIESEL
PARTS
U S A

LIFT PUMP REPAIR KITS AND ACCESSORIES

CHAPTER 17

A p p l i c a t i o n

pre-filter glass bowl

S p e c i f i c a t i o n s

inside diameter: 28mm
outside diameter: 36.5mm
thickness: 2.1mm
material: Rubber

Pre-filter Seal



D2 440 109 005

A p p l i c a t i o n

most plunger type feed pumps

Valve



D2 443 203 001

A p p l i c a t i o n

2 valve plunger type feed pumps

Major Service Kit



D2 447 010 004

A p p l i c a t i o n

some plunger type feed pumps

Valve



D2 447 419 002

LIFT PUMP REPAIR KITS AND ACCESSORIES



DIPACO
DIESEL
PARTS
U S A

D43309

Lift Pump Service Kit



A p p l i c a t i o n

suit AC type VP lift pumps

D43310

Lift Pump Service Kit



A p p l i c a t i o n

AC type YD/YJ lift pumps

D43325

Lift Pump Service Kit



A p p l i c a t i o n

P1886/5 suit Ford (Europa)

D43327

Lift Pump Service Kit



A p p l i c a t i o n

suit AC type YD lift pumps Deutz & Lombardini



DIPACO
DIESEL
PARTS
U S A

LIFT PUMP REPAIR KITS AND ACCESSORIES


CHAPTER 17

A p p l i c a t i o n

Deutz lift pump

Lift Pump Service Kit

D43333



A p p l i c a t i o n

Bosch lift pumps

Lift Pump Kit (with hand primer)

D43338



A p p l i c a t i o n

various Zexel hand primers

Hand Primer Cover

D43339



A p p l i c a t i o n

SPA, SPT type Ambac lift pumps

Lift Pump Mounting Gasket

DGA400554



LIFT PUMP REPAIR KITS AND ACCESSORIES



DIPACO
DIESEL
PARTS
U S A

DPE22240

Lift Pump Repair Kit



A p p l i c a t i o n

Caterpillar 3300-3406 series - late

DPE22245

Lift Pump Repair Kit



A p p l i c a t i o n

Caterpillar 3300-3406 series - early



DIPACO
DIESEL
PARTS
U S A

BEARINGS AND BUSHINGS

CHAPTER 18

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 20mm

outside diameter: 47mm

width: 14mm

Ball Bearing (thrust)



D028102-0010

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 52mm

outside diameter: 25mm

width: 15mm

Ball Bearing



D028102-5010

A p p l i c a t i o n

various Denso combined governors

Governor Thrust Bearing



D090656-0010

A p p l i c a t i o n

"R801" Denso governors

S p e c i f i c a t i o n s

inside diameter: 10.4mm

outside diameter: -

length: 20.4mm

Bush



D090892-0181

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

D1 410 900 014

Roller Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 25mm

outside diameter: 62mm

width: 17mm

D1 410 900 015

Bearing

photo will
be available
in following
update

A p p l i c a t i o n

Various

S p e c i f i c a t i o n s

inside diameter: -

outside diameter: -

thickness: -

D1 410 910 004

Needle Roller Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 25mm

outside diameter: 37mm

width: 16mm

D1 410 910 005

Needle Roller Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 25mm

outside diameter: 42mm

width: 16mm



A p p l i c a t i o n

RQ & RQV governor throttle shaft

S p e c i f i c a t i o n s

inside diameter: 11mm

outside diameter: 15mm

length: 18mm

Bush



D1 420 301 006

A p p l i c a t i o n

RQ & RQV governor stop shaft

S p e c i f i c a t i o n s

inside diameter: 8mm

outside diameter: 12mm

total length: 15mm

collar length: 7mm

Bush



D1 420 328 004

A p p l i c a t i o n

RQ & RQV governor stop shaft

S p e c i f i c a t i o n s

inside diameter: 8mm

outside diameter: 12mm

total length: 15mm

collar length: 4.5mm

Bush



D1 420 328 005

A p p l i c a t i o n

various Bosch governors

S p e c i f i c a t i o n s

inside diameter: 15mm

outside diameter: 27.8mm

width: 2mm

Needle Roller Bearing



D1 420 920 004

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

D1 420 920 008

Bearing



A p p l i c a t i o n

Various

S p e c i f i c a t i o n s

inside diameter: -

outside diameter: -

thickness: -

D15398

Pilot Tube Bush



A p p l i c a t i o n

various "DB" Stanadyne pumps

S p e c i f i c a t i o n s

inside diameter: 22.25mm

outside diameter: 27mm

length: 46.6mm

D16320

Pilot Tube



A p p l i c a t i o n

various "DB" Stanadyne pumps

S p e c i f i c a t i o n s

inside diameter: 22.25mm

outside diameter: 27mm

length: 46.6mm

D16323

Pilot Tube Bush



A p p l i c a t i o n

Stanadyne pumps

S p e c i f i c a t i o n s

inside diameter: 22.25mm

outside diameter: 27mm

length: 51.4mm



A p p l i c a t i o n

Stanadyne Pumps


S p e c i f i c a t i o n s

inside diameter: 22.25mm

outside diameter: 27mm

length: 42.3mm

Pilot Tube



D18953

A p p l i c a t i o n

various "DM" Stanadyne pumps

S p e c i f i c a t i o n s

inside diameter: 25mm

outside diameter: 62mm

width: 17mm

Ball Bearing



D19836

A p p l i c a t i o n

various "DM" Stanadyne pumps

S p e c i f i c a t i o n s

inside diameter: 30mm

outside diameter: 62mm

width: 16mm

Ball Bearing



D20274

A p p l i c a t i o n

various "DB2" Stanadyne pumps


S p e c i f i c a t i o n s

inside diameter: 22.25mm

outside diameter: 27mm

length: 42.85mm

Pilot Tube Bush



D23382

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

D24101-063064

Ball Bearing



A p p l i c a t i o n

Yanmar pumps

S p e c i f i c a t i o n s

inside diameter: 17mm
outside diameter: 47mm
width: 14mm

D2 410 910 005

Roller Bearing



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 30mm
outside diameter: 68mm
width: 20mm

D2 410 914 002

Roller Bearing



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

inside diameter: 36mm
outside diameter: 58mm
width: 19.5mm

D2 420 301 004

Bush



A p p l i c a t i o n

RQ & RQV governor throttle shaft

S p e c i f i c a t i o n s

inside diameter: 10.8mm
outside diameter: 15mm
length: 17.6mm
material: Brass



DIPACO
DIESEL
PARTS
U S A

BEARINGS AND BUSHINGS

CHAPTER 18

A p p l i c a t i o n

various "DB4" Stanadyne pumps

S p e c i f i c a t i o n s

inside diameter: 28.5mm

outside diameter: 38.1mm

width: 19mm

Bearing & Seal Kit



D30806

A p p l i c a t i o n

various Simms governor throttle shaft

S p e c i f i c a t i o n s

inside diameter: 9.5mm

outside diameter: 12.8mm

length: 8mm

material: porous bronze

Bush



D506378

A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

inside diameter: 10mm

outside diameter: 30mm

width: 9mm

Roller Bearing



D949100-0010

A p p l i c a t i o n

various Denso "RU" type governors

S p e c i f i c a t i o n s

inside diameter: 15mm

outside diameter: 31mm

width: 9mm

Ball Bearing (thrust)



D949100-0801

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

D949100-0810

Ball Bearing (sealed)



A p p l i c a t i o n

various Denso pumps

S p e c i f i c a t i o n s

inside diameter: 15mm

outside diameter: 42mm

width: 13mm

D949100-2860

Ball Bearing (thrust)



A p p l i c a t i o n

various Denso governors

S p e c i f i c a t i o n s

inside diameter: 3mm

outside diameter: 8mm

width: 3.5mm

D949100-2970

Needle Roller Bearing

photo will
be available
in following
update

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm

outside diameter: 24mm

width: 13mm

D949101-0140

Tapered Roller Bearing



A p p l i c a t i o n

various Denso pumps

S p e c i f i c a t i o n s

inside diameter: 20mm

outside diameter: 52mm

width: 17mm



DIPACO
DIESEL
PARTS
U S A

BEARINGS AND BUSHINGS

CHAPTER 18

A p p l i c a t i o n

AMBAC governors

S p e c i f i c a t i o n s

inside diameter: 15.8mm

outside diameter: 36mm

width: 14.2mm

Thrust Bearing



DBB403798

A p p l i c a t i o n

AMBAC governors

S p e c i f i c a t i o n s

inside diameter: 17mm

outside diameter: 40mm

width: 12mm

Ball Bearing with Circlip



DBB410315

A p p l i c a t i o n

AMBAC governor throttle shaft

S p e c i f i c a t i o n s

inside diameter: 9.6mm

outside diameter: 12.8mm

length: 9.5mm

Bush



DBG400704

A p p l i c a t i o n

Caterpillar governors

Needle Roller Bearing



D7M7219

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

DPE17219

Needle Roller Kit



A p p l i c a t i o n

Caterpillar governors

D1 420 301 002

Bush



A p p l i c a t i o n

RQ & RQV governor throttle shafts

S p e c i f i c a t i o n s

inside diameter: 11mm

outside diameter: 15mm

length: 21mm

D1 460 324 315

Bush



A p p l i c a t i o n

VE governor covers

S p e c i f i c a t i o n s

inside diameter: 10mm

outside diameter: 14mm

length: 19.9mm

D1 460 324 316

Bush



A p p l i c a t i o n

VE governor covers

S p e c i f i c a t i o n s

inside diameter: 10mm

outside diameter: 14mm

length: 24.4mm



A p p l i c a t i o n

VE governor covers

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 14mm
length: 35.1mm

Bush



D1 460 324 332

A p p l i c a t i o n

VE governor covers

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 14mm
thickness: 30.6mm

Bush



D1 460 324 333

A p p l i c a t i o n

VE governor covers

S p e c i f i c a t i o n s

inside diameter: 10mm
outside diameter: 14mm
length: 33.5mm

Bush



D1 460 324 337

A p p l i c a t i o n

VE drive shaft (17mm)

S p e c i f i c a t i o n s

inside diameter: 16.5mm
outside diameter: 21.2mm
length: 15.2mm

Bush



D1 460 400 004

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

D1 460 400 014

Bush



A p p l i c a t i o n

VE drive shaft (20mm)

S p e c i f i c a t i o n s

inside diameter: 19.5mm

outside diameter: 24.2mm

length: 15.2mm

D1 900 301 012

Bush



A p p l i c a t i o n

various governor shafts

S p e c i f i c a t i o n s

inside diameter: 8mm

outside diameter: 12mm

length: 10mm

D1 900 900 302

Ball Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 12mm

outside diameter: 32mm

width: 10mm

D1 900 900 305

Ball Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 17mm

outside diameter: 40mm

width: 12mm



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 17mm

outside diameter: 40mm

width: 10mm

Ball Bearing



D1 900 900 018

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 17mm

outside diameter: 40mm

width: 13.5mm

Tapered Roller Bearing



D1 900 910 201

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 20mm

outside diameter: 42mm

width: 15.5mm

Tapered Roller Bearing



D1 900 910 202

A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 25mm

outside diameter: 52mm

width: 15.5mm

Tapered Roller Bearing



D1 900 910 203

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

D1 900 910 204

Tapered Roller Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 30mm
 outside diameter: 62mm
 width: 17.5mm

D1 900 910 240

Tapered Roller Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 25mm
 outside diameter: 52mm
 width: 19.5mm

D1 900 910 241

Tapered Roller Bearing



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

inside diameter: 30mm
 outside diameter: 62mm
 width: 21.5mm

D20084

Roller Bearing



A p p l i c a t i o n

various Simms pumps

S p e c i f i c a t i o n s

inside diameter: 20mm
 outside diameter: 47mm
 width: 12mm



DIPACO
DIESEL
PARTS
U S A

BEARINGS AND BUSHINGS

CHAPTER 18

A p p l i c a t i o n

various Simms governors

S p e c i f i c a t i o n s

inside diameter: 29mm
outside diameter: 44mm
width: 4.7mm

Ball Bearing (all steel cage)



D500120

A p p l i c a t i o n

Simms pump throttle shaft

S p e c i f i c a t i o n s

inside diameter: 9.5mm
outside diameter: 13.1mm
total length: 18mm
collar length: 5mm

Bush



D501849

A p p l i c a t i o n

various Simms pumps

S p e c i f i c a t i o n s

inside diameter: 20mm
outside diameter: 47mm
width: 12.5mm

Tapered Roller Bearing



D503742

A p p l i c a t i o n

various Simms governors

S p e c i f i c a t i o n s

inside diameter: 29mm
outside diameter: 44mm
width: 4.7mm

Roller Bearing (in nylon cage)



D503743

BEARINGS AND BUSHINGS



DIPACO
DIESEL
PARTS
U S A

DRB1004

Tapered Roller Bearing



A p p l i c a t i o n

various AMBAC pumps

S p e c i f i c a t i o n s

inside diameter: 25.5mm
outside diameter: 62mm
width: 21mm

DRB400059

Tapered Roller Bearing



A p p l i c a t i o n

various AMBAC pumps

S p e c i f i c a t i o n s

inside diameter: 35mm
outside diameter: 65mm
width: 18.5mm



DIPACO
DIESEL
PARTS
U S A

HAND PRIMERS

CHAPTER 19

A p p l i c a t i o n

Stanadyne systems

Hand Primer Assembly



D18976

A p p l i c a t i o n

Stanadyne systems

Hand Primer Assembly



D23457

A p p l i c a t i o n

adaptable to CAV filters

S p e c i f i c a t i o n s

threads: outlet/inlet 1/2"
UNF

Hand Primer Assembly



D6223003

A p p l i c a t i o n

various Denso

Hand Primer Assembly



D092130-0050

HAND PRIMERS



DIPACO
DIESEL
PARTS
U S A

D092130-0220

Hand Primer Assembly



A p p l i c a t i o n

various Denso

S p e c i f i c a t i o n s

spring loaded

D152200-1220

Hand Primer Assembly



A p p l i c a t i o n

various Zexel

D152200-5320

Hand Primer Assembly



A p p l i c a t i o n

Mazda & Ford

S p e c i f i c a t i o n s

o-ring mount type

D152200-5420

Hand Primer Assembly



A p p l i c a t i o n

various Zexel

S p e c i f i c a t i o n s

o-ring mount type



DIPACO
DIESEL
PARTS
U S A

HAND PRIMERS

CHAPTER 19

A p p l i c a t i o n

Nissan

S p e c i f i c a t i o n s

o-ring mount type

Hand Primer Assembly



D152200-5620

A p p l i c a t i o n

various Bosch

Hand Primer Assembly



D2 447 010 033

A p p l i c a t i o n

3208, 3300 series, 3406B Caterpillar

Hand Primer Assembly



D4W0788

A p p l i c a t i o n

8 Cylinder Mack

Hand Primer Assembly



DMP404760

HAND PRIMERS



DIPACO
DIESEL
PARTS
U S A

D0 440 011 007

Hand Primer Assembly



A p p l i c a t i o n

various Bosch

S p e c i f i c a t i o n s

chassis or engine mount

D2 447 222 000

Hand Primer Assembly



A p p l i c a t i o n

various Bosch

D2 447 222 020

Hand Primer Assembly



A p p l i c a t i o n

various Bosch

D43362

Hand Primer Assembly



A p p l i c a t i o n

various

S p e c i f i c a t i o n s

rubber hand primer with 10mm barbs



DIPACO
DIESEL
PARTS
U S A

HAND PRIMERS

CHAPTER 19

A p p l i c a t i o n
various Zexel pumps

Hand Primer Assembly



D52200-1120

A p p l i c a t i o n
various Ford
S p e c i f i c a t i o n s

Hand Primer Assembly

photo will
be available
in following
update

D5501006

A p p l i c a t i o n
various
S p e c i f i c a t i o n s
rubber hand primer with 8mm barbs

Hand Primer Assembly



D9001-088

A p p l i c a t i o n
CAV-ROTO diesel

Hand Primer Assembly



D9041-144H

HAND PRIMERS



DIPACO
DIESEL
PARTS

U S A



A p p l i c a t i o n

Volvo BM846 loader

S p e c i f i c a t i o n s

voltage: 24V

Solenoid



D0 330 001 003


A p p l i c a t i o n

various

S p e c i f i c a t i o n s

voltage: 12V

Solenoid



D0 330 001 004

A p p l i c a t i o n

various VA pumps

S p e c i f i c a t i o n s

voltage: 12V

Solenoid



D0 330 106 006

A p p l i c a t i o n

various Denso "VE" pumps

S p e c i f i c a t i o n s

voltage: -

Tacho Pick Up Assembly



D076300-1690

SOLENOIDS



DIPACO
DIESEL
PARTS
U S A

D076300-1950

Tacho Pick Up Assembly



A p p l i c a t i o n

various Denso "VE"

S p e c i f i c a t i o n s

voltage: -

D096010-0500

Solenoid Kit



A p p l i c a t i o n

various VE pumps (Denso only)

S p e c i f i c a t i o n s

voltage: 12V

D096010-0510

Solenoid Kit



A p p l i c a t i o n

various VE pumps (Denso only)

S p e c i f i c a t i o n s

voltage: 24V

D096030-0160

Solenoid



A p p l i c a t i o n

various Denso VE pumps

S p e c i f i c a t i o n s

voltage: 12V



A p p l i c a t i o n

various Denso VE pumps

S p e c i f i c a t i o n s

voltage: 12V

Solenoid



D096030-0520

A p p l i c a t i o n

suit Denso solenoids

Lead Wire Assembly



D096045-0060

A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

voltage: 24V

Solenoid



D146650-0820

A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

voltage: 12V

Solenoid



D146650-1220

SOLENOIDS



DIPACO
DIESEL
PARTS
U S A

D146650-2420

Solenoid



A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

voltage: 12V

D146650-2520

Solenoid



A p p l i c a t i o n

various Zexel VE pumps

S p e c i f i c a t i o n s

voltage: 24V

D146658-4020

Lead Wire Assembly



A p p l i c a t i o n

suit Zexel solenoids

D146658-8920

Lead Wire Assembly



A p p l i c a t i o n

suit Zexel solenoids



A p p l i c a t i o n

various Stanadyne pumps

S p e c i f i c a t i o n s

voltage: 12V (ETR)
energised to run

Solenoid



D26214

A p p l i c a t i o n

various Stanadyne pumps

S p e c i f i c a t i o n s

voltage: 24V (ETR)
energised to run

Solenoid



D26387

A p p l i c a t i o n

various Stanadyne solenoids

Solenoid & Mounting Kit



D26431

A p p l i c a t i o n

various Stanadyne pumps

S p e c i f i c a t i o n s

voltage: 6V (ETSO)
energised to shut
off

Solenoid



D26921

SOLENOIDS



DIPACO
DIESEL
PARTS
U S A

D9080-127

Solenoid (with leads)



A p p l i c a t i o n

various DPA (Japanese)

S p e c i f i c a t i o n s

voltage: 12V

D134075

Solenoid



A p p l i c a t i o n

Cummins pumps

S p e c i f i c a t i o n s

voltage: 12V
(dual terminal)

D134076

Solenoid



A p p l i c a t i o n

Cummins pumps

S p e c i f i c a t i o n s

voltage: 24V
(dual terminal)

D3054610

Solenoid



A p p l i c a t i o n

Cummins pumps

S p e c i f i c a t i o n s

voltage: 24V
(single terminal)



A p p l i c a t i o n

Cummins pumps

S p e c i f i c a t i o n s

voltage: 12V
(single terminal)

Solenoid



D3054611

A p p l i c a t i o n

suit 3208 & CAT Universal

S p e c i f i c a t i o n s

voltage: 24V

Solenoid



D6N9987

A p p l i c a t i o n

suit 3208 & CAT Universal

S p e c i f i c a t i o n s

voltage: 12V

Solenoid



D6N9988


A p p l i c a t i o n

various AMBAC model 100 pumps

S p e c i f i c a t i o n s

voltage: 12V

Solenoid



DKT85208

SOLENOIDS



DIPACO
DIESEL
PARTS
U S A

D0 330 001 015

Solenoid



A p p l i c a t i o n

various VE pumps

S p e c i f i c a t i o n s

voltage: 12V

D0 330 001 016

Solenoid



A p p l i c a t i o n

various VE pumps

S p e c i f i c a t i o n s

voltage: 24V

D7167-620A

Solenoid



A p p l i c a t i o n


various DPA, DPS pumps

S p e c i f i c a t i o n s

voltage: 12V

D7167-620D

Solenoid



A p p l i c a t i o n

various DPA, DPS pumps

S p e c i f i c a t i o n s

voltage: 12V



DIPACO
DIESEL
PARTS
U S A

SOLENOIDS

CHAPTER 20

A p p l i c a t i o n

various DPA, DPS pumps

S p e c i f i c a t i o n s

voltage: 24V

Solenoid



D7180-49A


A p p l i c a t i o n

various DPA, DPS pumps

S p e c i f i c a t i o n s

voltage: 24V

Solenoid



D7180-49D

A p p l i c a t i o n

various DPA, DPS pumps

S p e c i f i c a t i o n s

voltage: 12V

Solenoid



D9009-049

SOLENOIDS



DIPACO
DIESEL
PARTS

U S A



A p p l i c a t i o n

Navistar DT360/DT466

S p e c i f i c a t i o n s

D675816C1	Access Cover Gasket	1
D675609C2	Pump Mount Gasket	1
D265204R1	3/8" Fuel Line Sleeve	6
D680246C1	Injector Return Hose (Ft)	4
D915500R1	1/4" Fuel Line Sleeve	4
D1802452C1	Injector Return Cap	1
D1802453C1	Return Hose Clamp	13
D675477C1	Nozzle Gasket	6
D682810C1	Injector Dust Seal	6

Pump and Injector Installation Kit

DPE46600

A p p l i c a t i o n

Navistar DT360/DT466

S p e c i f i c a t i o n s

D675816C1	Access Cover Gasket	1
D675609C2	Pump Mount Gasket	1
D265204R1	3/8" Fuel Line Sleeve	6
D915500R1	1/4" Fuel Line Sleeve	4

Pump Installation Kit

DPE46610

A p p l i c a t i o n

Navistar DT360/DT466

S p e c i f i c a t i o n s

D680246C1	Injector Return Hose (Ft)	4
D1802452C1	Injector Return Cap	1
D1802453C1	Injector Return Clamp	13
D675477C1	Nozzle Gasket	6
D682810C1	Injector Dust Seal	6

Injector Installation Kit

DPE46620

A p p l i c a t i o n

Navistar and Ford 6.9L/7.3L

S p e c i f i c a t i o n s

D680246C1	Injector Return Hose (Ft)	6
D1802453C1	Injector Return Clamp	18
D1804332C1	Return Hose Adapter	4
D1805670C1	Return Hose Adapter	3
D1807947C1	Return Hose Adapter	1
D355966R1	Return Line O-Ring	16
D489256C1	Injector Washer	8
D134630H1	5/16" Fuel Line Sleeve	2
D265204R1	3/8" Fuel Line Sleeve	1
D369384R1	Fuel Inlet O-Ring	1
D28549R1	Pump Mount Bolt	3
D382781R1	Pump Mount O-Ring	1

Pump and Injector Installation Kit

DPE69100

INSTALLATION AND REPAIR KITS



DIPACO
DIESEL
PARTS
U S A

DPE69110	Pump Installation Kit	<i>A p p l i c a t i o n</i> Navistar and Ford 6.9L/7.3L <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D134630H1</td><td>5/16" Fuel Line Sleeve</td><td>2</td></tr> <tr> <td>D265204R1</td><td>3/8" Fuel Line Sleeve</td><td>1</td></tr> <tr> <td>D369384R1</td><td>Fuel Inlet O-Ring</td><td>1</td></tr> <tr> <td>D28549R1</td><td>Pump Mount Bolt</td><td>3</td></tr> <tr> <td>D382781R1</td><td>Pump Mount O-Ring</td><td>1</td></tr> </table>	D134630H1	5/16" Fuel Line Sleeve	2	D265204R1	3/8" Fuel Line Sleeve	1	D369384R1	Fuel Inlet O-Ring	1	D28549R1	Pump Mount Bolt	3	D382781R1	Pump Mount O-Ring	1																		
D134630H1	5/16" Fuel Line Sleeve	2																																	
D265204R1	3/8" Fuel Line Sleeve	1																																	
D369384R1	Fuel Inlet O-Ring	1																																	
D28549R1	Pump Mount Bolt	3																																	
D382781R1	Pump Mount O-Ring	1																																	
DPE69120	Injector Installation Kit	<i>A p p l i c a t i o n</i> Navistar and Ford 6.9L/7.3L <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D680246C1</td><td>Injector Return Hose (Ft)</td><td>6</td></tr> <tr> <td>D1802453C1</td><td>Injector Return Clamp</td><td>18</td></tr> <tr> <td>D1804332C1</td><td>Return Hose Adapter</td><td>4</td></tr> <tr> <td>D1805670C1</td><td>Return Hose Adapter</td><td>3</td></tr> <tr> <td>D1807947C1</td><td>Return Hose Adapter</td><td>1</td></tr> <tr> <td>D355966R1</td><td>Return Line O-Ring</td><td>16</td></tr> <tr> <td>D489256C1</td><td>Injector Washer</td><td>8</td></tr> </table>	D680246C1	Injector Return Hose (Ft)	6	D1802453C1	Injector Return Clamp	18	D1804332C1	Return Hose Adapter	4	D1805670C1	Return Hose Adapter	3	D1807947C1	Return Hose Adapter	1	D355966R1	Return Line O-Ring	16	D489256C1	Injector Washer	8												
D680246C1	Injector Return Hose (Ft)	6																																	
D1802453C1	Injector Return Clamp	18																																	
D1804332C1	Return Hose Adapter	4																																	
D1805670C1	Return Hose Adapter	3																																	
D1807947C1	Return Hose Adapter	1																																	
D355966R1	Return Line O-Ring	16																																	
D489256C1	Injector Washer	8																																	
DPE69130	Minor Injector Installation Kit	<i>A p p l i c a t i o n</i> Navistar and Ford 6.9L/7.3L <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D1802453C1</td><td>Injector Return Clamp</td><td>18</td></tr> <tr> <td>D355966R1</td><td>Return Line O-Ring</td><td>16</td></tr> <tr> <td>D489256C1</td><td>Injector Washer</td><td>8</td></tr> </table>	D1802453C1	Injector Return Clamp	18	D355966R1	Return Line O-Ring	16	D489256C1	Injector Washer	8																								
D1802453C1	Injector Return Clamp	18																																	
D355966R1	Return Line O-Ring	16																																	
D489256C1	Injector Washer	8																																	
DPE73100	Pump and Injector Installation Kit	<i>A p p l i c a t i o n</i> Navistar and Ford 7.3L Late Style <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D1813259C1</td><td>Injector Return Hose (Ft)</td><td>6</td></tr> <tr> <td>D1811226C1</td><td>Injector Return Clamp</td><td>18</td></tr> <tr> <td>D1811230C1</td><td>Return Hose Adapter</td><td>6</td></tr> <tr> <td>D1811231C2</td><td>Return Hose Adapter</td><td>4</td></tr> <tr> <td>D355966R1</td><td>Return Line O-Ring</td><td>16</td></tr> <tr> <td>D489256C1</td><td>Injector Washer</td><td>8</td></tr> <tr> <td>D134630H1</td><td>5/16" Fuel Line Sleeve</td><td>2</td></tr> <tr> <td>D265204R1</td><td>3/8" Fuel Line Sleeve</td><td>1</td></tr> <tr> <td>D369384R1</td><td>Fuel Inlet O-Ring</td><td>1</td></tr> <tr> <td>D28549R1</td><td>Pump Mount Bolt</td><td>3</td></tr> <tr> <td>D382781R1</td><td>Pump Mount O-Ring</td><td>1</td></tr> </table>	D1813259C1	Injector Return Hose (Ft)	6	D1811226C1	Injector Return Clamp	18	D1811230C1	Return Hose Adapter	6	D1811231C2	Return Hose Adapter	4	D355966R1	Return Line O-Ring	16	D489256C1	Injector Washer	8	D134630H1	5/16" Fuel Line Sleeve	2	D265204R1	3/8" Fuel Line Sleeve	1	D369384R1	Fuel Inlet O-Ring	1	D28549R1	Pump Mount Bolt	3	D382781R1	Pump Mount O-Ring	1
D1813259C1	Injector Return Hose (Ft)	6																																	
D1811226C1	Injector Return Clamp	18																																	
D1811230C1	Return Hose Adapter	6																																	
D1811231C2	Return Hose Adapter	4																																	
D355966R1	Return Line O-Ring	16																																	
D489256C1	Injector Washer	8																																	
D134630H1	5/16" Fuel Line Sleeve	2																																	
D265204R1	3/8" Fuel Line Sleeve	1																																	
D369384R1	Fuel Inlet O-Ring	1																																	
D28549R1	Pump Mount Bolt	3																																	
D382781R1	Pump Mount O-Ring	1																																	



DIPACO
DIESEL
PARTS
U S A

INSTALLATION AND REPAIR KITS

CHAPTER 21

A p p l i c a t i o n

Navistar and Ford 7.3L Late Style

S p e c i f i c a t i o n s

D1813259C1	Injector Return Hose (Ft)	6
D1811226C1	Injector Return Clamp	18
D1811230C1	Return Hose Adapter	6
D1811231C2	Return Hose Adapter	4
D355966R1	Return Line O-Ring	16
D489256C1	Injector Washer	8

Injector Installation Kit

DPE73120

A p p l i c a t i o n

Navistar and Ford 7.3L Late Style

S p e c i f i c a t i o n s

D1811226C1	Injector Return Clamp	16
D355966R1	Return Line O-Ring	16
D489256C1	Injector Washer	8

Minor Injector Installation Kit

DPE73130

INSTALLATION AND REPAIR KITS



DIPACO
DIESEL
PARTS
U S A

DPE14002	Injector Installation Kit	<i>A p p l i c a t i o n</i> Mack 2 Valve Head Late Style <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D243AX6F-7</td><td>Injector Hose (Ft)</td><td>7</td></tr> <tr> <td>D446GC1995</td><td>O-Ring</td><td>6</td></tr> <tr> <td>D49AX252</td><td>End Cap</td><td>1</td></tr> <tr> <td>D590GB1127</td><td>Nozzle Gasket</td><td>6</td></tr> <tr> <td>D83AX906</td><td>Fuel Hose Clamp</td><td>1</td></tr> <tr> <td>D83AX985</td><td>Fuel Hose Clamp</td><td>4</td></tr> <tr> <td>DPE602</td><td>Injector Banjo Connector</td><td>6</td></tr> </table>	D243AX6F-7	Injector Hose (Ft)	7	D446GC1995	O-Ring	6	D49AX252	End Cap	1	D590GB1127	Nozzle Gasket	6	D83AX906	Fuel Hose Clamp	1	D83AX985	Fuel Hose Clamp	4	DPE602	Injector Banjo Connector	6
D243AX6F-7	Injector Hose (Ft)	7																					
D446GC1995	O-Ring	6																					
D49AX252	End Cap	1																					
D590GB1127	Nozzle Gasket	6																					
D83AX906	Fuel Hose Clamp	1																					
D83AX985	Fuel Hose Clamp	4																					
DPE602	Injector Banjo Connector	6																					
DPE14002E	Injector Installation Kit	<i>A p p l i c a t i o n</i> Mack 2 Valve Head Early Style <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D243AX6F-7</td><td>Injector Hose (Ft)</td><td>7</td></tr> <tr> <td>D590GB1127</td><td>Nozzle Gasket</td><td>6</td></tr> <tr> <td>D590GB1143</td><td>Nozzle Dust Seal</td><td>6</td></tr> <tr> <td>D83AX985</td><td>Fuel Hose Clamp</td><td>4</td></tr> <tr> <td>DPE605</td><td>Injector Banjo Connector</td><td>6</td></tr> </table>	D243AX6F-7	Injector Hose (Ft)	7	D590GB1127	Nozzle Gasket	6	D590GB1143	Nozzle Dust Seal	6	D83AX985	Fuel Hose Clamp	4	DPE605	Injector Banjo Connector	6						
D243AX6F-7	Injector Hose (Ft)	7																					
D590GB1127	Nozzle Gasket	6																					
D590GB1143	Nozzle Dust Seal	6																					
D83AX985	Fuel Hose Clamp	4																					
DPE605	Injector Banjo Connector	6																					
DPE14004	Injector Installation Kit	<i>A p p l i c a t i o n</i> Mack 4 Valve Head <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D243AX6F-3</td><td>Injector Hose (Ft)</td><td>3</td></tr> <tr> <td>D446GC1208</td><td>Injector O-Ring</td><td>12</td></tr> <tr> <td>D56AX460</td><td>Injector O-Ring</td><td>6</td></tr> <tr> <td>D590GB1338</td><td>Injector Washer</td><td>6</td></tr> <tr> <td>D83AX985</td><td>Fuel Return Hose Clamp</td><td>4</td></tr> </table>	D243AX6F-3	Injector Hose (Ft)	3	D446GC1208	Injector O-Ring	12	D56AX460	Injector O-Ring	6	D590GB1338	Injector Washer	6	D83AX985	Fuel Return Hose Clamp	4						
D243AX6F-3	Injector Hose (Ft)	3																					
D446GC1208	Injector O-Ring	12																					
D56AX460	Injector O-Ring	6																					
D590GB1338	Injector Washer	6																					
D83AX985	Fuel Return Hose Clamp	4																					
DPE1400G	Injector Installation Kit with Rocker Cover and Breather Gaskets	<i>A p p l i c a t i o n</i> Mack 4 Valve Head <i>S p e c i f i c a t i o n s</i> <table> <tr> <td>D243AX6F-3</td><td>Injector Hose (Ft)</td><td>3</td></tr> <tr> <td>D446GC1208</td><td>Injector O-Ring</td><td>12</td></tr> <tr> <td>D56AX460</td><td>Injector O-Ring</td><td>6</td></tr> <tr> <td>D590GB1338</td><td>Injector Washer</td><td>6</td></tr> <tr> <td>D83AX985</td><td>Fuel Return Hose Clamp</td><td>4</td></tr> <tr> <td>D554GB115</td><td>Rocker Cover Gasket</td><td>2</td></tr> <tr> <td>D590GB2111A</td><td>Breather Tube Gasket</td><td>2</td></tr> </table>	D243AX6F-3	Injector Hose (Ft)	3	D446GC1208	Injector O-Ring	12	D56AX460	Injector O-Ring	6	D590GB1338	Injector Washer	6	D83AX985	Fuel Return Hose Clamp	4	D554GB115	Rocker Cover Gasket	2	D590GB2111A	Breather Tube Gasket	2
D243AX6F-3	Injector Hose (Ft)	3																					
D446GC1208	Injector O-Ring	12																					
D56AX460	Injector O-Ring	6																					
D590GB1338	Injector Washer	6																					
D83AX985	Fuel Return Hose Clamp	4																					
D554GB115	Rocker Cover Gasket	2																					
D590GB2111A	Breather Tube Gasket	2																					



A p p l i c a t i o n

Mack 6 Cylinder 4 Valve Head
Bosch MECH or VMAC pumps

S p e c i f i c a t i o n s

D2410210014	Pump Mount O-Ring	1
D56AX548	Timing Inspection O-Ring	1
D590GB2130	Pump Mount Gasket	1

Pump Installation Kit

DPE46110

A p p l i c a t i o n

Mack 6 Cylinder 4 Valve Head
Bosch MECH or VMAC pumps

S p e c i f i c a t i o n s

D243AX6F-7	Injector Hose (Ft)	7
D446GC1208	Injector O-Ring	6
D56AX460	Injector O-Ring	6
D590GB1338	Injector Washer	6
D590GB2111A	Breather Gasket	2
D83AX985	Fuel Return Clamp	4

Injector Installation Kit

DPE46120

A p p l i c a t i o n

Mack 8 Cylinder 4 Valve Head
in-line or V style pumps

S p e c i f i c a t i o n s

D446GC320	Pump Mount O-Ring	1
D56AX456	Pump Mount O-Ring	1
D573GB230	Breather Gasket	2
D590GB285	Timing Inspection Gasket	1

Pump Installation Kit

DPE48110

A p p l i c a t i o n

Mack 8 Cylinder 4 Valve Head
in-line or V style pumps

S p e c i f i c a t i o n s

D243AX6F-7	Injector Hose (Ft)	7
D446GC1208	Injector O-Ring	8
D554GB316B	Rocker Cover Gasket	4
D56AX460	Injector O-Ring	8
D590GB1338	Injector Washer	8

Injector Installation Kit

DPE46120

INSTALLATION AND REPAIR KITS



DIPACO
DIESEL
PARTS
U S A

DPE62100

Pump and Injector Installation Kit

A p p l i c a t i o n

GM 6.2L

S p e c i f i c a t i o n s

DPE91586	Manifold Gasket	2
D14022651	Pump Mount Gasket	1
D14033942	Air Cleaner Base Gasket	1
D14066305	Return Hose 9"	8
D14066301	End Cap	2
D10093148	Clamp	2
D14025557	Nozzle Gasket	8

DPE62110

Pump Installation Kit

A p p l i c a t i o n

GM 6.2L

S p e c i f i c a t i o n s

DPE91586	Manifold Gasket	2
D14022651	Pump Mount Gasket	1
D14033942	Air Cleaner Base Gasket	1

DPE62120

Injector Installation Kit

A p p l i c a t i o n

GM 6.2L/6.5L

S p e c i f i c a t i o n s

D14033942	Air Cleaner Base Gasket 6.2L	1
D14066305	Return Hose 9"	8
D14066301	End Cap	2
D10093148	Clamp	2
D14025557	Nozzle Gasket	8
D10137537	Air Cleaner Base Gasket 6.5L	1

DPE65100

Pump and Injector Installation Kit

A p p l i c a t i o n

GM 6.5L

S p e c i f i c a t i o n s

DPE91586	Manifold Gasket	2
D14022651	Pump Mount Gasket	1
D10137537	Air Cleaner Base Gasket	1
D14066305	Return Hose 9"	8
D14066301	End Cap	2
D10093148	Clamp	2
D14025557	Nozzle Gasket	8
D10191428	EGR Tower Gasket	1



DIPACO
DIESEL
PARTS
U S A

INSTALLATION AND REPAIR KITS

CHAPTER 21

A p p l i c a t i o n

GM 6.5L

S p e c i f i c a t i o n s

DPE91586	Manifold Gasket	2
D14022651	Pump Mount Gasket	1
D10137537	Air Cleaner Base Gasket	1
D10191428	EGR Tower Gasket	1

Pump Installation Kit

DPE65110

INSTALLATION AND REPAIR KITS



DIPACO
DIESEL
PARTS
U S A

DPE14100

Oil Manifold Seal Kit

A p p l i c a t i o n

Cummins N14 with STC fuel system

S p e c i f i c a t i o n s

D3001340	O-Ring	6
D3050867	Grommet Seal	6
D3052587	O-Ring	6

DPE59000

Minor Injector Installation Kit

A p p l i c a t i o n

Cummins 'B' series 5.9L

S p e c i f i c a t i o n s

D3923261	Nozzle Gasket 7mm	6
D3920174	Injector Washer 7mm	6
D154087	Square Cut O-Ring	6
DPE602	Injector Banjo Connector	6
D3930324	Injector Washer 5mm	6



A

Adaptors

Fitting

Various 12-9

Injector

Navistar 12-11, 12-12,
12-13

Male

Various 12-6

Thermostart

Various 12-1

Union

Various 12-2, 12-3, 12-4

Air Cleaner

Gasket

GM 15-10, 15-12

Allis-Chalmers

Dust Seal 5-4

Nozzle

Washer 1-1, 1-2, 1-3

O-ring

Dust Seal 5-8

Washer

Leak-off 3-4

AMBAC

Bearing

Ball (with Circlip) 18-9

Tapered Roller 18-16

Thrust 18-9

Bush 18-9

Dust Seal 5-6

O-ring 5-5, 5-13

Gasket

Lift Pump Mounting 17-7

Mounting

Gasket 15-2

Nozzle

Washer 1-15

Roller 13-12, 13-14, 13-15

Seal

Cover (PLE) 15-2

Solenoid 20-7

Valve

Overflow 10-8

Washer

Leak-off 3-4, 3-5, 5-17

B

Bags

Plastic 6-1, 6-2

Write-on

(Self Sealing) 6-1, 6-2

Banjo Bolts

Double

Various 8-4, 8-5, 8-6

Leak-off

Various 8-3, 8-7, 8-8

Triple

Various 8-5

Various 8-1, 8-2, 8-3, 8-6, 8-7,
8-8

with Filter

Various 8-2

with Orifice

Various 8-1, 8-7

Banjos

Bolt Filter

Denso 17-1

Dual Barb

Various 9-3, 9-4, 9-5

Single Barb

Various 9-1, 9-2, 9-3, 9-4,
9-5, 9-6, 9-7, 9-8

Various 9-1

Bearings

Ball

Stanadyne 18-5

Various 18-1, 18-12, 18-13

Yanmar 18-6

Ball (all Steel Cage)

Simms 18-15

Ball (sealed)

Denso 18-8

Ball (thrust)

Denso 18-7, 18-8

Various 18-1

Ball (with Circlip)

AMBAC 18-9

Bearing & Seal Kit

Stanadyne 18-7

Governor Thrust

Denso 18-1

Needle Roller

Bosch 18-3

Caterpillar 18-9

Various 18-2, 18-8

Roller

Bosch 18-6

Denso 18-7

Simms 18-14

Various 18-2

Roller (in Nylon Cage)

Simms 18-15

Tapered Roller

AMBAC 18-16

Denso 18-8

Simms 18-15

Various 18-13, 18-14

Thrust

AMBAC 18-9

Bedford

O-ring

Mounting 15-6, 15-8,
15-10

Blanking Plugs 12-1

Bolt Filter

Banjo

Denso 17-1

Bolts

Bolt & Nut

Volvo 16-3

Pump Mounting

Navistar 15-16

Bosch

Bearing

Needle Roller 18-3

Roller 18-6

Bush 13-7, 13-8, 13-9

Dust Seal

O-ring 5-3

Filter

Screen 17-4

Hand Primer 19-3, 19-4

Kit

Lift Pump 17-2

Lift Pump (with Hand
Primer) 17-7

Pre-Filter (with Clamp)
17-2

Pre-Filter (without Clamp)
17-2

O-ring

Dust Seal 5-7

Oil Seal 14-3, 14-4,
14-8, 14-9

Pin 13-1, 13-2, 13-3

Roller 13-12, 13-13

Kit 13-18

Valve

Overflow 10-2, 10-6,
10-7, 10-9, 10-10,
10-11

Bowls

Aluminum

Filter 5-2

Breather Tube

Gasket

Mack 15-13

Bryce

Dust Seal

O-ring 5-9

Bukh

Tubing

Leak-off 7-4, 7-6



Bushes

AMBAC 18-9
Bosch 13-7, 13-8, 13-9
Denso 13-8, 18-1
Governor Shaft 18-12
Lucas 13-9
Pilot Tube
Stanadyne 18-4, 18-5
RQ & RQV governor stop shaft 18-3
RQ & RQV governor throttle shaft 18-3, 18-6
RQ & RQV Governor Throttle Shafts 18-10
Simms 13-9, 18-7, 18-15
VE Drive Shaft 18-11, 18-12
VE Governor Covers 18-10, 18-11
Zexel 13-7

C

Cap

End
Mack 12-9

Cap Nut Washers

Hino 4-1
Lister 4-1
Lucas 4-2, 4-3
Mack 4-2
Various 4-2
Zexel 4-1

Caps

Plastic 6-3, 6-4, 6-5

Caps/Plugs

Plastic 6-6

Case

Nozzle
Washer 1-15

Caterpillar

Bearing
Needle Roller 18-9
Hand Primer 19-3
Kits
Needle Roller 18-10
Nozzle
Washer 1-3, 1-4

Check Valves

Fuel Return
Various 10-13

Clamp

Hose
GM 12-9

Clamps

Fuel Hose
Mack 12-11
Navistar 12-12

Collars

'A' Size 11-3
'B' Size 11-3
'T' Size 11-7

Combustion Rings

International 2-1

Connectors

Tube
Various 12-4

Coupling

Cummins 16-1, 16-2
Simms 16-3

Coupling Discs

Fiber
Denso 16-1
Leyland 16-2
Mercedes 16-1
Volvo 16-2
Washer
Scania 16-3

Coupling Inserts

Simms 16-3
Spiders
Cummins 16-1, 16-2

Cover Seals

PLE
AMBAC 15-2
Mack 15-2

Cummins

Dust Seal 5-3, 5-4, 5-6
Mounting
Gasket (pump) 15-1
O-ring 15-4
Nozzle
Washer 1-1, 1-2, 1-3
Oil Seal 14-7
Solenoid 20-6, 20-7, 20-8, 20-9
Spider
Black 16-1
White 16-2
Valve
Overflow 10-7
Washer
Leak-off 3-1

D

Daihatsu

Nozzle
Washer 1-6

Delivery Valve

Washer
John Deere 1-18

Denso

Banjo
Bolt Filter 17-1

Bearing

Ball (sealed) 18-8
Ball (thrust) 18-7, 18-8
Governor Thrust 18-1
Roller 18-7
Tapered Roller 18-8

Bush 13-8, 18-1

Coupling Disc

Fiber 16-1

Hand Primer 19-1, 19-2

Kit

Lift Pump 17-1
Solenoid 20-2, 20-3

Lead Wire 20-3

O-ring

Lift Pump Mounting 17-2

Oil Seal 14-2, 14-6, 14-7

Pin 13-1

Roller 13-13

Seal

Spindle 17-3

Tacho Pick Up 20-1, 20-2

Valve

Overflow 10-1, 10-2

Deutz

Lift Pump
Service Kit 17-7
Nozzle
Washer 1-16
O-ring
Dust Seal 5-8

Dodge Canter

Nozzle
Washer 1-11

Dust Seals

Allis-Chalmers 5-4
AMBAC 5-6
Case 5-15
Cummins 5-3, 5-4, 5-6
Fiat 5-14, 5-15
Ford 5-13
Fordson 5-12
Hino 5-1, 5-2
Injector
Deutz 5-18
Isuzu 5-15, 5-16, 5-17, 5-18
Leyland 5-9
Navistar 5-19, 5-21
Isuzu 5-7, 5-8, 5-15
Iveco 5-1
John Deere 5-17
Mack 5-5
Mazda 5-9, 5-13
Mitsubishi 5-16



Nissan 5-1

O-ring

Allis-Chalmers 5-8

AMBAC 5-5, 5-13

Bosch 5-3, 5-7

Bryce 5-9

Deutz 5-8

Fiat 5-14

Fordson 5-12

International 5-3, 5-5,
5-6, 5-7

John Deere 5-12

Lister 5-9

Lucas 5-9

Mack 5-5, 5-13

Neuss 5-7

Perkins 5-9, 5-10, 5-11,
5-12

Scania 5-13

Toyota 5-2, 5-7, 5-16

Volvo 5-13

Yanmar 5-8

Dust Shields

Injector

Ford 5-18

Dyna

Nozzle

Washer 1-6

E

Elbows

Fuel Inlet

Komatsu 12-10

Fuel Line

Various 12-1

End Cap

Mack 12-9

F

Fiat

Dust Seal 5-14, 5-15

O-ring

Dust Seal 5-14

Valve

Overflow 10-12, 10-13

Filter Head Outlet

Fitting

Navistar 12-13

Filters

Bowl

Aluminum 5-2

Head

Plug 12-9

Screen

Bosch 17-4

Fittings

Adaptor

Various 12-9

Filter Head Outlet

Navistar 12-13

Restrictor

Navistar 12-13

Ford

Dust Seal 5-12, 5-13

Hand Primer 19-2

Lift Pump

Service Kit 17-6

Mounting

Gasket 15-3

O-ring

Dust Seal 5-12

Front Plate Cover

Gasket

Ford 15-10

Fuel Hose

Clamp

Mack 12-11

Navistar 12-12

Fuel Inlet

Elbow

Komatsu 12-10

Nut

Komatsu 12-10

O-ring

Navistar 5-21

Fuel Line

Sleeve

Navistar 5-19, 5-20

Washer

John Deere 11-9

Stanadyne 11-9

Fuel Lines

Elbow 12-1

Kit 11-8

Nut 11-8, 11-9

'A' Size 11-4

'B' Size 11-4

'T' Size 11-4

Sleeve

(Solder on Type) 11-5

Fuel Pump

Installation Kit

Ford 21-2

GM 21-6, 21-7

Mack 21-5

Navistar 21-1

Fuel Return

Check Valve

Various 10-13

Fuso

Nozzle

Washer 1-17

G

Gaskets

Air Cleaner

GM 15-10, 15-12

Breather Tube

Mack 15-13

Cummins

Mounting (pump) 15-1

Front Plate Cover

Ford 15-10

Intake Manifold

GM 15-11

Lift Pump Mounting 17-3,
17-4

AMBAC 17-7

Mounting 15-7

AMBAC 15-2

Deutz 15-8

Ford 15-3

GM 15-12

International 15-3

John Deere 15-3

Lucas 15-7

Mack 15-2

Navistar 15-13, 15-14

Various 15-4

Oil Fill Tube

Mack 15-12, 15-13

Timing Cover

Mack 15-2

Turbo Air Intake

Ford 15-9

Turbo Air Outlet

Ford 15-9

H

Hand Primer

Washer

Navistar 4-3

Hand Primers

Bosch 19-3, 19-4

Caterpillar 19-3

Cover

Zexel 17-7

Denso 19-1, 19-2

Ford 19-2

Lucas 19-1, 19-5

Mack 19-3

Mazda 19-2

Nissan 19-3

Stanadyne 19-1



Various **19-4, 19-5**
Zexel **19-2, 19-5**
Heat Shields
Holden **2-4, 2-6**
Isuzu **2-5**
Landrover **2-5**
Mercedes **2-2, 2-4**
Mitsubishi **2-5**
Nissan **2-4**
Toyota **2-2, 2-3**
Volvo **2-5, 2-6**
VW **2-2**
Yanmar **2-2, 2-3**
High Pressure Tubes
Injection
Various **7-2, 7-3, 7-4**

Hino
Dust Seal **5-1, 5-2**
Nozzle
Washer **1-6, 1-14**
Washer
Cap Nut **4-1**

Holden
Heat Shield **2-4, 2-6**

Holder
Inlet Seal
Ford **5-18**

Hose Clamp
GM **12-9**

I

Injection Lines
High Pressure Tube
Various **7-2, 7-3, 7-4**
Nut **11-2, 11-3**
'A' Size **11-2**
'B' Size **11-2**
Test Line
Various **7-1, 7-2**
Test Line (Insulated)
Various **7-5**

Injector
Adaptor
Navistar **12-11, 12-12, 12-13**
Dust Seal
Deutz **5-18**
Navistar **5-19, 5-21**
Dust Shield
Ford **5-18**
Installation Kit
Cummins **21-8**
Ford **21-2, 21-3**
GM **21-6**
Mack **21-4, 21-5**

Navistar **21-1, 21-2, 21-3**
O-ring
Ford **5-18**

Injectors
Return Cap
Navistar **12-11**

Inlet Seal
Holder
Ford **5-18**

Installation Kit
Injector
Cummins **21-8**
Ford **21-2**
GM **21-6**
Mack **21-4, 21-5**
Navistar **21-1**

Pump
Ford **21-2**
GM **21-6, 21-7**
Mack **21-5**
Navistar **21-1**
Pump and Injector
Ford **21-1**
GM **21-6**
Navistar **21-1**

Intake Manifold
Gasket
GM **15-11**

International
Combustion Ring **2-1**
Mounting
Gasket **15-3**
Nozzle
Washer **1-1, 1-15**
O-ring
Dust Seal **5-3, 5-5, 5-6, 5-7**

Isuzu
Dust Seal **5-7, 5-8**
Injector **5-15, 5-16, 5-17, 5-18**
Heat Shields **2-5**
Mounting
O-ring **15-1**
Nozzle
Washer **1-12, 1-13, 1-14**
Valve
Overflow **10-3, 10-9**

Iveco
Dust Seal **5-1**

J

Jackaroo
Nozzle
Washer **1-13**
John Deere
Mounting
Gasket **15-3**

Nozzle
Washer **1-14**
O-ring
Dust Seal **5-12**

K

Kits
Fuel Line **11-8**
Lift Pump
Bosch **17-2**
Caterpillar **17-8**
Denso **17-1**
Deutz **17-7**
Ford **17-6**
Lombardini **17-6**
Mack **17-3**
Lift Pump (with Hand Primer)
Bosch **17-7**
Major Service **17-5**
Needle Roller
Caterpillar **18-10**
Pre-filter (With Clamp)
Bosch **17-2**
Pre-Filter (Without Clamp)
Bosch **17-2**
Roller
Bosch **13-18**
Mazda **13-17**
Various **13-17**
Zexel **13-17**
Solenoid
Denso **20-2, 20-3**
Solenoid & Mounting
Stanadyne **20-5**

Kubota
Nozzle
Washer **1-11**

L

Land Cruiser
Nozzle
Washer **1-4, 1-5**

Landrover
Heat Shield **2-5**
Nozzle
Washer **1-15**

Lead Seals 6-12

Lead Wires
Denso **20-3**
Zexel **20-4**

Leak-Off
Washer
Denso **3-3**



Leak-off

- Banjo Bolt
 - Lucas 8-7
 - Various 8-3, 8-8
- Tubing
 - Bukh 7-4, 7-6
 - Golf 7-4, 7-6
 - Mercedes 7-4, 7-6
 - Various 7-4
 - VW 7-4, 7-6
- Washer
 - Allis-Chalmers 3-4
 - AMBAC 3-4, 3-5, 5-17
 - Cummins 3-1
 - Daihatsu 3-2
 - Denso 3-2
 - Lucas 3-5
 - Nissan 3-1, 3-2
 - Simms 3-2, 3-4
 - Toyota 3-2, 3-3
 - Various 3-1, 3-3, 3-4
 - Zexel 3-2
- Washer (Single Banjo)
 - Mercedes 3-3

Leyland

- Coupling Disc 16-2
- Dust Seal
 - Injector 5-9
- Nozzle
 - Washer 1-13

Lift Pump

- Kit
 - Bosch 17-2
 - Caterpillar 17-8
 - Denso 17-1
 - Deutz 17-7
 - Ford 17-6
 - Lombardini 17-6
 - Mack 17-3
 - Kit (with Hand Primer)
 - Bosch 17-7

Lift Pump Mounting Gaskets 17-3

- AMBAC 17-7

Lift Pump Mounting O-rings

- Denso 17-2
- Zexel 17-1

Lister

- Nozzle
 - Washer 1-9
- O-ring
 - Dust Seal 5-9
- Washer
 - Cap Nut 4-1

Lombardini

- Lift Pump
 - Service Kit 17-6

Low Pressure Fuel

- Tubing
 - Various 7-5

Lucas

- Banjo Bolt 8-7
 - Leak-off 8-7
 - with Orifice 8-7
- Bush 13-9
- Hand Primer 19-1, 19-5
- Nozzle
 - Washer 1-9, 1-11, 1-12
- O-ring
 - Dust Seal 5-9
- Oil Seal 14-6, 14-10
- Pin 13-4, 13-5
- Roller 13-13
- Washer
 - Cap Nut 4-2, 4-3
 - Leak-off 3-5

M

Mack

- Adaptor
 - Timing Gasket 15-2
- Dust Seal 5-5
 - O-ring 5-13
- Gasket
 - Timing Cover 15-2
- Hand Primer 19-3
- Kit
 - Lift Pump 17-3
- Mounting
 - Gasket 15-2
- O-ring
 - Dust Seal 5-5
- Seal
 - Cover (PLE) 15-2
- Valve
 - Overflow 10-6
- Washer
 - Cap Nut 4-2

Mazda

- Dust Seal 5-9, 5-13
- Hand Primer 19-2
- Nozzle
 - Washer 1-11
- Roller
 - Kit 13-17

Mercedes

- Coupling Disc 16-1
- Heat Shield 2-2, 2-4
- Mounting
 - O-ring (Seal) 15-4

Nozzle

- Washer 1-10, 1-12

O-ring

- Oil Feed 15-6
- Tubing
 - Leak-off 7-4, 7-6

Washer

- Leak-off (Single Banjo) 3-3

Mitsubishi

- Dust Seal 5-16
- Heat Shield 2-5
- Nozzle
 - Washer 1-6, 1-11, 1-16, 1-17

Mounting

- Gasket
 - Deutz 15-8
 - GM 15-12
 - Navistar 15-13, 15-14
- O-ring
 - Bedford 15-6, 15-8, 15-10
 - Cummins 15-4
 - Deutz 15-8
 - Ford 15-9, 15-10
 - Isuzu 15-1
 - John Deere 15-8
 - Navistar 15-15
 - Simms 15-5
 - Toyota 15-1, 15-7
- O-ring (Seal)
 - Mercedes 15-4

Mounting Gaskets 15-7

- AMBAC 15-2
- Ford 15-3
- International 15-3
- John Deere 15-3
- Lucas 15-7
- Mack 15-2
- Pump
 - Cummins 15-1
- Various 15-4

N

Neuss

- O-ring
 - Dust Seal 5-7

Nipples

- Nipple/Sleeve
 - (Solder on Type 'A' size) 11-5
 - (Solder on Type 'B' Size) 11-6
 - (Solder on Type 'T' Size) 11-6



Nissan

- Dust Seal **5-1**
- Hand Primer **19-3**
- Heat Shield **2-4**
- Nozzle
 - Washer **1-8, 1-9**
- Washer
 - Leak-off **3-1, 3-2**

Non-return Valve

- Various **10-7, 10-8, 10-11**

Nozzle

- Plug
 - GM **12-9**
- Washer
 - Allis-Chalmers **1-1, 1-2, 1-3**
 - AMBAC **1-15, 1-22**
 - Case **1-15**
 - Caterpillar **1-3, 1-4**
 - Cummins **1-1, 1-2, 1-3**
 - Daihatsu **1-6**
 - Deutz **1-16**
 - Dyna **1-6**
 - Ford **1-19**
 - Fuso **1-17**
 - Hino **1-6, 1-14**
 - International **1-1, 1-15, 1-22**
 - Isuzu **1-12, 1-13, 1-14, 1-20**
 - Jackaroo **1-13**
 - John Deere **1-14, 1-19**
 - Kubota **1-11**
 - Land Cruiser **1-4, 1-5**
 - Landrover **1-15**
 - Leyland **1-13**
 - Lister **1-9**
 - Lucas **1-9, 1-11, 1-12, 1-18**
 - Mack **1-20**
 - Massey-Ferguson **1-20**
 - Mazda **1-11**
 - Mercedes **1-12**
 - Mercedes Benz **1-10**
 - Mitsubishi **1-6, 1-11, 1-16, 1-17**
 - Navistar **1-20, 1-21**
 - Nissan **1-8, 1-9, 1-21**
 - Perkins **1-9, 1-10, 1-21**
 - Scania **1-10**
 - Thermoking **1-21**
 - Toyota **1-4, 1-5, 1-6**
 - Various **1-10, 1-15, 1-18, 1-20, 1-22**
 - Yanmar **1-7**

Nuts

- Bolt & Nut
 - Volvo **16-3**
- Fuel Inlet
 - Komatsu **12-10**
- Fuel Line **11-8, 11-9**
- 'A' Size **11-4**
- 'B' Size **11-4**
- 'T' Size **11-4**
- Injector Line **11-2, 11-3**
- 'A' Size **11-2**
- 'B' Size **11-2**
- Olive/Sleeve/Nut
 - 'A' Size **11-4**
 - 'B' Size **11-5**

O

O-rings

- Dust Seal
 - Allis-Chalmers **5-8**
 - AMBAC **5-5**
 - Ambac **5-5, 5-13**
 - Bosch **5-3, 5-7**
 - Bryce **5-9**
 - Deutz **5-8**
 - Fiat **5-14**
 - Fordson **5-12**
 - International **5-3, 5-5, 5-6, 5-7**
 - John Deere **5-12**
 - Lister **5-9**
 - Lucas **5-9**
 - Mack **5-5, 5-13**
 - Neuss **5-7**
- Fuel Inlet
 - Navistar **5-21**
- Injector
 - Ford **5-18**
- Injectors
 - Case **5-14**
- Lift Pump Mounting
 - Denso **17-2**
 - Zexel **17-1**
- Mounting
 - Bedford **15-6, 15-8, 15-10**
 - Cummins **15-4**
 - Deutz **15-8**
 - Ford **15-9, 15-10**
 - Isuzu **15-1**
 - John Deere **15-8**
 - Navistar **15-15**
 - Simms **15-5**
 - Toyota **15-1, 15-7**
- Oil Feed
 - Mercedes **15-6**
- Pump Adapter
 - Mack **15-15**

Return Line

- John Deere **5-17**
- Navistar **5-21**
- Timing Cover
 - O-Ring **15-15**
- Transfer Pump
 - John Deere **5-17**

O-rings (Seal)

- Mounting
 - Mercedes **15-4**

Oil Fill Tube

- Gasket
 - Mack **15-12, 15-13**

Oil Manifold

- Seal Kit
 - Cummins **21-8**

Oil Seals

- Bosch **14-3, 14-4, 14-8, 14-9**
- Cummins **14-7**
- Denso **14-2, 14-6, 14-7**
- Lucas **14-6, 14-10**
- Simms **14-9, 14-11**
- Various **14-5, 14-10, 14-11, 14-12**
- Zexel **14-1, 14-2, 14-3, 14-4, 14-5**

Olives

- 'A' Size **11-7**
- 'B' Size **11-8**
- Olive/Sleeve/Nut
 - 'A' Size **11-4**
 - 'B' Size **11-5**

Overflow Valves

- AMBAC **10-8**
- Bosch **10-2, 10-6, 10-7, 10-9, 10-10, 10-11**
- Cummins **10-7**
- Denso **10-1, 10-2**
- Fiat **10-12, 10-13**
- Isuzu **10-3, 10-9**
- Mack **10-6**
- Various **10-11, 10-12**
- Zexel **10-3, 10-4, 10-5, 10-6**

P

Paints

- Sealing **6-12, 6-13**

Part Numbers

- D0 330 001 003 **20-1**
- D0 330 001 004 **20-1**
- D0 330 001 015 **20-8**
- D0 330 001 016 **20-8**
- D0 330 106 006 **20-1**
- D0 440 011 007 **19-4**



D00767111 **5-1**
D01351-21104 **3-1**
D016500-5010 **15-1**
D026712-5010 **14-1**
D028102-0010 **18-1**
D028102-5010 **18-1**
D029620-4000 **17-1**
D029621-7010 **14-1**
D029621-7020 **14-1**
D029621-7050 **14-1**
D029622-0140 **14-2**
D029622-0190 **14-2**
D029622-0240 **14-2**
D029633-1010 **17-1**
D029730-8190 **8-1**
D029911-2020 **6-3**
D029911-4030 **6-3**
D036-13-65199 **2-6**
D0490685 **15-3**
D07000-65065 **5-19**
D076300-1690 **20-1**
D076300-1950 **20-2**
D090176-0050 **13-1**
D090178-0010 **13-8**
D090181-0010 **13-13**
D090310-0011 **10-1**
D090310-0110 **10-1**
D090310-0220 **10-1**
D090656-0010 **18-1**
D090892-0181 **18-1**
D092130-0050 **19-1**
D092130-0220 **19-2**
D092220-0040 **17-1**
D092436-0020 **16-1**
D09282 **13-17**
D093245-0040 **3-2**
D093245-0140 **3-3**
D096010-0500 **20-2**
D096010-0510 **20-2**
D096020-0030 **10-1**
D096020-0180 **10-2**
D096030-0160 **20-2**
D096030-0520 **20-3**
D096039-0040 **14-2**
D096045-0060 **20-3**
D1 410 051 002 **17-3**
D1 410 103 023 **11-3**
D1 410 103 025 **11-3**
D1 410 136 005 **16-1**
D1 410 202 005 **13-12**
D1 410 202 006 **13-13**
D1 410 281 012 **14-8**
D1 410 282 003 **14-8**
D1 410 282 015 **14-8**
D1 410 283 000 **14-8**

D1 410 283 006 **14-12**
D1 410 300 042 **13-8**
D1 410 300 052 **13-8**
D1 410 300 053 **13-8**
D1 410 300 080 **13-7**
D1 410 300 150 **13-12**
D1 410 300 242 **13-7**
D1 410 300 243 **13-12**
D1 410 300 244 **13-7**
D1 410 300 248 **13-12**
D1 410 900 014 **18-2**
D1 410 900 015 **18-2**
D1 410 910 004 **18-2**
D1 410 910 005 **18-2**
D1 411 073 004 **17-4**
D1 411 073 006 **17-4**
D1 413 100 001 **13-2**
D1 413 100 021 **13-1**
D1 413 100 030 **13-3**
D1 413 100 031 **13-2**
D1 413 105 015 **13-2**
D1 413 120 001 **13-2**
D1 417 413 000 **10-9**
D1 417 413 025 **10-9**
D1 417 413 046 **10-9**
D1 417 413 047 **10-2**
D1 417 413 048 **10-10**
D1 417 413 049 **10-10**
D1 420 301 002 **18-10**
D1 420 301 006 **18-3**
D1 420 328 004 **18-3**
D1 420 328 005 **18-3**
D1 420 920 004 **18-3**
D1 420 920 008 **18-4**
D1 450 410 011 **17-4**
D1 457 413 010 **10-10**
D1 457 413 013 **10-10**
D1 457 434 000 **17-4**
D1 460 051 002 **15-4**
D1 460 283 301 **14-9**
D1 460 283 302 **14-9**
D1 460 283 310 **14-3**
D1 460 283 311 **14-4**
D1 460 324 315 **18-10**
D1 460 324 316 **18-10**
D1 460 324 332 **18-11**
D1 460 324 333 **18-11**
D1 460 324 337 **18-11**
D1 460 400 004 **18-11**
D1 460 400 014 **18-12**
D1 463 456 303 **10-2**
D1 463 456 344 **10-2**
D1 467 413 004 **10-13**
D1 680 750 008 **7-1**
D1 680 750 014 **7-1**

D1 680 750 015 **7-1**
D1 680 750 017 **7-1**
D1 680 750 073 **7-2**
D1 680 750 075 **7-2**
D1 680 750 085 **7-2**
D1 900 301 012 **18-12**
D1 900 900 018 **18-13**
D1 900 900 302 **18-12**
D1 900 900 305 **18-12**
D1 900 910 201 **18-13**
D1 900 910 202 **18-13**
D1 900 910 203 **18-13**
D1 900 910 204 **18-14**
D1 900 910 240 **18-14**
D1 900 910 241 **18-14**
D1-09639019-0 **5-8**
D1-13260047-0 **10-9**
D1-1531S013 **1-20**
D10093148 **12-9**
D10137537 **15-10**
D101918 **16-1**
D103854-11490 **2-2**
D11176-17010 **1-4**
D11176-17020 **1-4**
D11176-36010 **1-5**
D11176-56010 **1-5**
D11176-56020 **1-5**
D11176-56030 **1-5**
D11176-64010 **1-6**
D11176-87301 **1-6**
D11177-47010 **2-2**
D11177-54011 **2-2**
D11177-54020 **2-3**
D11177-56010 **2-3**
D11177-64010 **2-3**
D11177-77014 **1-6**
D11177-78010 **1-6**
D114250-11460 **1-7**
D114350-11470 **1-7**
D1162625 **15-8**
D1170540 **5-8, 5-18**
D119600-11460 **1-7**
D119625-11870 **2-3**
D129137-11880 **1-7**
D129470-11920 **5-8**
D1304-13-654 **2-5**
D131203-0500 **13-1**
D131203-0800 **13-1**
D131204-0920 **13-11**
D131204-1100 **13-11**
D131205-0600 **13-7**
D131424-1520 **10-3**
D131424-3420 **10-3**
D131424-4620 **10-12**
D131424-4920 **10-3**



D131424-5120 **10-3**
D131424-5520 **10-4**
D131424-6220 **10-4**
D131424-7120 **10-4**
D132204-0400 **13-11**
D132424-0620 **10-4**
D133203-0400 **13-4**
D133204-0600 **13-14**
D134075 **20-6**
D134076 **20-6**
D134203-0100 **13-4**
D134204-0200 **13-11**
D1342756C1 **15-14**
D134424-0920 **10-5**
D134424-1320 **10-5**
D134630H1 **5-20**
D139620-0000 **14-3**
D139625-0000 **14-3**
D139634-0200 **14-3**
D139808-0000 **8-1**
D14022651 **15-12**
D14025557 **1-1**
D14033942 **15-12**
D14066301 **12-9**
D141050-1072 **2-2**
D144526H1 **5-20**
D1456-13-671 **3-2**
D146120-0020 **10-5**
D146120-0120 **10-5**
D146120-0220 **10-6**
D146120-1520 **10-6**
D146210-5720 **13-17**
D146210-5820 **13-17**
D146601-0300 **14-11**
D146601-0400 **14-4**
D146601-0600 **14-4**
D146601-0700 **14-4**
D146601-0900 **14-5**
D146601-1100 **14-5**
D146650-0820 **20-3**
D146650-1220 **20-3**
D146650-2420 **20-4**
D146650-2520 **20-4**
D146658-4020 **20-4**
D146658-8920 **20-4**
D1476211X1 **1-20**
D152200-1220 **19-2**
D152200-5320 **19-2**
D152200-5420 **19-2**
D152200-5620 **19-3**
D152300-3620 **8-1**
D15398 **18-4**
D162426 **16-1**
D16320 **18-4**
D16323 **18-4**
D16602-V1701 **1-8**

D16625-05E00 **1-21**
D16625-43G00 **1-8**
D16626-09W00 **2-4**
D16626-43G00 **2-4**
D16627-43G00 **3-2**
D16635-16A00 **3-5**
D16635-96000 **1-8**
D16635-96001 **1-8**
D16635-J2000 **1-9**
D16635-J5570 **3-2**
D16699-96000 **5-1**
D172100-53200 **4-1**
D1802452C1 **12-11**
D1802453C1 **12-12**
D1804332C1 **12-12**
D1805670C1 **12-13**
D1807947C1 **12-12**
D1811226C1 **12-12**
D1811230C2 **12-11**
D1811231C2 **12-11**
D18953 **18-5**
D18976 **19-1**
D192290-0060 **17-1**
D19836 **18-5**
D2 410 202 006 **13-13**
D2 410 202 024 **13-14**
D2 410 202 028 **13-15**
D2 410 283 010 **14-5**
D2 410 283 021 **14-5**
D2 410 300 004 **13-9**
D2 410 910 005 **18-6**
D2 410 914 002 **18-6**
D2 413 100 000 **13-3**
D2 413 359 008 **10-6**
D2 417 413 013 **10-11**
D2 417 413 035 **10-6**
D2 417 413 037 **10-7**
D2 417 413 046 **10-12**
D2 417 413 093 **10-7**
D2 420 301 004 **18-6**
D2 433 456 020 **8-2**
D2 434 456 018 **8-2**
D2 440 109 005 **17-5**
D2 443 203 001 **17-5**
D2 447 010 004 **17-5**
D2 447 010 017 **17-2**
D2 447 010 024 **17-2**
D2 447 010 027 **17-2**
D2 447 010 033 **19-3**
D2 447 222 000 **19-4**
D2 447 222 020 **19-4**
D2 447 419 002 **17-5**
D2 911 201 701 **8-2**
D2 911 201 702 **8-2**
D2 911 201 703 **8-3**
D2 911 201 704 **8-3**

D2 911 202 705 **8-3**
D2 911 235 700 **8-3**
D2 916 673 003 **11-1**
D20082 **13-3**
D20084 **18-14**
D201-11080 **5-9**
D201-11720 **1-9**
D20274 **18-5**
D212613 **16-2**
D2136717 **15-8**
D22159 **14-9**
D22186 **3-2**
D231931 **5-9**
D233039 **5-9**
D23382 **18-5**
D23457 **19-1**
D23643-1010 **4-1**
D23654-46010 **3-2**
D23654-64010 **3-3**
D23667-1031 **5-1**
D23667-1070 **5-2**
D24101-063064 **18-6**
D2411126 **1-21**
D2411127 **1-9**
D24545 **11-3**
D24899 **11-3**
D250602R4 **2-1**
D250608R1 **5-2**
D250609R1 **5-2**
D251042R2 **2-1**
D251044R2 **5-3**
D26214 **20-5**
D26387 **20-5**
D26431 **20-5**
D265204R1 **5-19**
D26921 **20-5**
D279274R1 **1-1**
D28549R1 **15-16**
D29004A **1-9**
D29332-203 **4-1**
D3003156 **6-11**
D3009625 **14-7**
D3046200 **16-2**
D3054610 **20-6**
D3054611 **20-7**
D3062676 **14-7**
D3069103 **15-1**
D3075523 **14-7**
D30806 **18-7**
D33115128 **1-10**
D33813125 **5-9**
D33813126 **5-10**
D33813127 **5-10**
D33813129 **5-10**
D33813131 **5-11**
D33817114 **5-11, 5-21**



D33817408 5-11
D33817504 5-12
D355966R1 5-21
D364879R1 5-3
D369384R1 5-21
D37148DA 1-1
D382781R1 15-15
D3900808 1-1
D3903380 3-1
D3909356 5-3
D3909886 5-4
D3920174 1-2
D3923261 1-2
D3930993 15-4
D4 030 740 059 15-4
D40200 6-3
D40201 6-3
D40202 6-3
D40203 6-4
D40204 6-4
D40205 6-4
D40206 6-4
D40207 6-4
D40208 6-5
D40209 6-5
D40210 6-5
D40211 6-5
D40212 6-5
D40213 6-6
D40214 6-6
D40215 6-6
D40216 6-6
D40217 6-6
D40218 6-7
D40219 6-7
D40220 6-7
D40221 6-7
D40222 6-7
D40223 6-8
D40224 6-8
D40225 6-8
D40226 6-8
D40227 6-8
D40228 6-9
D40229 6-9
D40230 6-9
D40231 6-9
D40232 6-9
D40233 6-11
D40234 6-12
D40235 6-12
D40236 6-12
D40237 6-12
D40238 6-13
D40239 6-13
D40240 6-13

D4024010 5-4
D4025150 1-2
D4025385 5-4
D41027 1-10
D41028 1-10
D41031 1-10
D41035 1-11
D41037 1-11
D41045 1-11
D41053 1-11
D41055 1-12
D41501 5-12
D41505 5-12
D41512 5-12
D41530 5-13
D41531 5-13
D41532 5-13
D41533 5-22
D41702 3-5
D41709 3-3
D41720 3-3
D41721 3-3
D41900 6-1
D41902 6-1
D41904 6-1
D41906 6-1
D41907 6-1
D41908 6-2
D41909 6-2
D41910 6-2
D42000 7-2
D42001 7-3
D42002 7-3
D42003 7-3
D42010 7-3
D42011 7-4
D42014 7-4
D42015 7-4
D42016 7-4
D42017 7-5
D42020 7-6
D42022 7-5
D42023 7-5
D42024 7-5
D42100 10-11
D42101 10-11
D42102 10-11
D42103 10-12
D42112 8-4
D42113 8-4
D42115 8-4
D42116 8-4
D42117 8-5
D42118 8-5
D42119 8-5
D42120 8-5

D42126 8-6
D42127 8-6
D42129 8-6
D42131 8-6
D42600 12-1
D42601 12-1
D42603 12-1
D42605 12-2
D42606 12-2
D42607 12-2
D42608 12-2
D42609 12-3
D42610 12-3
D42611 12-3
D42612 12-3
D42613 12-4
D42614 12-4
D42615 12-4
D42616 12-4
D42618 12-5
D42619 12-5
D42620 12-5
D42621 12-5
D42622 12-6
D42624 12-6
D42625 12-6
D42626 12-6
D42631 11-4
D42632 11-4
D42633 11-4
D42634 11-4
D42635 11-5
D42646 11-5
D42647 11-5
D42648 11-5
D42649 11-6
D42650 11-6
D42651 11-6
D42652 11-6
D42657 11-7
D42661 11-7
D42667 11-7
D42668 11-7
D42669 11-8
D42676 12-7
D42677 12-7
D42678 12-7
D42679 12-7
D42680 12-8
D42681 12-8
D42682 12-8
D42684 12-14
D42685 12-14
D42803 15-5
D42814 15-5
D42815 15-5



D42816 **15-6**
D42817 **15-6**
D43002DA **2-1**
D4322189 **3-4**
D43224 **16-2**
D43225 **16-2**
D43226 **16-3**
D43227 **16-3**
D43287 **13-18**
D43288 **13-18**
D43289 **13-18**
D43290 **13-18**
D43309 **17-6**
D43310 **17-6**
D43325 **17-6**
D43327 **17-6**
D43333 **17-7**
D43338 **17-7**
D43339 **17-7**
D43362 **19-4**
D4378031 **1-2**
D446GC1195 **5-13**
D446GC1208 **5-5**
D446GC175 **15-2**
D446GC289 **15-15**
D4501149 **11-1**
D4504409 **11-1**
D4511204 **1-3**
D469455 **5-14**
D4717654 **5-14**
D489120C1 **5-19**
D489239C2 **15-14**
D489244C1 **15-14**
D489256C1 **1-20**
D49AX252 **12-9**
D4W0788 **19-3**
D5-15315003-0 **1-12**
D5-15315007-0 **1-12**
D500120 **18-15**
D501849 **18-15**
D502220 **3-4**
D502261 **14-9**
D503742 **18-15**
D503743 **18-15**
D506378 **18-7**
D506652 **13-9**
D506653 **13-3**
D52200-1120 **19-5**
D5339-401 **1-12**
D5339-543A **3-4**
D5393-252R **14-10**
D5393-252U **14-10**
D5501006 **19-5**
D562GB14A **15-2**
D56AX460 **5-5**
D56AX548 **15-15**

D56AX574 **15-12**
D5855-30EP **15-6**
D590GB1127 **1-20**
D590GB1143 **5-5**
D590GB1338 **1-3**
D590GB1362 **15-13**
D590GB190D **15-2**
D590GB2111A **15-13**
D590GB236A **15-2**
D5936-95F **4-1**
D601076C1 **1-21**
D60208 **3-2**
D61 70170 260 **2-4**
D61209DA **5-5**
D6223003 **19-1**
D670207C1 **11-9**
D675477C1 **4-3**
D675609C2 **15-13**
D675816C1 **15-3**
D681298C1 **4-3**
D682810C1 **5-6**
D687426C1 **12-13**
D6C019C7TZA **15-10**
D6N9987 **20-7**
D6N9988 **20-7**
D7008-188 **8-7**
D7008-188C **8-7**
D7008-850 **1-13**
D7023-99W **12-8**
D702658R1 **5-6**
D7033-147 **13-4**
D7033-295 **14-10**
D7033-309 **14-10**
D70854 **5-6**
D7097-28B **13-13**
D7097-302 **13-4**
D7097-4 **13-9**
D7111-135 **8-1**
D7111-135A **8-7**
D7111-308 **8-7**
D7111-312 **12-9**
D7111-768 **10-7**
D7111-769 **10-7**
D7111-775 **10-8**
D7111-776 **10-8**
D7111-988 **10-8**
D7123-339D **8-8**
D7133-114 **14-11**
D7133-30 **11-8**
D7133-34 **11-8**
D7133-84 **14-11**
D7135-47F **11-8**
D7167-496 **15-7**
D7167-620A **20-8**
D7167-620D **20-8**
D7169-43 **8-8**

D7169-519 **1-18**
D717203R1 **5-7**
D7174-127A **14-6**
D7176-66 **12-9**
D7180-49A **20-9**
D7180-49D **20-9**
D731-176M1 **15-7**
D755671 **5-14**
D758065 **10-12**
D765647 **5-15**
D767111 **5-15**
D772044 **8-8**
D7M7219 **18-9**
D7W4482 **1-3**
D7W4483 **1-3**
D7W4485 **1-4**
D7W4486 **1-4**
D8-94125859-1 **1-13**
D8-94148392-2 **1-13**
D8-94326439-0 **5-15**
D8-94377623-0 **1-14**
D8-94420247-0 **2-4**
D801771 **1-13**
D82012 **13-9**
D826F9K540DDA **5-18**
D83AX906 **12-11**
D83AX985 **12-11**
D86536 **14-11**
D87071S94 **15-9**
D87209 **16-3**
D9-15315027-0 **2-5**
D9-15339044-0 **5-16**
D9-15339051-0 **5-7**
D9001-088 **19-5**
D9009-049 **20-9**
D90301-49003 **15-1**
D90301-99013 **15-7**
D9041-144H **19-5**
D9042-603 **2-5**
D90430-17003 **5-7**
D90564-21001 **5-16**
D9080-127 **20-6**
D915500R1 **5-20**
D930506 **5-8**
D949100-0010 **18-7**
D949100-0801 **18-7**
D949100-0810 **18-8**
D949100-2860 **18-8**
D949100-2970 **18-8**
D949101-0140 **18-8**
D949140-0380 **17-2**
D949150-0030 **14-6**
D949150-0050 **14-6**
D949150-0970 **17-3**
D949150-1620 **14-6**
D949150-1750 **14-7**



D949150-2700 **17-3**
D949150-2820 **14-12**
D949180-0630 **8-8**
D9659-08108 **1-14**
D96711-24019 **5-21**
DBB403798 **18-9**
DBB410315 **18-9**
DBG400704 **18-9**
DC5NE9E529A **1-19**
DC5NE9F585A **15-3**
DC5NE9F596A **5-18**
DC5NE9F598A **15-10**
DCR103 **16-3**
DE3ZZ9D634A **15-9**
DE3ZZ9F703A **15-9**
DE8HZ9F596A **5-18**
DERR4621 **1-15**
DF3422R **1-18**
DFI 8527A **10-8**
DGA400554 **17-7**
DGA404115 **4-2**
DGA404119 **3-4**
DGA770009 **1-15**
DGA770019 **1-22**
DGA770056 **1-15**
DGA7724-2 **1-15**
DGA781079 **4-2**
DJ913994 **5-15**
DJ916284 **5-14**
DKT7948 **17-3**
DKT85208 **20-7**
DM0221 **1-16**
DMC756936 **1-16**
DMD070717 **1-16**
DMD070718 **2-5**
DME001017 **1-16**
DME016539 **1-17**
DME016564 **1-17**
DME036562 **5-16**
DME040206 **1-17**
DMH035105 **1-17**
DMP404760 **19-3**
DNW5-17W4 **3-5**
DNW5-43W4 **1-18**
DNW5-56 **4-2**
DNW5-59 **4-2**
DNW5-60 **1-21, 4-3**
DP506651 **13-15**
DPE10050 **6-11**
DPE10500 **12-10**
DPE10501 **12-10**
DPE10502 **12-10**
DPE10514 **10-13**
DPE10518 **10-13**
DPE14002 **21-4**
DPE14002E **21-4**

DPE14004 **21-4**
DPE1400G **21-4**
DPE14100 **21-8**
DPE17219 **18-10**
DPE22240 **17-8**
DPE22245 **17-8**
DPE44442 **11-1**
DPE44443 **11-2**
DPE44444 **11-2**
DPE44445 **11-2**
DPE44446 **11-2**
DPE46110 **21-5**
DPE46120 **21-5**
DPE46600 **21-1**
DPE46610 **21-1**
DPE46620 **21-1**
DPE48110 **21-5**
DPE59000 **21-8**
DPE603 **3-1**
DPE605 **3-1**
DPE62100 **21-6**
DPE62110 **21-6**
DPE62120 **21-6**
DPE65100 **21-6**
DPE65110 **21-7**
DPE69100 **21-1**
DPE69110 **21-2**
DPE69120 **21-2**
DPE69130 **21-2**
DPE69151 **12-13**
DPE73100 **21-2**
DPE73120 **21-3**
DPE73130 **21-3**
DPE91586 **15-11**
DPN400517 **13-5**
DPN402683 **13-5**
DPN7648 **13-5**
DR1109R **1-19**
DR26286 **5-17**
DR26448 **5-17**
DR460R **15-8**
DR463R **1-19**
DR48511 **11-9**
DR50390 **15-3**
DR51603 **5-17**
DR59294 **3-5**
DR64840 **1-14**
DR77551 **5-17**
DR84472 **1-14**
DR928R **1-18**
DRB1004 **18-16**
DRB400059 **18-16**
DRL409853 **13-14**
DRL7613A **13-14**
DT11292 **1-19**

Perkins

Dust Seal **5-9, 5-10, 5-11, 5-12**
Nozzle
Washer **1-9, 1-10**

Pins

Bosch **13-1, 13-2, 13-3**
Denso **13-1**
Lucas **13-4, 13-5**
Simms **13-3**
Zexel **13-1**

Pipe Clamps

2 Pipe Clamp **12-7**
3 Pipe Clamp **12-8**
4 Pipe Clamp **12-8**
6 Pipe Clamp **12-8**

Pipes

Bend
Various **9-5, 9-7, 9-8, 12-1, 12-2**

Plastic

Bag **6-1, 6-2**
Cap **6-3, 6-4, 6-5**
Plug **6-5, 6-6, 6-7, 6-8, 6-9**
(Threaded) **6-8**
Plug/Cap **6-6**
Sleeve **6-3**

Pliers

Sealing **6-13**

Plugs

Blanking **12-1**
Filter Head
Various **12-9**
Nozzle
GM **12-9**
Plastic **6-5, 6-6, 6-7, 6-8, 6-9**
(Threaded) **6-8**
Screw
Various **12-6**
Various **12-4, 12-8**

Plugs/Caps

Plastic **6-6**

Pre-Filters

Assembly
Various **17-4**
Kit (with Clamp)
Bosch **17-2**
Kit (without Clamp)
Bosch **17-2**
Seal **17-5**

Pump Adapter

O-ring
Mack **15-15**



Pump and Injector

- Installation Kit
 - Ford **21-1, 21-2**
 - GM **21-6**
 - Navistar **21-1, 21-2**

Pump Mount

- Bolt
 - Navistar **15-16**

R

Restrictor

- Fitting
 - Navistar **12-13**

Return Cap

- Injector
 - Navistar **12-11**

Return Line

- O-ring
 - Navistar **5-21**
- Washer
 - John Deere **3-5**

Rollers

- AMBAC **13-12, 13-14, 13-15**
- Bosch **13-12, 13-13**
- Denso **13-13**
- Kit
 - Bosch **13-18**
 - Mazda **13-17**
 - Various **13-17**
 - Zexel **13-17**
- Lucas **13-13**
- Zexel **13-11**

S

Scania

- Dust Seal **5-13**
- Nozzle
 - Washer **1-10**
- Washer
 - Coupling Disc **16-3**

Screens

- Filter
 - Bosch **17-4**

Screws

- Plug
 - Various **12-6**

Seal Kit

- Oil Manifold
 - Cummins **21-8**

Sealing

- Paint **6-12, 6-13**
- Plier **6-13**
- Wire **6-11**

Seals

- Cover (PLE)
 - AMBAC **15-2**
 - Mack **15-2**
- Lead **6-12**
- Pre-filter **17-5**
- Spindle
 - Denso **17-3**
 - Zexel **17-1**

Shim

- John Deere **1-19**

Simms

- Bearing
 - Ball (all Steel Cage) **18-15**
 - Roller **18-14**
 - Roller (in Nylon Cage) **18-15**
 - Tapered Roller **18-15**
- Bush **13-9, 18-7**
- Bushes **18-15**
- Coupling **16-3**
- Coupling Insert **16-3**
- Mounting
 - O-ring **15-5**
- Oil Seal **14-9, 14-11**
- Pin **13-3**
- Washer
 - Leak-off **3-2, 3-4**

Sleeves

- Crimp **12-5, 12-6**
- Ermeto **11-1**
- Fuel Line
 - (Solder on Type) **11-5**
 - Navistar **5-19, 5-20**
- Nipple/Sleeve
 - (Solder on Type 'A' size) **11-5**
 - (Solder on Type 'T' Size) **11-6**
 - (Solder on Type 'B' Size) **11-6**
- Olive/Sleeve/Nut
 - 'A' Size **11-4**
 - 'B' Size **11-5**
- Plastic **6-3**
- Support **11-7**
 - 'A' Size **11-6**
 - 'A' size **11-1**
 - 'B' Size **11-2, 11-6**

Solenoid & Mounting Kits

- Stanadyne **20-5**

Solenoids

- (with Leads) **20-6**
- AMBAC **20-7**
- Cummins **20-6, 20-7, 20-8, 20-9**
- Kit
 - Denso **20-2, 20-3**
 - Stanadyne **20-5**
 - Various **20-1, 20-8**
 - Volvo **20-1**

- Zexel **20-3, 20-4**

Stanadyne

- Bearing
 - Ball **18-5**
 - Bearing & Seal Kit **18-7**
- Bush
 - Pilot Tube **18-4, 18-5**
- Hand Primer **19-1**
- Kit
 - Solenoid & Mounting **20-5**
 - Solenoid **20-5**

T

Tacho Pick Up

- Denso **20-1, 20-2**

Test Lines

- Injection
 - Various **7-1, 7-2**
- Injection (Insulated)
 - Various **7-5**

Thermostarts

- Adaptor
 - Various **12-1**

Timing Cover

- O-ring
 - Mack **15-15**

Timing Cover Gaskets

- Mack **15-2**

Toyota

- Dust Seal **5-2, 5-7, 5-16**
- Heat Shield **2-2, 2-3**
- Mounting
 - O-ring **15-1, 15-7**
- Nozzle
 - Washer **1-4, 1-5, 1-6**
- Washer
 - Leak-off **3-2, 3-3**

Transfer Pump

- O-ring
 - John Deere **5-17**

Tubes

- Connector
 - Various **12-4**

Tubing

- Leak-off
 - Bukh **7-4, 7-6**
 - Mercedes **7-4, 7-6**
 - Various **7-4**
 - VW **7-4, 7-6**
- Low Pressure Fuel
 - Various **7-5**

Turbo Air Intake

- Gasket
 - Ford **15-9**



Turbo Air Outlet

Gasket
Ford 15-9

V

Valves

Non-return
Various 10-7, 10-8, 10-11
Overflow
AMBAC 10-8
Bosch 10-2, 10-6,
10-7, 10-9, 10-10,
10-11
Cummins 10-7
Denso 10-1, 10-2
Fiat 10-12, 10-13
Isuzu 10-3, 10-9
Mack 10-6
Various 10-11, 10-12
Zexel 10-3, 10-4,
10-5, 10-6

Volvo

Bolt
Bolt & Nut 16-3
Coupling Disc 16-2
Dust Seal 5-13
Nut
Bolt & Nut 16-3
Solenoid 20-1

VW

Heat Shield 2-2
Tubing
Leak-off 7-4, 7-6

W

Washers

Allis-Chalmers
Nozzle 1-1
Cap Nut
Hino 4-1
Lister 4-1
Lucas 4-2, 4-3
Mack 4-2
Various 4-2
Zexel 4-1
Coupling Disc
Scania 16-3
Delivery Valve
John Deere 1-18
Fuel Line
John Deere 11-9
Stanadyne 11-9
Hand Primer
Navistar 4-3

Leak-off

Allis-Chalmers 3-4
AMBAC 3-4, 3-5, 5-17
Cummins 3-1
Daihatsu 3-2
Denso 3-2, 3-3
Lucas 3-5
Nissan 3-1, 3-2
Simms 3-2, 3-4
Toyota 3-2, 3-3
Various 3-1, 3-3, 3-4
Zexel 3-2
Leak-off (Single Banjo)
Mercedes 3-3
Navistar 4-3
Nozzle
Allis Chalmers 1-2, 1-3
Allis-Chalmers 1-2
AMBAC 1-15, 1-22
Case 1-15
Caterpillar 1-3, 1-4
Cummins 1-1, 1-2
Daihatsu 1-6
Deutz 1-16
Dodge Canter 1-11
Dyna 1-6
Ford 1-19
Fuso 1-17
Hino 1-6, 1-14
International 1-1, 1-15, 1-22
Isuzu 1-12, 1-13, 1-14, 1-20
Jackaroo 1-13
John Deere 1-14, 1-19
Kubota 1-11
Land Cruiser 1-4, 1-5
Landrover 1-15
Leyland 1-13
Lister 1-9
Lucas 1-9, 1-11, 1-12, 1-18
Mack 1-20
Massey-Ferguson 1-20
Mazda 1-11
Mercedes 1-12
Mercedes Benz 1-10
Mitsubishi 1-6, 1-11, 1-16, 1-17
Navistar 1-20, 1-21
Nissan 1-8, 1-9, 1-21
Perkins 1-9, 1-10, 1-21
Scania 1-10
Thermoking 1-21
Toyota 1-4, 1-5, 1-6
Various 1-10, 1-15, 1-18,
1-20, 1-22
Yanmar 1-7
Return Line
John Deere 3-5

Wires

Sealing 6-11

Write-on Bags

(Self Sealing) 6-1, 6-2

Y

Yanmar

Bearing
Ball 18-6
Dust Seal 5-8
Heat Shield 2-2, 2-3
Nozzle
Washer 1-7

Z

Zexel

Bush 13-7
Cover
Hand Primer 17-7
Hand Primer 19-2, 19-5
Lead Wire 20-4
O-ring
Lift Pump Mounting 17-1
Oil Seal 14-1, 14-2,
14-3, 14-4, 14-5
Pin 13-1
Roller 13-11
Roller Kit 13-17
Seal
Spindle 17-1
Solenoid 20-3, 20-4
Valve
Overflow 10-3, 10-4,
10-5, 10-6
Washer
Cap Nut 4-1