



INVEST IN THE FUTURE



French manufacturer
since 1964

Car Body Welding Systems

Catalogue Carrosserie

Catalogo Carrozzeria

Karosserie-Schweißtechnik Katalog

Catálogo de Soldadura para Carrocería

2
0
2
2
B



SPOTTER

DENT PULLER

MIG

PLASMA

INDUCTION

LIFT

RIVETING

ACCESSORIES



GYS FRANCE
Laval

🕒 1964
👤 × 600



visit with
📺 Youtube

INVEST IN THE FUTURE

FR

Créé en 1964, GYS est un groupe industriel français regroupant plus de 850 collaborateurs dans le monde. Fort d'un centre de recherche de premier plan, GYS est un acteur majeur dans la conception et la fabrication d'équipements de soudage, de chargeurs de batteries et de systèmes de réparation carrosserie.

Les nouvelles réalités du marché sont en perpétuel changement et la taille de notre entreprise familiale nous impose une adaptation rapide aux nouveaux contextes et à leurs enjeux.

Nous sommes convaincus que notre avenir est étroitement lié à celui de nos clients. Pour cela, nous mettons tout en oeuvre pour comprendre ce que les distributeurs et les utilisateurs attendent de nous, savoir à quels défis ils font face et voir dans quelle mesure nous pouvons leur permettre de les relever afin de devenir et rester leur partenaire privilégié pour le chemin que nous avons à parcourir ensemble.

DE

GYS wurde 1964 gegründet und ist ein französisches Familienunternehmen mit mehr als 850 Mitarbeitern auf der ganzen Welt. Dank einem erstklassigen Forschungszentrum ist GYS ein wichtiger Akteur in der Entwicklung und Herstellung von Schweißgeräten, Batterieladegeräten und Karosseriereparatursystemen.

Neue Marktbedingungen sind in fortwährender Veränderung und die Größe unseres Familienunternehmens veranlasst eine rasche Anpassung an neue Umstände und an ihre Herausforderungen.

Wir sind überzeugt, dass unsere Zukunft eng mit der unserer Kunden verbunden ist. Dafür setzen wir all unser Können ein, um zu verstehen, was die Händler und Anwender von uns erwarten, welchen Herausforderungen sie gegenüberstehen und um zu schauen, in welchem Maße wir sie unterstützen können, damit wir ihr bevorzugter Partner werden und bleiben auf dem Weg, den wir gemeinsam beschreiten.

IT

Nato nel 1964, GYS è un gruppo industriale francese che raggruppa oltre 850 collaboratori nel mondo. Forte di un centro di ricerca di grande importanza, GYS è uno dei maggiori protagonisti nella progettazione e fabbricazione di apparecchiature per la saldatura e il taglio, di carica-batterie booster e avviatori e sistemi di riparazione delle carrozzerie.

Le realtà del mercato sono in continuo cambiamento e richiedono risposte immediate. Le dimensioni della nostra impresa familiare consentono un adattamento rapido ai nuovi contesti e alle loro problematiche.

Siamo convinti che il nostro futuro sia strettamente legato a quello dei nostri clienti. Per questo noi mettiamo il massimo impegno per capire quello che i distributori e i loro clienti/utilizzatori si aspettano da noi, quali sfide devono affrontare e come possiamo aiutarli per farli crescere, per diventare e restare loro partner di riferimento per proseguire insieme sul cammino del successo.

Created in 1964, GYS is a French industrial group with 850 employees around the world. Built around continuous investment in Research & Development and in the acquisition of knowledge, the company is now a major player in the design and manufacture of welding machines, battery chargers and car body repair equipment.

“ The market realities are constantly changing and the size of our family business requires us to quickly adapt to new contexts and new challenges.

We are convinced that our future is closely linked to the future of our partners. This is why we do everything in our power to understand what distributors and users expect from us and what challenges they face every day. To support them in facing these challenges, we wish to become and remain their privileged partner on the path we will travel together. ”

Bruno Bouygues,
C.E.O.



Nicolas & Bruno
Bouygues

A worldwide coverage

125 countries



🇩🇪 GYS GERMANY
Aachen

🕒 2006
👤 × 70



🇬🇧 GYS U.K.
Rugby

🕒 2008
👤 × 35



🇨🇳 GYS CHINA
Shanghai

🕒 2004
👤 × 130



🇮🇹 GYS ITALIA
Venezia

🕒 2015
👤 × 20

👤
850 people



55 000 m²
590 000 sqf
2 factories

Partners





GYS ACADEMY

Training centre dedicated
to professionals

Centre de formation agréé

Trainingcenter für Profis

Centro di formazione dedicato
ai professionisti

Ref. 52 53 0068153

3 catalogues

3 200+ references



Welding
& Cutting



Car body
Welding
Systems



Chargers,
Boosters
& Starters

↑ DENT PULLING

NEW

GYSPT
p.6

Accessories,
levelling bars
p.16



Workstations
p.22

NEW

Pulling systems
p.26

Paintless repair
p.32

↑ MOBILE LIFT

NEW

SPOT LIFT
p.34



AUTO ROLL
& accessories
p.34



ERGO LIFT
& accessories
p.36



TROLLEY IW1
p.37

≡ SPOT WELDING

Overview
p.38

Traditional



PORTASPOT
p.40



GYSPT 32D
p.40

Inverter



GYSPT 100R
p.41



GYSPT BP & PTI
p.42

X & C Arms
p.44

Genius



GYSPT G
p.46

G Arms
p.50

Consumables
& accessories
p.51

⌘ RIVETING

NEW

GYSRESS
p.62

Accessories
& consumables
p.66



**MIG
WELDING**



GYS AUTO
p.72



AUTOPULSE
p.74

Helmets, accessories
& consumables
p.80

⚡ INDUCTION

NEW

GYSINDUCTION
COMBIDUCTION
p.86



POWERINDUCTION
p.88



PLASMA



CUTTER & EASYCUT
p.92

**+
MORE**

Windscreen repair p.94

Bumper repair p.96

Tools p.98

Dust vacuum p.103 **NEW**

Working lights p.106

Working supports p.106

Safety protections p.108

**Advanced
R&D**
× 90



Metal work
Tôlerie
Blechbearbeitung



Painting & marking
Peinture & marquage
Lackierstraße



Electronics
Électronique
Elektronik



Mechanical
Mécanique
CNC-Bearbeitung



Transformers
Transformateurs
Transformatoren



Cable work
Filerie
Kabelkonfektionierung

Assembly
Montage/tests
Montage

100%
in house
production

www.gys.fr





GYSPOT

DENT PULLING

ACIER / STEEL / STAHL

- Étoiles - Stars - Ausbeulstern
- Anneaux - Rings - Zugösen
- Fils ondulés - Wavy wires - Wellendraht
- Rabattage d'impact - Impact shrinking - Glätten

OPTIONS

Consommables - Consumables p.10

Chariots - Trolleys p.23

- Étoiles - Stars - Ausbeulstern
- Anneaux - Rings - Zugösen
- Fils ondulés - Wavy wires - Wellendraht
- Rabattage d'impact - Impact shrinking - Glätten
- Rétreinte - Tempering - Temperieren

NEW DESIGN
COMING SOON

FIXED GUN

FIXED GUN


GYSPOT 2600

2600 A x1 AUTOMATIC

230V • 1~

052208

included



Earth cable 1.7 m, 50 mm²
Electrode warming point
Star copper coating (x3)


GYSPOT 2700

2600 A x1 MANUAL

230V • 1~

055353

included



Earth cable 1.7 m, 50 mm²
Electrode warming point
Star copper coating (x3)

GYSPOT 34.02 & 34.04

3500 A x1 MANUAL


230V • 1~

GYSPOT 34.02
065741

400V • 2~

GYSPOT 34.04
067943

included



Earth cable 1.7 m, 50 mm²
Electrode warming point
Star copper coating (x3)

QUICK GUNS

Quick & Easy

AUTOMATIC



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400
059207

MANUAL



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400,
EXPERT 200/230/400,
COMBI 230EPRO
057524

No connector
cable 1.8 m, Ø 70 mm²
for 2700
058705

- Étoiles - Stars - Ausbeulstern
- Anneaux - Rings - Zugösen
- Fils ondulés - Wavy wires - Wellendraht
- Rabattage d'impact - Impact shrinking - Glätten
- Rétreinte - Tempering - Temperieren
- Rivets - Rivets - Nieten
- Rondelles - Rings - Unterlegscheiben
- Goujons - Studs - Gewindebolzen

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN



GUN WITH CONNECTOR

GYSPOT 39.02 & 39.04

3800 A x1 AUTOMATIC


230V • 1~

GYSPOT 39.02
052215

400V • 2~

GYSPOT 39.04
052222

included



Earth cable 2 m, 70 mm²
SPOTTER BOX STANDARD (053915)
(Details p.10)

GYSPOT PRO 230 & PRO 400

3800 A x2 AUTOMATIC
MANUAL


230V • 1~

GYSPOT PRO 230
052178

400V • 2~

GYSPOT PRO 400
052185

included



Manual quick gun, 2 m, 70 mm² (057524)

Earth cable 2 m, 70 mm²
SPOTTER BOX PRO (050075)
(Details p.10)

GYSPOT EXPERT 200, 230 & 400

3800-4500 A x2 AUTOMATIC
MANUAL

230V • 1~

GYSPOT EXPERT 230
066885


200-240V • 1~

GYSPOT EXPERT 200
058842

400V • 2~

GYSPOT EXPERT 400
058859

included



Manual quick gun, 2 m, 70 mm² (057524)

Earth cable Thick 3 mm 2 m, 70 mm²
SPOTTER BOX PRO (050075)
(Details p.10)

	GYS NORM 62135	50/60 Hz	I ₂ max	U ₂	I ₂ max	I ₂ max	kW	OK	OK	MANUAL	SYNERGIC	AUTOMATIC	MANUAL	SEPARATE CABLE GUN	cm	kg
MADE IN GYS CHINA	GYSPOT 2600	230V	2 m	2600	5,4	16	1800	10	OK	—	—	—	—	—	20 x 32 x 18	15
	GYSPOT 2700	230V	2 m	2600	5,4	16	1800	10	OK	—	—	—	—	—	20 x 32 x 18	14,5
	GYSPOT 34.02	230V	2 m	3500	7,4	16	2500	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	21
	GYSPOT 34.04	400V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	21
MADE IN FRANCE	GYSPOT 39.02	230V	4 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	22
	GYSPOT 39.04	400V, 2ph	4 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	22
	GYSPOT PRO 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	20,5
	GYSPOT PRO 400	400V, 2ph	8 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	20,5
	GYSPOT EXPERT 200	200-240V	8 m	4350 > 5100	7,2-8,7	30(D)	3100 > 3600	25 > 36	OK	OK	—	—	—	—	22,5 x 36 x 23,5	24,5
	GYSPOT EXPERT 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	20,5
	GYSPOT EXPERT 400	400V, 2ph	8 m	4500	7,4	16(D)	3200	25	OK	OK	—	—	—	—	22,5 x 36 x 23,5	22,5



DENT PULLING

ALU

FV FLEXIBLE VOLTAGE

85 V — 265 V

110 V — 230 V

100 m



FIXED GUN

GYSPOT ALU PRO FV

100 › 230 V • 1 ~

7500 A x1 **AUTOMATIC**

FV

021990

included



Automatic alu gun
3 m, 25 mm²

+



ALU BOX STANDARD (050020)
(Details p.11)

for Ø 4 mm

ALU GUN



PATENTS REGISTERED NUMBERS
0023446450-0001
EUROPEAN TRADEMARK & DESIGN

AUTOMATIC


3 m, Ø 25 mm²

included ALU PRO FV
& COMBI 230
E.PRO



(x 3)
065635

66 mF **CAPACITOR DISCHARGE WELDING**



Ø 4mm

Joint rings for mandrel Ø 4/5/6
x 2
060814

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Alu



Goujons - Studs

Acier / Steel / Stahl



- Étoiles - Stars
 Anneaux - Rings
 Fils ondulés - Wavy wires
 Rabattage d'impact
- Impact shrinking
- Rétreinte - Tempering
 Rivets - Rivets
 Rondelles - Rings
 Goujons - Studs



DENT PULLING

ALU + ACIER / STEEL / STAHL

2 GUNS INCLUDED



GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO

230 V • 1 ~

+ 3800 A Acier / Steel / Stahl
7500 A Alu

x2

AUTOMATIC
MANUAL
AUTOMATIC

021266


included



Manual quick gun, 2 m, 70 mm² (057524)



Automatic alu gun, 3 m, 25 mm²



Earth cable
2 m, 70 mm²



SPOTTER BOX PRO (050075)
(Details p.10)



ALU BOX STANDARD (050020)
(Details p.11)

 MADE IN FRANCE	 62135			I_2 max	U_2		I_{RMS}	kW				SYNERGIC					SEPARATE CABLE GUN				
		50/60 Hz		A	V	A	A		MANUAL	—	—		—	x 1	—	—		3 m	Included Alu box	cm	kg
GYSPOT ALU PRO FV		110 › 230 V	2 m	7500	50 › 200	5	—	0.65	OK	OK	■	■	—	■	x 1	—	—	3 m	Included Alu box	21 x 24 x 36	12.5
GYSPOT COMBI 230 E.PRO		230 V	8 m	3800 (steel) 7500 (alu)	7,4 (steel) 50 › 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x 1	x 1	■	2/3 m	Included Spotter box + Alu box	45 x 43 x 29	42.5



GYSPOT ACCESSORIES & CONSUMABLES



ACIER / STEEL / STAHL



DENT BOX CONSUMABLES / BAR / EASY
SPOTTER BOX STANDARD / 2600 / 2700



SPOTTER BOX PRO

DENT BOX

BEST
SELLER

CONSUMABLES
051515

BAR

050037



EASY

053632



x20

x25

x50 x25

x1

x25

x1

x50

x1

180mm

x1

x25

x1

x50

x1

180mm

SPOTTER BOX

PRO

050075



STANDARD

053915

x1

x1

x1

x20

x1

x50

x1

x1

x1

x20

x1

x50

x1

x20

x1

x50

x1

x1

x1

x50

x50

x50


x1

x100

x100



ELECTRODE FOR
MAGNETIC EARTH (x1)
050013



THREADED ROD FOR
MAGNETIC EARTH (x5)
055438



SINGLE HOOK
(x1)
051218

Affuteur d'anneaux acier - Steel Ring
sharpener - Stahl Zugöschneider

072565

NEW

Acier
- Steel
- Stahl



Poinçon et matrice affuteur
pneumatique pour anneaux acier
- Pneumatic punch and die
sharpener for steel rings
072299

Mandrins pour pistolets - Mandrels for gun
- Pistole & Anschlußstücke, Zubehör

Pour déboussailleurs - for dent pullers
- Anschlußstück für Ausbeulspotter-Pistole

Pour soudeuses par point - for spot
welding machines - Anschlußstück
für Monopunktpistole

QUICK GUN

057531

D1

048959

S1 < nov 2010

048171

S2 > nov 2010

048188



Écrou
- Nut
053199



Microswitch
053267

ALU



ALU BOX LIGHT Ø4 / STANDARD Ø4 / Ø5 & 6

ALU BOX

LIGHT Ø4

051522

STANDARD Ø4

050020

included GYSPOT
ALU & COMBI 230

Ø 5 & 6

048195

Joint rings for mandrel Ø 4/5/6
x2
060814

mandrel for ALU GUN			alu magnesium screws 12 mm			alu silicon screws 12 mm			screwable rings Ø4 x5	fast pulling rings x5	lifting rod x3: 180, 300, 500 mm 050792
Ø 4 x2 049000	Ø 5 x1 048157	Ø 6 x1 048164	Ø 4 - M4 x200 050273	Ø 4 - M4 x1000 050129	Ø 5 x100 048140	Ø 6 x100 048133	Ø 4 - M4 x200 050280	Ø 4 - M4 x1000 050136	Ø 5 x100 048126	Ø 6 x100 048003	

Ø 4

x200

Ø 4

x200

Ø 4

x200

x1

x1

Ø 5 x100

+ Ø 6 x100

Ø 5 x100

+ Ø 6 x100

x5

x5

x1



GYSPOT ARC PULL

DRAWN ARC

DENT PULLING

ALU + ACIER / STEEL / STAHL



MANUAL



Anneaux - Rings - Zugösen
Goujons - Studs - Gewindebolzen
Tiges inox - Stainless steel nails
- Edelstahlnägel

- 1 Amorce - Start-up - Zündung
- 2 Décapage - Scouring (I & t) - Abbeizen
- 3 Arc (I & t) - Arc - Lichtbogen
- 4 Accroche - Hitching (I & t) - Verklebung
- 5 Hauteur - Height - Höhe





7 languages
FR, EN, DE, SP, IT,
NL & RU

SYNERGIC DIGITAL GUNS

★★★★★
UNIQUE
Linear Motor

DRAWN ARC PROCESS
Gas protection



3 m, Ø 25 mm²
included
ARC PULL
200 & 350,
COMBI ARCPULL




Full control




Consumables for Gun



FV FLEXIBLE
VOLTAGE



SR SECONDARY
REGULATION



AD ANTI-DUST



MANUAL &
SYNERGIC CONTROL

NEW
03 / 2022

2 GUNS
INCLUDED



Ø max
Alu : 6 mm
Fe : 5 mm



GUN WITH CONNECTOR

GYSPOT ARC PULL 200

100 · 230 V · 1 ~

200 A

1x1 MANUAL

FV SR AD

057470

included



COMBI ARCPULL

230 V · 1 ~

ARCPULL

200 A

Alu

1x1

MANUAL

EXPERT

3800 A

Acier / Steel / Stahl

1x1

MANUAL

AUTOMATIC

069824

Arccpull accessories included



Expert accessories included



				I ₂	SYNERGIC	MANUAL	IRMS (A)		U ₂		kW					Product	Product + gun
MADE IN FRANCE	60974-1	50/60 Hz		A				Acier/Steel	Alu	V	A			cm			
GYSPOT ARC PULL 200		110 · 230 V	6 m	10 · 100 (110 V) 10 · 200 (230 V)				Manual + Digital Gun Motion Control		20.4 · 24 V (110 V) 20.4 · 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	20.5 x 25 x 33	8.6 kg	11.9 kg
COMBI ARCPULL		230 V	8 m	Alu 10 · 200 Acier 3800			Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 · 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	45 x 37 x 24.5	26 kg	39 kg

GYSPOT

ALU + STEEL DENT PULLING



GYS POT ARC PULL


DRAWN ARC DENT PULLING



ALU + ACIER / STEEL / STAHL




- SYNERGIC**
- Anneaux - Rings - Zugösen
 - Goujons - Studs - Gewindebolzen
 - Tiges inox - Stainless steel nails - Edelstahlnägel
- EXPERT Control**
- 1 Amorce - Start-up - Zündung
 - 2 Décapage - Scouring (l & t) - Abbeizen
 - 3 Arc (l & t) - Arc - Lichtbogen
 - 4 Accroche - Hitching (l & t) - Verklebung
 - 5 Hauteur - Height - Höhe



7 languages
FR, EN, DE, SP, IT, NL & RU

SYNERGIC DIGITAL GUNS






Consumables for Gun

- x2 059627
- x1 059610

SPECIAL TEARING RIVETS

Spécial arrachage de rivets - Spezial-Zugnieten



Ø max
Alu/Fe: 8 mm



Ø max
Alu: 8 mm
Fe: 12 mm



3 m, Ø 50 mm²
included
✓ ARC PULL 700

NEW
03/2022



GYS POT ARC PULL 350

208 · 240V · 1~

350 A x1 MANUAL

PFC SR AD

062191

included



PACKS ARC PULL 350	Arc Pull 350	Croco T400.70	Rivet box	Alu ring box 1.5 mm	Lifting rods
350 RIVET 064645	■	■	■	—	—
350 PULLER 064652	■	—	—	■	x1 180, 300, 500 mm
350 PULLER + RIVET 064669	■	■	■	■	x1 180, 300, 500 mm

GYS POT ARC PULL 700


380 · 480V · 3~

680 A x1 MANUAL

SR IP 23

OPTIONS

details p.20



068315

included



 MADE IN FRANCE	 60974-1			I ₂	SYNER- GIC			TECHNOLOGY		U ₂		kW					
		50/60 Hz	A			Acier/Steel	Alu	Power Factor Correction	Flexible Voltage		V		A	cm	ArcPull	ArcPull + gun	
GYSPOT ARC PULL 350		208 ÷ 240 V	6 m	10 ÷ 350	■	Manual + Digital Gun Motion Control		■	—	20.4 ÷ 34 V	16	11.9	OK	OK	30 x 24.5 x 22	11 kg	14.3 kg
GYSPOT ARC PULL 700		3x 400 V 3x 480 V	6 m	50 ÷ 670	■	Manual + Digital Gun Motion Control		—	—	22 ÷ 44 V	20 A (D) 16 A (D)	35 kW	OK	OK	32 x 32.4 x 41	16 kg	19.3 kg



GYSPOT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES


ACIER / STEEL / STAHL

	x1 059634	x1 059641	x1 064065	x100 041561	x100 064034	x2 049000	x100 059603	x100 064607	x1 048157	x100 049383	x100 049413	x100 049420	x1 048164	x100 063969	x200 063990	x1 064041	x200 064003	x1 064058	x100 063976
STEEL STUDS BOX 200 & 350 059443	x1	x1				x1	x100		x1	x100	x100	x100							

ALU

	x1 059634	x1 059641	x2 049000	x100 059573	x1 048157	x100 059580	x1 048164	x100 059597	x200 064010	x1 064041	x200 064027	x1 064058	x100 063983
ALU STUDS BOX 200 & 350 059436	x1	x1	x1	x100	x1	x100	x1	x100					

																
ALU RING BOX 1mm / 1.5 mm		Al-Special		AlMg3		AlMgSi		Al-Special		AlMg3 - x 50		AlMgSi - x 50				
		n°1 1 mm x100	n°4 1.5mm x100	n°8 2mm x100	n°2 1mm x100	n°5 1.5mm x100	n°3 1 mm x100	n°6 1.5mm x100	n°1 1mm x50	n°4 1.5mm x50	n°2 1mm x50	n°5 1.5mm x50	n°3 1mm x50		n°6 1.5mm x50	
		059535	059559	065703	059498	059511	059450	059474	059542	059566	059504	059528	059467		059481	
box		ALU RING BOX 1 mm 059412		1mm x50		1mm x50		1mm x50		1mm x20		1mm x20			1mm x20	
box		ALU RING BOX 1.5 mm 059429		1.5mm x50		1.5mm x50		1.5mm x50		1.5mm x20		1.5mm x20			1.5mm x20	
sachet - bag		ALU RING BOX 2 mm 065703		2mm x100												



Earth clamp
Croco T400.70
043787



Double earth clamp
25 mm², 3 m, 350 A
070714



Joint rings for
mandrel Ø 4/5/6
x 2
060814



STUDS HOLDER BOX 350	DIFFICULT ACCESS BOX 350															
STUDS HOLDER BOX 350 064591		x1	x1	x1	x1	x1	x1	x1	x1							
ARC PULL DIFFICULT ACCESS BOX 350 070813		x1	x1													
										x1	x1	x1	x1	x1	x1	x1

Difficult access : **NEW**

ARC PULL RIVET BOX 1 350 - 24kN 064584									
ARC PULL RIVET BOX 2 350 - 50 kN 073388									
	x100	x1	x1	x1	x1				
			x1	x1					
						x1	x100	x1	

**Extraction with
GYSPRESS & adapters**
details p.56

GYSPRESS
+ adapter 24kN
for Ø 4

GYSPRESS
+ adapter 50kN
for Ø 4 & 5

GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES

ARC PULL RIVET BOX 700 068452									
x100	x1		x1	x1	x2	x1	x1		



ACIER / STEEL / STAHL

EASY TOOL CONNECTION

for GYSPOT 39.02/04, PRO 230/400, EXPERT 200/230/400, COMBI 230 PRO

051690

3 m
Ø 35 mm²

Masse pistolet acier
- Steel gun earth adapter
- Masse für Stahl Pistole

051997

Ø 25 mm²

051584

380 g

Anneaux
- Rings
- Anschweißösen

051652

Fils ondulés
- Wavy wires
- Wellendraht

051669

Rétreinte
- Tempering
- Glättwerkzeug

051676

Box of 3 electrodes for accessories
050822

EASYGUN
051317

Poignée de tirage manuel
057289

MANUSPOT =

050679

+ Tools set & support for SPOT 600, 800, 1000, 1600, Workstation & Dentstation

+ EASYGUN 051317

MANULINER 050471

3 m
Ø 35 mm²

MANULINER/GUN 056831

Adaptateur pistolet - Gun adapter included 052499

4 positions
4 Positionen

Direct impact electrodes (x5)
050839

Patins - Pads (x2)
060807

PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN

FAST & EASY

RINGMATIC

052154

included
(x 50)

Option Adaptateur pistolet - Gun adapter 052499

LAMPE LIGNE DROITE

- Straight line lamp
- Dentine-laser

056770

QUICK SPOT AIR GUN V2

057340

LIGHT
920 g

2,5 m

AIR

QUICK SPOT AIR GUN V2 + Mini-fraiseuse - Mini-Druckluftfräser 065567

057340 + 063228

Included Tungsten drill Ø 6 mm 054172

Adaptateur pistolet - Gun adapter 052826

ALU

ARC PULLER PREMIUM

065161

Included Alu 3 065178

Included Alu 4 065185

NEW Patins - Pads (x2) 069008

ULTRA RESISTANT
No deformation

GRIP

Full rotation

Multi positions

Patins - Pads (x4) 074958

Included Alu 3 065178

Included Alu 4 065185

ARC PULLER PREMIUM PRO

072572

NEW

ALU PULLER

051003

4 positions

Included Alu 1 050938

Included Alu 2 050945

Patins - Pads (x2) 060807

ANNEAUX DE TIRAGE RAPIDE

- Fast pulling rings

058743

x5 058712

Alu 1 050938

Alu 2 050945

goujons alu - alu screws Ø 4, 5 & 6 mm

Marteau à inertie 380 g 050051

MARTEAUX ALU

- Alu hammers

020986

AFFUTEUR D'ANNEAUX ACIER - Steel Ring sharpener

072565

NEW

Acier - Steel - Stahl

Poinçon et matrice affuteur pneumatique pour anneaux acier - Pneumatic punch and die sharpener for steel rings 072299

Décapeur thermique - Heat gun - Heißluftpistole

I: 100/300°C (450 W)
II: 300/650°C (1500 W)
Air flow: 450 l/min

066311

Affichage digital
Digital display

Pistolet à air chaud autonome à gaz - Gas hot air gun

060777

Bouteille de gaz incluse, gas cylinder included

Lampe à souder - Blow torch - Lötlampe

052741

Novacet + (Butane/propane/propylene) 380 ml/220 g

040441

HIGH QUALITY

Brosses - Brushes - Bürsten - Broses - Cepillos

044258

Inox - Stainless - Edelstahl

Crayon marqueur thermique - Thermal marking pencil

052765

121°C / 250°F

Thermomètre infrarouge - Infrared Thermometer

052994

-50 / +380°C
-58 / +716°F

Spray refroidisseur - Freezer spray

(x 12) 048898

-50°C
400 ml

Spray barrière thermique - Heat barrier spray

054325

PREMIUM PRO

Barre de débousselage Premium Pro 900 mm
- Premium Pro levelling bar 900 mm
- Premium Pro Zugbrücke 900 mm
3.8 kg
071643

NEW

SLIDE & LOCK SYSTEM

900 mm max

220

QUICK HOOK

Barre de tirage Premium Pro 900 mm
- Premium Pro scissoring bar 900 mm
- Premium Pro Scherenzugbrücke 900 mm
4.5 kg
072305

NEW

SLIDE & LOCK SYSTEM

900 mm max

220

QUICK HOOK

Levier de débousselage Premium Pro
- Premium Pro Levelling lever
- Premium Pro Zughebel
1.6 kg
072619

567 mm

147

2 positions

QUICK HOOK

Barre de tirage Premium Pro 1150 mm
- Premium Pro scissoring bar 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm
072626

1150 mm

NEW

OPTIONS

1.3 kg
072312

NEW

QUICK HOOK

0.7 kg
071650

QUICK HOOK

Pull with screwdriver

072633

QUICK HOOK

PREMIUM QUICK HOOK
Premium Pro 2-teeth hook
072664

NEW

Premium Pro 3-teeth hook
072671

4 072640

6 072657

PREMIUM QUICK HOOK

NEW

Arc Puller Premium PRO
072572

Alu 4
065185

Alu 3
065178

x2 059351

150

x2 059375

220

x1 072688

270

x1 059320

150

x2 061293

220

PREMIUM BAR SMARTHAND

NEW

Premium Bar SmartHand

for Premium & Premium Pro

072480

210 cm

zoom



DENT PULLING WORKSTATIONS

Spot 600
39 x 14 x 60 cm,
7.1 kg
053533



NEW DESIGN
COMING SOON

Dent 600
072831




Spot 1000
39 x 14 x 60 cm,
10.8 kg
053540




NEW DESIGN
COMING SOON


Dent 1000
072848




Universal 800
52 x 15 x 80 cm,
18.1 kg
051331



Weld 810
55 x 22 x 78 cm,
21.6 kg
037489



Weld 910
79 x 50 x 115 cm,
27.5 kg
070967





Spot 1600
68 x 20 x 104 cm,
43 kg
051348



Dent 1600
072596

COMING SOON

Dent 1600 WD
072169




Dentstation PRO
81 x 29 x 61 cm, 58 kg
056848



x6
x2
Included
Fixing kit
051362

COMING SOON

Dentstation Pro WD
072800



Compatibility

SPOT	Spot 600	Spot 1000	Weld 810	Weld 910	Universal 800	Spot 1600	Dentstation Pro
2600, 2700	✓	✓	✓	✓	✓	✓	✓
34.02/04	✓	✓	✓	✓	✓	✓	✓
3902/04	✓	✓	✓	✓	✓	✓	✓
PRO 230/400	✓	✓	✓	✓	✓	✓	✓
EXPERT 230/400	✓	✓	✓	✓	✓	✓	✓
ALU PRO FV					✓	✓	✓
COMBISPOT 230						✓	✓
ARCPULL 200/350			✓	✓		✓	✓
ARCPULL 700				✓		✓	✓



Housse de protection
- Protection cover
- Schutzhaube
for Universal 800
062733
for Spot 1600 &
Dent 1600
048881
for Dentstation Pro
059870



DENT PULLING WORKSTATIONS

UNE SOLUTION COMPLÈTE
A COMPLETE SOLUTION
KOMPLETTLÖSUNGEN

EASYLINER

				ALL IN 1 BOX
GYSPOT (guns & consumables included)	SPOT 1000 053540	DENT 1000 072848	Levelling bar double action 053564 + Dent box easy 053632	
39.02 053618 058521	GYSPOT 39.02	✓		✓
PRO 230 072398	GYSPOT PRO 230			✓

PROLINER

GYSPOT (guns & consumables included)	UNIVERSAL 800 051331	Cable support 052284	Levelling bar double action 053564 + Dent box bar 050037	
39.02 035775	GYSPOT 39.02			✓
39.04 035782	GYSPOT 39.04			✓
PRO 230 035799	GYSPOT PRO 230			✓
PRO 400 035805	GYSPOT PRO 400			✓
GYSPOT (guns & consumables included)	UNIVERSAL 800 051331	Cable support 052284	Alu puller 051003	
ALU PRO FV 035836	GYSPOT ALU PRO FV	✓	✓	✓
GYSPOT (guns & consumables included)	Weld 810 037489	Cable support 052284	Arc puller premium 065161	
ARC PULL 200 065260	GYSPOT ARC PULL 200	✓	✓	✓



✓ 39.02



✓ PRO 230

EASYLINER ACIER / STEEL / STAHL



✓ PRO 230, PRO 400

PROLINER ACIER / STEEL / STAHL



✓ 39.02, 39.04



✓ ALU PRO FV

PROLINER ALU




✓ ARC PULL 200

ALU (ACIER / STEEL / STAHL)

SPEEDLINER


													
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	Fixing kit 051362	Levelling bar 050693	Multihook heads 049758	Alu Box Ø5 & 6 048195	Alu puller 051003	Alu hammers 020986	Set of pencil punches with 6 teflon tips 052888	Mini disc sander 051829	051423	Infrared Thermometer 052994	Thermal marking pencil 052765
ALU PRO FV 036055	GYSPOT ALU PRO FV												


														
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	Manuspot 050679	Levelling bar 050693	Levelling lever 050686	052451	Multihook heads 049758+049734	3 lifting rods 050792	Dent box consumables 051515	Magnetic earth 049666	Ringmatic 052154	Alu puller 051003	Arc puller premium 065161	4 m³ support 059665
39.02 035010	GYSPOT 39.02													
39.04 035027	GYSPOT 39.04													
PRO 230 036017	GYSPOT PRO 230													
PRO 400 036024	GYSPOT PRO 400													
EXPERT 200 028180	GYSPOT EXPERT 200													
EXPERT 230 066984	GYSPOT EXPERT 230													
EXPERT 400 028197	GYSPOT EXPERT 400													

COMBI 230EPRO 036062	GYSPOT COMBI 230 E.PRO	✓	×2											
ARC PULL 200 069015	GYSPOT ARC PULL 200 + PRO 230													
+ PRO 400 069053	GYSPOT ARC PULL 200 + PRO 400													
+ EXPERT 200 065284	GYSPOT ARC PULL 200 + EXPERT 200	✓	×2											
+ EXPERT 230 066991	GYSPOT ARC PULL 200 + EXPERT 230													
+ EXPERT 400 065291	GYSPOT ARC PULL 200 + EXPERT 400													

without generator 035058														
--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SPEEDLINER PREMIUM

												
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	x6	Premium levelling bar 059306	Hook head 059382	3 lifting rods 050792	Alu Ring Box 1 mm 059412	Arc puller premium 065161	Alu hammers 020986	Set of pencil punches with 6 teflon tips 052888	Infrared Thermometer 052994	4 m³ support 059665
ARC PULL 200 065277	GYSPOT ARC PULL 200											

													
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	Manuspot 050679	Ringmatic 052154	Manual pulling handle 057289	Premium levelling bar 059306 + Premium levelling lever 059290	Hook head 049758 + 059658 + 059382	3 lifting rods 050792	Dent box consumables 051515	Magnetic earth 049666	Fast pulling rings (x5) 058712 + Alu puller 051003	Arc puller premium 065161	4 m³ support 059665
PRO 230 068766	GYSPOT PRO 230												
PRO 400 068773	GYSPOT PRO 400												
EXPERT 200 068780	GYSPOT EXPERT 200												
EXPERT 230 068803	GYSPOT EXPERT 230												
EXPERT 400 068827	GYSPOT EXPERT 400												

COMBI 230EPRO 068841	GYSPOT COMBI 230 E.PRO	✓	×2										
ARC PULL 200 069022	GYSPOT ARC PULL 200 + PRO 230												
+ PRO 400 069060	GYSPOT ARC PULL 200 + PRO 400												
+ EXPERT 200 068797	GYSPOT ARC PULL 200 + EXPERT 200	✓	×2										
+ EXPERT 230 068810	GYSPOT ARC PULL 200 + EXPERT 230												
+ EXPERT 400 068834	GYSPOT ARC PULL 200 + EXPERT 400												



✓ ALU PRO FV

SPEEDLINER ALU

✓ 39.02, 39.04
✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

ACIER / STEEL / STAHL



✓ COMBI 230 E.PRO
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

SPEEDLINER PREMIUM ALU + ACIER / STEEL / STAHL

COMPLETE SYSTEM

★ ★ ★



✓ COMBI 230 E.PRO
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

SPEEDLINER ALU + ACIER / STEEL / STAHL



✓ ARC PULL 200

SPEEDLINER PREMIUM ALU

✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

ACIER / STEEL / STAHL

SPEEDLINER V2 NEW

 GYSPT (guns & consumables included)	 DENT 1600 072596	 Cable support 052284	 Levelling bar 050693	 Multihook heads 049758	 Alu Box 05 & 6 048195	 Alu puller 051003	 Alu hammers 020986	 Set of pencil punches with 6 teflon tips 052888	 Stainless stell brush 044258	 Hot air gun 650°C 044258	 Infrared Thermometer 052994			
ALU PRO FV 074552	GYSPT ALU PRO FV											✓		
 GYSPT (guns & consumables included)	 DENT 1600 072596	 Cable support 052284	 Manuspot 050679	 Levelling bar 050693	 Levelling lever 050686	 052451	 Multihook heads 049758+049734	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Ringmatic 052154	 Alu puller 051003	 Arc puller premium 065161	 4 m³ support 059665
39.02 074422	GYSPT 39.02												✓	
39.04 074439	GYSPT 39.04													
PRO 230 074446	GYSPT PRO 230													
PRO 400 074453	GYSPT PRO 400													
EXPERT 200 074460	GYSPT EXPERT 200												✓	
EXPERT 230 074477	GYSPT EXPERT 230													
EXPERT 400 074484	GYSPT EXPERT 400													
COMBI 230EPRO 074491	GYSPT COMBI 230 E.PRO	✓	x2									✓		
ARC PULL 200 + PRO 230 074507	GYSPT ARC PULL 200 + PRO 230	✓	x2											
+ PRO 400 074514	GYSPT ARC PULL 200 + PRO 400													
+ EXPERT 200 074521	GYSPT ARC PULL 200 + EXPERT 200													
+ EXPERT 230 074538	GYSPT ARC PULL 200 + EXPERT 230													
+ EXPERT 400 074545	GYSPT ARC PULL 200 + EXPERT 400												✓	
without generator 035058													✓	

SPEEDLINER PREMIUM V2 NEW

 GYSPT (guns & consumables included)		 DENT 1600 WD 072169	 Cable support 052284	 Premium levelling bar 059306	 Hook head 059382	 3 lifting rods 050792	 Alu Ring Box 1 mm 059412	 Arc puller premium 065161	 Alu hammers 020986	 Set of pencil punches with 6 teflon tips 052888	 Infrared Thermometer 052994	 4 m³ support 059665	 Stainless stell brush 044258	 Hot air gun 650°C 044258	 Alu Ring Box 1,5 mm 059429	 Ring holder 059429
ARC PULL 200 073999	GYSPT ARC PULL 200	✓														
ARC PULL 350 074934	GYSPT ARC PULL 350	✓														
 GYSPT (guns & consumables included)		 DENT 1600 WD 072169	 Cable support 052284	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 Premium levelling bar 059306 + Premium levelling lever 059290	 Hook head 049758 + 059658 + 059382	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Fast pulling rings (x5) 058712 + Alu puller 051003	 Arc puller premium 065161	 4 m³ support 059665		
PRO 230 073883	GYSPT PRO 230															
PRO 400 073890	GYSPT PRO 400															
EXPERT 200 073906	GYSPT EXPERT 200	✓														
EXPERT 230 073920	GYSPT EXPERT 230															
EXPERT 400 073944	GYSPT EXPERT 400															
COMBI 230EPRO 073968	GYSPT COMBI 230 E.PRO	✓	×2	✓										✓		
COMBI ARCPULL 074569	GYSPT COMBI ARCPULL															
ARC PULL 200 + PRO 230 073975	GYSPT ARC PULL 200 + PRO 230															
+ PRO 400 073982	GYSPT ARC PULL 200 + PRO 400															
+ EXPERT 200 073913	GYSPT ARC PULL 200 + EXPERT 200	✓	×2	✓											✓	
+ EXPERT 230 073937	GYSPT ARC PULL 200 + EXPERT 230															
+ EXPERT 400 073951	GYSPT ARC PULL 200 + EXPERT 400															



✓ ALU PRO FV



✓ 39.02, 39.04
✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

SPEEDLINER V2

ALU

ACIER / STEEL / STAHL




✓ COMBI 230 E.PRO
✓ COMBI ARCPULL
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

SPEEDLINER PREMIUM V2

ALU + ACIER / STEEL / STAHL

COMPLETE SYSTEM

★ ★ ★



✓ COMBI 230 E.PRO
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

SPEEDLINER V2

ALU + ACIER / STEEL / STAHL



✓ ARC PULL 200, ARC PULL 350



✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

SPEEDLINER PREMIUM V2

ALU

ACIER / STEEL / STAHL



DENTSTATION

																	
39.02 028012	GYSPOT 39.02																
39.04 028029	GYSPOT 39.04																
PRO 230 036420	GYSPOT PRO 230																
PRO 400 036437	GYSPOT PRO 400																
EXPERT 200 036734	GYSPOT EXPERT 200																
EXPERT 230 067028	GYSPOT EXPERT 230																
EXPERT 400 036741	GYSPOT EXPERT 400																
COMBI 230 E.PRO 036444	GYSPOT COMBI 230 E.PRO	✓	×2													✓	
ARC PULL 200 + PRO 230 069039	GYSPOT ARC PULL 200 + PRO 230	✓	×2														✓
+ PRO 400 069077	GYSPOT ARC PULL 200 + PRO 400																
+ EXPERT 200 065321	GYSPOT ARC PULL 200 + EXPERT 200																
+ EXPERT 230 067035	GYSPOT ARC PULL 200 + EXPERT 230																
+ EXPERT 400 065338	GYSPOT ARC PULL 200 + EXPERT 400																

DENTSTATION PREMIUM

																		
PRO 230 028067		GYSPOT PRO 230		✓														
PRO 400 028074		GYSPOT PRO 400																
EXPERT 200 036758		GYSPOT EXPERT 200																
EXPERT 230 067042		GYSPOT EXPERT 230																
EXPERT 400 036765		GYSPOT EXPERT 400																
COMBI 230 E.PRO 036772		GYSPOT COMBI 230 E.PRO		✓	x2	✓										✓		
COMBI ARCPULL 074941		GYSPOT COMBI ARCPULL																
ARC PULL 200 + PRO 230 069046		GYSPOT ARC PULL 200 + PRO 230		✓	x2	✓											✓	
+ PRO 400 069084		GYSPOT ARC PULL 200 + PRO 400																
+ EXPERT 200 065345		GYSPOT ARC PULL 200 + EXPERT 200																
+ EXPERT 230 067059		GYSPOT ARC PULL 200 + EXPERT 230																
+ EXPERT 400 065352		GYSPOT ARC PULL 200 + EXPERT 400																



✓ 39.02, 39.04
✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400


DENTSTATION ACIER / STEEL / STAHL



✓ COMBI 230 E.PRO
✓ COMBI ARCPULL
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ EXPERT 200 + ARC PULL 200
✓ EXPERT 230 + ARC PULL 200
✓ EXPERT 400 + ARC PULL 200


DENTSTATION PREMIUM ALU + ACIER / STEEL / STAHL

COMPLETE SYSTEM



✓ COMBI 230 E.PRO
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ EXPERT 200 + ARC PULL 200
✓ EXPERT 230 + ARC PULL 200
✓ EXPERT 400 + ARC PULL 200

DENTSTATION ALU + ACIER / STEEL / STAHL



✓ PRO 230, PRO 400
✓ EXPERT 200, Expert 230, EXPERT 400

DENTSTATION PREMIUM ACIER / STEEL / STAHL

 GYSPT EXPERT 230 (guns & consumables included) 066885	 Dentstation Pro WD 072800	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 Gripping hook head 072664 - 072671 072640 - 072657	 Double padded feet 270 mm 072688
GYSPT EXPERT 230 PACK 066885	DENTSTATION PRO WD PACK 072800	STEEL ACCESSORIES PACK 073821									
GYSPT EXPERT 230 + DENTSTATION PRO WD + STEEL ACCESSORIES PACK = 073845											

NEW

NEW

 GYSPT EXPERT 400 (guns & consumables included) 058859	 Dentstation Pro WD 072800	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 072664 072671 072640 072657	 Double padded feet 270 mm 072688
GYSPT EXPERT 400 PACK 058859	DENTSTATION PRO WD PACK 072800	STEEL ACCESSORIES PACK 073821									
GYSPT EXPERT 400 + DENTSTATION PRO WD + STEEL ACCESSORIES PACK = 073852											



NEW

 GYSPT COMBI ARCPULL (guns & consumables included) 069824	 Dentstation PRO WD 072800	 Manuspot 050679	 Ringmatic 052154 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 072664 072671 072640 072657	 Double padded feet 270 mm 072688	 Potence pour servantes de débousselage 052284	 4 m³ support 059665	 Arc Puller Premium Pro 072572		
GYSPT COMBI ARCPULL PACK 069824	DENTSTATION PRO WD PACK 072800	STEEL ACCESSORIES PACK 073821								ALU ACCESSORIES PACK 073838				
GYSPT COMBI ARCPULL + DENTSTATION PRO WD + STEEL ACCESSORIES PACK + ALU ACCESSORIES PACK = 073869														

NEW

 GYSPT EXPERT 400 + ARCPULL 200 (guns & consumables included) 058859 057470	 Dentstation Pro WD 072800	 Manuspot 050679 Ringmatic 052154 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312 072664 072671 072640 072657	 Double padded feet 270 mm 072688	 Potence pour servantes de débousselage 052284	 4 m³ support 059665	 Arc Puller Premium Pro 072572	
GYSPT EXPERT 400 PACK 058859	GYSPT ARCPULL 200 PACK 057470	DENTSTATION PRO WD PACK 072800	STEEL ACCESSORIES PACK 073821						ALU ACCESSORIES PACK 073838		
GYSPT EXPERT 400 + ARCPULL 200 + DENTSTATION PRO WD + STEEL ACCESSORIES PACK + ALU ACCESSORIES PACK = 073876											

NEW

STEEL ACCESSORIES



DENTSTATION PREMIUM PRO EXPERT 230

STEEL ACCESSORIES



DENTSTATION PREMIUM PRO EXPERT 400

STEEL & ALU ACCESSORIES



DENTSTATION PREMIUM PRO COMBI ARCPULL

STEEL & ALU ACCESSORIES



DENTSTATION PREMIUM PRO
EXPERT 400 + ARCPULL 200





DRAW ALIGNER

PULLING SYSTEMS




DRAW ALIGNER

Équerre de tirage - Draw aligner - Schnellausbeul-Richtausleger 052475




OPTIONS




Huile hydraulique 1L - Hydraulic oil 1L 053397

INCLUDED

Câle pour bas de caisse - Wedge for rocker panel




Kit patins pour bas de caisse - Pads kit for rocker panel



OPTIONS

Bras de bas de caisse - Rocker panel arms for draw aligner - Abstütztraverse für Richtausleger



052581



UNIVERSAL




7 kg




DRAW ALIGNER PRO

069244




049734 (included)

058347 (included)




OPTIONS



Huile hydraulique 1L - Hydraulic oil 1L 053397

INCLUDED


Câle sous roue - Plate under the wheel



Câle pour bas de caisse - Wedge for rocker panel




Kit bras de bas de caisse et barre de stabilisation - Rocker panel arms and stabilisation bar




OPTIONS

Kit patins pour bas de caisse - Pads kit for rocker panel

071278



SYSTÈME DE TIRAGE SMART PULLER SILVER
- Smart puller silver pulling system - Schnellausbeul-Richtausleger Smart puller silver



054820



- Portières - Doors - Türen
- Montants - Supports - Scheibenrahmen
- Capot - Hood/Bonnet - Haube
- Armature - Armature - Rahmen
- Bas de caisse - Rocker panel - Schweller
- Ailes - Wings - Kotflügel
- Toit - Roof - Dach
- Hayon - Hatchback - Heckdeckel

min : 0,60 m
max : 2,00 m

min : 1,50 m
max : 2,70 m

0,55 m

0,20 m

1,55 m


0,35 m

54 kg

Autorobot®

INCLUDED


Accessories



Youtube

ELECTRO POWER - Zug-Druckpresse

Non commercialisable en France



with accessories : 057425

• PULLING POWER: 5 Ton.
• PUSHING POWER: 5 Ton.
• PISTON STROKE: 130 mm



MADE IN ITALY

INCLUDED



Standard kit : 425x620x210 mm
Standard kit Total weight: 18 kg
057401

Li-Ion battery (included)

058514

INCLUDED



Accessories kit : 425x620x150 mm
Accessories kit Total weight: 20 kg
057418

COFFRET VÉRIN HYDRAULIQUE - Hydraulic cylinder kit - Hydraulischer Drucksatz

MADE IN P.R.C.

BASIC 4T
052345



BASIC 10T
052338



PRO 4T
057432



PRO 10T
057449



OPTIONS



Huile hydraulique 1L
- Hydraulic oil 1L
053397

BARRE D'ANCRAGE - Anchor bar - Türspanner

MADE IN TAIWAN

053045




910 > 1130 mm

053052



1540 > 1930 mm




MESURES - Measuring tools - Vermessung

BODYMETER, Mechanical measurements

052130

250 > 2230 mm




GYSMETER, Electronic measurements

052093



400 > 2650 mm

Measuring report




Light weight measuring arm with an easy to read digital display


PINCE PIVOTANTE
- Swivel clamp




PINCES DE TIRAGE - Frame Straightening - Ziehwerkzeuge




CROCHET DE TIRAGE - Frame Straightening - Ziehwerkzeuge




PASSAGE DE ROUE - Arch hooks




CHAÎNES DE TIRAGE - Frame Straightening - Ziehwerkzeuge




PINCES DE TIRAGE LARGES - Wide pull clamps




PINCES DE TIRAGE FAIBLE LARGEUR - Small pull clamps




PINCE DE TIRAGE MULTIPLE
- Multiple pull clamp




PINCE CISEAUX LARGEUR
45 mm - 45 mm scissors clamp



PINCE DE TIRAGE POUR ANGLE 90° - 90 Degree corner clamp




PINCE DE TIRAGE TYPE C
- C type clamp



KIT MARTEAU À INERTIE - Inertia hammer kit - Ausziehhammer kit



SATELLITE INTELLIGENT - Smart Satellite - Satellit Komplett-Kit




The best from **Autorobot**
www.autorobot.com/pdf/7148_ENG.pdf
MADE IN FINLAND




PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727



1 SATELLITE
- Satellite - Satellit Basisbügel-Set




2 KIT MAC PHERSON (A)
- Mac Pherson Kit - Befestigungs-Kit-Federbein (McPherson)



3 BARRE POUR TIRER/POUSSER
- Push/Pull Bar - Zug/Druck-Stangenset



4 SATELLITE (B)
- Bügelverlängerung



5 SANGLE DE SÉCURITÉ
- Safety Strap - Sicherungsgurt



6 DOUBLE PINCE SATELLITE (C)
- Double Clamp Satellite - Satellit Doppelklemme



PINCE DE TIRAGE MULTI-USAGE
- Versatile pulling clamp - Multifunktions-Zugklemme



POWER-PULLER 4T





Débosselage rapide et sans peinture
- PDR: Paintless Dent Repair
- Lackschadenfreies Ausbeulen

PAINTLESS DENT REPAIR



Youtube



MADE IN FRANCE

50 Hz	A	W	kHz	PFC	FV	Liquid Cooling	Cable (m)	Inductor	cm	kg
230V, 1~	16	2.400	35 + 120	■	■	—	2	2,5	22 x 36 x 27	7,5

OPTION
Spray refroidisseur
- Freezer spray
-50 °C
400 ml
(x 12)
048898

INDUCTEUR DÉBOSELAGE - Dent Pulling Inductor - Dellenmatrix

GYSDUCTION
AUTO
DENT REPAIR
054981


GYSDUCTION AUTO + Dent pulling inductor
054776



Licensed by
BETAG.Innovation

INSPECTION CARROSSERIE - Dent Pulling Inductor - Ausbeul Induktor


Planche flexible pour inspection
de la carrosserie - Ausbeul-
Matrix
Ø 800 mm
059122



KIT MAGNÉTIQUE DE DÉBOSELAGE SANS PEINTURE - Paintless Dent Repair magnetic kit - Magnetisches Ausbeul-Kit

053168

EXELTOOLS



LAMPES DE DÉBOSELAGE - Paintless Dent Repair lamps - Ausbeullampe

ULTRA LIGHT CARBON X40 PW
053175


EXELTOOLS



GLUE PULLER PRO (Acier/Alu • Steel/Alu)



MADE IN FRANCE



Glue Lifter
057364

Glue Puller PRO
058699

Glue Puller PRO
EXPORT
230V 059160
110V 071056

x6
050952



250 W
230 V 052901
110 V 071315









x10
050976



050983



BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebe pads



OPTIONS


Poignée de tirage
3 dents - Pulling
handle 3 claws -
Handzugkralle
3-fach
057326

057302




Marteau à inertie 380 g
- Slide hammer 380 g
- Gleithammer 380 g

050051



Marteau à inertie 500 g
- Slide hammer 500 g
- Gleithammer 500 g

057906




Jeu de 2 couteaux pour
découpe de renforts colles
- Set of 2 knives to cut glued
reinforcements
- 2-er Set Messer zur
Klebebandentfernung

057913



KIT DÉBOSELAGE SANS PEINTURE - Dent Pulling Kit (paintless) - Dellenausbeulhebel-Set



33
parts

051959



KIT DE 6 COINS DE FRAPPE - Set of 6 pencil punches - Beulenstemmer-Satz mit 6 Tefloneinsätzen



MADE IN FRANCE




MARTEAU INERTIE PNEUMATIQUE - Pneumatic inertia hammer - Unterdruck-Schlaghammer

051904



MARTEAU À INERTIE À VENTOUSES (POMPAGE MANUEL) - PUMP AIR SUCTION SLIDE HAMMER - Man. Unterdruck-Schlaghammer



KIT COUSSINS GONFLABLES - Air Cushion Kit - Luftpolster-Spreizkissen-Satz





SPOT LIFT

MOBILE LIFTS

SPOT LIFT EASY


max Air 8 bar

SAFE EN 1494

max 2.2 t

064843


HEALTH CARE



Haute stabilité - High stability

Included
220 bar
053588SAFE
EN 1494

OPTIONS

Huile hydraulique -
Hydraulic oil
1 l
053397Outil de levage pour bas de caisse
- Rocker panel lifting tool
- Auflage für Seitenschweller
053236


SPOT LIFT PRO

max Air 8 bar

SAFE EN 1494

max 2.2 t

053557



OPTION

SAFE
EN 149460 cm (max)
14 cm (min)


SPOT LIFT PRO MOB

max Air 8 bar

SAFE EN 1494

max 2.2 t


055896

SAFE
EN 149460 cm (max)
14 cm (min)


AUTO ROLL

min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)


2.5 t max

AUTO ROLL 1.0 m / 1.2 t
059047AUTO ROLL 1.55 m / 1.2 t
063839

AFTER LIFT AUTO ROLL



2.5 t max



067967

45 Kg



TABOURETS DE MANUTENTION - Wheel trolleys - Radhocker

048768



x 2




CHARIOTS DE MANUTENTION PRISE SOUS ROUE - Wheel trucks - Kfz-Montagelift, fahrbar

Chariots mécaniques (x 2)
- Mechanic jacks (x2)
071995


(2x) 16 kg

680 kg max




NEW


Made in China



OPTIONS

Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKWPatins - Pads
for Audi & BMW
(x 2)
053717Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787

OPTIONS

SPOT LIFT PRO MOB
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKWPatins - Pads
for Audi & BMW
(x 2)
061606Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787

43

SPOT LIFT

MOBILE LIFTS

ERGO LIFT 650

220 V, 1~
SAFE EN 1493
max 2 t



Youtube

056817




Included
Huile hydraulique -
Hydraulic oil
5l
062160



EASY 360° - Déplacements sur 360°



Haute stabilité - High stability



Pack ERGO LIFT 650 + 4 Wheel trolleys (x4)

068544

NEW



x4

TROLLEY IW1

max 6.5 bar

6.5 bar

063136




Youtube

Suppression du poids,
des vibrations et du couple
- Weight, vibrations
& torque suppression



Liberté de mouvement
- High dexterity



Grande maniabilité et stabilité
- High maneuverability & stability




OPTIONS


Huile hydraulique
- Hydraulic oil
1l
053397



TRUCK
MAINTENANCE




Fixation
36 x 36 mm
→ 44 x 44 mm



QUICK LIFT L520E



062184



Included
Huile hydraulique -
Hydraulic oil
5l
062160



Youtube




SAFE
EN 1493

2.5 t max

OPTIONS

x4 Patins à rainures
071933



Patins pour SUV -
Pads for SUV
x4
065017



Support mural
- Wall mount
071926




AIR JACKS





AIR JACK VAN 2T
058330

2T max



AIR JACK CAR 2T
058323



2T max



MANUAL WHEEL LIFT

Lève roue à treuil
- Wheel lift trolley
- Radmontage-Heber
061385

min : R13 / 135 / 65
max : R22 / 300 / 35
40 kg max



SPOTWELDING

PORTASPOT 230

6 300 A120 daN

Air cooled



ARMS Ø 23 mm



l = 110 mm

PX1 (included)
047945



l = 220 mm

PX2
047938




l = 220 mm

PX3
047921



l = 350 mm

PX4
047914



Ref 051614

PX5
048690

ELECTRODES



EX40
Short electrode 40 mm
047884



EX60
Medium electrode 60 mm
047891



EX80
Long electrode 80 mm
047907


CAPS & ACCESSORIES




Caps type F (x 6)
049970



Caps remover
050846



Lame- Blade
052857



Affuteur de caps - Cap grinder
048966

	 I _{AM}	RMS	MAX	 U ₀	Cable 		100% CU			
50/60 Hz	A	A	A	mm	V	 m	Ø mm ²	(no arm) cm	kg	
1 x 230V	16(D)	6 300	8 900	2+2	2,45	2,5	3x2,5 H05VVF	OK	36x29 x10	10

GYSPOT

32D-X

7 500 A500 daN



Double pressure
Ø 8 mm
6 kg
(included RX1)

Air cooled

2 x 400V
019881

GYSPOT

32D-C

7 500 A300 daN



Large opening
360°
Ø 8 mm
4 kg (included RC1)

Air cooled

2 x 400V
019898

GYSPOT INVERTER

100R-X

10 000 A500 daN

For mild steel,HSS, UHSS



Double pressure
Ø 8 mm
6 kg
(included RX1)

Air cooled

Traceability software
Save spot welding
configuration and export data

3 x 400V
019911

GYSPOT INVERTER

100R-C

10 000 A300 daN

For mild steel,HSS, UHSS



Large opening
360°
Ø 8 mm
4 kg (included RC1)

Air cooled

Traceability software
Save spot welding
configuration and export data

3 x 400V
019928

GYSPOT INVERTER

100R-CX

10 000 A500 daN (X)
300 daN (C)

For mild steel,HSS, UHSS



Large opening
360°
Ø 8 mm
4 kg (included RC1)

Air cooled

Traceability software
Save spot welding
configuration and export data

3 x 400V
022317



OPTIONS



050068
x10 (x20: 052239)
x6 (x6: 049994)
x18 (x6: 049987)
x18 (x6: 049970)



048935
x40 (x6: 049987)



Housse de protection
- Protection cover
- Schutzhaube
052260



RC4
8 bar/120 daN,
for 32D-C, 100R-C
& 100R-CX
052253



CARD
050914

RX2	RX3	RC1	RC2	RC3
051041	051058	051065	051072	051089

32D-X	019881									
32D-C	019898					■ Pro				
100R-X	019911					■ Pro				
100R-C	019928					■ Pro				
100R-CX	022317					■ Pro		■ x2		

 MADE IN FRANCE	 62135			Spots/ min (max)	 RMS	 MAX	 mm	Uo	Cables				100% CU		
		50/60 Hz	A D curve	 2,5+2,5	A	A	 	V	Air Cooled	 m	Ø mm²	cm		kg	
GYSPOT 32D.X GYSPOT 32D.C	2 x 400V	32 (13 kVA) 40 (16 kVA)	6 10	7 500	10 500	3 + 3	1,2 + 3	11			2,2	200	OK	55 x 75 x 190	78
											2,5	150			
										—	8	3 x 6 H07RNF			
GYSPOT 100R.X GYSPOT 100R.C GYSPOT 100R.CX	3 x 400V	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	10 000	—	2,5+2,5+2,5	1,5 + 3	16			2,5	200	OK	70 x 99 x 208	107 108 95,5
											2,5	150			
										—	8	4 x 6 H07RNF			

FOR GYSPOT 32D-X, 100R-X, BP-LX


550 daN

6,5 kg including X1


- DOUBLE PRESSURE
- LIQUID COOLED
REFROIDISSEMENT LIQUIDE
- Ø 10 mm




X ARMS
Ø 25 mm




X Arms - Caps Ø13 mm




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518



X4 8 bar/120 daN
050532



X5 8 bar/200 daN
050549




X4A 8 bar/150 daN
020702



X4B 8 bar/150 daN
020719




X4C 8 bar/150 daN
020726



X6 8 bar/400 daN
050587


X4 (A, B & C) combinations




X11 3 bar/150 daN
051607

X ARMS PANELS


X4A (x2) + X5 + X2
022324



X4A (x2) + X4B + X4C + X2
020733




Remote control (BP)



C ARMS PANELS



C2
+ C3
+ C4
019126



C2
+ C3
+ C4
060821



C2 +
C3 +
C6 +
C12 +
C9
= 061316

FOR GYSPOT BP-LC, PTI

550 daN

6,5 kg including C1

- DOUBLE PRESSURE
- LIQUID COOLED
REFROIDISSEMENT LIQUIDE
- Ø 10 mm



550 daN

Transformer inside

9,9 kg including C1


- DOUBLE PRESSURE
- AIR COOLED + LIQUID COOLED
DOUBLE REFRIGERATION
AIR + LIQUID
- Ø 10 mm

C Arms - Caps Ø13 mm


Classic arms




Bras isolés - Isolated arms - Isolierte Bügel



C2 8 bar/550 daN
022386




C6 8 bar/300 daN
022409



C12 8 bar/550 daN
022997




C8 8 bar/550 daN
021440




C10 4 bar/150 daN
051638




C5 8 bar/550 daN
022393




C1 8 bar/550 daN
021402




C3 8 bar/550 daN
021419



C11 8 bar/550 daN
053649




C4 8 bar/550 daN
021426





C7 8 bar/550 daN
021433

Option for C7




C9 8 bar/550 daN
020078

Option for C9 & C14



C14 8 bar/400 daN
023543



Arm lock pin
062405

SPOT WELDING

G
ARMS
p.60




**ULTRA LIGHT
& COMPACT**
6.5 kg
(Gyro & G1 included)

550 daN
 LIQUID COOLED
REFROIDISSEMENT
LIQUIDE
 Ø 10 mm

6.5 kg
(Gyro & G1 included)



FAST OPEN XL




2 s
80 mm

EASY




GYRO INTEGRATED



360°

PERFECT ELECTRICAL CONNECTION



AUTO



CLICK!

**GYSPOT INVERTER
BP-LG**

13 000 A
550 daN

For mild steel, HSS, UHSS

Boron steel


BP 2013/55/UE **BODYPROTECT**
Unique electro-magnetic field protection
by GYS





Traceability software
Save spot welding configuration
and export data


 SD CARD
MEMORY



023451



	023550	023451	023499
 Gyspot BP-LG	220V	400V	
 Monopoint/Spot 049291	▪	▪	▪
 Spotter box pro (p.10) 050075	▪	▪	▪
 Inertia hammer 049482 + 049802	▪	▪	▪
 Caps remover 050846	▪	▪	▪
 Arm support	▪	▪	▪
 G1 022768	▪	▪	▪
 G2 + G3 + G4 022898			▪
 Liquid cooling (10l) 052246			(x3)

OPTIONS					
					

 MADE IN FRANCE								Cables					
													
GYSPOT BP.LG 220 V 	3 x	200 208 220 240	60 (21-25 kVA) 80 (28-33 kVA) 100 (35-41 kVA)	2 6 10	10 500 11 000 12 000 12 500	15 15,5 17 18	2,5+2,5+2,5 1,5 + 3	2,5 m, Ø 200 mm², Liquid	2,5 m, Ø 150 mm² air	8 m 4x16 mm² (6AWG) 500W	OK	65 x 80 x 205	160
GYSPOT BP.LG 400V	3 x 400 V		32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	13 000	16	2,5+2,5+2,5 1,5 + 3	2,5 m, Ø 200 mm², Liquid	2,5 m, Ø 150 mm² air	8 m 4x6 mm² H07RNF	OK	65 x 80 x 205	160

SPOT WELDING

NEW



MADE IN FRANCE

FULL
ERGONOMIC

10.3 kg
(Gyro & G1 included)

550 daN




10.3 kg
(Gyro & G1 included)

Ergonomy & Security

20°
EASY
HANDLE

LOCKING
SYSTEM

G
ARMS
p.60




TRANSFORMER INSIDE


GYRO INCLUDED




PERFECT ELECTRICAL CONNECTION



AUTO



XL Balancer



OPTIONS



GYSPOT INVERTER
EVOLUTION PTI PRO

14500 A

550 daN

For mild steel, HSS, UHSS

Boron steel



TRANSFORMER INSIDE



Liquid cooled

Automatic G clamp
Energy Dynamic Control

Traceability software
Save spot welding configuration
and export data



	6M	
	072206	072183
GYSPOT INVERTER EVOLUTION PTI PRO	220V	400V
Caps remover 050846		
Arm panel		
G1 021402		




NEW
07 2022



OPTIONS

G11
for PTI-PRO only
071766

NEW
07 2022




 MADE IN FRANCE		 62135				Spots/min (max)	I RMS	Uo	 mm		Cables			100 % CU			
				50/60 Hz	A D curve	 2.5+2.5	A	V							cm	kg	
GYSPOT EVOLUTION PTI PRO 220V				3 x	200 208 220 240	30 (10-12 kVA) 40 (14-16 kVA) 50 (17-21 kVA)	10	12500 13000 14500 14 500	6.6 6.9 7.3 7.9	2.5+2.5+2.5	1.5 + 3	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm ²	8 m, 4x4 H07BNF	OK	65 x 100 x 230	92
GYSPOT EVOLUTION PTI PRO 400V					3 x 400 V	20 (14 kVA)	10	14 500	7.3	2.5+2.5+2.5	1.5 + 3	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm ²	8 m, 4x4 H07BNF	OK	65 x 100 x 230	92

GYSPOT PTI PRO

LIQUID COOLED

57


FAST OPEN XL



GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



Youtube



MADE IN FRANCE



TRANSFORMER
INSIDE

550 daN

LIQUID COOLED
REFROIDISSEMENT
LIQUIDE

Ø 10 mm

11.3 kg

(Gyro & G1 included)


G
ARMS
p.60



Potence électrique - Motorised cable support
- Elektrisch verstellbarer Kabelsupport



Ergonomic



OPTIONS

x40
(x6: 049987)
048935

x20
(x6: 049987)
073449

x6
(x6: 049970)
073449

x2
(x1: 050617)
073449

SD CARD
050914
2 GB

Kit WIFI
Compatibility:
Gyspot
Inverter
PTI-G
070691

Liquide de refroidissement
- Cooling liquid - Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida
052246

Housse de
protection
- Protection
cover
- Schutzhaube
for BP & PTI
050853

GYSPOT INVERTER
PTI-G

14 500 A
550 daN

For mild steel, HSS, UHSS

Boron steel

TRANSFORMER INSIDE

Traceability software
Save spot welding configuration
and export data



	024854	024878	068001	024892
	220V	400V	480V	
Gyspot PTI-G	■	■	■	■
Caps remover 050846	■	■	■	■
Arm support	■	■	■	■
G1 022768	■	■	■	■
G2 + G3 + G4 022898	■	■	■	■
Kit gun 067226	■	■	■	■
Liquid cooling (10l) 052246	■	■	(x3)	■

Included
Cable support
ULTRA
RESISTANT



ELECTRIC
MOTOR

Control
Commande

Grande stabilité
- High stability

OPTIONS

Kit gun PTI-G
067226




MADE IN FRANCE	50/60 Hz	A D curve	Spots/min (max) 2.5+2.5	I RMS A	Uo V	mm	Cables	cm	kg
GYSPOT PTI.G 220 V	3 x 200 208 220 240	50 (17-21 kVA)	20	12 500 13 000 14 500 14 500	6.6 6.9 7.3 7.9	2.5+2.5+2.5	1,5 + 3 6 m, Liquid	8 m 4xAWG8 (500W)	71 x 90 x 200 100
GYSPOT PTI.G 400V	3 x 400V	25 (17 kVA)	20	14 500	7	2.5+2.5+2.5	1,5 + 3 6 m, Liquid	8 m 4x4 mm² H07RN-F	71 x 90 x 200 100
GYSPOT PTI.G 480V	3 x 480V	20 (17 kVA)	20	14 500	7	2.5+2.5+2.5	1,5 + 3 6 m, Liquid	8 m 4xAWG12 (500W)	71 x 90 x 200 100

FOR GYSPOT BP-LG & PTI-G


G Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel


Reversible
for G1, G3, G4,
G5, G8 & G10




Kit de maintenance connecteurs
pince G - Connectors maintenance
kit for G clamp
067295




G2
8 bar/300 daN
022775




G6
8 bar/550 daN
022812



G7
4 bar/150 daN
022829




G11
for PTI-PRO only
071766





G4
8 bar/550 daN
022799

Option for G4





G5
8 bar/550 daN
022805

Option for G5




G8
8 bar/550 daN
022836

Option for G8





G1
8 bar/550 daN
022768

Option for G1 & G3




G3
8 bar/550 daN
022782

G1/G3-SA (Small Access)



G10
8 bar/400 daN
067165

Option for G10




G > X
UNIQUE SYSTEM

BREVETE
PATENTED
AUTOMATIC WELDING
FOR X1, X2 & X6




G9 8 bar/550 daN
not for PTI-PRO


G9 with X1 Included
022881




Option
for G9




G9 with X6 Included
072275



Option
for G9



Protections
for G clamp & arms
067288



Option
SD card
050914



Option
PCB
97449C



90284 +
55121

G ARMS
PANELS

G2
+
G3
+
G4
022898

G2
+
G3
+
G5
063297

CONSOMMABLES X/C/G - X/C/G Consumables

Type A
Cor X clamp
Ø 13 mm (x6)
049987

Type B
Cor X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

Type D
Cor X clamp
Ø 13 mm (x10)
058507

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

TYPE G
Ø 13 mm (x10)
059672

Caps inclinés - Beveled
X2, X4, C11 arms
Ø 13 mm (x6)
049994

048935



073449

x20
(x6: 049987)
x6
(x6: 049970)
x2
(x1: 050617)



Graisse contact
Contact grease
050440




Caps
remover
050846



Europax
anti-corrosion
052758




Monopoint /Spot
049291



050068

x10
(x20: 052239)
x6
(x6: 049994)



AFFUTEUR DE CAPS PNEUMATIQUE - Pneumatic cap grinder

061484



AFFUTEUR DE CAPS - Cap grinder


Lame - Blade
052857



048966



Optimal speed:
400-800 rpm



BANC DE TRACTION ARRACHE TÔLE

- Steel sheet traction bench - Blech-Zugbank zur Festigkeitsprüfung



052420



VALISE TEST SOUDURE HLE / THLE

- Weld test kit - Schweißtestkit im Hartschalenkoffer

050433



Barre d'arrachage / Traction bar
+ Acier doux / Mild steel 0.65 (x25) + 1.0 (x25)
+ Acier HSLA 360 - HLE 0.8 (x25) + 1.5 (x25)
+ Acier DP600 - THLE/UHLE 1.0 (x25)
+ Acier FB560 - THLE/UHLE 2.5 (x25)

PROTECTION ANTI-ARC 12 V

- Anti-arc protection 12V
- Lichtbogenschutz 12V - Protección anti-arco 12V

041318



GYRO 360°

for BPLC/BPLCX
051737



10-14 kg

for EVOLUTION
051720



ÉCHANTILLONS DE TÔLES

- Sheets set

Acier standard /
Standard steel
0.8 (x65) + 1 (x55) + 1.5
(x35) + 2 (x25)
+ Alu
1 (x45) + 1.5 (x30) + 2 (x20)

055841



CAPTEUR D'EFFORT

- Electrode force sensor

052314



KIT DE PURGE RÉSERVOIR

- Tank draining kit - Kit zur
Tankentleerung

058286



CARTE MÉMOIRE SD

- SD memory card

050914



KIT WIFI

for Gyspot
Inverter PTI-G

070691




HOUSSE DE PROTECTION

- Protection cover - Schutzhaube

for BP
& PTI

050853



LIQUIDE DE REFRIGÉRISEMENT

- Cooling liquid -
Kühlmittel

- Enfriamento líquido -
Refrigeración líquida

052246





GYPRESS

RIVETING

PNEUMATIC HYDRAULIC



OPTIONS




Support Riveteuse pour changements d'accessoires (bras & matrice)
- Riveting machine support for changing accessories (arms & dies)
- Supportständer
↳ 28 x 40 x 21,5 cm
054158



Chariot-Trolley
↳ 79 x 81 x 51 cm
↳ 80 x 15 x 123 cm
44 kg
054233



Chariot + Support
Trolley + Support
↳ 51 x 122 x 74 cm
055391



Capteur d'effort
062115

Hydraulic body wrenches
(x2)
067325

Serre-tôles - Temporary-fasteners manual mounting

(x10)
Ø 2,4 mm
069664

(x10)
Ø 4,0 mm
069671

(x10)
Ø 4,8 mm
069688

(x10)
Ø 6,4 mm
069695

BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL

HR110 063310	HR210 063327	HR310 8T 065963	HR310 8T PP/10T/10T PP 063334
GYPRESS 8T	✓	✓	—
GYPRESS 10T	✓	✓	✓
GYPRESS 8T PUSH PULL	✓	✓	✓
GYPRESS 10T PUSH PULL	✓	✓	✓
GYPRESS 10T CONNECT	✓	✓	✓




KIT HR210
+ HR310 8T
065970

XT31-40
Rallonges bras HR310 pour point milieu
- HR310 arm extension for middle point

Compatible
8T PP/10T/10T PP
x2

066335



GYPRESS COMPLETE PACKS

GYPRESS 10T 063303	✓							
GYPRESS 10T pack 1 066441		✓						
GYPRESS 10T pack 2 066458			✓					
GYPRESS 10T pack 3 064744		✓						✓
GYPRESS 10T PUSH PULL 063853	✓							
GYPRESS 10T PP pack 1 066465		✓						
GYPRESS 10T PP pack 2 066472			✓					
GYPRESS 10T PP pack 3 065789		✓						✓



UNIQUE
100%
No air inclusion
maintenance free, no oil refill



POWER
10t


GYPRESS 10T

6.5 bar 100 kN

10t

063303

070653 NEW



Levier de décharge
- Discharge lever -
Auslösehebel




Contrôle de la vitesse -
Speed control - Regelung
Werkzeuggeschwindigkeit



Contrôle de la pression
- Pressure control -
Druckregelung

UNIQUE
PUSH PULL
SYSTEM by GYS

← PUSH



POWER
10t



GYPRESS 10T PUSH PULL

6.5 bar 100 kN


10t

063853

070660 NEW



Contrôle de la vitesse
- Speed control -
Regelung Werkzeuggeschwindigkeit



Contrôle de la pression
- Pressure control -
Druckregelung



Sélection Push/Pull - Push/Pull
selection

	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	↕	⚖	↕	⚖	
				cm	kg	cm	kg	
MADE IN FRANCE GYPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ -	39.5 x 180	6.2 (HR110 included)	58 x 48 x 15	11.8	
GYPRESS 10T PUSH PULL	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ -	39.5 x 180	6.7 (HR110 included)	58 x 48 x 15	12.5	



GYPRESS

SYNERGIC RIVETING WORKSTATION

PNEUMATIC HYDRAULIC



UNIQUE 100%
No air inclusion
maintenance free, no oil refill

ACCESSIBILITY

10 languages



★★★★
SYNERGIC
RIVETS
SETTINGS

Main panel

Setup instructions



Results




3 MODES

- MANUAL
- SYNERGIC
- CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY


✓ VW GROUP	✓ FERRARI
✓ MERCEDES-BENZ	✓ FORD
✓ BMW	✓ JAGUAR / LAND ROVER
✓ TESLA	✓ GM

CONNECTIVITY




TRACEABILITY

History data export




SOFTWARE UPDATE

Gyspress evolutions



UNIQUE
**PUSH
PULL**
SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection

Gyspress support



Arms support



✓
**REGULATED
PRESSURE
CONTROL**

POWER
10t



Levier de décharge
- Discharge lever
- Auslösehebel

WORKSTATION GYPRESS 10T PP CONTROL

6.5 bar 100 kN

10t

063860

included



 MADE IN FRANCE WORKSTATION GYPRESS 10T PP CONTROL	 AIR BAR	 PRESSURE CONTROL	 SPEED CONTROL	 cm	 kg
	230 V	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	74 x 116 x 50	54

OPTIONS

**Capteur
d'effort**
10T PP CONTROL
071759



Youtube

Hydraulic body wrenches
for GYPRESS 10T, 10T
PushPull, 10T PP CONTROL
(x 2)
067325



GYPRESS CONTROL

SYNERGIC RIVETING



ADAPTATEURS POUR RIVETS AVEUGLES - BLIND RIVET ADAPTERS



Youtube

GYS PRESS

Adaptators

Compatibility

	24 kN	50 kN
GYS PRESS 8T	✓ (20 kN)	✓ (40 kN)
GYS PRESS 10T	✓ (24 kN)	✓ (50 kN)
GYS PRESS 8T PUSH PULL	✓ (20 kN)	✓ (40 kN)
GYS PRESS 10T PUSH PULL	✓ (24 kN)	✓ (50 kN)
GYS PRESS 10T CONNECT	✓ (24 kN)	✓ (50 kN)

ADAPTATEUR 24 kN POUR RIVETS AVEUGLES - Blind rivet adapter 24 kN - Blindnietadapter 24 kN

Pour rivets POP - For BLIND rivets - Für Blindniet

Acier / Steel : Ø 4.0 → 6.4
Alu : Ø 4.0 → 7.8

24 kN 600 mm
063822

HIGH ACCESSIBILITY

SPECIFIC STORAGE

INCLUDED

for standard rivets :

Ø 3.2 x 1 059221
Ø 3.6 x 1 059238
Ø 4.0 x 1 059245
Ø 4.5 x 1 059252

058446

PERFECT COMBO WITH ARC PULL

SPÉCIAL ARRACHAGE DE RIVETS
Special tearing rivets - Spezial-Zugnieten

1 Stainless steel rod welding with GYSPOT Arc Pull 350/700



2 Extraction of self piercing rivet with GYSPRESS adapters



OPTION FOR GYSPOT ARC PULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN
064584

Tige inox - Stainless steel nail Ø 4 x 50 mm 064607	Canon pour pose de tige inox - Barrel for stainless steel nail welding	Support porte-goujon - Mandrel support 059634	Buse + patin - Nozzle + pad 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
×100	×1	×1	×1	×1	×1

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX2 350 - 50kN
073388

Ø 5 x 50 mm 070745	Canon long + mandrin M5 - Long barrel + mandrel M5 070738	Support porte-goujon - Mandrel support 059634	Buse + pad 059641	Buse d'extraction 50kN Ø 5 066151
×100	×1	×1	×1	×1

for GYSPOT ARCPULL 700

ARC PULL RIVET BOX 700
068452

Ø 5 x 50 mm 070745	Canon long + mandrin M5 - Long barrel + mandrel M5 070738	Buse d'extraction 50kN Ø 5 066151	Support porte-goujon - Mandrel support 071377	Buse + pad 059641	Ring holder 059610	Masse - Earth 071384
×100	×1	×1	×1	×1	×2	×1

ADAPTATEUR 50 kN POUR RIVETS AVEUGLES - Blind rivet adapter 50 kN - Blindnietadapter 50 kN



Réglage de la course de traction - Stroke adjustment
0 → 25 mm

50 kN 1 m
064867

4.0 kg

Pour rivets POP - For BLIND rivets - Für Blindniet

Acier / Steel : Ø 4.0 → 6.4
Alu : Ø 4.0 → 7.8

INCLUDED

Kit Standard



included 058446

+ Complete kit 065987



Ø 3.2 065994 Ø 3.5 066007 Ø 4.0 066014 Ø 4.5 066021 Ø 5.0 066038

OPTIONS

Acier / Steel : Ø 4.0 → 6.4
Alu : Ø 4.0 → 7.8

Extension 160 mm - 160 mm extension - Verlängerung 160 mm
066144



160 mm

Ø 8.0 → 9.8

Kit Rivets Ø8.0/9.8mm - Ø8.0/9.8mm noze-piece kit - Mundstückkit 8,0/9,8 mm
066045



included 066069

included Ø6 mm 066052

M5 → M14

M5 → M8

Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blind rivet nut pulling, Blind rivet bolt adapter kit - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



included

M5	066083
M6	066090
M8	066106
M10	066113
M12	066120
M14	066137

BOÎTE CONSOMMABLES POUR ADAPTATEUR 50kN - Consumables box for 50kN adapter - Zubehörbox für 50 kN Adapter

066168



+ plaque de démonstration - demo metal sheet

Écrous à sertir - Blind rivet nuts	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
x 50	066175	066182	066199	066205	066212	066229

Goujons à sertir - Blind rivet bolts	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
x 50	066236	066243	066250

Rivets aveugles - Blind rivets	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
x 50	066267	066274


ADAPTERS

RIVETING

67


GYS

66




Pose de rivets auto-perçants
- Application of self-perforating rivets - Stanzniet-Verpressen

2,0 < 6,5 mm 3 < 5,8 bar




Pose de rivets pleins
- Application of solid rivets - Vollniet-Verpressen

2,3 < 8,3 mm 5,3 < 8 bar



Pose de rivets Flow-Form
- Application of Flow-form rivets - Setzen v. Fließformnieten

2,3 < 8,3 mm



Extraction de rivets
- Extraction of rivets - Niet-Auspressen

2,3 < 8,3 mm 8 bar



Perçage et formage des tôles pour rivets pleins
- Metal sheet punching and shaping - Vollniet-Lochstanzen/Prägen

2,3 < 8,3 mm 8 bar

BOÎTES MATRICES - Dies boxes - Matrizensätze

STANDARD

STANDARD 8T/10T

for 8T 10T

053694

Included
XT11-21 058644

x1	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2		clé	joins
Self-percing rivets				Flow-form rivets			Extraction		Punching				
Ø 3,2, 3,5	Ø 3,3	Ø 5, 5,3	Ø 5,3	Ø 6 - A1/2/3, S0/1/2/3/4/5/6			Ø 3,3, 4,8	Ø 3,9, 5,3	Ø 6				x1

STANDARD 8T/10T PUSH PULL


for 8T PP 10T PP 10T CONTROL

058361

Included XT31-60
- 60 mm extension for HR310
(use with ST1, T5, T7) 057135

+ XT11-21 058644

													
x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7	clé	key
Self-piercing rivets				Flow-form rivets		Extraction			Punching				
Ø 3,2 3,5	Ø 3,3	Ø 5, 5,3	Ø 5,3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3,3 4,8	Ø 3,9 5,3	Ø 6				



KIT RMB PP05
for 10T PP 10T CONTROL

Idéal aluminium, aciers doux - Ideal for aluminum, mild steel 066366


x1	x1	x1
ST3	T12	T13
Punching		
Ø 6,7		



KIT RMB 08
PREMIUM
for 10T 10T PP 10T CONTROL

Idéal aciers durs, Boron - Ideal for UHSS, Boron 066403


x1	x1	x1
T14	T15	T16
Punching		
Ø 6,7		



KIT RMB 14
PREMIUM
for 10T 10T PP 10T CONTROL

Idéal aciers durs, Boron - Ideal for UHSS, Boron 071186

x1	x1	x1
T17	T18	T19
Punching		
Ø 6		



KIT RMB 15
PREMIUM
for 10T 10T PP 10T CONTROL

Idéal aciers durs, Boron - Ideal for UHSS, Boron 071193

x1	x1	x1
T20	T21	T22
Punching		
Ø 8		

Ne pas utiliser avec une Gyspress 8T & 8T PP
- Do not use with Gyspress 8T & 8T PP



GM

RMB 11 for 10T

071087

RMB PP04 for 10T PP 10T CONTROL

071063

RMB 11 → RMB PP04 →

Included XT31-60
- 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4
F1	F2	F6	E9	E11	T1	T2	—	—	T7	T17	T18	T19	D18	D17		
Flow-form rivets				Extraction		Punching										
Ø 6				Ø 6,8		Ø 6										

FERRARI

RMB 06

for 8T 10T 8T PP 10T PP 10T CONTROL

059009

x1	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x2	x4
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13			
Self-percing rivets				Extraction		Punching						
Ø 3,9				Ø 4,75		Ø 3,9, 4,8 Ø 3,9, 5,3 Ø 4,75						

VW GROUP

RMB 03 for 8T 10T 8T PP 10T PP 10T CONTROL

054257

																									RMB 03		for	8T	10T	8T PP	10T PP	10T CONTROL																	
054257																																																	
																																																	
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4																							
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16																									
Self-piercing rivets				Solid rivets				Extraction										Punching																															
Ø 3.2, 3.5 Ø 5.3 Ø 3.9 Ø 4.75				Ø 4 Ø 6				Ø 3.2 Ø 5.3 Ø 3.9, 5.3 Ø 3.2 Ø 5.3 Ø 8 Ø 4.8 Ø 4.8 Ø 4.8 Ø 4 Ø 8 Ø 6																																									
																									clé-key	joints																							

NIO

NEW

RMB PP08 for 10T 10T PP 10T CONTROL

072404

Included XT31-60
- 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x1	x2	x4
B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18
Self-percing rivets		Flow-form rivets				Extraction			Punching							
Ø 5,3 Ø 5,3		Ø 6				Ø 5,3 Ø 6			Ø 6							

MERCEDES-BENZ



RMB 07 for 10T

064454

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2
F1	F2	F3	F4	F5	—	—	—	E9	E10	E11	T1	T2	T3	T4			clé
Flow-form rivets					Extraction										Punching		-key
Ø 6 - A1/2/3, S0/1/2/3/4/5/6					S28/38/48/58/68 S08/18 Ø 5,3, 8 Ø 6 Ø 8 Ø 6,8 Ø 8 Ø 6										Ø 6 Ø 8		

Included XT31-60 - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135



RMB PP01 for 8T PP 10T PP 10T CONTROL

058378

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2
F1	F2	F3	F4	F5	—	—	—	E9	E10	E11	ST1	ST2	T5	T7	T8	T10	clé
Flow-form rivets					Extraction										Punching		-key
Ø 6 - A1/2/3, S0/1/2/3/4/5/6					S28/38/48/58/68 S08/18 Ø 6,8 Ø 8 Ø 6 Ø 6 Ø 8 Ø 6 Ø 8 Ø 8										Ø 6 Ø 8		

Included XT31-60 - 60 mm extension for HR3

FORD



RMB PP02 for 10T 8T PP 10T PP 10T CONTROL

058835

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	G1	G2	G3	G4	G5	G6	E7	—	E12						clé	joins
Self-percing rivets										Extraction						
Ø 5, 5,3										Ø 5, 5,3						

Included XT31-60 - 60 mm extension for HR3 (use with E7, E8, E12) 057135

JAGUAR / LAND ROVER



RMB 02

for 8T 10T 8T PP 10T PP 10T CONTROL

054271

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	B2	B3	S8	D17	E1	E6						
Self-percing rivets					Extraction		Punching					
Ø 5, 5,3 Ø 5,3 Ø 4,8 Ø 4,75					Ø 3,3, 4,8 Ø 3,3, 4,8		Ø 3,3, 4,8 Ø 3,3, 4,8					



RMB 12 for 10T

071094


RMB PP07 for 10T PP 10T CONTROL

071070

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4
B1	B3	I1	I2	I3	F1	F2	F6	E3	E13	T1	T2	—	ST1	T5	T7	T17	T18	T19	D18	D17
Self-percing rivets					Flow-form rivets			Extraction		Punching										
Ø 5, 5,3 Ø 5,3 Ø 4,8 Ø 4,75					Ø 6 Ø 6 Ø 6			Ø 3,3, 4,8 Ø 9		Ø 6										

Included XT31-60 - 60 mm extension for HR310

PORSCHE



RMB 10 for 10T

069299

RMB PP06 for 10T PP 10T CONTROL

069305

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4
B3	F2	E9	E11	—	—	—	T5	ST1	T7											
Flow-form rivets					Extraction		Punching													
Ø 6 Ø 6,8					Ø 6		Ø 6													

Included XT31-60 - 60 mm extension for HR310

MATRICES - Dies - Matrizen

Pose de rivets auto-perçants
- Application of self-piercing rivets
- Stanzniet-Verpressen



2.0 < 6.5 mm 3 < 5,8 bar

Pose de rivets pleins
- Application of solid rivets
- Vollniet-Verpressen



2.3 < 8.3 mm 5,3 < 8 bar

Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten



2.3 < 8.3 mm

Extraction de rivets
- Extraction of rivets
- Niet-Auspressen



2.3 < 8.3 mm 8 bar

Percage et formage des tôles pour rivets pleins
- Metal sheet punching and shaping
- Vollniet-Lochstanzen/Prägen



2.3 < 8.3 mm 8 bar

Ø 8																					
																					
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759	
A1+A2 054295		B1+B2 054301																			

Ø 8																				
																				
D15	D16	D17	D18	E1	E2	E3	E6	E7	E9	E10	E11	E12	E13	F1	F2	F3	F4			
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	055773	055780	055797	055803		
				E1+E2 054318														F1+F2 054714		


Ø 8																		
																		
F5	F6	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3
055810	071148	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131

Ø 6																			
																			
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1	T2	T3	T4	T5	T7	T8	T10	T12	T13	
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373	066380
									T1+T2 054707										

BREVET GYS
GYS PATENT



Ø 6.7															
															
T14	T15	T16	T17	T18	T19	T20	T21	T22							
066410	066427	068964	066434	069312	069329	071254	069336	070936							



3-5.2 bar 4.7-5.8 bar 5.3-6.4 bar 5.8-7 bar 6.5-8 bar 8 bar

RAP Ø3.3 RAP Ø5.3 RFF Steel Ø6 RFF Steel Ø6 RFF Steel Ø8 Eject & Punching

RIVETS AUTOPERCANTS (RAP)

- Self piercing rivets (SPR) - Stanznieten


Steel - Acier - Stahl

Complete box 048706							
							
Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm	Ø 5,3 x 9 mm
x 200 048232	x 200 048249	x 100 048256	x 100 048263	x 100 048270	x 100 048225	x 100 048638	x 100 048645

POINTEAU CENTREUR

- Special center punch
- Spezialalkörner

048379



RIVETUSE HYDRO-PNEUMATIQUE

- Hydro-pneum. Blindnietgerät

HR9

Pour rivets POP - For BLIND rivets - Für Blindniet



Acier / Steel	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

max 9 000 N

057234

Made in Taiwan



RIVETUSE HYDRO-PNEUMATIQUE

- Hydro-pneum. Blindnietgerät

HR14

Pour rivets POP - For BLIND rivets - Für Blindniet



Acier / Steel	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4

max 14 000 N

057241

Made in Taiwan



RIVETUSE SUR BATTERIE

- Akku-Blindnietgerät

TWO ER20

064461

Pour rivets POP - For BLIND rivets - Für Blindniet



Ø 4.0/4.8/5.0/6.0/6.4

max 20 000 N (6 bar)

10-20 V universal fast charger (30 min)
2.0 kg

2 x 20V/2Ah Li-ion battery



RIVETUSE MANUELLE

- Manual tool for blind rivets - Manueller Blindnietgerät


Pour rivets POP - For BLIND rivets - Für Blindniet



Acier / Steel	Ø 3.2/4.0/4.8/6/6.4
Alu	Ø 3.2/4.0/4.8/6/6.4

061323

Made in Taiwan



SERTISSEUSE HYDRO-PNEUMATIQUE RIV 998

- Hydro-pneum. Blindnietmutterngerät

RIV 998

Ecrous à sertir - Sealing nuts - Blindnietmuttern



Pour la pose d'écrous à sertir M3 à M12
For sealing nuts from M3 to M12

max 19 000 N (6 bar)

livré avec accessoires pour écrous à sertir:
- included accessories for sealing nuts:

- ✓ M3
- ✓ M4
- ✓ M5
- ✓ M6
- ✓ M8
- ✓ M10
- ✓ M12

055414




MADE IN ITALY

RIVETUSE HYDRO-PNEUMATIQUE

- Hydro-pneum. Blindnietgerät

HR21

Pour rivets POP - For BLIND rivets - Für Blindniet



Ø 4.0 → 7.8

max 21 000 N (6 bar)

055407

included (x3) 058446

For standard rivets Ø 4.0 51508

For Magnarive rivets Ø 4.5 51507

Option HR21 extension 100 mm 063105



MADE IN ITALY



AUTOGYS

GMAW MIG/MAG SYNERGIC




15 → 200 A
Ideal 0,6 mm



CARMIG

15 → 200 A
400 V • 3 ~

with accessories
032132



M1 GYS AUTO

15 → 160 A

Capacitor

230 V • 1 ~
with accessories
032903

208/240 V • 1 ~
with accessories
032088



T1 GYS AUTO

15 → 200 A


400 V • 3 ~
with accessories
032910

T1 GYS AUTO DV

15 → 200 A

230 V • 3 ~ / 400 V • 3 ~

with accessories
032927




ACCESSORIES
BOX



SYNERGIC - EASY TO USE

Réglage automatique de la vitesse \ Auto adaptative wire speed
Automatische Einstellung der Drahtgeschwindigkeit

100%
READY



Acier/Steel, 3 m
063754

Échantillons de tôles
- Sheets set

Acier standard/
Standard steel
0,8 (x65) + 1 (x55)
+ 1,5 (x35) + 2 (x25)
+ Alu
1 (x45) + 1,5 (x30)
+ 2 (x20)
055841

M3 GYS AUTO

15 → 160 A

Capacitor

230 V • 1 ~
with accessories:
Steel 150 A, 3 m, air
Ø 0,8 063754
Steel 150 A, 3 m, air
Ø 1,0 072121
032880

T3 GYS AUTO

15 → 200 A

400 V • 3 ~
with accessories:
Steel 150 A, 3 m, air
Ø 0,8 063754
Steel 150 A, 3 m, air
Ø 1,0 072121
032958
with accessories:
Steel 150 A, 3 m, air
Ø 0,8 063754
Steel 150 A, 3 m, air
Ø 1,0 072121
032941

T3 GYS AUTO DV

15 → 200 A

230 V • 3 ~ / 400 V • 3 ~
with accessories:
Steel 150 A, 3 m, air
Ø 0,8 063754
Steel 150 A, 3 m, air
Ø 1,0 072121
032972

2 x 4 m³
(20L)

ACCESSORIES
BOX



câble secteur
- mains cable
6m



AUTOGYS

GMAW
FCM
CARBODY SYNERGIC MIG



73

OPTIONS

Torche motorisée Spool Gun
- Spool Gun Torch - Spool Gun Brenner



041486

Ø 100
Ideal for
- Acier / Steel / Stahl
- Inox / Stainless steel
- Alu



included
045699



SPOOL GUN + Support
for M3 & T3 GYS AUTO
038554



15L / min
(FR) 041998
(UK) 040274
(NL) 040267
(IT) 038691



30L / min
(FR) 041622
(UK) 041646
(DE) 041219
(NL) 041615
(IT) 038707



041332



052260



MB 15 (150 A)
041226
x3
x5
x5 (M6-Ø0,6)
x5 (M6-Ø0,8)
x5 (Alu - M6-Ø0,8)
x3



041806

Protection gas
Argon+CO₂ (Steel, Inox)
Argon (ALU/CuSi3/CuAl8)
CO₂ PUR (Steel)

 MADE IN FRANCE	 MADE IN GYS CHINA	 60974/1		 min → max		 Ø mm				EN60974-1 (40°C)		 Ø mm	Equipment d'origine Original equipment Originalausstattung Equipamiento de fabrica			 cm/kg	 Protected & compatible power generator (+/-15%)
			50/60 Hz	A	A		Reg	100 (spoolgun)	200	300	Electronic Control		IA (60%)	X% (I2 max)			
	■	CARMIG	400 V 3~	10	15 → 200	7	—	■	■		110	150A@25%	0,6 → 1	0,6/0,8	0,8	47x77x79 / 50	5 kVA
■	■	M1GYS AUTO	230 V 1~	16	15 → 160	6	option	■	■		90	140A@15%	0,6 → 1	0,6/0,8	0,8	47x77x79 / 46	4,5 kVA
			208/240 V 1~														
■	■	T1GYS AUTO T1GYS AUTO DV	400 V 3~	10	15 → 200	7	option	■	■		110	150A@25%	0,6 → 1	0,6/0,8	0,8	47x77x79 / 52	5.2 kVA
			230 V 3~/400 V 3~														
■	■	M3GYS AUTO	230 V 1~	16	15 → 160	6	■	■	■		90	140A@15%	0,6 → 1	0,6/0,8 0,8/1,0	2 x 0,8	60x90x90 / 58	4,5 kVA
			208/240 V 1~														
■	■	T3GYS AUTO T3GYS AUTO DV	400 V 3~	10	15 → 200	7	■	■	■		110	150A@25%	0,6 → 1	0,6/0,8 0,8/1,0	2 x 0,8	60x90x90 / 75	5.2 kVA
			230 V 3~/400 V 3~														



AUTOPULSE

GMAW MIG/MAG INVERTER DOUBLE PULSE

Latest generation
colour screen 5"
800 x 480 (WVGA)



Youtube

ACCESSIBILITY

3 interface levels

- EASY
- EXPERT
- ADVANCED

10 languages

- French
- English
- German
- Italian
- Spanish
- Czech
- Dutch
- Russian
- Chinese
- Japanese

1 EASY



3 INTERFACE LEVELS

3 ADVANCED
Arc length adjustments



2 EXPERT
Pre-gas / Hot Start / Upslope / Downslope /
Crater filler / Post-gas



500+ JOBS can be saved



TRACEABILITY



PORTABILITY



MODES

DYNAMIC STANDARD

PULSE

PULSE IN PULSE

MANUAL

COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS



65+ SYNERGIES

Retrouvez toutes les synergies :
Find all the synergies:
Finde alle Synergien :




STEEL

Cu Si 3 / Cu Al 8

ALU

UPDATES

EASY USB
UPDATE



USB key 16 Gb
062344

OPTIONS

PUSH PULL
TORCH 24 V

MB 15
4m
0441111

MB 25
4m
046283

Motor
inside

MB 15 / MB 25
(250 A)
037458

- x5 (Mg-Ø 0.8)
- x5 (Mg-Ø 1.0)
- x5 (Alu - Mg-Ø 0.8)
- x5 (Mg-Ø 0.8)
- x5 (Mg-Ø 1.0)
- x5 (Alu - Mg-Ø 1.0)
- x5 (Alu - Mg-Ø 1.2)

Débitmètre de
bout de torche

053939

Housse de protection
- Protection cover
- Schutzhaube
052260

AUTOPULSE 220-M1

1	Ø 200 / 300	PP	PP
-	-	-	-

AUTOPULSE 220-M2

1	Ø 200 / 300	PP	PP
2	Ø 200 / 300	PP	-



ELECTRONIC


AUTOPULSE 220-M1

15 220 A

230V 1~

PFC

with accessories :



065024


AUTOPULSE 220-M1 208-240V

15 220 A

208>240V 1~

PFC

with accessories :



070868

BODYSHOP SPECIFIC

COLD
PULSE

CuSi3 Ø 0.8 / 1


AUTOPULSE 220-M2

15 220 A

230V 1~

PFC

with accessories :



069855


AUTOPULSE 220-M2 208-240V

15 220 A

208>240V 1~

PFC

with accessories :



069862



1 x

8 m

PFC POWER FACTOR
CORRECTION

185 V - 265 V



220 A • x 1

220 A • x 2

MADE IN FRANCE EN60974-1	50 / 60 Hz	A	Ø mm	min → max	SPOOLGUN	PUSH/PULL	Ø mm	Cooling system	Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica	EN60974-1 (40°C)	IA (60%)	X% (12 max)	cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M1	230 V · 1 ~	8 m	16	0.6 + 1.2	15 + 220	-	OPTION	■ ■	Air	ALU : Type B 1.0 / 1.2	150	220 A @ 20%	88x93x63 / 69	10 kVA
AUTOPULSE 220-M1 208-240V	208 > 240 V · 1 ~	8 m	16	0.6 + 1.2	15 + 220	-	OPTION	■ ■	Air	ALU : Type B 1.0 / 1.2	150	220 A @ 20%	88x93x63 / 69	10 kVA
AUTOPULSE 220-M2	230 V · 1 ~	8 m	16	0.6 + 1.2	15 + 220	-	OPTION	■ ■	Air	ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150	220 A @ 20%	88x93x63 / 69	10 kVA
AUTOPULSE 220-M2 208-240V	208 > 240 V · 1 ~	8 m	16	0.6 + 1.2	15 + 220	-	OPTION	■ ■	Air	ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150	220 A @ 20%	88x93x63 / 69	10 kVA

AUTOPULSE
INVERTER PULSE MIG

75

GYS

74



AUTOPULSE

GMAW MIG/MAG

INVERTER DOUBLE PULSE

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8/1

Helmet not included



PFC POWER FACTOR CORRECTION

185 V — 265 V



AUTOPULSE 220-M3			
1			PP
2			-
3			-

LC ELECTRONIC

AUTOPULSE 220-M3

15 **220 A**

230V 1~

PFC

with accessories :



036703

AUTOPULSE 220-M3 208-240V

15 **220 A**

208>240V 1~

PFC

with accessories :



062481

OPTIONS

PUSH PULL TORCH 24 V



MB 15 / MB 25 (250 A) 037458



x5 (Mg-Ø0.6)
x5 (Mg-Ø0.8)
x5 (Mg-Ø1.0)
x5 (Alu - Mg-Ø0.8)
x5 (Mg-Ø1.0)
x5 (Alu - Mg-Ø1.0)
x5 (Alu - Mg-Ø1.2)

AUTOPULSE 320-T1			
1			PP
2	-	-	-
3	-	-	-

LC ELECTRONIC

AUTOPULSE 320-T1

15 **320 A**

400V 3~

with accessories :



069831

AUTOPULSE 320-T1 208-240V

15 **320 A**

208>240V 3~

PFC

with accessories :



069848

NEW
05 2022

AUTOPULSE 320-T3			
1			PP
2			-
3			-

LC ELECTRONIC

AUTOPULSE 320-T3 208-240V

1			PP
2			-
3			-

AUTOPULSE 320-T3

15 **320 A**

400V 3~

with accessories :



067615


AUTOPULSE 320-T3 208-240V

15 **320 A**

208>240V 3~

PFC

with accessories :



036970

OPTIONS


for AUTOPULSE 320-T3 (400 V) only

SPOOLGUN TORCH

Ideal Alu

Ø 0,8

4 m 041486



220 A • × 3

320 A • × 1

320 A • × 3

MADE IN FRANCE EN60974-1	50 / 60 Hz	A	Ø mm	min → max	A	SPOOLGUN	PUSH/PULL	200	Cooling system	EQUIPEMENT D'ORIGINE Original equipment Originalausstattung Equipamiento de fabrica	EN60974-1 (40°C)	cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M3	230 V · 1~	8 m	16	0.6 → 1.2	15 → 220	-	OPTION	■	Air	ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150 220 A @ 20%	88x93x63 / 69	10 kVA
AUTOPULSE 220-M3 208-240V	208 > 240 V · 1~	8 m	16	0.6 → 1.2	15 → 220	-	OPTION	■	Air	ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150 220 A @ 20%	88x93x63 / 69	10 kVA

MADE IN FRANCE EN60974-1	50 / 60 Hz	A	Ø mm	min → max	A	SPOOLGUN	PUSH/PULL	200 300	Cooling system	EQUIPEMENT D'ORIGINE Original equipment Originalausstattung Equipamiento de fabrica	EN60974-1 (40°C)	cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 320-T1	400 V · 3~	5 m	16	0.6 → 1.2	15 → 320	-	OPTION	■ ■	Air	ALU : Type B 1.0 / 1.2	260 320 A @ 35%	90x92,5x63 / 82.5	16 kVA
AUTOPULSE 320-T1 208-240V	208 > 240 V · 3~	5 m	25	0.6 → 1.2	15 → 320	-	OPTION	■ ■	Air	ALU : Type B 1.0 / 1.2	260 320 A @ 35%	90x92,5x63 / 82.5	16 kVA
AUTOPULSE 320-T3	400 V · 3~	5 m	16	0.6 → 1.2	15 → 320	OPTION	OPTION	■ -	Air	ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260 320 A @ 35%	75x40x94 / 82.5	16 kVA
AUTOPULSE 320-T3 208-240V	208-240 V · 3~	5 m	25	0.6 → 1.2	15 → 320	-	OPTION	■ -	Air	ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260 320 A @ 35%	75x40x94 / 82.5	16 kVA

AUTOPULSE

INVERTER PULSE MIG

77

GYS



AUTOPULSE 320-T3
Old design
036710



GYSDUCTION / COMBIDUCTION

INDUCTION HEATING

 CAR BODY

	PACKS - GYSDUCTION AUTO								
	PROLINER AUTO 048775	COMPLETE AUTO 053380	COMPLETE AUTO + 056978	MECA AUTO 048812	MECA AUTO + 056961	BODY SHOP AUTO 048799	GLASS AUTO 048805	DENT REPAIR AUTO 054981	
 1 box	=	=	=	=	=	=	=	=	
 GYSDUCTION AUTO	✓	✓	✓	✓	✓	✓	✓	✓	
 Plastic wedges 051294	✓	✓	✓	—	—	✓	✓	—	
 Burn off inductor 053373	✓	✓	✓	—	—	✓	✓	—	
 Body inductor 053359	✓	✓	✓	—	—	✓		—	
 Bolt inductor 053366	✓	✓	✓	✓	✓	—		—	
 Remote control 055490	✓	✓	✓	✓	✓	✓		—	
 Universal 800 051331	✓		—		—	—		—	
 Cable support 052284	✓		—		—	—		—	
 Dent pulling inductor 054776			—		—	✓		✓	
 Spiral inductor 054783		✓			✓				

PFC

POWER FACTOR CORRECTION

185V ← 265 V

110 V

230 V

100 m



Youtube



 GYSDUCTION AUTO

2 400 W230 V • 1 ~

PFC

AIR

CONSUMABLES	for 	for 	for 
			
Protection (x5) + Colle - Stick 053854	Protection (x1) + Colle - Stick 059108	Protection (x10) + Colle - Stick 053847	



400

INVERTER
INDUCTION

included

included C20/B1
056862

For use < 3600W

3 m

2 in 1

50LG

+

AUTO

 COMBIDUCTION AUTO 50LG

5 200 W230 V • 1 ~

PFC

LIQUID

065901

 EN-60 335/1	 MADE IN FRANCE				Freq.	Tech.		Cable L (m)		 Heating					 Protected & compatible power generator (+/-15%) 
			A	W	kHz	PFC	Liquid Cooling		Inductor				cm	kg	
GYSDUCTION AUTO		230 V, 1~, 50/60 Hz	16 mini	2400	35+100	■		2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	36 x 27 x 22	7.5	3 kW
COMBIDUCTION AUTO 50LG		230 V, 1~, 50/60 Hz	25 mini	5 200	20+80	■	■ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	59 x 88 x 59	72	6 kW






INCLUDED COMBIDUCTION

Décapage
Glass
Entfernen
053373





Décollage
Decal
Entkleben
053359



OPTIONS



Inducteur spirale
- Spiral inductor
- Spiralinduktor
054783



1.2 kW
2.5 m



Débosselage sans peinture
- PDR : Paintless Dent Repair
- Lackschadenfreies Ausbeulen
054776


Licensed by
BETAG innovation



Spray
refroidisseur
- Freezer spray

-50 °C
400 ml

(x 12)
048898



Adhesive for logo
(x10)
051492



POWERDUCTION

INDUCTION
HEATING

MAINTENANCE / MECHANIC / INDUSTRY

INCLUDED	
Spirale - Coil - Spiralförmiger draht	Fil tressé enroulable - Flexible wrappable wire - Flexibel geflochtener draht
	
Ø 18 mm 054806	800 mm 054813
	Fil droit rigide - Straight rigid wire - Steif gerade draht
Ø 24 mm 054790	
	800 mm 054868
Ø 30 mm 055469	



 **POWERDUCTION 10R**

1 200 W	230 V • 1 ~
AIR	
062504	
🇬🇧: 068643	




 **POWERDUCTION 37LG**

3 700 W	230 V • 1 ~
LIQUID	
056992	
🇬🇧: 072510	



 **POWERDUCTION 39LG**

3 700 W	230 V • 1 ~
PFC LIQUID	
058583	



 **POWERDUCTION 50LG**

5 200 W	230 V • 1 ~
PFC LIQUID	
055599	



 **POWERDUCTION 110LG**

11 000 W	400 V • 3 ~
LIQUID	
058590	

 **POWERDUCTION 110LG 208-240V**

11 000 W	208-240 V • 3 ~
LIQUID	
065246	



OPTION 10R

Decal - Décollage - Entkleben
066601



OPTION 37LG

Cable support
052284

**Chariot - Trolley
UNIVERSAL 800
051331**



 MADE IN FRANCE				Freq.	INTEGRATED TECHNOLOGY			Cable L (m)		Heating					
		A	W		P400	PFC		Inductor				cm			
POWERDUCTION 10R	230 V, 1~, 50/60 Hz	10 mini	1 200	45 +80	—	—	—	2	1	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	23 x 14 x 10	3	1.5 kW
POWERDUCTION 37LG	230 V, 1~, 50/60 Hz	16 mini	3 700	15 +30	—	—	■ 1.5 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	45 x 29 x 25	15	4 kW
POWERDUCTION 39LG	230 V, 1~, 50/60 Hz	16 mini	3 700	20 +60	■	■	■ 7 l	2	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	53 x 70 x 37	39.5	4 kW
POWERDUCTION 50LG	230 V, 1~, 50/60 Hz	25 mini	5 200	20 +60	■	■	■ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	59 x 88 x 59	70	6 kW
POWERDUCTION 110LG 400V	400 V, 3~, 50/60 Hz	16 mini	11 000	20 +60	—	—	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	59 x 88 x 59	80	15 kW
POWERDUCTION 110LG 208-240V	208-240 V, 3~, 50/60 Hz	35 mini	11 000	20 +60	—	—	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	59 x 88 x 59	86	15 kW



POWERDUCTION 160LG

16 000 W 400 V • 3 ~

* LIQUID

057814

POWERDUCTION 160LG 208-240 V

16 000 W 208-240 V • 3 ~

* LIQUID

065253



POWERDUCTION 220LG

22 000 W 400 V • 3 ~

* LIQUID

066861 with 10 m cable :
074576

 MADE IN FRANCE				Freq.		Cable L (m)																																																																																																																																																																																																																																																																												
---	---	---	---	-------	---	----------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--




CUTTER


PLASMA

1~


COMPRESSOR
COMPRESSOR
INSIDE




AD
ANTI-DUST
VENTILATION
CORRIDOR




PFC
POWER FACTOR
CORRECTION



FV
FLEXIBLE
VOLTAGE



CNC
COMPUTER NUMERICAL
CONTROL



AIR
FILTER

PFC
EN 61000-3-12
POWER FACTOR
CORRECTION

NEW
NAME



DIGITAL
(PRESSURE SENSOR)



INCLUDED :
8 mm



Youtube



IDEAL
CARBODY REPAIR

PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE



DIGITAL
(PRESSURE SENSOR)



INCLUDED :
8 mm



DIGITAL
(PRESSURE SENSOR)



COMPRESSOR
Compressor inside


EASYCUT K25

230 V • 1 ~

25 A

Fe 8 mm
Al/CrNi 6 mm

P400 COMPRESSOR



TPT 25, 4 m
2 m, 10 mm²
068063

EASYCUT K35F

230 V • 1 ~

35 A

Fe 15 mm
Al/CrNi 10 mm

P400 PFC AD COMPRESSOR




MT35K, 4 m
2 m, 10 mm²
031036

EASYCUT 25

230 V • 1 ~

25 A

Fe 8 mm
Al/CrNi 6 mm



TPT 25, 4 m
2 m, 10 mm²
065543


CUTTER 30 FV

110 → 230 V • 1 ~

30 A

Fe 15 mm
Al/CrNi 10 mm

P400 PFC FV



TPT 40, 4 m 060753
2 m, 10 mm²
013858


EASYCUT 40

230 V • 1 ~

40 A

Fe 18 mm
Al/CrNi 15 mm

P400 PFC FV



TPT 40, 4 m 060753
2 m, 10 mm²
029743


CUTTER 45 CT

110 → 230 V • 1 ~

45 A

Fe 30 mm
Al/CrNi 20 mm

P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC



TPT 40, 4 m
2 m, 10 mm²
013629



MT 70, 6 m
2 m, 10 mm²
062962


OPTIONS

COMPAS
for TPT 40, TPT 25, MT 25K / MT 35K

x1
040199



040205




Consumables

	MT25K	TPT25	MT35K	TPT40
	x4 040182	x4 040236	x4 040229	x4 040236
	x10 040151	x10 040212	x10 040212	x10 040212
	x2 040175	x2 040175	x2 040175	x2 040175
	x10 040168	x10 040168	x10 040168	x10 040168
Coffret - Box	039971	070721	039964	039957

Chariot - Trolley

PLASMA 600 ↳ 39 x 62 x 58 cm ↳ 30 x 11 x 63 cm 8.8 kg 040298	Universal 800 ↳ 48 x 81 x 62 cm ↳ 52 x 15 x 81 cm 18 kg 051331	Jobsite XL ↳ 60 x 115 x 59 cm ↳ 67 x 25 x 48 cm 039568

Filtre déshumificateur
spécial Plasma
- Compressed air
cleaning filter for Plasma
Cutter 40
039728



Cartouche
pour filtre
- Filter
cartridge
039735

 EN60974-1				 mm						INTEGRATED TECHNOLOGY										AIR SYSTEM			EN 60974-1 (40°C)					 Protected & compatible power generator (+/-15%)
				Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing		GRID CUT		AD	IP23	CNC	COMPRESSOR	min	ideal	max	I 60%	% I2 max	100%	cm	kg					
 MADE IN FRANCE	EASYCUT K25 <i>New</i>	230V 1~	13	10 + 25	8	6	6	4	—	—	■	—	—	—	—	—	—	■	included			15 A	26%	—	43 x 35 x 20	15	4.1 kW	5.9 kVA
	EASYCUT K35F	230V 1~	13	10 + 35	15	10	10	8	—	—	■	■	—	—	—	■	—	■	included			28 A	30%	20 A	62 x 56 x 32	33	8 kW	10 kVA
MADE IN GYS CHINA	EASYCUT 25 <i>New</i>	230V 1~	13	10 + 25	8	6	6	4	—	—	—	—	—	—	—	—	—	—	2.5 bar 115 L/min	6.5 bar	15 A	30%	10 A	15 x 42 x 30	8	—	—	
	EASYCUT 40	230V 1~	32	10 + 40	20	15	15	12	—	—	—	—	—	—	—	—	—	—	2.5 bar 115 L/min	6.5 bar	10 A	20%	—	15 x 42 x 30	8	—	—	
 MADE IN FRANCE	CUTTER 30FV	230V 1~	16	10 + 30	15	10	10	8	—	—	■	■	—	—	—	—	—	—	2.5 bar 115 L/min	9 bar	23 A	30%	20 A	45 x 28 x 20	10.8	6.5 kW	6 kVA	
		110V 1~	32	10 + 30	32	10 + 30	32	10 + 30	32	10 + 30	32	10 + 30	32	10 + 30	32	10 + 30	32	10 + 30	5 bar 115 L/min	7 bar	19 A	25%	15 A	—	—	—		
	CUTTER 45CT	TPT 40	230V 1~	32	15 + 45	20	15	15	10	8	6	■	■	■	■	■	■	analogic	—	5 bar 115 L/min	7 bar	41 A	50%	32 A	—	—	—	
		MT 70	110V 1~	32	15 + 30	15	10	10	8	—	—	■	■	■	■	■	■	analogic	—	5 bar 115 L/min	7 bar	21 A	25%	17 A	—	—	—	
			230V 1~	32	15 + 45	30	20	25	15	12	10	—	—	—	—	—	—	—	—	5 bar 185 L/min	7 bar	41 A	50%	32 A	48 x 37 x 23	15	10.5 kW	8 kVA
		110V 1~	32	15 + 30	15	10	10	8	—	—	—	—	—	—	—	—	—	—	5 bar 185 L/min	7 bar	21 A	25%	17 A	—	—	—		

CUTTER / EASYCUT

PLASMA CUTTING

AGRAFEUSE POUR RÉPARATION PARE-CHOCS - Hot stapler for bumper repair - Stoßstangen Reparatur Kit



PORTABLE
Sur batterie - Battery operated
058118

included
Li-ion battery 3.7 V
048669
included adapters :
EUR, UK, USA & AUS

Charger included
048652

MADE IN TAIWAN

Agrafes - staples						
Angle interne étroit - Inside corner Ø 0.7 mm	Alignement de fissure - Crack alignment Ø 0.7 mm	Fissure importante - Large crack Ø 0.7 mm	Angle interne - Internal angle Ø 0.7 mm	Angle externe - External angle Ø 0.7 mm		
x 100 047990	x 100 047983	x 100 047976	x 100 047969	x 100 047952		
052413						
=	x 50	+	x 50	+	x 50	+
						x 50

COFFRET DE PERÇAGE PARE-CHOCS POUR DÉTECTEURS - Piercing Kit for Bumper Sensors - Lochwerkzeug für Stoßfänger



PRO +
059139

Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm




FREEZER

Spray refroidisseur
- Freezer spray

-50 °C
400 ml
(x 12)
048898



COFFRET DE RÉPARATION DES PLASTIQUES AUTOMOBILES - Brazing automotive plastics repair kit - Kungstoff Reparatur Set



STATION DE SOUDAGE DES PLASTIQUES - Plastic welding station - Kunststoff-Schweißset



OPTION



Trolley SPOT 600
053533

320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
▲ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

Station seule
- Station only
064072



	baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
			■ 6 mm	x 10	067622
			■ 8 mm	x 10	066298
			▲ 4 mm	x 10	071322
		ABS	■ 8 mm	x 10	071339

	Station	PP/EPDM			Pressure wheels	Mini milling machine	Scraper
		▲ 4mm (x10)	■ 6mm (x10)	■ 8mm (x10)			
064072	✓						
070974				✓			



KIT DE SOUDAGE DES PLASTIQUES - Welding Kit for Plastics - Kungstoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/min
▲ 1.3 kg / -L Ø100 x 300mm,
poignée Ø 56mm.

057678



GYS HAND TOOLS - Ausbeulwerkzeug


● **FULL PACK** =
061637



MADE IN
HIGH
QUALITY
GERMANY



+ ● **MEDIUM PACK**
051133



KIT MARTEAUX ET TAS - Planishing Kit for Car Body (Set of 3 Hammers + 4 Dollies) - Karosseriehammer & Handfaust Kit



OUTILS DE FORME - Forming tools - Formgebungswerkzeuge




OUTILS DE DÉGARNISSAGE ET RACLAGE - Set of 30 Tools for scraping/sanding and paint removal - Polster & Schaber Kit



BURINS - Hand Chisel for Car Body - Meißel für Karosserie


26 x 7 mm
057586
60 x 11 mm
057593




COUTEAUX RACLOIRS



JEU DE 4 BURINS EN NYLON - Set of 4 nylon chisels - 4 Kunststoffmeißel




JAUGES DE PROFIL - Contour Gauge - Konturenlehre



JAUGES DE POSITIONNEMENT - Gapping gauges - Spaltmaßlehre




OUTIL DE REMISE EN FORME PASSAGE DE ROUE - Fender roller tool set



REDRESSEUR DE CHARNIÈRE DE PORTE - Fixed Hinge Bending Tool




PINCES DE MAINTIEN BORD À BORD - Positioning clamp - I-Stoß-Lehre




PINCES MICRO-GRIP - Micro-grip clamps




PINCES ÉTAU À BEC PLAT - Flat nose lock-grip pliers





SERRE-TÔLES - Temporary-fasteners manual mounting



PINCES AXIALES - Axial-grip pliers




PINCES ÉTAU MONO SERRAGE - Lock-grip pliers



MINI-MEULEUSE - Mini disc sander - Druckluftschleifer

051829



Speed adjustment

Ø 75 mm

Included (x1) 052468

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	200	83	171	6.2	12	0.7

058248




x2 Ø 50 & 75 mm

MINI-FLEXIDISC LAMELLES ZIRCON Ø 50 mm

K 40 (x10)	058255
K 60 (x10)	058262
K 80 (x10)	058279

PONCEUSE À BANDE À TÊTE ORIENTABLE - Air belt sander - Druckluft Bandschleifer

060906



520 mm


360°

Grain 60 (x 5)	060913
Grain 80 (x 5)	060920
Grain 100 (x 5)	060937
Grain 36 céramique (x 5)	062535

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16 000	171	6.3	34	1.2

PONCEUSE À BANDE À TÊTE ORIENTABLE - Air belt sander - Druckluft Bandschleifer

052819



360°

330 mm

10 mm

Grain 80 (x 10)	052833
Grain 36 céramique (x 20)	062528

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16000	171	6.3	26	0.9

MINI-FRAISEUSE À RENVOI D'ANGLE - Mini Angle Milling Machine - Mini-Winkelschleifer

051836



90°

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	500	81	85	6.2	18	0.7

PERCEUSE MANDRIN AUTOMATIQUE - Automatic Mandrel Drill - Druckluftbohrmaschine m. Schnellspannfutter

051799



Ø 13

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	300	92	170	6.2	18	0.9

MEULEUSE D'ANGLE - Long Handled Angle Grinder - Druckluft-Winkelschleifer

057753



Ø 100 mm

± 1.6 mm, x5 057883

± 0.8 mm, x5 058217

Speed			Air consumption	Air pressure		
rpm	dB		l/min	bar	cm	kg
14000	84		113	6.2	37	1.7

MINI-MEULEUSE À RENVOI D'ANGLE - Mini Angle Grinder - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867



Ø 50 mm

90°

(x1) 052772

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
15000	200	86	85	6.2	18	0.75

SCIE COUPE TÔLE DROITE ET LIME - Saw for Straight Cut and File - Druckluftsäge und Feile

051805



051805

(x5) 052789

included 058750

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
5000	—	85	255	6.2	10	0.8

COFFRET DÉCAPEUSE PNEUMATIQUE - Pneumatic surface remover Kit - Druckluftentroster-Box inkl. Zubehör

051775



Roue gomme 115 x 14 mm 051874

Roue à décaper 115 x 14 mm 051843

Adaptateur pour brosse 051768

Brosse souple Brins droits 0.5 mm 103 x 23 mm 052598


Brosse dure Brins incurvés 0.7 mm 103 x 23 mm 051812

Brosse souple Brins incurvés 0.5 mm 103 x 23 mm 051850

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
4000	500	86	102	6.2	280	1.2

MINI FRAISEUSE - Mini milling machine - Mini-Schleifer

063228



Option Tungsten drill Ø 6 mm 054172

DÉPOINTEUSE POUR CORDON LASER ACIER - Laser cord metal sheet cutter (nibbler) - Trennwerkzeug für Lasernähte

054165



Ø 6 mm

STEEL Included 054172

DÉPOINTEUSE - Spot remover - Druckluft-Schweißpunktbohrer

SPOT DRILL 050464



360°

Ø 8

Included : Tungsten Carbide Ø 8 for BORON/UHSS (x1)

Forets de dépointage - Spot remover drill - Schweißpunktfräse Tungsten Carbide for BORON/UHSS

	Ø 8 mm 053069	Ø 9 mm 069763	Ø 10 mm 053076
3-edge			
4-edge Efficiency ++ Durability ++	Ø 8 mm 059849	Ø 9 mm 069770	

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	400	85	140	6.5	35	2.3

PINCE À SOYER ET À TROUER, Ø5MM PNEUMATIQUE - Pneumatic flange / ø5 mm punching tool - Pneumatische Loch- und Absatzzange Ø 5 mm

052543



Ø 5 mm

2 in 1

0,8 > 1,2 mm

0,8 > 1,2 mm

BODY ZIPPER - Sertisseuse pneumatique Pneumatic Crimper - Druckluftkantenformer

056930



MADE IN HIGH QUALITY POLAND

1) MINI


2) initial W

3) final M x < 2.4mm

4) final D x > 2.4mm

total thickness x=2a+b

Air pressure			
bar	cm	kg	
5	28	2.1	





PACK SPOT DRILL + 140 mm 061460



140 mm 061453

3-edge Ø 8 mm 053069

TOURNEVIS SANS FIL - Cordless Mini Screwdriver - Akkuschauber

057944

LO speed : 220 rpm - 4 Nm
HI speed : 450 rpm - 2.7 Nm
3.6 V - 1.5 Ah Li-Ion battery
430 g
■ 295 x 290 x 90 mm



DÉTECTEUR ÉPAISSEUR DE PEINTURE - Film coating thickness gauge

Measurement range : 0 - 1.80mm
Resolution : 0.01 mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm

059856



TOURNEVIS À CHOCS SANS FIL - Cordless Impact Screwdriver - Akkuschauber

057951

Speed : 2400 rpm
117 Nm max
14.4 V - 2 Ah Li-ion battery
1.1 kg
■ 155 x 63 x 210 mm
■ 295 x 290 x 90 mm



PONCEUSE /POLISSEUSE ÉLECTRIQUE - Electric Sander & Polisher - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
L 303 x 101 mm
1.21 kg
Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

Light weight
& Compact

((No vibration))

Speed control



Manual or automatic

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/min
Drum capacity : 30 L
Drum material : stainless steel
L 380 x 380 x 700 mm
■ 7 kg



ASPIRATEUR PNEUMATIQUE POUR POUSSIÈRES ALU (ATEX) - Pneumatic aluminium dust atex vacuum cleaner

058866

Dust container capacity : 25 l
Working compressed air pressure : 7 bar
Compressed air consumption at 6 bar : 800 l/min
Suction connection diameter size : 50 mm
Max suction capacity : 150 m³/h
Max vacuum level : 2000 mm H₂O
Recommended compressor power : 7.5 HP

L 74 x 45 x 45 mm
■ 18 kg



included
Filtre - Filter
058873



included
Sac à poussières - Filter bag
Capacity 5 kg
x5
058880



GYS DUST EXTRACTOR - Pneumatic dust vacuum cleaner for sander



Aspirateur (sans ponceuse)
Vacuum cleaner (without sander)

071353

350 x 800 x 400
21 kg



Ponceuse pneumatique
- Pneumatic Sander
MIRKA PROS 650CV

Ø 150 mm
071346



- ✓ **ROBUST**
- ✓ **QUICK & SAFE**
- ✓ **LOW AIR CONSUMPTION**
(5 bar)
- ✓ **NO ELECTRIC MOTOR**
- ✓ **ENERGY SAVING**

INNOVATIVE SUCTION SYSTEM

Depression 1150 mm H₂O

Air flow 600 l/min

Air consumption 340 l/min



ATEX norm
Group II - Category 3



Rangement pour disques de ponçage (non inclus)
- Sanding discs box (not included)

Grande maniabilité et stabilité
- High maneuverability and stability

EASY ACCESS

Aucune maintenance
- Maintenance free



Consumables



Sac à poussières -
Filter bag
Capacity 5 kg

Included x1
x5
058880



Included
Earth clamp
security

NEW



LAMPES BALADEUSES - Hand lamps - Handleuchte

Lampe BALADEUSE TRIPODE 250 L 100-250 lumens (x3)

3 x 1 W COB LED
3 x 3.6 V - 300 mAh
AAA rechargeable, Ni-MH
USB charging (6h)
operating time
High position : 1 h
Low position : 3 h
Flashing : 5 h

↓ 260 x 100 x 100 mm

059955



Lampe BALADEUSE 400 L 400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h

↓ 230 x 65 x 40 mm

059153



Lampe BALADEUSE ÉTANCHE 400 L 200-400 lumens

COB LED
3.7 V - 2000 mAh Li-ion
USB charging (4/6 h)
mains charger not included
operating time
High position : 2 h
Mid position : 4 h
Top light (4 W) : 3 h

↓ 285 x 65 x 65 mm

IP 56

059948



Lampe BALADEUSE PRO 600 L 250-600 lumens

COB LED, 80 CRI
3.7 V - 2200 mAh Li-ion
micro USB charging (3.5 h)
operating time
High position : 1.5 h,
Mid position : 4.5 h,
Top light (100 lumens) : 10 h

↓ 190 x 56 x 29 mm
IP 54
210 g

060883



Lampe AMBIANCE 360° PORTABLE 1000 L 60-1000 lumens

>80 CRI SMD LED
6500 K
3.7 V - 5200 mAh Li-ion
USB charging (4.5h)
USB power supply
operating time 2 > 27 h

↓ 260 x 75 x 75 mm
IP 54
450 g

059764



Ambient light

LAMPES D'INSPECTION - Inspection lamps - Inspektionslampen

Lampe INSPECTION FRONTALE 280 L 100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.
operating time
High position : 2 h
Low position : 6 h
IP 65

↓ 110 g

↓ 78.5 x 47.5 x 42 mm

060845



Lampe INSPECTION MINI 200 L 120-200 lumens

COB LED, 80 CRI, 6500 K
3.7 V - 700 mAh Li-ion
micro USB charging (2.5 h)
mains charger not included
operating time
High position : 1.5 h
Low position : 4 h
Top light : 3.5 h
IP 20

↓ 76 g, ↓ 174 x 27.5 x 28 mm

060852



Lampe INSPECTION FLEXIBLE 500 L 50-500 lumens

COB LED
80 CRI+
6500 K
3.7 V - 2600 mAh Li-ion
USB charging (4 h)
operating time
High position : 2 h
Low position : 16 h
Top light : 9.5 h

IP 54

↓ 290 g

↓ 423 x 65.5 x 44.5 mm

060869



Lampe INSPECTION PRO 600 L 0-600 lumens


COB LED
6500 K
3.7 V - 2600 mAh Li-ion
USB charging (4 h)
operating time
1.5 > 15 h

↓ 380 x 40 x 45 mm

300 g

057760

058309



LAMPES SOUS CAPOT - Under bonnet lamps - Leuchte für Motorhaube

Lampe SOUS CAPOT 600 L 500-1000 lumens


120 COB LED

3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 4 h
Low position : 8 h

1.7 kg

059962



Lampe SOUS CAPOT 800 L 250-800 lumens


120 COB LED

3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 3 h
Low position : 6 h

058002

058316



PROJECTEURS LED SUR TRÉPIED - LED worklights with tripod - LED-Arbeitsleuchte mit Standfuß

Lampe sur TRÉPIED 1800 L 1800 lumens

3x 55 COB LED
total 165 LED

1.8 m power cord

059146



Lampe sur TRÉPIED 3000 L 3000 lumens

35 W COB LED

2 m power cord

IP 44

059979



Lampe sur TRÉPIED 4000 L 4000 lumens


3x 20 COB LED,
total 60 LED

3 m power cord

059986



CONTRÔLE DES COULEURS - Detailing & colour match - Fabnpassung & Aufbereitung



4500 K 400 lumens

SUNCOLOR 1
COB LED, CRI > 95, 1100 lux
3.7 V - 2600 mAh Li-ion
micro USB charging
operating time : 3 h
↓ 190 x 56 x 29 mm
290 g
IP 65

058477



3 COLORS 2700 - 4500 - 6500 K

350-420-450 lumens

SUNCOLOR 3
COB LED, 96 CRI+
3.7 V - 2600 mAh Li-ion
micro USB charging (4 h)
operating time : 2.5/4 h
IP 65
↓ 190 x 56 x 29 mm, 290 g

060838



5 COLORS

2700 - 3500 - 4500 - 5500 - 6500 K

SUNCOLOR 5
COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
↓ 225 x 200 x 70 mm, 1.2 kg

060876




5 COLORS 2500-3500-4500-5500-6500 K

250-500 lumens

SUNMATCH 3
COB LED, 96 CRI+, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time :
High position : 2 h, Low position : 4 h
IP 65
↓ 204 x 89 x 81 mm, 270 g

061651



SÉCHAGE UV - UV CURING

UV LED λ 395-400 nm

Irradiance 6-15 mW/cm²

NOVA-UV S

3.7 V - 5400 mAh Li-ion
USB charger, 1 m cable, 5 V, 2 A
curing time : 3.5 h
curing area : Ø 20 cm
operating time 1.5 h
IP 67
↓ 163 x 63 x 163 mm

061620



TRÉTEAUX - Frames support - Klappböcke

040601
100.5 x 112 cm - 5.5 kg
35 x 95 x 106 cm

Ø 28 mm

4 pieds coudés
Idéal sur caillébotis
- Bent feet for grating
- Abgewinkelte Standfüße:
Sicherer Stand auf Gittern u.ä.

Chainette réglable
- Adjustable catenary

Mousse de protection
- Protecting foam

Antidérapants
- Non-slip base

040311
104.5 x 117 cm - 8.1 kg
32 x 10 x 106 cm

Ø 32 mm

4 ventouses
Dépose vitrages
- Suction pad for glazing
- Gummiteiler zur Fixierung
von Glasscheiben

040250
100 x 105 cm - 7 kg
32 x 10 x 106 cm

Ø 32 mm

Léger et très maniable
Spécial travaux à l'horizontal
- Light and easy to handle
Ideal for horizontal works
- Speziell geeignet für Arbeiten
in horizontaler Position

20 x 20 mm 16.5 kg

MADE IN HIGH QUALITY POLAND

15 > 125 cm

88 > 128 cm

3 mm

87 cm

070677

**SUPPORT PARE-CHOC - Rotary element support
Lackierständer für Stoßstange, einstellbar**

052376
91 x 105 cm - 7.6 kg
60 x 11 x 75 cm

Adapté aux coques de rétroviseurs
- Adapted to wing mirror covers
- Geeignet für Außenspiegel

059825

106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

50 cm

059832

50 x 150 cm - 13 kg
152 x 15.5 x 11.5 cm

50 cm

**SUPPORT ÉLÉMENT ROTATIF - Rotary element support -
Lackierständer für Stoßstange, einstellbar**

052611
200 x 101 cm - 17.5 kg
35 x 15 x 110 cm
Made in China

1.5 mm

360°

2 mm

Verrouillage de l'axe
- Locking of the axis
- Verriegelung der Achse

PRO
056725
200 x 105 x 81 cm - 22 kg
24 x 17 x 118 cm

MADE IN HIGH QUALITY POLAND

**CHARIOT EXTENSIBLE POUR
ÉLÉMENTS DE CARROSSERIE -
Extendable support - Ausziehbarer Wagen**

061507
max 150 kg

100 cm

135 - 210 cm

26 kg
114.5 x 42 x 13.5 cm

MADE IN HIGH QUALITY POLAND

**CHARIOT DE LUXE MAROUFLAGE
- Premium masking machine - Abdeckpapier-Ständer**

MADE IN HIGH QUALITY POLAND

x 5
rouleaux de papier
- Papierständer
- Paper roll

057333
150 x 133 x 62 cm
32 kg
152 x 17 x 29 cm

OPTION
Ø 40 mm
x 6
058897

Ø 75 mm
Ø 250 mm

30 > 120 cm

**CHARIOT DE MAROUFLAGE
- Masking machine - Abdeckpapier-Ständer**

MADE IN HIGH QUALITY POLAND

x 3
rouleaux de papier
- Papierständer
- Paper roll

056954
150 x 62 x 110 cm
- 12 kg
122 x 29 x 17 cm

Ø 75 mm
Ø 250 mm

30, 60, 90 cm

**CHARIOT DE STOCKAGE
- Storage trolley - Lagerrollwagen**

040243

71 x 90 x 197 cm
41 kg
x2:
90 x 6 x 147 cm
+ 97 x 74 x 24 cm

**TIGES DE BLOCAGE -
Flap Lock**

056732

30 > 115 cm

**TABOURET
- Round Stool with Tool Storage
- Werkstatt-Rollhocker**

057555
38 x 38 x 44 cm - 6 kg
40 x 40 x 18 cm

max : 50 cm
min : 38 cm

**SERVANTE 3 PLATEAUX
- Workstation 3 shelves**

068056

65 kg max

65 kg max

65 kg max

835 mm

390 mm

800 mm

**CHARIOT DE VISITE - Mechanics Creeper With
Tilting Headrest - Werkstatt-Rollliege**

057548
102 x 43 x 11 cm
7.2 kg
11 x 44 x 13 cm

**MARCHE PIED - Folding Step Stool
(Aluminium) - Arbeitspodest klappbar**

ALU 200 kg

057562
8.2 kg
102 x 41 x 59 cm

960 mm

385 mm

475 mm

**CHARIOT POUR ÉLÉMENTS DE CARROSSERIE
- Universal support - Universelle Ständer**

066281
20 kg

max 80 kg

Ø 4.5 cm

NEW

80 cm

Ø 12.5

115 cm

70-100 cm

MADE IN HIGH QUALITY POLAND

ALU 150 kg

1090 > 1750 mm


520 > 900 mm

300 mm

058552
15.5 Kg

116 x 43 x 17 cm - 16.5 kg

COUVERTURE ANTI-CHALEUR - Heat cover - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495



PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204



PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m 620 g/m²
053595



PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m 427 g/m²
060500

JEU DE 2 AIMANTS
- Set of 2 magnets -
Schweißmagnet



(x2)
052291

COUVERTURE MAGNÉTIQUE - Magnetic cover - Magnetschutzdecke



1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand



OPTI 215.0
Orange CE - 2 x 2.15 m
EN 25980 - 2015/01
060470



OPTI 200G
Green T9 - 2 x 2 m
EN 25980 - 2015/01
060463

MASQUES RESPIRATOIRES - Respiratory masks - Atemschutzmaske - Máscaras respiratorias



FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021



FFP3 - EN 140 / EN 143
(x1) Size M/L
037014



FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038




FFP1
(x20) EN 149-2001
043916



FFP2D-OV
M/L (x5) EN 149-2001
043923



FFP3 - EN 140 / EN 143
(x1) Size M/L
037014



FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038

LUNETTES DE PROTECTION
- Protection goggles - Schutzbrillen



EN 166



Shade/IR0
042810



Shade/IR0
042827



Shade/IR5
042841



Shade/IR0
047778



Shade/IR0
047792



Shade/IR0
042865



Shade/IR0
047839

GANTS - Gloves - Handschuhe - Guantes



Anti coupe
- Anti-cut
T9
045897



✓ écran tactile
- touch screen friendly
Anti coupe
haute résistance
High resistance anti-cut
EN 420
EN 388:4121
T9 : 045910
T10 : 045927



Anti coupe
haute dextérité
- High dexterity
anti-cut
EN 420
EN 388:1121
T9 : 045903
T10 : 045934




T10
064188
EN420
2003
EN388
2003



Heavy Duty T10
(MMA - MIG - Plasma)
045101



EN 388
4244
EN 407
322X2X
EN12477
Class : A1



Gants PRO TIG
T10
045194



EN 388
4244
EN 407
424X4X
EN12477
Class : A1



Gants de soudage
renforcés - Reinforced welding
gloves
T10
045873



EN 388
2111XX
EN 407
423X4X
EN12477
Class : A1



Gants PRO TIG EXTRA
T10
045323

TABLIER CUIR MULTI-USAGE
- Multi-use leather apron - Delantal
de cuero multi-uso - Mehrzweck-
Lederschürze



PRO
045217

ÉQUIPEMENTS POUR OPÉRATIONS SUR VÉHICULES ÉLECTRIQUES & HYBRIDES - Equipment for operations on electric and hybrid vehicles -
Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

ÉCRAN FACIAL AVEC SERRE-TÊTE
- FACE SHIELD WITH HEADBAND
068018



NEW

GANTS ISOLANTS (T10)
- INSULATING GLOVES (T10)
068025



NEW

Coffret de 25 outils isolés 1000V - 25 pieces insulated tools 1000V -
Box mit 25 isolierten Werkzeugen 1000V
066489

Douilles 7/8/10/12/14/15/17/19/22 mm - 7/8/10/12/14/15/17/19/22 mm sockets	x 9
Pince universelle de 175 mm en chrome vanadium - 175 mm universal pliers in chrome vanadium	x 1
Pince coupante 150 mm en chrome vanadium - Cutting pliers 150 mm in chrome vanadium	x 1
Cluqiet en 3/8" - 3/8" ratchet	x 1
Rallonge 100 mm - Extension 100 mm	x 1
Poignée en T - T-handle	x 1
Clés plates à fourches 7/8/10/12/14/17 mm - Open ended wrenches 7/8/10/12/14/17 mm	x 6
Couteau pour câble - Cable knife	x 1
Tournevis Philips PhH1x100/PhH2x100 mm - Philips PhH1x100/PhH2x100 mm screwdriver	x 2
Tournevis plats 5.5x125/4x100 mm - Flat screwdriver 5.5x125 / 4x100 mm	x 2



Kit pour le balisage de la zone d'intervention
- Kit for marking the area of intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Balise de signalisation rouge et blanche - Red and white warning pole	x 4
Chaîne de délimitation rouge et blanche - Red and white bounding line	x 1
Pancarte de signalisation "Danger, zone de travail VEH" - Sign board "Danger, working area EHV"	x 2



PANTALON - Trousers - Hose



98% cotton,
2% antistatic
S (40/42) 046368
M (44/46) 046375
L (48/50) 046382
XL (52/54) 046399
XXL (56/58) 046412

EN ISO 11611
Class 2-A1
& A2
EN 1149-5
EN 14404
+A1
Type 2
IEC 61482-2
Class 1-4kA

VESTE - Jacket - Jacke



98% cotton, 2% antistatic
S (40/42) 046313
M (44/46) 046320
L (48/50) 046337
XL (52/54) 046344
XXL (56/58) 046351

IEC 61482-2
Class 1-4kA
EN ISO 11612
A1+A2-B1-C1-E3-F1
EN ISO 11611
Class 2-A1 & A2
EN 14404
+A1
Type 2
EN 1149-5

A COMPLETE RANGE

for 200 > 240 V MONO / TRI
50/60 Hz

DÉBOSSÉLAGE - Dent pulling - デントプラー

GYSPT 2600	2700	34.02	39.02	PRO 230	EXPERT 200	EXPERT 230	ALU PRO FV	COMBI 230 PRO	ARC PULL 200	COMBI ARC PULL	ARC PULL 350
page 6			page 7				page 8	page 9	page 12		

SOUDURE PAR POINT - Spotwelding - スポット溶接

PTI 220 V	BP.LG 220 V	PTI.PRO 220 V	PTI.LG 220 V
page 51	page 54	page 56	page 58

RIVETAGE - Riveting - リベット打ち

GYSRESS 10T	GYSRESS 10T PP	GYSRESS 10T PP CONTROL
page 62		page 64

MIG/MAG TRADITIONNEL - Traditional MIG/MAG - ミグマガ伝統的

M1GYS AUTO	M3GYS AUTO	T1GYS AUTO DV	T3GYS AUTO DV
page 72			

MIG/MAG INVERTER PULSÉ - ミグマガパルスインバーター

AUTOPULSE 220-M1 (208-240V)	220-M2 (208-240V)	220-M3 (208-240V)	320-T1 (208-240V)	320-T3 (208-240V)
page 64				

CHARGEUR - Battery charger - バッテリーチャージャー

GYSFLASH 50.12 FV
page 92

DÉCOUPAGE PLASMA - Plasma cutting - プラズマカッター

EASYCUT 25	EASYCUT 40	CUTTER 30 FV	CUTTER 45 CT
			page 92

INDUCTION - インダクション

GYSDUCTION AUTO	COMBIDUCTION	POWERDUCTION 37LG	39LG	50LG	110LG	160LG
page 88						page 90

INDIAN CAR MANUFACTURER APPROVALS / COMPLIANCE

INDIAN HOMOLOGATIONS

						Mercedes			Volkswagen Group			Jaguar / Land Rover							
		OEM - CARS															OEM - TRUCKS		
DENT PULLER	GYSPT 39.02		●	●				●						●			●	●	●
	SPEEDLINER		●		●	●	●		●		●	●		●	●				●
	GYSPT ALU FV					●						●							
SPOT WELDERS	GYSPT 32D			●															
	GYSPT INVERTER BP-MS/LX/LC/LQC	●	●	●	●		●				●			●	●				●
	GYSPT EVOLUTION PTI-57					●		●				●	●				●	●	●
MIG / MAG	CARMIG																●		
	T1 GYS AUTO		●	●	●		●		●		●		●	●	●			●	●
	T3 GYS AUTO					●						●							
	NEOPULSE	●										●							
PLASMA	CUTTER 25K																		
	CUTTER 30FV							●						●			●	●	●
INDUCTION	GYSDUCTION AUTO																		
BATTERY CHARGERS			●				●												
TOOLS & TROLLEYS			●		●	●	●			●				●					

BSU & CHARGERS

BATTERY SUPPORT UNIT

Homologations Approvals Zulassungen



NEW

CATALOGUE 2022 B

CHARGERS
6 - 12 - 24 - 36 - 48 V

STARTERS & CHARGERS
12 - 24 V

BOOSTERS
6 - 12 - 24 V

TESTERS
12 - 24 V

ACCESSORIES
+



INVEST IN THE FUTURE



French manufacturer
since 1964

2
0
2
2
B

Car Body Welding Systems

Catalogue Carrosserie
Catalogo Carrozzeria
Karosserie-Schweißtechnik Katalog
Catálogo de Soldadura para Carrocería



LinkedIn
Youtube
WeChat
Facebook
Instagram

www.gys.fr



GYS FRANCE

HEADQUARTER

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France
Tel +33 2 43 01 23 60
E-mail service.client@gys.fr



ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

LOGISTIC CENTER

2 Rue Jean Dausset
53810 Changé - France
Tel +33 2 43 01 54 33



GYS GERMANY

Professor-Wieler
Straße 11
52070 Aachen
Deutschland

Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr



GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom

Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr



GYS ITALIA

Vega - Parco Scientifico
Tecnologico di Venezia
Via Delle Industrie, 25/4
30175 Marghera - VE
Italia

Tel +39 041 53 21 565
E-mail italia@gys.fr



GYS IBÉRICA

Avenida Pireneos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España

E-mail iberica@gys.fr



GYS CHINA

Lot N°15
6666 bd Songze
201706 Qingpu
Shanghai
China


Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn

MARKETING

Podium de
présentation
- Display
stand
- Podest

PODIUM 1
A : 45 cm
B : 50 cm
C : 50 cm
063204

PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211



Oriflamme
- Flag
1,75 x 0,50 m
098015



Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039



Linéaire de vente
avec 2 étagères
- Retail display
space
with 2 shelves
- Lochwandregal
mit 2 Böden
(machines not
included)
060784



Distributed by



exp 095212 • Pour signaler des erreurs dans le catalogue, contactez : catalogues@gys.fr. Document non contractuel. GYS se réserve le droit de modifier sans préavis les spécifications de ses appareils. • To report errors in the catalog, contact: catalogues@gys.fr. Document not contractual. GYS reserves the right to modify the specifications of the machines without prior notice. Irrtümer und Änderungen vorbehalten. • I.P. - 323 g