

## Autoglass - repair and removal

The market's fastest, best and most user-friendly solutions



# TRISCAN

Windscreen Pro Tools

# Much **more** than just a spare part



OE quality

Wide covering  
programmes



## Who are we - and what can we do?

Triscan a/s is a 100% Danish company which, through concept creation, marketing and distribution has created a significant position in the Scandinavian automotive aftermarket and a sharp increase in sales in the rest of Europe. The products range includes car spare parts as well as tools and consumables for autoglass repair and removal.

- Fast delivery of the right parts
- Online ordering via TriWeb/TecCom
- High order fill
- More than 50,000 references
- 48 product groups
- Extensive quality assurance

Every day goods are delivered from Triscan's 3 distribution centers in Brabrand, Glostrup as well as Iserlohn in Germany - to 39 markets in Europe.



Brabrand, DK



Glostrup, DK



Iserlohn, D

# Unique patented technology, tools, accessories and consumables



Our programme of tools, accessories and consumables for professional autoglass repair has been developed and tested in collaboration with leading specialists in the automotive glass industry.

The programme includes patented technology that positions us as a leading supplier of solutions within repair and replacement of autoglass.

The product range is also offered in private label brand to wholesalers in the automotive industry, which in addition to thorough training (training academy) also receives marketing material - including videos made available.

## Windscreen Chip repair

In windscreen chip repair, we set completely new standards for speed, simplicity and repair quality.

Compared to other repair systems - with a minimum of training - stone chip repairs can be carried out in just 5 minutes and with a success rate of 95-98%.

The repair process requires neither access to power nor vacuum equipment, is mobile and can therefore also be performed at the customer.

Depending on the need, the repair kits are available in four different versions. The contents and the necessary consumables can be ordered separately.

**Get detailed information on the following pages ...**




## Autoglass removal

With in-house developed tools, we also set new standards for speed, simplicity and repair quality within autoglass removal.

By using our cutting set, the cutting work - with a minimum of training - can not only be performed much faster, but also by just one person and with all types of cutting wire/thread.

Depending on the need, the cut-out kits are available in two different versions. The contents and the necessary consumables can be ordered separately.

**Get detailed information on the following pages ...**



Demonstration videos on  
[www.triscan.dk/en/autoglass](http://www.triscan.dk/en/autoglass)

# WINDSCREEN CHIP REPAIR

## New standard for both speed, simplicity, repair quality and mobility

There are several chip repair systems on the market, but no other performs as well on the four most important parameters:


- Speed
- Simplicity
- Repair quality
- Mobility

**TRISCAN**  
Windscreen Pro Tools

### Chip repair in just 5 minutes


With our 3-in-1 process, a chip repair can be performed in just 5 minutes. After ordinary preparation and cleaning of the chip, the following process steps are performed with our in-house developed and patented repair bridge:

1. Heating to 60° C and cooling to 20° C in 3 min.
2. Filling and pressure/vacuum process of 60 sec.
3. Curing (LED UV curing 30 sec. and with 95-98% invisibility after curing)



### Everyone can do chip repairs after a brief introduction

Our system is so simple to work with that EVERYONE - after a short introduction - can do the work. So no special prerequisites are required. It is therefore obvious for car repair shops to offer their customers this service.





## Nice and long lasting repairs


Our specially developed resin differs in several ways. The special viscosity of the resin ensures that it flows out into even the smallest cracks, which has an impact on how efficiently the cracks in the damaged area are joined together and thereby the quality and service life of the repair. The resin also differs by not yellowing over time. This results in a nicer repair.

But also our pit filler differs in several areas. Like the resin, it does not yellow over time and in addition it is characterized by a very high wear resistance. This ensures both a long service life and a nicer repair.



## In the workshop or on the road

Most stone chip repair processes include the use of vacuum technology, which often makes mobile use a challenge. With our in-house developed and patented pressure/vacuum technology, repairs can be carried out at the customer's as well as in the workshop. A stone chip repair requires NO access to electricity or the like.



## In private label and with everything you need to get off to a good start

The product range is also offered in private label to wholesalers in the automotive aftermarket. In addition to the mandatory training and coaching of the wholesaler's staff, we also offer marketing material so that you as a wholesaler get off to a good and quick start, for example:

- Brochures
- Demonstration video with own employees
- Website setup with customer support function
- Sticker for covering chip with contact details



# SETS FOR WINDSCREEN CHIP REPAIR

## K4200C



Article #	Description
K4213-2	Repair bridge 3-in-1
K4213	Repair bridge
K4215A	Rechargeable UV-lamp (LED)
3027	Charging cable for K4213-2/K4215A
K4221-1	Rechargeable drilling machine 3,6V
	Charger for drilling machine 220V
K4212-5	Glas drills, 5-pack
K4214	Mirror
K4208-1	Vacuum piston and 10 ml. syringe
3015	Syringe and needle 1 ml., 2 sets
K4220	Slide hammer
K4219	Crack expander, 2 pcs.
K4230	Curring film, 5 pack
K4210	Curring film roll
K4211	Scraper blades, 5 pack
K4207	Gel
K4203	Resin, 20 ml.
K4205	Pit filler, 5 ml.
910013	Polish, 10 ml.

## K4200E



Article #	Description
K4213-2	Repair bridge 3-in-1
4008	Charger for K4213-2/K4215A
3027	Charging cable for K4213-2/K4215A
K4221-1	Rechargeable drilling machine 3,6V
	Charger for drilling machine 220V
K4212-5	Glas drills
K4214	Mirror
K4208-1	Vacuum piston and 10 ml. syringe
3015	Syringe and needle 1 ml.
K4230	Curring film, 5 pack
K4210	Curring film roll
K4211	Scraper blades, 5 pack
910028TRI	Resin set 1
910028	Resin, 5 ml.
910022TRI	Pit filler, set 2
910022	Pit filler, 5 ml.
910013	Polish, 10 ml.
	Lighter

## K4200D



Article #	Description
K4213-2	Repair bridge 3-in-1
3027	Charging cable for K4213-2/K4215A
K4214	Mirror
K4208-1	Vacuum piston and 10 ml. syringe
3015	Syringe and needle 1 ml.
K4230	Capping film, 5 pack
K4211	Scraper blades, 5 pack
K4202	Resin, 5 ml.
K4205	Pit filler, 5 ml.
910013	Polish, 10 ml.

- Chip repair in just 5 minutes
- Nicer repairs with longer lifetime
- In the workshop or on the road
- Everyone can do chip repairs after a brief introduction



Demonstration videos on  
[www.triscan.dk/en/autoglass](http://www.triscan.dk/en/autoglass)

# CONSUMABLES, ACCESSORIES AND TOOLS

910028TRI



Resin set no. 1

K4203



Resin 20 ml.

K4202



Resin 5 ml.

910022TRI



Pit filler set no. 2

K4205



Pit filler 5 ml.

910013



Pit Polish 10 ml.

K4207



Gel

K4208-1



Vacuum piston and 10 ml. syringe

3015



Syringe and needle 1 ml.

K4230



Curing film, 5 pack

K4210



Curing film roll

K4211



Scraper blades, 5 pack

K4212-5



Glass drills, 5 pack

K4213-2



Repair bridge 3-in-1

K4215A



Rechargeable UV-lamp (LED)



# WINDSCREEN CHIP REPAIR

K4213



Repair bridge

K4213-1



Repair bridge with lever arm

K4221-1



Rechargeable drilling machine  
3,6V

K4220




Slide hammer

K4227



Tip for slide hammer

K4219



Crack expander

K4214



Mirror with suction cup

4008



Charger 220V for charging  
cable (3027)

3027




Charging cable

K4225



Gasket for vacuum piston

K4223



Suction cup set for UV lamp,  
crack expander & mirror - 4 pcs.




Demonstration videos on  
[www.triscan.dk/en/autoglass](http://www.triscan.dk/en/autoglass)

# AUTOGLAS REMOVAL

## Fast autoglass removal performed by just one person

There are several autoglass removal systems on the market, but ours excels in particular in the following areas.

- Speed
- Resource consumption
- Also suitable for difficult autoglass types



Simple and effective threading

## For all wire/thread types

The system can be used with all wire types:

- Triangular wire
- Square wire
- Fiber thread (tensile strength 260 kg)

Wire attachment on both cut-out counterhold and wire handle is simple and efficient.



Thread lead in with thread starter

## Suitable for difficult autoglass types

On many car and van models, space conditions can be a challenge. In such cases, standard tools can not be used without damaging the vehicle. Our autoglass removal technology, on the other hand, is suitable for all types and in the case of:

- Limited space conditions
- The vehicle is a van



Suction cup counter - the 3rd hand

## An extra hand

Our cut-out counterhold is an extra hand. For this reason, window cutting can be done by just one person. The suction cup bracket is easily moved 3-5 times in connection with the cut-out process.



Resistance with suction cup

## Interior protection

When using our two types of protectors

- Dashboard panel with suction cup
- Dashboard panel, straight

it is easy to avoid damaging the interior during the cut-out process.



Cutting out

## Everyone can - after a short introduction - do the work

Our cut-out system is super easy to use and everyone can do a autoglass removal after a short introduction.



Interior protector with suction cup

## In private label and with everything you need to get off to a good start

The product range is also offered in private label to wholesalers in the automotive aftermarket. In addition to the mandatory training and coaching of the wholesaler's staff, we also offer marketing material so that you as a wholesaler get off to a good and quick start, for example:

- Programme brochure
- Demonstration video with own employees
- Website setup with customer support function



Dashboard protector



Removal

Demonstration videos on [www.triscan.dk/en/autoglass](http://www.triscan.dk/en/autoglass)

# SETS FOR AUTOGLASS REMOVAL

## K4500C-1



Article #	Description
K4500C-1B	Cut-out coil unit
3014	Cut-out counterholder
R930162A	Wire starter with T-handle, hole and slot
R840048	Dashboard Protective panel
R840049A	Dashboard Protective panel, straight
3022	Bit holder
	Stanley knife
K45HGF-5	Fiber thread, 260 kg, 100 m
R930020D	Triangular wire, spec. 08 mm, 50 m

## 201008



Article #	Description
	Cut-out spring
R930184A	Self locking wire handle with suction cup
	Quick coupling for wire handle
R930162A	Wire starter with T-handle, hole and slot
R840048	Dashboard Protective panel
R840049A	Dashboard Protective panel, straight
R930020	Triangular wire 25 m



Demonstration videos on  
[www.triscan.dk/en/autoglass](http://www.triscan.dk/en/autoglass)



# CONSUMABLES, ACCESSORIES AND TOOLS

K45HGF-5



Fiber thread, 260 kg, 100 m

R930020



Triangular wire, 25 m

R930020A



Triangular wire, 50 m

R930020D



Triangular wire, spec. 08 mm, 50 m

R930018



Four edge wire, 25 m

R930019



Four edge wire, 50 m

R930017



Gold wire, 22,5 m

K4500C-1B



Cut-out coil unit

3014



Cut-out counterholder

R840057



2-headed suction holder, adjustable

R930021A



Pinchweld scraper, angled, with blades

R930021



Pinchweld scraper, straight, with blades

R930021C



Pinchweld scraper set with blades and Stanley knife

K4510B



Pinchweld scraper blades, round corners, 13 mm, pack of 10

K4511B



Pinchweld scraper blades, round corners, 16 mm, pack of 10

# CONSUMABLES, ACCESSORIES AND TOOLS

4512B



Pinchweld scraper blades, round corners, 20 mm, pack of 10

R930053



Glass scraper

R930184



Self locking wire handle

R930184A



Self locking wire handle with suction cup

R930116



Counterholder and wire handle

R930117



Counterholder round

R930162A



Wire starter with T-handle, hole and slot

R930162



Wire starter with T-handle

R840016A



Cheap alternative cut-out set

R861011



Moulding remover

R861012A



Clip remover

R930016D



Wiper arm disassembly

R840048



Dashboard protective panel with suction cup

R840049A



Dashboard protective panel, straight

R840033



Windscreen table

# AUTOGLASS REMOVAL

SHP-150-02



Vacuum pump for K4500C-1B

3034



Suction cup for K4500C-1B

3062



Coil for K4500C-1B

3022



Bit holder

K4500S



Sponge for removing silicone on glass, 10 pack

R930157-100



Feltapplicator 105 mm, 100 pcs.

R930157-4000



Feltapplicator 105 mm, 4,000 pcs.

R930157C-100



Feltapplicator 130 mm, 100 pcs.

R930157C-4000



Feltapplicator 130 mm, 4,000 pcs.



Demonstration videos on  
[www.triscan.dk/en/autoglass](http://www.triscan.dk/en/autoglass)



Triscan a/s  
Engmarken 11, DK-8220 Brabrand  
Tlf.: +45 87 43 33 00  
E-mail: [auto@triscan.dk](mailto:auto@triscan.dk)  
[www.triscan.com](http://www.triscan.com)