

# Gasfind, Refrigerant Analyser

Réf. : 410N97



Résultats Test N° 1	
R134a	99.00%
R12/R1234yf	1.00%
R22	0.00%
Hydrocarbons	0.00%
Unknown	0.00%
Air	2.00%
Retour Imprimer	

## Components included:

- Power adaptor (263A10)
- Oil filter (410N99)
- 1.50 m hose with ¼ SAE connection (400G12)
- LP R134a valve (400A95)
- LP R1234yf valve (400D51)

With the use of incorrect refrigerants becoming a growing problem, do not hesitate anymore:

The **Gasfind** Refrigerant Analyser will help you preserve the integrity of your systems by quickly determining the type and purity of the refrigerant used before you undertake any recovery operations.

The **Gasfind** is a highly precise, robust and completely automated tool that is also designed for portable use.

## Technical specifications:

Dimensions	429 x 328 x 236 mm
Weight	6 kg
Battery Life	3 hours
Battery Charger Supply Voltage	220 Volts 50/60Hz
Identifiable Refrigerants	HFO R1234yf HFC R134a
Identifiable Contaminants	R12, R22, hydrocarbons, air and others
Operating Temperature Range	5 to 49 °C
Printer	Yes
User Interface	Touch screen
Languages	French, English
Built-in Pressure / Flow Control	Yes
Built-in Calibration	Yes
Inlet Filter	Yes
Filter Replacement	Every 150 cycles
Connectors	R134a and R1234yf
Approval Certification	CE