


SPRINGTECH

AUTOMOTIVE




Sortiment

Assortment



Trapezfedern

Multi leaf springs



Lenkerfedern

Air links



Parabelfedern

Parabolic springs



Qualität Quality

Lieferfähigkeit

Availability



- We possess one of the biggest leaf spring stock in Europe
- 1.500 tons leaf springs and spring leaves can be delivered immediately after order
- We also have regional warehouses in several countries

- Wir verfügen über das größte Lagersortiment in Mitteleuropa
- 1.500 Tonnen Federn und Federlagen sind sofort lieferbar
- Regionale Läger ermöglichen schnelle Lieferungen in mehreren Ländern



Zuverlässigkeit

Reliability



Vertriebsnetz

Distribution network



● Warehouse, sales office / Lager ○ Distributor / Vertragshändler

- Wir beliefern zahlreiche zufriedene Händler, LKW Services, Flotten und Endkunden
- Unsere Federn sind in ca. 30 europäischen Ländern und in Amerika vertrieben

- We supply several satisfied resellers, truck services, fleets and end customers
- Our springs are distributed in ca. 30 European countries and in America



Produktivität Productivity

Marken

Brands



Pick up	Truck	Transporter	Trailer
Toyota Hi-Lux	Mercedes	Mercedes Sprinter	BPW
Mitsubishi L200	MAN	Ford Transit	Kässbohrer
Nissan Navara	Volvo	Iveco Daily	Schmitz
Mazda B	Renault	Fiat Ducato	ROR
Ford Ranger	Iveco	Citroen Jumper	SAF
VW Amarok	DAF	Peugeot Boxer	Fruehauf
	Scania	Renault Master	Anhänger
		VW Crafter	Gigant
			Schwarzmüller

- Wir liefern Federn zu europäischen Nutzfahrzeugen
- Sonderfertigung aufgrund Zeichnung ist möglich

- We supply leaf springs to European commercial vehicles
- Unique leaf springs can be produced based on drawing




Lebensdauer Durability





SPRINGTECH
ONLINE



Search Shopping List Log Out

Price: **346.80 EUR** **+VAT** **1** - Quantity -Sufficient stock **Order**


Product	Rear spring MAN
Article No. Schomäcker	72929000
Article No. Weweler	F088T326ZA70
Article No. Winkler	11172029900
Article No. Tes	
Article No. Original	81434026739 81434026603 81434026604 81434026747 81434026752 81434026681 81434026736 81434026602

Technical Data Sheet	
Number of leaves	3+2
Width (mm)	100
Length Lx/Ly (mm)	825/825
Length L1/L2/L3 (mm)	0
Robustness in middle (mm)	195
Arching (mm)	55
(mm)	0
Bush front inner/outer (mm)	0
Bush rear inner / outer (mm)	0
Axle load (tons)	16
Weight (kg) (kg)	146
	8B
Other information	3x21+2x41



- In unserem Online System befinden sich die wichtigsten Informationen wie Preis, Bestand und technische Daten
 - Produktfotos in höher Auflösung dürfen von unseren Kunden für eigene Werbematerialien benutzt werden.
- All relevant information are available in our unique Online Catalogue such as price, stock, technical datasheet
 - High resolution product photos from our Online Catalogue can be used by our customers for marketing purposes






Präzision Precision

Spezifikationen

Specifications





- Wir verfügen über eigene Zeichnungen bzw. Prozessspezifikationen
- Abmessungen, Toleranzen, Federrate und dadurch Lebensdauer erfüllen die OEM Anforderungen

- We possess own drawings and production specifications
- Dimensions, tolerances, spring rate and fatigue life performance fulfil the same requirements as OEM springs



Höchste Qualitätskriterien

Highest Quality Standards



- Erstklassiger Federstahl 51CrV4 oder 55Cr3
- Automatisierte Fertigung und umfangreiche Qualitätsprüfungen
- Passgenaue Montage
- Hochwertige Oberflächenbearbeitung
- Verstärkte Federn für hohe Ansprüche
- Flexible Bestellmengen



- First class spring steel 51CrV4 or 55Cr3
- Automated production and extensive quality control system
- Fit to build dimensions
- High level surface treatment
- Reinforced springs with higher durability and fatigue life
- Flexible order quantities



MAN

Online-System: www.nfz-federn.eu



**Part Nr: 72929000
(81434026681)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1650
Length Lx (mm)	825
Length Ly (mm)	825
Height (mm)	191
Nr. of leaves	5
Axle load (tons)	16



**Part Nr: 72917000
(81434026605)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1650
Length Lx (mm)	825
Length Ly (mm)	825
Height (mm)	178
Nr. of leaves	5
Axle load (tons)	13



**Part Nr: 73006000
(81434026293)**

Parabolic spring	Front
Width (mm)	90
Total length (mm)	1660
Length Lx (mm)	925
Length Ly (mm)	725
Height (mm)	87
Nr. of leaves	3
Axle load (tons)	8



IVECO

Online-System: www.nfz-federn.eu



**Part Nr: 67177000
(4212 6923)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1460
Length Lx (mm)	730
Length Ly (mm)	730
Height (mm)	87
Nr. of leaves	3+1+1
Axle load (tons)	



**Part Nr: 66984900
(4103 2371)**

Parabolic spring	Front
Width (mm)	90
Total length (mm)	1900
Length Lx (mm)	950
Length Ly (mm)	950
Height (mm)	93
Nr. of leaves	3
Axle load (tons)	



**Part Nr: 67185000
(4212 1640)**

Multi leaf spring	Rear
Width (mm)	100
Total length (mm)	1480
Length Lx (mm)	740
Length Ly (mm)	740
Height (mm)	
Nr. of leaves	13+1
Axle load (tons)	





SCANIA

Online-System: www.nfz-federn.eu

**Part Nr: 90116000
(1377670)**

Parabolic spring	Front
Width (mm)	90
Total length (mm)	1600
Length Lx (mm)	800
Length Ly (mm)	800
Height (mm)	260
Nr. of leaves	12
Axle load (tons)	26



**Part Nr: 90187000
(1421061)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1110
Length Lx (mm)	705
Length Ly (mm)	405
Height (mm)	97
Nr. of leaves	2
Axle load (tons)	



**Part Nr: 90189000
(1421060)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1110
Length Lx (mm)	705
Length Ly (mm)	405
Height (mm)	97
Nr. of leaves	2
Axle load (tons)	



VOLVO

Online-System: www.nfz-federn.eu




**Part Nr: 09681000
(257 900)**

Parabolic spring	Rear
Width (mm)	75
Total length (mm)	1630
Length Lx (mm)	815
Length Ly (mm)	815
Height (mm)	155
Nr. of leaves	3
Axles load (tons)	



**Part Nr: 0973200
(257 934)**

Parabolic spring	Front
Width (mm)	100
Total length (mm)	1890
Length Lx (mm)	990
Length Ly (mm)	900
Height (mm)	98
Nr. of leaves	3
Axle load (tons)	8



**Part Nr: 09635000
(257 654)**

Multi leaf spring	Rear
Width (mm)	90
Total length (mm)	1590
Length Lx (mm)	795
Length Ly (mm)	795
Height (mm)	79
Nr. of leaves	9
Axle load (tons)	





RENAULT

Online-System: www.nfz-federn.eu

Part Nr: 09681000
(7420581866)

Parabolic spring	Rear
Width (mm)	75
Total length (mm)	1630
Length Lx (mm)	815
Length Ly (mm)	815
Height (mm)	155
Nr. of leaves	3
Axle load (tons)	



Part Nr: 5010600024

Parabolic spring	Rear
Width (mm)	
Total length (mm)	
Length Lx (mm)	
Length Ly (mm)	
Height (mm)	
Nr. of leaves	2
Axle load (tons)	



Part Nr: 85014800
(5010600023)

Parabolic spring	Rear
Width (mm)	
Total length (mm)	
Length Lx (mm)	
Length Ly (mm)	
Height (mm)	
Nr. of leaves	2
Axle load (tons)	





MERCEDES

Online-System: www.nfz-federn.eu

**Part Nr: 33885000
(948320 1605)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1570
Length Lx (mm)	785
Length Ly (mm)	785
Height (mm)	195
Nr. of leaves	5
Axle load (tons)	16

**Part Nr: 33839000
(948320 1405)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1670
Length Lx (mm)	835
Length Ly (mm)	835
Height (mm)	288
Nr. of leaves	5
Axle load (tons)	

**Part Nr: 33883000
(9483201505)**

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	1570
Length Lx (mm)	785
Length Ly (mm)	785
Height (mm)	156
Nr. of leaves	4
Axle load (tons)	15



DAF

Online-System: www.nfz-federn.eu



**Part Nr: 29385000
(0371355)**

Multi leaf spring	Rear
Width (mm)	90
Total length (mm)	1560
Length Lx (mm)	780
Length Ly (mm)	780
Height (mm)	5
Nr. of leaves	6
Axle load (tons)	16



**Part Nr: 29342000
(1377375)**

Parabolic spring	Front
Width (mm)	80
Total length (mm)	1800
Length Lx (mm)	900
Length Ly (mm)	900
Height (mm)	160
Nr. of leaves	2
Axle load (tons)	7,5



**Part Nr: 29344000
(1426358)**

Parabolic spring	Front
Width (mm)	80
Total length (mm)	1800
Length Lx (mm)	900
Length Ly (mm)	900
Height (mm)	136
Nr. of leaves	2
Axle load (tons)	7,5



Trailers

Online-System: www.nfz-federn.eu



Part Nr: 881359000 (508213180)

Parabolic spring / air link	Rear
Width (mm)	100
Total length (mm)	940
Length Lx (mm)	500
Length Ly (mm)	440
Height (mm)	51
Nr. of leaves	1
Axle load (tons)	



Part Nr: 88136000 (508213190)

Parabolic spring	Rear
Width (mm)	100
Total length (mm)	945
Length Lx (mm)	500
Length Ly (mm)	445
Height (mm)	51
Nr. of leaves	1
Axle load (tons)	



Part Nr: 88156600 (508213900)

Parabolic spring	Rear
Width (mm)	70
Total length (mm)	875
Length Lx (mm)	575
Length Ly (mm)	300
Height (mm)	56
Nr. of leaves	1
Axle load (tons)	



Vans

Online-System: www.nfz-federn.eu



Part Nr: 50627000
(6C115560HC Ford Transit)

Parabolic spring	Rear
Width (mm)	76
Total length (mm)	
Length Lx (mm)	694
Length Ly (mm)	674
Height (mm)	50
Nr. of leaves	3
Axle load (tons)	

Part Nr: 33771000
(9063200306 Mercedes Sprinter)

Parabolic spring	Rear
Width (mm)	70
Total length (mm)	
Length Lx (mm)	740
Length Ly (mm)	753
Height (mm)	105
Nr. of leaves	1
Axle load (tons)	

Part Nr:
(2K5511151 VW Caddy)

Parabolic spring	Rear
Width (mm)	60
Total length (mm)	
Length Lx (mm)	
Length Ly (mm)	
Height (mm)	
Nr. of leaves	2
Axle load (tons)	



Pick Ups

Online-System: www.nfz-federn.eu



Part Nr: 25884700
(MR992595 Mitsubishi L200)

Multi leaf spring	Rear
Width (mm)	70
Total length (mm)	
Length Lx (mm)	520
Length Ly (mm)	690
Height (mm)	144
Nr. of leaves	4+1
Axle load (tons)	

Part Nr: 50517000
(XM345560BC Ford Ranger)

Multi leaf spring	Rear
Width (mm)	60
Total length (mm)	
Length Lx (mm)	530
Length Ly (mm)	670
Height (mm)	
Nr. of leaves	3+2
Axle load (tons)	

Part Nr: 23389100
(MR519580 Mitsubishi L200)

Multi leaf spring	Rear
Width (mm)	70
Total length (mm)	
Length Lx (mm)	515
Length Ly (mm)	685
Height (mm)	
Nr. of leaves	3+2
Axle load (tons)	



Kontakt­daten

Contact information

Zentrale

Headquarters

A - 1300, Wien, Office Park I, TOP B02

Tel: +43 664 313 9706, sales@lkw-federn.at

H - 2045, Törökbalint, Topark str. 9

Tel: +36 30 184 3456, sales@lkw-federn.at

www.spring-tech.at

www.linkedin.com/company/springtech-automotive

SPRINGTECH
AUTOMOTIVE

