



LUMINUS

PRODUCT CATALOGUE

Set the Trend of Detailing





"Set the Trend of Detailing"



INDEX

1. WASH

Pre-Wash
Main Wash
Hard Cleaner
General Wash

2. FINISH

Coating
WAX

3. INTERIOR

4. PRO

Coating
Portion

5. LUMINUS LITE

6. BULK

WASH

PRE-WASH





L-PREWASH

Alkali Prewash

Ultra-Detergency&Concentration
Alkali Prewash

Vol: 1L / 4L

●●●●● Detergency
●●●●● Lubrication

CONTENTS

High safety alkali foam pre-wash for vehicle.
Use prior to shampooing or Snow Foaming a vehicle to remove dirt such as grit, muck, bugs and bird droppings. Safe for use on paintwork, glass, plastics and more.

It maintains its excellent qualities in complete safety on any paint and material, even the most delicate on sports vehicle.

DIRECTIONS

We recommend approximate dilutions 1:20 for foam lance, 1:60 for pressure spray.

Spray directly onto the surface. After application, Wait 3-5 minutes and rinse with high pressure water.



S-PREWASH

Acid Prewash

Ultra-Detergency&Concentration
Acid Prewash

Vol: 1L / 4L

●●●●● Detergency
●●●●● Lubrication

CONTENTS

Acid pre-wash excellent for removing limescale.

It can increase the beading effect by removing limescale stain and road dirt.
It maintains its excellent qualities in complete safety on any paint and material, even the most delicate on sports vehicle.

DIRECTIONS

We recommend approximate dilutions 1:10 for foam lance, 1:20 for pressure spray. Spray directly onto the surface. After application, Wait 3-5 minutes and rinse with high pressure water.



N-PREWASH

Neutral Prewash

Ultra-Detergency&Concentration
Neutral Prewash

Vol: 1L / 4L

●●●●● Detergency
●●●●● Lubrication

CONTENTS

Neutral prewash with a high detergency power.

N-PREWASH has featuring excellent cleaning properties and a pleasant scent. It can also be washed most safely with ph neutrality.

DIRECTIONS

We recommend approximate dilutions 1:10-20 for pressure spray. Wash and rinse exterior surfaces the normal way. Spray on required surface and leave it to dwell for 1-2 minutes and rinse with high pressure water.



AURORA GREEN
Snow Foam

High Concentration&Detergency
Snow Foam

Vol: 500ml / 4L
1:10~20 Foam Lance
●●●●○ Detergency
●●●●○ Lubrication

CONTENTS

Highly concentrated active foam with excellent washing properties.

Aurora Green generates abundant foam that can deeply penetrates all vehicle nooks & crannies and perfectly dissolves and lifts dirt from the surface of the car body.

DIRECTIONS

Foam Lance & Pressure Sprayer
Directions: Dilute 1:20 for light dirt / 1:10 for heavy dirt

Product should be applied directly to foaming lance and using with high pressure water. Do not allow foam drying during cleaning. Remove residues with water.



AURORA PRO
Snow Foam

High Concentration&Detergency
Snow Foam

Vol: 500ml / 4L
1:10~20 Foam Lance
●●●●● Detergency
●●●●● Lubrication

CONTENTS

Highly concentrated active foam with excellent washing properties.


Aurora Pro generates abundant foam and stick to the surface of a car for a long time. It can deeply penetrates all vehicle nooks & crannies and perfectly dissolves and lifts dirt from the surface of the car body.

DIRECTIONS

Foam Lance & Pressure Sprayer
Directions: Dilute 1:20 for light dirt / 1:10 for heavy dirt

Product should be applied directly to foaming lance and using with high pressure water. Do not allow foam drying during cleaning. Remove residues with water.





OCEAN + Car Shampoo

Super Concentration&Detergency / Neutral Car Shampoo

Vol: 500ml / 4L
 ●●●●● Detergency
 ●●●●● Lubrication
 1:500~1000 Bucket

CONTENTS

Efficient PH neutral shampoo that perfectly removes all dirt.

Highly concentrated formula quickly removes road dirt with ease and leaves surface clean and bright.

Ocean + will not strip existing wax, coating and sealant from your vehicle's paintwork.

DIRECTIONS

For sponge or brush washing dilute with
 Severe dirt : 1:500,
 Moderate dirt: 1:1000

Manually wash vehicle then rinse off with clean water.
 Do not allow the product to dry during cleaning.



OCEAN WAX

Wax-based Car Shampoo
 Work with Cleaning & Coating Wax-based Car Shampoo

Vol: 500ml / 4L
 ●●●●● Detergency
 ●●●●● Lubrication
 1:400~500 Bucket

CONTENTS


Ocean wax is a product that can clean and wax at the same time. In addition to the cleansing ingredients, it contains waxing and caring compositions based on synthetic waxes that form a protective layer that gives a perfect gloss and a hydrophobic effect on the cleaned surfaces.

An excellent product for people who regularly wash their cars and who value immediate effect.

DIRECTIONS

For sponge or brush washing dilute with
 Moderate dirt: 1:400, Daily care: 1:500.

Manually wash vehicle then rinse off with clean water.
 Do not allow the product to dry during cleaning.
 Recommended use after pre-wash with active foam.
 Using of this product isn't recommended before coatings and waxes application.



WATERLESS CAR SHAMPOO

Waterless Car Shampoo
 Car Shampoo Easy to Clean without Water

Vol: 500ml / 4L
 ●●●●○ Detergency
 ●●●●○ Lubrication

CONTENTS

Waterless Shampoo is Car Shampoo, which can wash cars without water. The perfect solution for quick washing of the vehicle in conditions of lack of access to water. Removes dust and dirt, leaving a perfect gloss and a hydrophobic coating.

DIRECTIONS


Spray the product on a surface and wipe it with a dry microfiber dirt in one direction. Repeat if necessary. After that polish surface with a dry microfiber.
 Do not use on heavily soiled surfaces for avoiding scratching.
 Do not let the product dry out during cleaning.



WASH

HARD CLEANER





VAMPIRE + Highly Concentrated / Fallout Remover

ph Neutral Iron Remover

Vol: 500ml / 4L

●●●●● Detergency
●●●●● Iron Remove
1:1~10 Foam & Pressure Spray

CONTENTS

Vampire + is a powerful wheel cleaner that easily emulsify and removes iron.

The powerful Iron Remover can be used on all external surfaces including, glass, rubber, plastic and vinyl leaving a clean streak free finish.

DIRECTIONS

Apply the product to wheel and car's surface for up to 5 minutes. After this time, remove the dissolved dirt with high pressure water. If necessary, repeat the cleaning. Wash the residue with water and car shampoo.



BLAZE Wheel&Tire Cleaner Strong Concentrated Cleaner for Wheel&Tire (Dilution ratio 1:3~1:10)

Vol: 500ml / 4L

●●●●● Detergency

CONTENTS

Blaze is strong car wheel cleaner

The highly concentrated product composition uncompromisingly lifts and removes all kinds of dirt, oxide, burnt, road film, rust and dust from brake pads leaving a sparklingly clean finish. Especially on the tires, easily removes dirt.

DIRECTIONS

Spray on the surface of the wheel or tire and wait 1 minutes before rinsing with a pressure cleaner. Severe dirt remove with a brush. Repeat the procedure if necessary. Carefully use on lacquered surfaces. Do not use on hot surfaces.



VAMPIRE + DIRECT Fallout Remover

Ph Neutral Iron Remover
Spray Type

Vol: 500ml

●●●●● Detergency
●●●●● Iron Remove

CONTENTS

Vampire + Direct is a powerful wheel cleaner that easily emulsify and removes iron.

The powerful Iron Remover can be used on all external surfaces including, glass, rubber, plastic and vinyl leaving a clean streak free finish.

DIRECTIONS

Apply the product to wheel and car's surface for up to 5 minutes. After this time, remove the dissolved dirt with high pressure water. If necessary, repeat the cleaning. Wash the residue with water and car shampoo.



BLAZE DIRECT Wheel&Tire Cleaner Spray Cleaner for Wheel&Tire

Vol: 500ml

●●●●● Detergency

CONTENTS

Blaze Direct is strong car wheel cleaner

product composition uncompromisingly lifts and removes all kinds of dirt, oxide, burnt, road film, rust and dust from brake pads leaving a sparklingly clean finish. Especially on the tires, easily removes dirt.

DIRECTIONS

Spray on the surface of the wheel or tire and wait 1 minutes before rinsing with a pressure cleaner. Severe dirt remove with a brush. Repeat the procedure if necessary. Carefully use on lacquered surfaces. Do not use on hot surfaces.



SILVER Wheel Cleaner

Applicable to All Wheels

Vol: 500ml / 4L

●●●●● Detergency

●●●○○ Gloss

1:1~2 Dilution ratio based on 4L

CONTENTS

Silver is strong car wheel cleaner

The highly concentrated product composition uncompromisingly lifts and removes all kinds of dirt, oxide, burnt, road film, rust and dust from brake pads leaving a sparkling clean finish. Especially on the tires, easily removes dirt.

DIRECTIONS

Spray on the surface of the wheel or tire and wait 2 minutes before rinsing with a pressure cleaner.

Severe dirt remove with a brush. Repeat the procedure if necessary. Carefully use on lacquered surfaces. Do not use on hot surfaces.



MONSTER Engine Room Cleaner

Super-Cleaner for Severe Dirt

Vol: 500ml / 4L

●●●●● Detergency

1:1~2 Dilution ratio based on 4L

CONTENTS

Monster is a powerful product for removing greasy stains.

It removes stubborn dirt from the surface of the car body, wheels, engine room, semi-trailers, tarpaulin, and workshop dirt.

No harmfulness for rubber and plastic, it allows you to clean the engine and mechanical components of vehicles.

DIRECTIONS

Spray on the surface and leave for 2 minutes before rinsing using a pressure cleaner.

Stubborn dirt remove with a brush or sponge moistened with the product. Repeat the procedure if necessary. Before use, do a test on a small area in an invisible place.

Do not use on hot surfaces.



BUG Bug Remover

No Damage to the Vehicle Surface

Vol: 500ml / 4L

●●●●● Detergency

CONTENTS


Bug is dead insects, bird lime severe dirt Remover. It is a powerful cleaner that easily emulsify and removes dead insects, bird lime and tree sap, stubborn dirt, bituminous deposits, resin, glue from stickers or any organic matter.

The powerful formula can be used on all external surfaces including, glass, rubber, plastic and vinyl leaving a clean streak free finish.

DIRECTIONS

Apply the product to dirt and leave for up to 5 minutes.

After this time, remove the dissolved dirt with a microfibre or sponge. If necessary, repeat the cleaning. Wash the residue with water and car shampoo.



DEMON Acid Wheel Shampoo

Applicable to All Wheels

Vol: 500ml / 4L

●●●●● Detergency

●●●○○ Gloss

CONTENTS

Demon is excellent acid cleaner for genuine wheels

The rich foam allows quickly dissolving dirt & oxidation layer and removing stains and discoloration from wheel.

Even if it is acidic, it can be used safely on a genuine wheel, making it easy for anyone to use.

DIRECTIONS

We recommend approximate dilutions 1: 20 for pressure spray, 1:300 for bucket. Spray directly onto the surface.

After application, Wait 3~5 minutes and rinse with high pressure water.

Severe dirt remove with a brush or sponge.

WASH

GENERAL WASH





PREP PRO Oil / Stain Remover

Vol: 500ml
 ●●●●○ Detergency
 ●●●●○ Degreasing

CONTENTS

Prep PRO is the Oil Remover for perfect preparation prior to the application of Coatings as well as Sealants and Waxes. Prep PRO will fully remove unwanted oils, contaminants and polishing residues showing true condition of the painted surface as well as Glass, Rubber and Hard Plastics leaving a smooth finish behind.

DIRECTIONS

For best results, lightly spray Prep PRO onto microfiber cloth and then immediately wipe down the surfaces to be treated using light pressure and overlapping strokes. Then using dry towel gently buff the treated area to remove any remaining traces of product to leave a perfect smear-free finish.



WATER SPOT REMOVER Easy&Fast Water Spot Remover

Vol: 500ml / 4L
 ●●●●○ Detergency

CONTENTS

Water Spot Remover is Cleaner for quick cleaning of external surfaces of vehicles from mineral deposits. It removes dust and small dirt, dissolves mineral deposits, leaving a perfect gloss. An ideal agent for quickly refreshing a vehicle contaminated by sprinklers or rain.

DIRECTIONS

Spray the product on microfiber and remove the dirt deposits. Repeat if necessary. After that polish surface with a dry microfiber. Do not use on heavily soiled surfaces for avoiding scratching. Do not let the product dry out during cleaning.



WAX REMOVER Remove All Type Waxes

Vol: 500ml / 4L
 ●●●●○ Detergency
 ●●●●○ Degreasing

CONTENTS

Wax Remover is cleaner for emulsifying a layer of waxes on the surface of the car body. It allows to completely remove waxes of any type (synthetic, natural and hybrids) and substances similar to waxes before coatings regeneration or reapplication. The use of this product is mandatory before the application of ceramic, polymer or wax coating will gain full durability and efficiency.

DIRECTIONS

Spray the product on the car's surface and clean with a sponge. Remove the remains of product with a dry microfiber. Rinse the body with water. Repeat if necessary. Do not allow to dry product during cleaning.



PRIME
Glass Oil Film Remover
Easy to Remove Oil Film

Vol: 250ml
●●●●● Detergency

CONTENTS

PRIME is Oil Film Remover with smudges-free glass and mirrors cleaning.
It is an Cerium Oxide Type's oil film remover that clean through oil film and grime with ease leaving glass surfaces sparklingly clean and streak free.
Agent for smudges-free cleaning of windshields and mirrors. Every glass surface will regain clarity and shine.

DIRECTIONS

Just spray on the glass and wipe off by using sponge, easily removing unwanted grime and grease.



SHINE
Glass Cleaner
No Stain, High Detergency for Glass Cleaner

Vol: 500ml / 4L
●●●●● Detergency

CONTENTS

Shine is Glass Cleaner with smudges-free glass and mirrors cleaning.
It is an advanced formula glass cleaner that cuts through dirt and grime with ease leaving glass surfaces sparklingly clean and streak free.
Agent for smudges-free cleaning of windshields and mirrors. Every glass surface will regain clarity and shine.

DIRECTIONS

Just spray on and wipe off, easily removing unwanted grime and grease.



SHINE +
Natural Oil Film Remover
Easy&Safe Oil Film Remover

Vol: 500ml
●●●●● Detergency

CONTENTS

Shine+ is Oil Film Remover with smudges-free glass and mirrors cleaning.
It is a natural oil film remover that clean through oil film and grime with ease leaving glass surfaces sparklingly clean and streak free.
Agent for smudges-free cleaning of windshields and mirrors. Every glass surface will regain clarity and shine.

DIRECTIONS

Just spray on the glass and wipe off by using sponge, easily removing unwanted grime and grease.

FINISH

COATING





LUMINUS BLACK

Ceramic Coating

High Gloss / Slick / Hydrophobic /
Easy Application

Vol: 500ml / 4L

●●●●○ Gloss
●●●●○ Hydrophobic

CONTENTS

Luminus Black is Nano Polish & Hydrophobic Coating.

It is an optimal balanced gloss coating that is easily accessible to anyone with hydrophobic, slick, gloss, and easy application

DIRECTIONS

Paint must be spotlessly clean and de-greased before application. Spray directly on to vehicle paint one panel at a time and immediately remove remaining residue with a clean microfiber cloth. Curing time: 15min (after drying gain 90%) 3hours(after drying gain 100%)
Durability: MAX 6 MONTH
DURABILITY



BLACK HYDROPHOBIC EDITION

Ceramic Coating

High Chroma / Super-Hydrophobic

Vol: 500ml / 4L

●●●●● Hydrophobic
●●●●● Durability

CONTENTS

Black Hydrophobic Edition is based on SiO2 and focused on Super Hydrophobic. A smooth-to-the-touch coat that adds a hyper gloss, slick, color enhancing gloss to painted surfaces while delivering superior protection from contaminants and pollutants.

DIRECTIONS

Paint must be spotlessly clean and de-greased before application. Spray directly on to vehicle paint one panel at a time and immediately remove remaining residue with a clean microfiber cloth. Curing time: 15min (after drying gain 90%) 3hours(after drying gain 100%)
Durability: MAX 6 MONTH
DURABILITY



BLACK SLICK EDITION

Ceramic Coating

Super Slick / High Gloss & Durability

Vol: 500ml / 4L

●●●●● Gloss
●●●●● Slick

CONTENTS

Black Slick Edition is based on SiO2 and focused on Super Slick.

This product has a sense of slick right after application. After about 2 hours of curing time, the sense of slick becomes even higher.

DIRECTIONS

Paint must be spotlessly clean and de-greased before application. Spray directly on to vehicle paint one panel at a time and immediately remove remaining residue with a clean microfiber cloth. Curing time: 15min (after drying gain 90%) 3hours(after drying gain 100%)
Durability: MAX 6 MONTH
DURABILITY



LUMINUS SILVER

Carnauba Quick Detailer

Easy Application Quick Detailer

Vol: 500ml / 4L

●●●●○ Gloss
●●●○ Hydrophobic

CONTENTS

Luminus Silver is Quick Detailer of Car Paint. It is a simple during application that can be used in any moment. An efficient agent for quick refreshing and polishing of the car body. The carnauba wax contained in the product perfectly brings out color, gives excellent shine and water beading effect. Product is an excellent choice for those who appreciate their time and want to get instant results.

DIRECTIONS

Paint must be spotlessly clean and de-greased before application. Spray directly on to vehicle paint one panel at a time and immediately remove remaining residue with a clean microfiber cloth. Curing time: 15min (after drying gain 90%) 3hours(after drying gain 100%)
Durability: MAX 1 MONTH
DURABILITY

**DRACO****Oil-Based Tyre Dressing Spray**

Restore Color
Creating Protection Coating

Vol: 500ml

●●●●○ Gloss
●●●●○ Hydrophobic

CONTENTS

Draco is efficient oil-based tyre dressing for protecting and refreshing tyres and rubber elements. After application, it gives a deep, dark color and the effect of a wet wheel, and creates a protective layer that lengthens the effect and facilitates cleaning in the future.

DIRECTIONS

Spray over surface and collect excess amount with a microfiber cloth or sponge.

Durability: 1~3months (depends usage)

**HYDRA****Water-based Tyre Dressing**

Restore Color
Creating Protection Coating

Vol: 500ml / 4L

●●●●○ Gloss
●●●●○ Hydrophobic

CONTENTS

Hydra is efficient water-based tyre dressing for protecting and refreshing tyres and rubber elements. After application, it gives a deep, dark color and the effect of a wet wheel, and creates a protective layer that lengthens the effect and facilitates cleaning in the future.

DIRECTIONS

Spray over surface and collect excess amount with a microfiber cloth or sponge.

Durability: 1~3months (depends usage)

**LUMINUS AQUA****Ceramic Wet Coating**

No Buffing, Spray & Wash, Easy Application

Vol: 500ml / 4L

●●●●○ Gloss
●●●●○ Hydrophobic
1:5~10 Foam Lance

CONTENTS

Nano Polish & Hydrophobic Wet Coat

Using Nano Technology it produces an unrivalled fast drying action and leaves an extra deep gloss shine, free from spotting or streaking even in the rain!

DIRECTIONS

Firstly wash the vehicle with shampoo. Spray it on to whole vehicle including paintwork, glass and alloys. and polish with a microfiber cloth. Do not use on hot surfaces. Do not let dry before polishing. Curing time: 15 min after drying gain 80% activity and after 1h gain 95% Durability: Approx. 12 weeks

**LUMINUS GREY****SiO2 Sealant & Paint Cleanser**

Non-Abrasive Cleanser & Super Slick

●●●●○ Cleaning

●●●●○ Slick

MAX 6 MONTH DURABILITY
HAND OR MACHINE

CONTENTS

SiO2 Sealant & Paint Cleanser

GREY is unlike any product you've ever used before - it's a new product that truly deserves its own category! A GREY combines the cleaning agent with the longevity, beading, slickness, and insane shine of a ceramic. Grey uses the latest in SiO2 gel suspension technology to totally re-engineer the makeup of a ceramic coating and reinvent it as an extremely user-friendly and durable coating that anyone can apply.

DIRECTIONS

Thoroughly wash surface. For flawless results, clay surface well to remove contaminants. Machine polish away imperfections, swirl marks, and scratches if necessary. Squeeze 4 - 5 dots of GREY onto a Premium Microfiber Applicator Pad. Apply a thin, even coat to a cool, clean, and dry surface out of direct sunlight working one panel at a time. Grey can be removed in as little as 30 seconds, however we recommend allowing 1 minutes. Buff off with a clean microfiber towel to reveal an intense crystalline shine! After Grey treatment is applied, it is ideal to keep it out of the elements, dry and clean for 2 - 3 hours. Depending on the climate, the hydrophobic effects will continue to improve even more after 24 hours of being applied.





BLACK ARMOR

Exterior Trim / Plastic Coating

Restore Color / Discoloration prevention

Vol: 250ml / 4L
●●●●○ Gloss
●●●●○ Hydrophobic

CONTENTS

Black Armor is a unique exterior trim restorer.

It creates a durable coating that protects the vehicle from the adhesion of dust, dirt and road salt. The impregnation deepens the color and guarantees excellent water beading.

DIRECTIONS

Desired trim must be clean and dry before application.
We strongly recommend using PREP PRO to fully decontaminate desired area. it should be applied using cotton applicator or lint free cloth.
Spray generous amount(few drops) of it required per trim. Leave it to dry naturally.
Durability: 2-6months (depends usage)



IRON ARMOR

Wheel&Iron Coating

Creating Protection from Dust, Iron

Vol: 300ml
●●●●● Gloss
●●●●○ Hydrophobic

CONTENTS

Iron Armor is advanced protective coating for metal surfaces(aluminum, chrome, steel, varnished rims), especially for rims.

The coating facilitates cleaning, repels water and dirt, and protects against chemical agents, road salt and brake dust.

DIRECTIONS

Spray directly onto the wheel and Metal surfaces. Buff off remaining residue using a microfibre cloth.
Can be layered for added protection.
Thoroughly clean and dry wheels before and after application.
Curing time: 20-30 min
Durability: Max 6 months (strongly depends to usage)



SHINE COAT

Glass Hydrophobic Coating

Super Hydrophobic & Creating Protection for Glass

Vol: 150ml
●●●●● Hydrophobic

CONTENTS

Excellent Coating for Glass.
It creates hydrophobic barrier layer as well as covering minor scratches on all automotive glass.
It actively repels water giving you better visibility in the rain, sleet and snow. As a result, rain drops over the car and protect from dirt and grime.

DIRECTIONS

Clean surface and wash with plenty of water to remove all residues;
Spray product over surface or on cloth and spread over whole surface;
After few seconds polish surface with microfibre cloth
Do not make application in hot surfaces
Curing time: 15 min after drying gain 95%
Durability: Approx. 6-12 months (side windows and mirrors. Front windshield usually 6-9 months)



**LM CERAMIC**

Ceramic Coating
ADVANCED CERAMIC COATING

High Chemical resistance /
High Gloss&Slick /
Super Hydrophobic

CONTENTS

LM Ceramic is advanced ceramic coating for all car detailer. It is designed a paint coating that users of all skill levels could successfully and it has very reasonable price to anyone can do ceramic coating by themselves

LM Ceramic an extremely glossy layer of ceramic particles. The same ceramic particles that provide UV resistance and extreme water sheeting also help protect your paint against washed-induced marring.

DIRECTIONS

Wash and completely dry surfaces for ceramic coating. Recommend using Prep Pro before application to remove all residues. Apply the coating on a thoroughly cleaned. Polished, degreased and drained surface with applicator and immediately buff off with microfiber cloth until the stain are completely removed. Apply the coating each small area. The coating should not have direct contact with water within 24 hours after finished application.

Do not wash the car within 7days.

**LUMINUS CERAMIC WAX**

Hybrid Ceramic Wax
SIO2 + CARNAUBA HYBRID WAX

Super Gloss&Hydrophobic /
Easy Application /

CONTENTS

Ceramic Wax is Hybrid Wax from Sio2 and Carnauba. High hardness and excellent protective properties of this natural wax allowed to obtain a universal product, for all types of car paints. The product gives excellent glossiness and diamond shine. It reinforced with silicon and titanium nanoparticles. The product perfectly fills the car paint microcracks and creates a water repellent coating that protects against weathering and gives a glossy and smooth finish.

DIRECTIONS

Apply wax over the wheel with applicator and leave for 3-5 minutes to dry. Polish with a microfiber cloth.

Durability max. 3 months (depends usage)

**TURQUOISE**

Wheel Wax
SIO2 + CARNAUBA HYBRID WAX

High Gloss & Hydrophobic

CONTENTS

Turquoise is efficient and Durable wax for wheel and Metal or Metallized Elements (Steel, Aluminum, Lacquered etc.)

The product perfectly protects rims against road salt and makes it easier to keep them clean, reducing adhesion road dirt and dust from brake pads, increases slipperiness and gives shine.

DIRECTIONS

Apply wax over the wheel with applicator and leave for 3-5 minutes to dry. Polish with a microfiber cloth.

Durability max. 3 months (depends usage)

INTERIOR

INTERIOR PRODUCTS





VELA

All Purpose Cleaner(APC)

ph Neutral / Applicable to All Parts

Vol: 500ml / 4L

●●●●● Detergency

CONTENTS

Vela is all purpose cleaner for vehicle.

It can be used on virtually anything inside and outside your car.

Ideal for cleaning plastics, upholstery material, external parts and eco-leather, oils, road grime, cleaning wheel arches, wheels or removing carpet stains without leaving streaks or smudges. The product is completely safe for cleaned surfaces.

DIRECTIONS

Just spray on a cleaned surface and then remove dirt with a brush or cloth. Collect the excess with a microfibre cloth. It is advisable to rinse extraction on the upholstery.



LEO

Leather&Alcantara Cleaner

Application to Leather, Suede, Nubuck Cleaner

Vol: 500ml / 4L

●●●●● Detergency

●●●●● Oil&Water Supply

CONTENTS

Leo is Leather, suede, eco-leather and nubuck Cleaner
It comes ready to use for easy dirt, grime and light stain removal.
It penetrates into the depths of the impurities and their dissolution, and then lifting on the surface of the foam.
The product does not dry the leather and does not cause it to crack.

DIRECTIONS

Spray on to the affected area and then agitated lightly using a leather cleaning brush or Professional Microfibre towel. The remaining foam should be wiped away using a clean damp Professional Microfibre Towel, and then left to dry naturally.



LEATHER ARMOR

Leather Cream&Conditioner

Leather Protection & Restore Colors

Vol: 500ml

●●●●○ Gloss

CONTENTS

Leather Armor is Leather Cream & Conditioner with Contains Natural Oils

It is a unique blend of natural oils that is used to replenish those oils that deplete over time as well as bringing back the new leather smell. Periodic use will protect the leather, keep it supple and improve stain resistance.

DIRECTIONS

Apply leather cream with a clean dry professional microfibre cloth or applicator. Rub gently into the surface until the cream has dispersed. Allow it to penetrate the surface, then buff with dry cloth to reduce level of gloss as required.

Curing time: Approx. 1-2h (depends to temperature)

Durability: Max. 9 months (depends usage)



LEATHER ARMOR PRO

Leather Protection&Coating

Restore Colors, Hydrophobic

Vol:250ml / 4L

●●●●○ Hydrophobic

●●●●○ Durability

CONTENTS

Leather Armor Pro is Hydrophobic leather coating agent. Deeply penetrates leather structure and creates a breathable layer that repels water and dirt.
The coating is fully vapor permeable so moisture can leave the leather structure.
The product does not dry the leather and does not cause it to crack. Can be applied to any type of natural leather (facial, nubuck, suede) and artificial.

DIRECTIONS

Use Classy Leather Cleaner to remove any soiling. Spray to the surface and leave to dry.

Curing time: approx. 1-2h (depends to temperature)

Durability max. 9 months (depends usage)





BLANC

Pure Interior Of Car Care Cleaner
Ingredients Derived From Nature

Vol: 500ml / 4L
●●●●● Detergency

CONTENTS

Blanc is a safe inner cleaner using only nature ingredients.

All ingredients are disclosed so anyone can use it with confidence

It can be used for all interior materials of the vehicle, from Alcantara to baby seats.

DIRECTIONS

Normal spraying is recommended for Alcantara or textile materials.

Using a clean microfiber towel and brush, Please clean it thoroughly.

Use a towel to remove any remaining foam.



IN ARMOR

Interior Plastic Coating

High Gloss / Hydrophobic / Coating

Vol: 250ml / 4L
●●●●● Gloss
●●●●● Hydrophobic

CONTENTS

In Armor is perfect interior dressing for refreshing and protecting the dashboard and internal plastics.
Protective product for all types of internal plastics and painted parts, rubber and vinyl. Gives satin gloss, protects against sticking dirt and dust, brings out color and protects against fading.
It also gives hydrophobic properties. It greatly facilitates cleaning and gives a visual effect of the new interior.

DIRECTIONS

Lightly spray directly onto a clean microfiber cloth and apply to the desired area. Lightly rub for that show room look.

Durability: 3~6 months
(strongly depends to usage)



ANTI-FOG

Vehicle Glass Fog Prevention Agent

Prevent Fogging & Dew

Vol: 150ml
●●●●● Anti-Fog
●●●○○ Durability

CONTENTS

Advanced ingredients form a protective coating on the surface to prevent fogging and dew. It perfectly covers surfaces of windows and mirrors and creates a layer limiting the setting of steam on a protected surface.

DIRECTIONS

You should apply it in a dry place out of direct sunlight. Windows must be spotlessly clean before application. We highly recommend using Prep PRO before application to fully decontaminate desired area. Spray Anti-Fog directly on to area required or alternatively on to high quality microfibre cloth (only 2-3 squirts per window required) and circularly apply it to Windscreen / Windows, then using towel gently buff (you have to remain a thin film)the treated area to remove any remaining residue. Durability: About 2 months

FINISH

GRAPHENE LINE-UP





SILEX
Graphene Glass Coating / 60ml
High Purity Silica Coating
Long Durability / Super Hydrophobic, High Slick

CONTENTS
Graphene Coating for Glass.
It creates hydrophobic barrier layer as well as covering minor scratches on all automotive glass.
It actively repels water giving you better visibility in the rain, sleet and snow. As a result, rain drops over the car and protect from dirt and grime.

DIRECTIONS
Clean surface and wash with plenty of water to remove all residues;
Apply product over surface or on cloth and spread over whole surface;
After few seconds polish surface with microfibre cloth
Do not make application in hot surfaces

LM GRAPHENE
Graphene Coating / 30ml
Super Durability&Chemical
Resistance / Ultra-Hydrophobic, Slick&Gloss



CONTENTS
LM Graphene Ceramic Coating is a clear, graphene coating that protects your vehicle from chemicals, and UV while repelling water, dirt and other contaminants. Providing 9H hardness, 3 years of protection even in the harshest conditions.

DIRECTIONS
spread LM Graphene thinly on the surface by using sponge.
After applying 1 panel, immediately buff and wipe with a dry cloth without curing time.
Durability: 3-years (depends usage)

LM GRAPHENE SPRAY
Graphene Coating / 300ml
High Durability&Chemical
Resistance / Super-Hydrophobic, Slick&Gloss / Easy Application



CONTENTS
In order to improve the difficulty of application of existing coating agents, spray-type coating agents are developed.
Providing Super Slick, Good Hydrophobic, 1 years of protection even in the harshest conditions.

DIRECTIONS
Should apply it in a dry place out of direct sunlight. Paint must be spotlessly clean and de-greased before application. Spray directly on to vehicle paint one panel at a time and immediately remove remaining residue with a clean microfiber cloth. It has to avoid water for 12 hours
Curing time: 3days
Durability: MAX 1 YEAR DURABILITY

BLACK GRAPHENE EDITION
Graphene Coating / 500ml / 4L
High Gloss&Durability / Hydrophobic / Slick / Easy Application



CONTENTS
Luminus Black Graphene Edition is Graphene Quick Detailer. It maximizes high chemical resistance and durability due to the rigid nature of graphene, and is a quick-detailer equipped with dark gloss, ultra-waterproof, and slick.

DIRECTIONS
Should apply it in a dry place out of direct sunlight. Paint must be spotlessly clean and de-greased before application. Spray directly on to vehicle paint one panel at a time and immediately remove remaining residue with a clean microfiber cloth.
Curing time: 1 hour
Durability: MAX 6 MONTH DURABILITY

PRO

COATING





LM RETURN TOP + BASE

Ceramic Coating / 30ml(TOP+BASE)

3-years Durability

Self-Restoration, high Hydrophobic & Gloss, Slick, 9H Hardness

CONTENTS

Recommend using Prep PRO before application. Apply the coating on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 24 hours after finished application.

Do not leave streaks during application.

Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3-5days after application.



LM SLICK

Ceramic Coating / 30ml

3-years Durability

Self-Restoration, Hydrophobic & Gloss, Slick, 9H Hardness

CONTENTS

Recommend using Prep PRO before application. Apply the coating on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed.

The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application.

Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3-5days after application.



LM SOLID

Ceramic Coating / 50ml

2 year Durability

9H Hardness, High Gloss

CONTENTS

Recommend using Prep PRO before application. Apply the coating on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed.

The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application.

Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3-5days after application.



LS TRIM PRO

Trim Coating / 100ml

Silica 90%

Anti-Oxidation, Protection from Discoloration, Available for Rubber, Iron & Plastic

CONTENTS

Recommend using Prep PRO before application.

Apply the coating on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 24 hours after finished application. Do not leave streaks during application.

Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3-5days after application.



LS LEATHER PRO

Leather Coating / 100ml

Silica 90%

Protection from Dust & Discoloration, Hydrophobic

CONTENTS

Recommend using Prep PRO before application.

Apply the coating on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application.

Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3-5days after application.



LM GRAPHENE PRO

Graphene Coating / 50ml

Long Durability,

High Hydrophobic & Gloss, Slick, 9H Hardness

CONTENTS

Recommend using Prep PRO before application.

Apply the coating on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application.

Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3-5days after application.



LS GLASS

Glass Coating / 30ml

Silica 80~90%

Creating Clear View, Ultra-Hydrophobic, Protection from UV

CONTENTS

Recommend using Prep PRO before application
Apply the coat on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application. Incorrectly applied coating in practice can not be removed.

Curing time: 2hours

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3~5days after application.



LS LEATHER

Coating for Leather

Silica 80~90%

Protection from Discoloration, Hydrophobic

CONTENTS

Recommend using Prep PRO before application
Apply the coat on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application. Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3~5days after application.



LS TRIM

Coating for Trim

Silica 80~90%

Anti-Oxidation, Protection from Discoloration, Available for Rubber, Iron & Plastic

CONTENTS

Recommend using Prep PRO before application
Apply the coat on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application. Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3~5days after application.



LS TYRE

Coating for Tyres

Silica 80~90%

Creating an Long-Durability, Dirt Prevention, Hydrophobic

CONTENTS

Recommend using Prep PRO before application
Apply the coat on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application. Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3~5days after application.



LS WHEEL

Coating for Wheels

Silica 80~90%

Long-Durability, Dirt Prevention, Hydrophobic, High Gloss,
Available for Wheels of all types

CONTENTS

Recommend using Prep PRO before application
Apply the coat on a thoroughly cleaned, polished, degreased, and drained surface with applicator and immediately polish with microfiber cloth until the streaks are completely removed. The coating should not have direct contact with water within 16 hours after finished application. Do not leave streaks during application. Incorrectly applied coating in practice can not be removed.

Curing time: 2hours after application coating is dry and ready for next layer application.

Ready-to-use activity : 12-24hours after application
(no detergent cleaning during 7 days)

Full activity : 3~5days after application.

LITE

PRODUCT LINE-UP





DASH

Interior Wax

High Gloss/Dust Protection/Slick

Vol: 500ml / 4L / 18L
●●●●○ Gloss

CONTENTS

Dash is interior dressing & Conditioner with Contains Natural Oils

It is a unique blend of natural oils that is used to replenish those oils that deplete over time as well as bringing back the new leather smell. Periodic use will protect the leather, keep it supple and improve stain resistance.

DIRECTIONS

Apply Dash with a clean dry microfiber or applicator.
Rub gently into the surface until the cream has dispersed.
Allow it to penetrate the surface, then buff with dry cloth to reduce level of gloss as required.



LAVEN

Interior Cleaner

Detergency/Non-Toxic/Lavender

Vol: 500ml / 4L / 18L
●●●●○ Detergency

CONTENTS

Laven is Leather, suede, eco-leather and nubuck interior natural Cleaner

It comes ready to use for easy dirt, grime and light stain removal. It penetrates into the depths of the impurities and their dissolution, and then lifting on the surface of the foam. The product does not dry the leather and does not cause it to crack.

DIRECTIONS

Spray on to the affected area and then agitated lightly using a leather cleaning brush or Professional Microfibre towel.
The remaining foam should be wiped away using a clean damp Professional Microfibre Towel, and then left to dry naturally.



RAPID

All Purpose Cleaner

Alkali Cleaner

Vol: 500ml / 4L / 18L
●●●●● Detergency

CONTENTS

Rapid is all purpose cleaner for vehicle. It can be used on virtually anything inside and outside your car. Ideal for cleaning plastics, upholstery material, external parts and eco-leather, oils, road grime, cleaning wheel arches, wheels or removing carpet stains without leaving streaks or smudges. The product is completely safe for cleaned surfaces.

DIRECTIONS

Just spray on a cleaned surface and then remove dirt with a brush or cloth. Collect the excess with a microfiber cloth.
It is advisable to rinse extraction on the upholstery.





EFFECTOR

Hydrophobic Coating

Hydrophobic / Gloss / Easy Application

Vol: 500ml / 4L / 18L

●●●●● Hydrophobic
●●●●○ Gloss

CONTENTS

Effector is based on Sio2 and focused on high Hydrophobic.

A smooth-to-the-touch coat that adds a high gloss, slick, color enhancing gloss to painted surfaces while delivering superior protection from contaminants and pollutants.

DIRECTIONS

Should apply it in a dry place out of direct sunlight. Paint must be spotlessly clean and de-greased before application. Spray directly on to vehicle paint one panel at a time and immediately remove remaining residue with a clean microfiber cloth.

Curing time: 1 hour

Durability: MAX 6 MONTH DURABILITY



AIR

Deodorant

Unscented / Non-Toxic / For Vehicle

Vol: 500ml

●●●●● Deodorant

CONTENTS

Dash is interior dressing & Conditioner with Contains Natural Oils

It is a unique blend of natural oils that is used to replenish those oils that deplete over time as well as bringing back the new leather smell. Periodic use will protect the leather, keep it supple and improve stain resistance.

DIRECTIONS

Apply Dash with a clean dry microfiber or applicator. Rub gently into the surface until the cream has dispersed. Allow it to penetrate the surface, then buff with dry cloth to reduce level of gloss as required.



BLACK MATTE

Tyre Dressing

High Concentration / Matte / Easy Application

Vol: 500ml / 4L / 18L

●●●●○ Gloss

CONTENTS

Black Matte is efficient water-based tyre dressing for protecting and refreshing tyres and rubber elements

After application, it gives a deep, dark color and the effect of a wet wheel, and creates a protective layer that lengthens the effect and facilitates cleaning in the future.

DIRECTIONS

Spray over surface and collect excess amount with a microfiber cloth or sponge. Durability: 1~3months (depends usage)



RUSTY BLOOD

Iron Remover

ph Neutral Iron Remover

Vol: 500ml

●●●●○ Detergency
●●●●● Iron Remove

CONTENTS

Rusty Blood is a powerful wheel cleaner that easily emulsify and removes iron.

The powerful Iron Remover can be used on all external surfaces including, glass, rubber, plastic and vinyl leaving a clean streak free finish.

DIRECTIONS

Apply the product to wheel and car's surface for up to 5 minutes. After this time, remove the dissolved dirt with high pressure water. If necessary, repeat the cleaning. Wash the residue with water and car shampoo.

LUMINUS

APPLICATION



**LUMINUS TOOL BAG****Tool Bag**

Size: 470x250x300(mm)

**SECONDARY CONTAINER****Vol: 200ml / 500ml**

Trigger / Cap

**LUMINUS BUCKET****Wash Bucket**

Vol: 18L / Color(Mint, Red)

BULK

LUMINUS / LITE BULK



BULK




BUG
Interior Plastics, Dash
Coating

LUMINUS / LITE BULK



OCEAN WAX
Car Shampoo with WAX




WATERLESS CAR SHAMPOO
Car Shampoo / No Need
Water



LUMINUS SILVER
CARNAUBA Quick Detailer



LUMINUS AQUA
Nano Polish & Hydrophobic
Wet Coat



VAMPIRE +
Iron, Ferrous Fallout
Remover



SILVER
Wheel Clean and Coat



MONSTER
Stubborn Dirt Remover



AURORA GREEN
Snow Foam



DRACO
Tyres and Rubber Dressing
Spray



VELA
All Purpose Cleaner Citrus
based



SHINE
Glass Wash



PREP PRO
Oil / Stain Remover



BLANC
Interior Cleaner



AURORA PRO
Snow Foam




ALU CLEANER
Aluminum, Chrome Cleaner



OCEAN +
Car Shampoo



IN ARMOR
Interior Plastics, Dash
Coating



LEATHER ARMOR
Leather Coating



LEO
Leather, Suede, Alcantara,
Nubuck Cleaner



BLACK ARMOR
Plastics, Rubber, Black Trim
Restorer



L-PREWASH
Alkali Prewash



S-PREWASH
Acid Prewash



N-PREWASH
Neutral Prewash



DEMON
Acid Wheel Shampoo



DASH
INTERIOR WAX



LAVEN
INTERIOR CLEANER



RAPID
ALKALINE APC



**BLACK GRAPHENE
EDITION**
Graphene Coating



LUMINUS BLACK
Ceramic Coating



**BLACK HYDROPHOBIC
EDITION**
Ceramic Coating



BLACK SLICK EDITION
Ceramic Coating



BLACK MATT
TYRE DRESSING



AIR
ODER ELIMINATOR



EFFECTOR
SIO2 QUICK DETAILER

NEW

LUMINUS / SILEX



Graphene Glass Coating / 60ml
High Purity Silica Coating
Long Durability / Super Hydrophobic, High Slick



LUMINUS
Set the Trend of Detailing

Contact

T. 043-903-7117

F. 070-4700-7110

W. www.luminuskorea.com

Facebook / Instagram. @luminuskorea

E. luminus.korea@gmail.com

A. 72-9, Sinchon-gil, Oksan-myeon, Heungdeok-gu, Cheongju-si,
Chungcheongbuk-do, Republic of Korea