



KSA POLYMER HANOI

CATALOG

PRODUCTS

PE TARPAULIN



PE Tarpaulin is made of two types of ethylene polymers, Low-Density Polyethylene (LDPE) and High-Density Polyethylene (HDPE).

HDPE is firstly extruded into a film and then spindled into spools of yarn.

Using the water jet looms, HDPE yarns are then woven into fabric.

The woven fabric is processed through the lamination line as layers of LDPE and other additives are uniformly applied on both sides.

READY-MADE TARP



Weight	From 45gsm to 350gsm
Size	Customization
Color	Customization
Eyelets	Aluminium / Brass / Plastic
Packing	Bale / Carton / Display Carton / Pallet
Additives	UV Stabilizer / Flame Retardant / Antioxidant
Additional Option	Corner Patch / Rivets / Sample Swatch

LENO SCAFFOLDING SHEETING



Mesh Count	3 x 3 sq.inch
Size	Customization
Color	Customization
Eyelets	Aluminium / Brass / Plastic
Packing	Bale / Carton / Display Carton / Pallet
Additives	UV Stabilizer / Flame Retardant / Antioxidant
Additional Option	Webbing Band / OPP Logo Printing / Corner Patch / Rivets / Sample Swatch

ROLL



Width	Maximum 2.12m
Length	Customization
Color	Customization
Core	Paper Tube / Steel Bobbin
Packing	Bale / Pallet
Additives	UV Stabilizer / Flame Retardant / Antioxidant
Additional Option	Logo Printing / Webbing Band

ACCESSORIES



TOGGLE TIE

- Toggle tie is a multi-purpose fastening item that is commonly used for securing scaffolding sheets at construction sites.

BALL BUNGEE CORD

- Ball bungee cord is well known as tarpaulin fasteners. It consists of a hollow plastic ball and an elastic cord.



ROPE

- Polypropylene rope has 0.9 density with a floating feature. It helps secure tarpaulin on the wall or ground against harsh weather.

CHOOSING THE RIGHT TARP

Light-Duty	Mesh count: 6 x 6 to 8 x 8 / sq.inch Weight: 45 to 80 gsm Use: Leisure / Disposable / Drop Sheet
Medium-Duty	Mesh count: 8 x 8 to 10 x 10 / sq.inch Weight: 80 to 120 gsm Use: Outdoor Ground / Gardening Furniture / Roofing Covers
Heavy-Duty	Mesh count: 10 x 10 to 14 x 14 / sq.inch Weight: 120 to 200gsm Use: Agricultural / Lumber / Car / Truck Covers
Super Heavy-Duty	Mesh count: 14 x 14 to 16 x 16 / sq.inch Weight: 200 to 350 gsm Use: Equipment / Construction Material / Pool Covers

CUT SIZE vs. FINISHED SIZE

- Cut size is the total area of the material used to make the tarp. This means the actual product size will be smaller after fabrication. On the other hand, finished size is the final dimensions of the tarp.

UV STABILIZERS


- Tarps, especially those that are used outdoors, are inevitable to be vulnerable to UV radiation. UV stabilizers are added to yarns and/or lamination to prevent the products from cracking, color fading, and loss of mechanical properties.

FLAME RETARDANT

- Flame retardant tarps are well-suited for applications where fire risk is present. They are specially treated to ensure the safety of your property by slowing down the flame spread.







Get in touch

Address:

B3, Thuy Van Industrial Zone, Viet Tri, Phu Tho, Vietnam

Phone:

+84 210 385 7812

Email:

sales@ksapolymerhanoi.com

Website:

www.ksapolymerhanoi.com