



"Dafne" family



Dafne Wi-Fi can be entirely managed via app *Clima Vemer*



DAFNE
White/Grey
VN166500



DAFNE 230
White/Grey
VE431300



DAFNE WI-FI
White/Grey
VE792200

MOUNTING	Flush-mounting 3 modules boxes	Flush-mounting 3 modules boxes	Flush-mounting 3 modules boxes
INSTALLATION KIT	Included * (Separate kit for Living NOW BTicino)	Included * (Separate kit for Living NOW BTicino)	Included * (Separate kit for Living NOW BTicino)
PROGRAMMING RESOLUTION	Weekly 1 h	Weekly 1 h	Weekly 1 h
POWER SUPPLY	Battery (life 12 months)	230 V AC (SFR 48 h)	230 V AC (SFR 48 h)
TOUCH SCREEN	-	-	-
BACKLIT DISPLAY	■	■	■
OPERATING MODE	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze
REGULATION TYPE	Summer/winter	Summer/winter	Summer/winter
KEYPAD LOCK	■	■	■
AUXILIARY INPUT	Remote switching on/off	-	-
MANAGEMENT THROUGH FREE APP	-	-	
GSM/WI-FI VERSION	-	-	

** Compatible cover frames: **ABB** - Chiara, Mylos **AVE** - S44, **BTicino** - Axolute, Axolute Air (via specific frame for 3-module products purchasable separately) **Light**, **Light Tech**, **Living**, **Livinglight**, **Livinglight Air**, **Matix**, **Matix Go** (via specific frame for 3-module products purchasable separately) **Gewiss** - Chorus, **Vimar** - Arké, **Eikon**, **Eikon Evo**, **Idea**, **Linea** (via specific frame for 3-module products purchasable separately), **Plana**

Flush-mounting chronothermostats

Asso Wi-Fi e Oikos Wi-Fi can be entirely managed via app *Clima Vemer*



ASSO WI-FI
Opal white
VE780200



OIKOS WI-FI
Bianco/Grigio
VE796000/VE796100



KIROS
White/Grey
VE780000



IRIDE
White/Grey
VE456000




IRIDE 230
White/Grey
VE457800

MOUNTING	Flush-mounting * 2 modules boxes or higher	Flush-mounting * 2 modules boxes or higher	Flush-mounting * 2 modules boxes or higher	Flush-mounting 3 modules boxes	Flush-mounting 3 modules boxes
INSTALLATION KIT	Included ** (Separate kit for Living NOW BTicino)	Included ** (Separate kit for Living NOW BTicino)	Included** (Specific product for Li- ving NOW - VE780002)	Included ** (Separate kit for Living NOW BTicino)	Included ** (Separate kit for Living NOW BTicino)
PROGRAMMING RESOLUTION	Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h
POWER SUPPLY	230 V AC	230 V AC	230 V AC (SFR 48 h)	Battery (life 12 months)	230 V AC (SFR 48 h)
TOUCH SCREEN	-	-	-	■	■
BACKLIT DISPLAY	■ White LED	No display	■	■	■ Multicolor
OPERATING MODE	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze
REGULATION TYPE	Summer/winter	Summer/winter	Summer/winter	Summer/winter	Summer/winter
KEYPAD LOCK	-	-	■	■	■
AUXILIARY INPUT	-	-	-	Remote switching on/off	-
MANAGEMENT THROUGH FREE APP			-	-	-
GSM/WI-FI VERSION			-	-	-

* Available version for round flush-mounted boxes (ASSO Wi-Fi-INT code VE780201, OIKOS Wi-Fi-INT code VE796001 (white) VE796101 (grey) and KIROS-INT code VE780001)

** Compatible cover frames: **ABB** - Chiara, Mylos **AVE** - S44, **BTicino** - Axolute, Axolute Air (via specific frame for 3-module products purchasable separately) **Light**, **Light Tech**, **Living**, **Livinglight**, **Livinglight Air**, **Matix**, **Matix Go** (via specific frame for 3-module products purchasable separately) **Gewiss** - Chorus, **Vimar** - Arké, **Eikon**, **Eikon Evo**, **Idea**, **Linea** (via specific frame for 3-module products purchasable separately), **Plana**

“Tuo” family



TUO
White/Black
VE771600/VE771700



TUO GSM
White/Black
VE771800/VE771900



TUO WI-FI
White/Black
VE772000/VE772100



TUO WI-FI LITE
White/Black
VE785700/VE793800



TUO WI-FI BATTERIA
White/Black
VE788600/VE788700

MOUNTING	Wall-mounting	Wall-mounting	Wall-mounting	Wall-mounting	Wall-mounting
PROGRAMMING RESOLUTION	Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h
POWER SUPPLY	230 V AC (SFR 12h)	230 V AC (SFR 1 h)	230 V AC	230 V AC	Battery (life up to 36 months)
KEYPAD	-	-	-	-	-
TOUCH SCREEN	■	■	■	■	■
BACKLIT DISPLAY	■ Multicolor	■ Multicolor	■ Multicolor	■	■
OPERATING MODE	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze
REGULATION TYPE	Summer/winter	Summer/winter	Summer/winter	Summer/winter	Summer/winter
KEYPAD LOCK	■	■	■	■	■
SPECIAL FUNCTIONS	-	-	-	-	-
MANAGEMENT THROUGH FREE APP	-				
GSM/WI-FI VERSION	-				
WIRELESS VERSION	-	-	TUO WI-FI RF White/Black VE773600/VE773700	-	-

Wall-mounting chronothermostats



CHRONOS
White/Black
VE451100/VE452900



CHRONOS 230
White/Black
VE453700/VE454500



CHRONOS KEY
White/Black
VE725800/VE726600



CHRONOS KEY 230
White/Black
VE727400/VE728200



MITHOS
White/Black
VE328100/VE312500



MITHOS 230
White/Black
VE766800/VE766900



MITHOS H
White/Black
VE478400/VE479200

Wall-mounting	Wall-mounting	Wall-mounting	Wall-mounting	Wall-mounting	Wall-mounting	Wall-mounting
Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h	Weekly 1 h
Battery (life 12 months)	230 V AC (SFR 48h)	Battery (life 12 months)	230 V AC (SFR 48h)	Battery (life 24 months)	230 V AC (SFR 48h)	Battery (life 12 months)
-	-	■	■	■	■	■
■	■	-	-	-	-	-
■	■ Multicolor	■	■	-	■ Multicolor	-
Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze
Summer/winter	Summer/winter	Summer/winter	Summer/winter	Summer/winter	Summer/winter	Summer/winter + humidistat
■	■	■	■	■	■	■
Remote switching on/off (no Wireless)	-	Temperature probe Remote switching on/off	-	Temperature probe Remote switching on/off (No Wireless)	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
CHRONOS RF White/Black VE484200/VE485900	-	-	-	MITHOS RF White/Black VE427100/VE425500	-	MITHOS H RF White/Black VE489100/VE490900

Digital chronothermostats with simplified programming



HIPNOS
White/Grey
VE013900/VE075800



ECO.X-D
White
VN161600



ECO.X-W
White
VN160800



CM100
White
VE618500



THERMO PRO
White
VE741500

MOUNTING	Wall-mounting	Wall-mounting	Wall-mounting	Wall-mounting	on the thermostatic radiator valves *
PROGRAMMING RESOLUTION	Daily 1 h	Daily 1 h	Weekly 1h	Daily 15 minutes	Weekly (For a maximum of 4 periods in 24 hours)
POWER SUPPLY	Battery (life 24 months)	Battery (life 12 months)	Battery (life 12 months)	Battery (life 12 months)	1 h
TOUCH SCREEN	-	-	-	-	Battery (life 5 years)
TEMPERATURE SETTING	By cursors	By knob	By knob	By trippers	Buttons + wheel
BACKLIT DISPLAY	-	-	-	No display	-
REGULATION TEMPERATURES	15	2	2	2	2
OPERATING MODE	Automatic, Manual, Off/Antifreeze	Automatic, Manual	Automatic, Manual	Automatic, Manual, Off/Antifreeze	Automatic, Manual, Off/Antifreeze
REGULATION TYPE	Summer/winter	Winter	Winter	Winter	Winter
KEYPAD LOCK	-	-	-	-	■
					THERMO PRO RF White VE741500

* Compatible valves:
Heimeier, Junkers Landys+Gyr,
MNG, Honeywell, Braukmann,
Danfoss RAV, RA, RAVL

Via Camp Lonc, 16 - 32032 Z.I. Villapaiera - Feltre (BL)
export@vemer.it - marketing@vemer.it - www.vemer.it



Vemer SpA



vemer s.p.a



Vemer