

SOK

PRODUCT CATALOG

Series M20 & M44




Since 1985

Series M20

M20/ 16A/ 2/ NS


✓ Child-proof Shuttered Outlets




SOK | Beyond
Safety.



Fire-resisted (850 degrees, equal to Class V0) back-housing material for living parts.




Back-housing parts is made by Nylon PA66. Work normally for more than one decade under the surrounding temperature from -30°C to 60°C .



Sockets with Temper-Resistant system can be chosen to protect children from electric shock.



Four directions for wiring. Easy installation for different types of cables from M16 to M25.



All switches can be equipped with LED locator as an option.



M20/ L1/ 1

1 Gang 1 Way Switch
10AX 250V
174x160x150mm: 18Pcs/ Box
480x335x363mm: 12Box/ Ctn



M20/ L1/ 2

1 Gang 2 Way Switch
10AX 250V
174x160x150mm: 18Pcs/ Box
480x335x363mm: 12Box/ Ctn



M20/ L1/ 1/ D

1 Gang 1 Way Switch with
LED indicator
10AX 250V
174x160x150mm: 18Pcs/ Box
480x335x363mm: 12Box/ Ctn



M20/ L4

1 Gang Intermediate Switch
10AX 250V
174x160x150mm: 18Pcs/ Box
480x335x363mm: 12Box/ Ctn




M20/ L2/ 1

2 Gang 1 Way Switch
10AX 250V
174x160x150mm: 18Pcs/ Box
480x335x363mm: 12Box/ Ctn




M20/ L2/ 1/ D

2 Gang 1 Way Switch with LED
indicator
10AX 250V
174x160x150mm: 18Pcs/ Box
480x335x363mm: 12Box/ Ctn




M20/ 16A/ NS

Single 2-Pin Socket without Shutter
16A 250V
174x160x150mm: 24Pcs/ Box
480x335x363mm: 12Box/ Ctn




M20/ 16A/ 2/ NS

Twin 2-Pin Socket without Shutter
16A 250V
174x160x150mm: 14Pcs/ Box
480x335x363mm: 12Box/ Ctn



M20/ 16A/ 3/ NS

Triple 2-Pin Socket without Shutter
16A 250V
174x160x150mm: 12Pcs/ Box
480x335x363mm: 12Box/ Ctn



M20/ 16A/ 4/ NS

Quadriple 2-Pin Socket without
Shutter
16A 250V
174x160x150mm: 8Pcs/ Box
480x335x363mm: 12Box/ Ctn



M20/ 16U/ NS

Single Schuko Socket
without Shutter
16A 250V
174x160x150mm; 18Pcs/ Box
480x335x363mm;
12Box/ Ctn




M20/ 16U/ S

Single Schuko Socket with
Shutter
16A 250V
174x160x150mm; 18Pcs/ Box
480x335x363mm;
12Box/ Ctn




M20/ 16U/ 2/ NS

Twin Schuko Socket
without Shutter
16A 250V
174x160x150mm; 10Pcs/ Box
480x335x363mm;
12Box/ Ctn




M20/ 16U/ 2/ S

Twin Schuko Socket with
Shutter
16A 250V
174x160x150mm; 10Pcs/ Box
480x335x363mm; 12Box/ Ctn




M20/ 16U/ 3/ NS

Triple Schuko Socket without Shutter
16A 250V
174x160x150mm; 8Pcs/ Box
480x335x363mm; 12Box/ Ctn



M20/ 16U/ 3/ S

Triple Schuko Socket with Shutter
16A 250V
174x160x150mm; 8Pcs/ Box
480x335x363mm; 12Box/ Ctn



M20/ 16U/ 4/ S

Quadriple Schuko Socket with
Shutter
16A 250V
174x160x150mm; 6Pcs/ Box
480x335x363mm; 12Box/ Ctn



M20/ TV

1 Gang TV Socket
16A 250V
174x160x150mm; 18Pcs/ Box
480x335x363mm; 12Box/ Ctn



M20/ TEL/ 1

1 Gang TEL Socket
16A 250V
174x160x150mm; 18Pcs/ Box
480x335x363mm; 12Box/ Ctn



M20/ LAN/ 1

1 Gang LAN Socket
16A 250V
174x160x150mm; 18Pcs/ Box
480x335x363mm; 12Box/ Ctn

Series M44

M44/ L1/ 1/ 16U/ NS

✓ UV Resistant ✓ Water Proof: IP44




SOK | Beyond Safety.




Strictly follow IP44 certificate requirements.



Cable installation is tooling-free for the requirement of water-proof.




Outer thickness is increased to 2mm for hard-duty environment outdoors.



More space inside the wiring box for more complex wiring.




Earthing terminal is provided inside the box for complete protection outdoors.



Fire-resisted (850 degrees, equal to Class V0) back-housing material for living parts.



Sockets with Temper-Resistant system can be chosen to protect children from electric shock.



All switches can be equipped with LED locator as an option.



Beyond Safety.
Series M44



M44/ L1/ 1

1 Gang 1 Way Switch
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ L1/ 2

1 Gang 2 Way Switch
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ L1/ 1/ D

1 Gang 1 Way Switch with LED
indicator
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ L4

1 Gang Intermediate Switch
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ L2/ 1

2 Gang 1 Way Switch
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ L2/ 1/ D

2 Gang 1 Way Switch with LED
indicator
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn

Beyond
Safety.



M44/ L1/ 1/ L1/ 1

Block 1G1W switch +1G1W switch
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn




M44/ L1/ 1/ L2/ 1

Block 1G1W switch +2G1W switch
10AX 250V
188x150x148mm: 18Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ 16U/ NS

Single Schuko Socket without Shutter
16A 250V
188x150x148mm: 16Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ 16U/ S

Single Schuko Socket with Shutter
16A 250V
188x150x148mm: 16Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ 16U/ 2/ NS

Twin Schuko Socket without Shutter
16A 250V
188x150x148mm: 8Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ 16U/ 2/ S

Twin Schuko Socket with Shutter
16A 250V
188x150x148mm: 8Pcs/ Box
474x315x391mm: 12Box/ Ctn




M44/ 16U/ 3/ NS

Triple Schuko Socket without Shutter
16A 250V
188x150x148mm: 5Pcs/ Box
474x315x391mm: 12Box/ Ctn




M44/ 16U/ 3/ S

Triple Schuko Socket with Shutter
16A 250V
188x150x148mm: 5Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ L1/ 1/ 16U/ NS

Block single socket +1G1W switch
16+10A 250V-
188x150x148mm: 8Pcs/ Box
474x315x391mm: 12Box/ Ctn



M44/ L1/ 1/ 16U/ 1/ S

Block single socket +1G1W switch with shutter
16+10A 250V-
188x150x148mm: 8Pcs/ Box
474x315x391mm: 12Box/ Ctn




M44/ L1/ 2/ 16U/ NS

Block single socket +1G2W switch
16+10A 250V-
188x150x148mm: 8Pcs/ Box
474x315x391mm: 12Box/ Ctn




M44/ L1/ 2/ 16U/ 1/ S

Block single socket +1G2W switch
with shutter
16+10A 250V-
188x150x148mm; 8Pcs/ Box
474x315x391mm; 12Box/ Ctn



M44/ L1/ 1/ 16U/ 2/ NS

Block twin socket +1G1W switch
16+10A 250V-
188x150x148mm; 6Pcs/ Box
474x315x391mm; 12Box/ Ctn



M44/ L1/ 1/ 16U/ 2/ S

Block twin socket +1G1W switch
with shutter
16+10A 250V-
188x150x148mm; 6Pcs/ Box
474x315x391mm; 12Box/ Ctn




M44/ L1/ 2/ 16U/ 2/ NS

Block twin socket +1G2W switch
16+10A 250V-
188x150x148mm; 6Pcs/ Box
474x315x391mm; 12Box/ Ctn




M44/ L1/ 2/ 16U/ 2/ S

Block twin socket +1G2W switch
with shutter
16+10A 250V-
188x150x148mm; 6Pcs/ Box
474x315x391mm; 12Box/ Ctn




M44/ L2/ 1/ 16U/ NS

Block single socket +2G1W switch
16+10A 250V-
188x150x148mm; 8Pcs/ Box
474x315x391mm; 12Box/ Ctn




M44/ L2/ 1/ 16U/ 1/ S

Block single socket +2G1W switch
with shutter
16+10A 250V-
188x150x148mm; 8Pcs/ Box
474x315x391mm; 12Box/ Ctn



M44/ L1/ 2/ 16U/ 2/ NS

Block twin socket +1G2W switch
16+10A 250V-
188x150x148mm; 6Pcs/ Box
474x315x391mm; 12Box/ Ctn



M44/ L2/ 1/ 16U/ 2/ S

Block twin socket +2G1W switch
with shutter
16+10A 250V-
188x150x148mm; 6Pcs/ Box
474x315x391mm; 12Box/ Ctn



INTRODUCTION

Guangdong Jinli Electrical Appliance was established in 1985. As one of the biggest manufacturer for electrical products in China, we mainly produce wall switches & sockets, exhaust fans and distribution boxes.

Our company covers 300,000 square meters, with over 1500 employee. The enterprise has got the certification of ISO9001, ISO14000 and International safety approval CE, CB, SASO & ROHS. Our company specialized in OEM & ODM.

We have OEM for the famous brands in the world. All of these brands are the top 5 in their markets. The experience ensures us to offer you the best service.



GUANGDONG JINLI ELECTRICAL APPLIANCE CO., LTD.

SOK

Beyond
Safety.



GUANGDONG JINLI ELECTRICAL APPLIANCE CO., LTD.

ADD: EAST OF DAWAN CROSS BRIDGE, LONGZHOU RD,
LELIU, SHUNDE, FOSHAN, GUANGDONG P.R.C

WEBSITE: www.jinli.com

TEL: 0757-25333127 **FAX:** 0757-25333206

E-MAIL: export01@jinli.com

ISO9001

ISO14000

CE

CB

RoHS

