







inspiration





production







loommo





Installation of 2 Tim pendants in smoke by Flatwhite architects





Teehouse by CMC Architects, Czechia , 2022





BOMMA catalogue, 2021

BOMMA Atelier, Prague, 2021





BMK yachthafen, Langenargen, 2020

KOMA headquater, Czech Republic, 2019





MILA restaurant, Miami, 2019

Private residence, Mykonos, 2018





Kafka house, Prague, 2020

Ratatouille restaurant, Haarlem, 2020





Anker&co project, Denmark, 2022

Anker&co project, Denmark, 2022















clear glass silver fitting clear glass silver fitting clear glass silver fitting

pendant

Glass options: clear, smoke Fitting options: silver, brushed copper, black





clear glass brushed copper fitting

clear glass brushed copper fitting clear glass brushed copper fitting



Glass options: clear, smoke Fitting options: silver, brushed copper, black









smoke glass black fitting smoke glass black fitting smoke glass black fitting

pendant

Glass options: clear, smoke Fitting options: silver, brushed copper, black





clear glass black fitting



smoke glass black fitting

floor

Glass options: clear, smoke Fitting options: black



technical informations

TIM pendant large

Design by Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



Size	dia. 650 mm (±50), H 900 mm (±100)
	dia. 25,6 inch (±2), H 35,4 inch (±4)
Cable	black textile braid 2,5 m / 98,4 inch
Weight	+- 22 kg / 48,4 lb
Glass	mouth-blown lead-free crystal in clear and smoke grey
Mounting	silver (polished stainless steel) brushed copper (brushed copper) black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Туре	G95, 6W LED, 540 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING

Material	Cardboard	
Size	1000 × 700 × 700 mm	
	39,4 × 27,5 × 27,5 inch	







TIM pendant medium

Design by Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and ir-regularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.

LIGHTING DESCRIPTION

LIGHTING DESCRIPTION	
Size	dia. 500 mm (±50), H 730 mm (±100)
	dia. 19,7 inch (±2), H 28,7 inch (±4)
Cable	black textile braid 2,5 m / 98,4 inch
Weight	+- 18 kg / 39,6 lb
Glass	mouth-blown lead-free crystal in clear and smoke grey
Mounting	silver (polished stainless steel) brushed copper (brushed copper) black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Туре	G95, 6W LED, 540 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING

Material	Cardboard	
Size	950 × 670 × 670 mm	
	37,4 × 26,4 × 26,4 inch	





TIM pendant small

Design by Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and ir-regularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.

LIGHTING DESCRIPTION

Size	dia. 350 mm (±50), H 530 mm (±100)
	dia. 13,8 inch (+-2), H 20,9 inch (+-4)
Cable	black textile braid 2,5 m / 98,4 inch
Weight	+- 13,5 kg / 29,7 lb
Glass	mouth-blown lead-free crystal in clear and smoke grey
Mounting	silver (polished stainless steel) brushed copper (brushed copper) black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

G80, 6W LED, 510 lm
E27 (EU) / E26 (USA)
max. 13W
2700 K
RA 90+
Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING	,
-----------	---

Material	Cardboard
Size	940 × 480 × 480 mm
	37 × 18,8 × 18,8 inch





TIM floor lamp large

Design by Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.

LIGHTING DESCRIPTION

dia. 650 mm (±50), H 1070 mm (±100)
dia. 25,6 inch (±2), H 42,1 inch (±4)
black textile braid 1,8 m / 70,8 inch
+- 37,1 kg / 81,6 lb
mouth-blown lead-free crystal in clear and smoke grey
black (stainless steel with black powder coating)
IP 20
220-240V / A.C. 50 hz (EU)
110-120 V / A.C. 60 Hz (USA)
II. EU / I. USA

LIGHT SOURCE

Туре	G95, 6W LED, 540 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner. Dimmer within the power cable.

PACKAGING

Cardboard
1000 × 700 × 700 mm
39,4 × 27,5 × 27,5 inch
510 × 416 × 416 mm
20 × 16,3 × 16,3 inch

Origin: traditionally produced in the Czech Republic Intellectual property license holder: Bomma Czech Republic (EU) Represented by BMRC group s.r.o.







bommo

TIM floor lamp medium

Design by Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.

LIGHTING DESCRIPTION

Size	dia. 500 mm (±50), H 870 mm (±100)
	dia. 19,7 inch (±2), H 34,3 inch (±4)
Cable	black textile braid 1,8 m / 70,8 inch
Weight	+- 28,6 kg / 62,9 lb
Glass	mouth-blown lead-free crystal in clear and smoke grey
Mounting	black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Туре	G95, 6W LED, 540 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner. Dimmer within the power cable.

PACKAGING

Cardboard
950 × 670 × 670 mm,
37,4 × 26,4 × 26,4 inch
620 × 340 × 340 mm
24,4 × 13,4 × 13,4 inch







BMRC Group s.r.o. Port7 – building D Pod Dráhou 1638/7 170 00, Prague Czech Republic

info@bomma.cz

step beyond