


# FANTON

ELECTRICAL  
MATERIAL



SCHUKO STANDARD  
CATALOGUE 2020



# CERTIFICATIONS FANTON®



**FANTON®**  
ELECTRICAL EQUIPMENT FACTORY

“FOCUSING  
IN OUR KNOW  
HOW IS  
THE BEST WAY  
TO IMPROVE.”

Fanton Family





# RESEARCH AND DEVELOPMENT

---

## **In-house engineering**

From the accurate concept development process to the engineering stages: everything is strictly monitored by the staff of Fanton in-house R&D department, who is daily committed to the development of new innovative and functional products.

In its over-50-year history, the company Fanton has become a leader in the production of electrical material.



## **Prototyping**


From the concept to the functional prototyping: thanks to sophisticated prototyping technologies, intuitions are made concrete and become new products, matching the modern market demands.



## **In-house test laboratory**

After strict quality control inspections, IMQ gave the authorisation to Fanton in-house laboratory to certify the compliance of the material to the standards, ensuring the highest safety and resistance parameters.

A constant and complete monitoring of the production processes, from the incoming to the outgoing material, guarantees each product before its placing on the market.





# PRODUCTIONS AND KNOW-HOW



Prints made with selected high quality technopolymer



Contactors made in the company with high precision




## Assembly

The success of the brand Fanton comes from the high quality of a Made in Italy product: each component and each assembly process is carried on by qualified personnel, according to processes certified by UNI EN ISO 9001:2015. The final test before each shipment guarantees the highest satisfaction of our customers.



# SUMMARY



## RESEARCH AND DEVELOPMENT

2



## PRODUCTIONS AND KNOW-HOW

3



## SUMMARY, QUICK GUIDE

4-5



## MULTI-SOCKETS "FIDO" SCHUKO

6

MULTI-SOCKETS 4 OUTLETS	8
MULTI-SOCKETS 6 OUTLETS	9
MULTI-SOCKET TABLE TECH	9

## MULTI-SOCKETS "FIDO" ITALIAN/GERMAN

10

MULTI-SOCKETS 4 OUTLETS	11
MULTI-SOCKETS WITH STRAIGHT REVOLVING COUPLING DEVICE	11

## MULTI-SOCKETS "RETAIL"

12

MULTI-SOCKETS RETAIL	13
----------------------	----

## MULTI-SOCKETS "MODULA"

14

MULTI-SOCKETS MODULA	15
MULTI-SOCKETS MODULA MULTI-SWITCH	15



## CABLE REELS "PROFESSIONAL USE"

16

EMPTY CABLE REELS	17
SOCKET DISC	17


GOLIA METAL CABLE REELS	18
GOLIA TRAILER-MOUNTED	18
SERIE GARDEN	18
PUMA CABLE REELS	19
ONDA CABLE REELS	19
GOLIA THERMOPLASTIC CABLE REELS	19



## CABLE REEL "INDUSTRIAL USE"

20

GOLIA INDUSTRIAL CABLE REELS	21
------------------------------	----



## PLUGS, SOCKETS "PROFESSIONAL USE"

22

HI-PRO SERIES FOR PROFESSIONAL USE	24
MULTI-SOCKETS FOR HEAVY DUTY	24



## DOMESTIC PLUGS

25

PLUGS AND ADAPTORS	26
LINEAR PATCH CORDS	27
EXTENSIBLE PATCH CORDS	27
LINEAR GARDEN PATCH CORDS	27



## CEE ADAPTORS "PROFESSIONAL USE"

28

CEE INDUSTRIAL ADAPTORS	29
-------------------------	----



## CEE PLUG CONVERTER "OPTIMUS"

30

PLUG CONVERTER "OPTIMUS"	31
--------------------------	----

# QUICK GUIDE

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
01907	17	40673	15	420230DE	9	81033	24
01350DE	19	40674	15	42040DE	24	81070	26
01351DE	19	410180	11	42041DE	24	81071	26
10196	18	410280	11	474201	13	81085	26
10220DE	19	4101000	11	474202	13	82260	26
10221DE	19	4101010	11	474211	13	90110	27
10223DE	19	4101050	11	474212	13	90111	27
10224DE	19	4101121	11	474301	13	90130	27
10228DE	19	420100DE	8	474302	13	90131	27
10228UG	17	4201001DE	8	474311	13	90140	27
10229DE	19	4201002DE	8	474312	13	90141	27
10229UG	17	4201003DE	8	474401	13	90150	27
12209DE	18	420110DE	8	474402	13	90151	27
12209UG	17	4201101DE	8	73001	29	90190	27
12180	21	4201102DE	8	73020	31	90191	27
12190	21	4201103DE	8	73020-E	31	90290	27
14302DE	18	420120DE	8	73102	29	90291	27
14370	21	420130DE	8	73114	29	92210	27
14380	21	4201502DE	8	73116	29	92211	27
14385	21	4201503DE	8	73128	29	92220	27
14390UG	17	420170DE	8	80000	26	92221	27
14560DE	18	420200DE	9	80001	26	92833	27
14561DE	18	4202001DE	9	80005	26	92834	27
14563DE	18	4202002DE	9	80006	26	92955	29
14564DE	18	4202003DE	9	80052	24	92956	29
14565DE	18	420210DE	9	80070	26	92977	24
14569DE	18	4202101DE	9	80071	26	92987	24
14610DE	19	4202102DE	9	80075	26		
40653	15	4202103DE	9	80076	26		
40654	15	420220DE	9	81032	24		

## ON REQUEST

CODE	PAGE
MULTISOCKET TABLE TECH	9
MULTI-SWITCH MODULA MULTI-SOCKETS	15



Fido



Multi-sockets

Fido  
Schuko

The new Fido multi-sockets stand out immediately because of their elegant appearance.

This exclusive patented Fanton design's main attraction is the innovative "Adjustable cable" system that holds the power supply cable in the best position and always in order. Fido multi-sockets are made up of polycarbonate; their design goes hand-in-hand with Fanton technology, with highly practical solutions such as opening the terminal space by means of 2 screws concealed on the rear, or the USB sockets for charging electronic equipment. All of this with Made in Italy quality and safety that Fanton guarantees for all its products.



Available with or without cables, in various versions, from 4 to 6 sockets, as well as USB ports.

MADE IN  
ITALY




An attractive range that fits in perfectly with contemporary interior design.

MADE IN ITALY



The innovative, exclusive, patented system that allows the cable to be positioned in an orderly manner, reducing clutter.




The terminal space is opened by unscrewing the screws on the rear allowing trouble-free replacement or installation of the power supply cable. Once wiring has been done, no screws are in sight on the front of the multi-socket.



The multi-sockets are also available with two 2,1A USB sockets for charging smartphones, tablets, iPads, and any other electronic equipment.



Wall mounting or fixing using self-locking clamps.



No oxidation, no wearing out. Long life.



## PLUS PACK



**EURO HANG HOLE**  
Easy hanging up on hooks.

**TRANSPARENT BAG**  
Product in plain view.



**ILLUSTRATED CARDBOARD**  
Nice presentation of the product. The plug is clearly visible.



## SYMBOLS

Intuitive communication of benefits.



## FIDO GERMAN STD - 4 OUTLETS



MADE IN ITALY



420130DE



4201102DE



420120DE



4201002DE



420170DE



4201502DE

## WITHOUT CABLE

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
420130DE	4	2P+E 16A, German std	—	—	white	Bag	12	

## WITH CABLE

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
4201102DE	4	2P+E 16A, German std	1,5 m	3G1,50	white	Bag	12	CE
4201103DE	4	2P+E 16A, German std	3 m	3G1,50	white	Bag	12	CE
420110DE	4	2P+E 16A, German std	1,5 m	3G1	white	Bag	12	CE
4201101DE	4	2P+E 16A, German std	3 m	3G1	white	Bag	12	CE

## WITHOUT CABLE + LUMINOUS SWITCH

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
420120DE	4	2P+E 16A, German std	—	—	white	Bag	12	

## WITH CABLE + LUMINOUS SWITCH

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
4201002DE	4	2P+E 16A, German std	1,5 m	3G1,50	white	Bag	12	CE
4201003DE	4	2P+E 16A, German std	3 m	3G1,50	white	Bag	12	CE
420100DE	4	2P+E 16A, German std	1,5 m	3G1	white	Bag	12	CE
4201001DE	4	2P+E 16A, German std	3 m	3G1	white	Bag	12	CE

WITHOUT CABLE + LUMINOUS SWITCH  
+ 2 X USB OUTLETS 2,1A

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
420170DE	4	2P+E 16A, German std	—	—	white	Bag	12	CE

WITH CABLE + LUMINOUS SWITCH  
+ 2 X USB OUTLETS 2,1A

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
4201502DE	4	2P+E 16A, German std	1,5 m	3G1,50	white	Bag	12	CE
4201503DE	4	2P+E 16A, German std	3 m	3G1,50	white	Bag	12	CE

AVAILABLE WITH DIFFERENT CABLE LENGTHS UPON REQUEST



## FIDO GERMAN STD - 6 OUTLETS



### WITHOUT CABLE

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>420230DE</b>	6	2P+E 16A, German std	—	—	white	Shrink film	12	

### WITH CABLE

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>4202102DE</b>	6	2P+E 16A, German std	1,5 m	3G1,50	white	Shrink film	12	CE
<b>4202103DE</b>	6	2P+E 16A, German std	3 m	3G1,50	white	Shrink film	12	CE
<b>420210DE</b>	6	2P+E 16A, German std	1,5 m	3G1	white	Shrink film	12	CE
<b>4202101DE</b>	6	2P+E 16A, German std	3 m	3G1	white	Shrink film	12	CE

### WITHOUT CABLE + LUMINOUS SWITCH

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>420220DE</b>	6	2P+E 16A, German std	—	—	white	Shrink film	12	

### WITH CABLE + LUMINOUS SWITCH

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>4202002DE</b>	6	2P+E 16A, German std	1,5 m	3G1,50	white	Shrink film	12	CE
<b>4202003DE</b>	6	2P+E 16A, German std	3 m	3G1,50	white	Shrink film	12	CE
<b>420200DE</b>	6	2P+E 16A, German std	1,5 m	3G1	white	Shrink film	12	CE
<b>4202001DE</b>	6	2P+E 16A, German std	3 m	3G1	white	Shrink film	12	CE

AVAILABLE WITH DIFFERENT CABLE LENGTHS UPON REQUEST

## MULTISOCKET

### TABLE TECH

**NEW**

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>ON REQUEST</b>	5	2P+E 16A, German std	1,5 m	3G1,50	black	Box	1	CE





Multi-sockets

# Fido

Italian/German  
Standard

Fido multi-sockets are made up of polycarbonate;  
Fido line is really versatile, available in several versions:

- double standard italian/schuko, for the markets where both standards exist.
- several colours: the red version for ups and other colour versions for the furnishing.
- adjustable cable: a Fanton patent.
- with straight revolving coupling device.



Available with or without cables,  
in various versions and colours.



MADE IN  
ITALY

## FIDO ITALIAN-GERMAN STANDARD



### WITH CABLE

**NEW**

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>4101121</b>	4	2P+E 16A, italian-dual-size/german std.	1,5 m	3G1	red	Bag	12	CE



4101121

### WITH CABLE + LUMINOUS SWITCH

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>4101000</b>	4	2P+E 16A, italian-dual-size/german std.	1,5 m	3G1	white	Bag	12	CE



4101000

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>4101010</b>	4	2P+E 16A, italian-dual-size/german std.	1,5 m	3G1	black	Bag	12	CE



4101010

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>4101050</b>	4	2P+E 16A, italian-dual-size/german std.	1,5 m	3G1	mixed	Bag	12	CE



4101050

### WITH STRAIGHT REVOLVING COUPLING DEVICE

**NEW**

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>410180</b>	4	italian-dual-size/german std. 2P+E 16A	-	-	White	Bag	12	CE



410180

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>410280</b>	6	italian-dual-size/german std. 2P+E 16A	-	-	White	Bag	12	CE



410280





Multi-sockets

retail

The new RETAIL multi-sockets range offers the assurance of a high-quality Italian product, made of high resistance thermal and mechanical polypropylene and produced according to ISO 9001 standards.

The range consists of a complete and varied multi-sockets proposal with new exclusive pluses: luminous bipolar switch with opening of both poles, wall mounting loops on two different positions and thermal protection which permits to connect the multi-sockets to 10A outlets.

Available in white and black colour, they are provided with space-saving plugs and packed in elegant illustrative packaging.

## MULTI-SOCKET RETAIL SERIES



Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>474201</b>	4	Italian-dual-size/german std. 2P+E 16A	1,5 m	3G1	white	Bag	12	CE
<b>474202</b>	4	Italian-dual-size/german std. 2P+E 16A	3 m	3G1	white	Bag	12	CE

On request available with cable 5 mt and section 3G1,50

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>474211</b>	4	Italian-dual-size/german std. 2P+E 16A	1,5 m	3G1	black	Bag	12	CE
<b>474212</b>	4	Italian-dual-size/german std. 2P+E 16A	3 m	3G1	black	Bag	12	CE

On request available with cable 5 mt and section 3G1,50

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>474301</b>	6	Italian-dual-size/german std. 2P+E 16A	1,5 m	3G1	white	Bag	12	CE
<b>474302</b>	6	Italian-dual-size/german std. 2P+E 16A	3 m	3G1	white	Bag	12	CE

On request available with cable 5 mt and section 3G1,50

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>474311</b>	6	Italian-dual-size/german std. 2P+E 16A	1,5 m	3G1	black	Bag	12	CE
<b>474312</b>	6	Italian-dual-size/german std. 2P+E 16A	3 m	3G1	black	Bag	12	CE

On request available with cable 5 mt and section 3G1,50

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	
<b>474401</b>	4+4	Italian-dual-size/german std. 2P+E 16A	1,5 m	3G1	white	Bag	12	CE
<b>474402</b>	4+4	Italian-dual-size/german std. 2P+E 16A	3 m	3G1	white	Bag	12	CE

On request available with cable 5 mt and section 3G1,50



474201



474211



474301



474311



474401



Multi-sockets

# modula


FME multi-sockets provide you with energy and safety. Resulting from a meticulous design project, our multi-sockets reveal refined design and innovative, long-lasting and safe technical solutions, also with a wall-mounting option. FME brand multi-sockets are a top-of-the-range Made in Italy product. The choice of materials, the strict tests required during the production phases and the guarantee of a leading brand in its sector, testify to the undeniable quality of these products.

FME multi-sockets are a must whenever an additional number of sockets is required with a practical and safe solution.





## TECHNICAL CHARACTERISTICS



## MODULA MULTI-SOCKETS



MADE IN ITALY

Code	Outputs	Socket Type	Cable	Cable mm <sup>2</sup>	Single Package	Packing Unit	
<b>40653</b>	4	2P+E 250V 16A Schuko P30 - Luminous switch Plug Schuko 16A	1,5 m	3G1,50	Bag	12	CE
<b>40654</b>	4	2P+E 250V 16A Schuko P30 - Overload protection Luminous switch Plug Schuko 16A	1,5 m	3G1,50	Bag	6	CE
<b>40673</b>	6	2P+E 250V 16A Schuko P30 - Luminous switch Plug Schuko 16A	1,5 m	3G1,50	Bag	12	CE
<b>40674</b>	6	2P+E 250V 16A Schuko P30 - Overload protection Luminous switch Plug Schuko 16A	1,5 m	3G1,50	Bag	6	CE

**40653**



**40673**



## MULTI-SWITCH MODULA MULTI-SOCKETS

**NEW**



MADE IN ITALY

Code	Outputs	Socket Type	Cable	Cable mm <sup>2</sup>	Single Package	Packing Unit	
<b>ON REQUEST</b>	3	2P+E 250V 16A Schuko P30 singular switch for each socket	1,5 m	3G1,50	Bag	6	CE
<b>ON REQUEST</b>	5	2P+E 250V 16A Schuko P30 singular switch for each socket	1,5 m	3G1,50	Bag	6	CE

**ON REQUEST**





Series for **PROFESSIONAL USE**

# Cable reels

Fanton cable reels are suitable for outdoor use, even at low temperature, and ensure durability. They are equipped with galvanised steel tube, cable holder and high resistance metal or thermoplastic body.

It is easy to personalize and create your special Fanton cable reel: choose one empty cable reel from the wide range and match it with the sockets disc.






#### CABLE HOLDER\*

all the cable reels are supplied with an accessory which helps to keep the plug fixed and makes the transport easier.




#### REEL BODY

made of METAL or of special THERMOPLASTIC with a strong structure. Both shock-absorbing drums are resistant to high/low temperature.




#### GALVANISED STEEL TUBE

the thick steel and the zinc coated processes protect the tube from corrosion and weathering.



#### REPLACEABLE DISC\*

In case of damage or change, you may easily replace the disc.



#### 14390UG

Empty cable reel Golia Metal  
diam. 320 mm  
metal stand - metal drum  
blank diam. 205 mm socket disc  
without cable

Colour	Single Package	Packing Unit
Metal	Bag	3



#### 12209UG

Empty cable reel Golia trailer-mounted  
diam. 420 mm  
metal stand - thermoplastic drum  
blank diam. 205 mm socket disc  
without cable

Colour	Single Package	Packing Unit
Orange	Box	1



#### 10228UG

Empty cable reel Golia Thermoplastic  
diam. 260 mm  
metal stand - thermoplastic drum  
blank diam. 205 mm socket disc  
without cable

Colour	Single Package	Packing Unit
Black	Bag	3

#### 10229UG

Empty cable reel Golia Thermoplastic  
diam. 320 mm  
metal stand - thermoplastic drum  
blank diam. 205 mm socket disc  
without cable

Colour	Single Package	Packing Unit
Black	Bag	3

## DISC 4 OUTLETS

Ø 145mm + Thermal cut out  
+ Flange for Ø 205mm Discs



MADE IN  
ITALY

Code	Socket Type	Colour	Single Package	Packing Unit	
01907	2P+E 16A, German std, IP40	black	bag	1	CE

01907





## CABLE REELS GERMAN STD - 4 OUTLETS



MADE IN ITALY



14561DE



14569DE



12209DE



10196

## GOLIA METAL

Metal stand - metal drum

Ø 145mm socket disc + thermal cut out - Ø 205mm adaptor

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
14560DE	25 m	3G1,5	H05VV-F	320 mm	2P+E 16A, German std, IP40	metal	box	1	CE
14561DE	50 m	3G1,5	H05VV-F	320 mm	2P+E 16A, German std, IP40	metal	box	1	CE
14563DE	25 m	3G2,5	H05VV-F	320 mm	2P+E 16A, German std, IP40	metal	box	1	CE
14564DE	40 m	3G2,5	H05VV-F	320 mm	2P+E 16A, German std, IP40	metal	box	1	CE
14565DE	25 m	3G2,5	H07RN-F	320 mm	2P+E 16A, German std, IP40	metal	box	1	CE
14302DE	40 m	3G2,5	H07RN-F	320 mm	2P+E 16A, German std, IP40	metal	box	1	CE

## GOLIA METAL

Metal stand - metal drum

Ø 145mm socket disc + thermal cut out - Ø 205mm adaptor  
WITHOUT CABLE

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
14569DE	—	—	—	320 mm	2P+E 16A, German std, IP40	metal	Bag	3	CE

## GOLIA TRAILER-MOUNTED

Metal stand - trailer-mounted thermoplastic drum

Ø 145mm socket disc + thermal cut out - Ø 205mm adaptor  
WITHOUT CABLE

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
12209DE	—	—	—	420 mm	2P+E 16A, German std, IP40	orange	Box	1	CE

## SERIE GARDEN

Metal stand thermoplastic drum

Code	Length m	Section mm <sup>2</sup>	Cable Type	Ø Drum	Plug and socket	Colour	Single Package	Packing Unit	
10196	25	2x1,5	H05VV-F	260 mm	2P 16A, French/German std	black	Box	1	CE

## CABLE REELS GERMAN STD - 4 OUTLETS



### PUMA

Ø 245mm socket disc + thermal cut out

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
01350DE	15 m	3G1,5	H05VV-F	420 mm	2P+E 16A, German std, IP40	grey	box	3	CE
01351DE	20 m	3G1,5	H05VV-F	420 mm	2P+E 16A, German std, IP40	grey	box	3	CE

01350DE



### ONDA

Ø 195mm socket disc + thermal cut out

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
14610DE	15 m	3G1,5	H05VV-F	420 mm	2P+E 16A, German std, IP40	green	—	4	CE

• The disc is not replaceable.

14610DE



### GOLIA THERMOPLASTIC

Metal stand - thermoplastic drum

Ø 145mm socket disc - with thermal cut out

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
10220DE	25 m	3G1,5	H05VV-F	260 mm	2P+E 16A, German std, IP40	black	box	1	CE
10221DE	50 m	3G1,5	H05VV-F	320 mm	2P+E 16A, German std, IP40	black	box	1	CE
10223DE	25 m	3G1,5	H07RN-F	260 mm	2P+E 16A, German std, IP40	black	box	1	CE
10224DE	40 m	3G1,5	H07RN-F	320 mm	2P+E 16A, German std, IP40	black	box	1	CE

10220DE



### GOLIA THERMOPLASTIC

Metal stand - thermoplastic drum


Ø 145mm socket disc - with thermal cut out

WITHOUT CABLE

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
10228DE	—	—	—	260 mm	2P+E 16A, German std, IP40	black	bag	3	CE
10229DE	—	—	—	320 mm	2P+E 16A, German std, IP40	black	bag	3	CE

10228DE





Series for **INDUSTRIAL USE**

# Cable reels

Fanton industrial cablereels are equipped with industrial and German standard sockets, as guarantee of high usage flexibility.

In all versions the power supply is drawn by a 3- or 5-poles CEE plug and the IP44 protection degree is always guaranteed. The mechanical safety of the cablereels is assured by solid metallic or thermoplastic flanges; the electrical safety is provided by thermal cutoff with automatic unhooking and manual reset.



# GOLIA INDUSTRIAL CABLE REELS GERMAN STD



MADE IN ITALY

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
<b>14370</b>	30 m	3G2,50	H07RN-F	320 mm	2x2P+E 16A 230V - IP44 1x16A Italian/German std - IP44	blue	box	1	CE


Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
<b>14380</b>	30 m	5G2,50	H07RN-F	320 mm	1x2P+E 16A 230V - IP44 1x3P+E 16A 400V - IP44 1x16A Italian/German std - IP44	blue red blue	box	1	CE

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
<b>14385</b>	30 m	5G2,50	H07RN-F	320 mm	2x3P+N+E 16A 400V - IP44 1x16A Italian/German std - IP44	red blue	box	1	CE


Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
<b>12180</b>	50 m	3G2,50	H07RN-F	420 mm	2x2P+E 16A 230V - IP44 1x16A Italian/German std - IP44	blue	box	1	CE

Code	Length	Section mm <sup>2</sup>	Cable Type	Ø Drum	Sockets	Colour	Single Package	Packing Unit	
<b>12190</b>	50 m	5G2,50	H07RN-P	420 mm	1x2P+E 16A 230V - IP44 1x3P+E 16A 400V - IP44 1x16A Italian/German std - IP44	blue red blue	box	1	CE


**14370**



**14380**



**14385**



**12180**



**12190**





**HI-PRO**  
PROFESSIONAL

Series for professional use

# hi-pro

The plugs and sockets have a sought-after design and ergonomic form that makes grip comfortable.

They are made of polypropylene and rubber which grant resistance to all weather and use conditions and adds a particular non-slip effect characteristic for better grip.

The series can be used for voltages of up to 250V and currents of up to 16A. Also recommended for professional use.

All the series products are protected by European patent.

IP44

MADE IN  
ITALY





## RAPID TIGHTENING CABLE CLAMP

The innovative rapid tightening cable clamping system, of larger size, makes it possible to securely clamp power supply cables, even large, with 3G1,5 section of an H07RN-F type and 3G2,5 section of an H05VV-F or H07RN-F type. To fully satisfy professional needs, passing the specifications called for by the European standards.



## SUITABLE FOR PROFESSIONAL USE



Hi-Pro series is suitable for professional use and does not require any products to increase resistance. It is able to withstand various weather and usage conditions, even the most severe.



The eye bolt fitted to the Hi-Pro facilitates connection for attachment and detachment and for environments for use where there is dust, humidity and oils. The product can be protected against damage or dangerous situations (trampling on it or pools of water), because it is easy to hang up.

## SERIES FOR PROFESSIONAL USE HI-PRO GERMAN STD



MADE IN  
ITALY



80052



81032



81033



92977



42040DE

Code	Description	Colour	Single Package	Packing Unit	CE
80052	Professional plug 2P+E 16A French/German std - IP44	black	—	20	CE

Code	Description	Colour	Single Package	Packing Unit	CE
81032	Professional socket 2P+E 16A German std - IP44	black	—	20	CE

Code	Description	Colour	Single Package	Packing Unit	CE
81033	Connector with sockets 3x2P+E 16A German std - IP44	black	—	10	CE

### IP44 LINEAR PATCH CORDS WITH H07RN-F CABLE

MADE IN  
ITALY

Code	Length	Cable mm <sup>2</sup>	Plug	Socket	Colour	Single Package	Packing Unit	CE
92977	10 m	3G1,5	2P+E 16A, French/ German std	3x2P+E 16A, German Std.	black	shrink film	1	CE

Code	Length	Cable mm <sup>2</sup>	Plug	Socket	Colour	Single Package	Packing Unit	CE
92987	10 m	3G2,5	2P+E 16A,, French/ German std	3x2P+E 16A, German Std.	black	shrink film	1	CE

### IMPACT RESISTANT MULTISOCKET FOR HEAVY DUTY

Code	Outlets	Socket Type	Cable	Section mm <sup>2</sup>	Colour	Single Package	Packing Unit	CE
42040DE	4	2P+E 16A, German std	5 m	3G1,50	black	Bag	6	CE
42041DE	4	2P+E 16A, German std	10 m	3G1,50	black	Bag	6	CE





# domestic plugs

FME designs and manufactures a wide range of electrical products for residential use, featuring the latest technological innovations, careful design, top quality materials and the highest manufacturing standards. The handy “Flow Pack” packaging system provides an easy to use and practical solution to protect the products on the shelf. Cutting edge technological research in addition to its exclusive manufacturing know-how, have allowed FME products to lead the field.



# PLUGS AND SOCKET FOR DOMESTIC USE

## GENERAL SPECIFICATIONS

- Manufactured in compliance with CEI 23-50 and DIN VDE 0620-1.
- Body and terminal blocks in highly heat and shock resistant special polymers.
- Plug in self-extinguishing material with nickel-plated brass pins.
- Plug with side earth contacts (German standard) and nickel-plated central pocket (French standard).
- The cable outlet on the plug can be positioned to the side 90° (90°) or axially (axial).
- Socket in self-extinguishing material with shielded brass pockets.
- Cable clamp with screws.
- Voltage: 250V.

## WARNING

- For the connection do not use a cable smaller than 1mm<sup>2</sup>



**SPACE SAVING BEHIND FURNITURE  
MADE OF POLYCARBONATE**



## German and French std. Plugs


German and French standard plugs with earth contact. Manufactured in black or white polypropylene, the plugs provide either an axial or a 90° cable position. Manufactured in compliance with CEI 23-50.

*Axial or 90° cable position.*



## Trailing Plugs

They are produced in compliance with the European standard and IMQ branded. Are suitable in black or white colour.



Code	Description	Colour	Single Package	Packing Unit	CE
80070	Plug 2P+E 16A French/German std	white	flow pack	50	CE
80071	Plug 2P+E 16A French/German std	black	flow pack	50	CE
81070	Socket german std. 2P+E 16A	white	flow pack	50	CE
81071	Socket german std. 2P+E 16A	black	flow pack	50	CE

## SPACE SAVING

Code	Description	Colour	Single Package	Packing Unit	CE
80075	Plug 2P+E 16A French/German std	white	flow pack	50	CE
80076	Plug 2P+E 16A French/German std	black	flow pack	50	CE
80000	Bicò Plug 2P 10A	white	flow pack	100	CE
80001	Bicò Plug 2P 10A	black	flow pack	100	CE
80005	Easy Plug 2P 10A	white	flow pack	100	CE
80006	Easy Plug 2P 10A	black	flow pack	100	CE

# ADAPTOR FOR DOMESTIC USE



Code	Description	Colour	Single Package	Packing Unit	CE
81085	One-way adaptor plug french/german std. 2P+E 16A socket british std. 2P+E 13A with mobile phone holder	white	-	200	CE

Code	Description	Colour	Single Package	Packing Unit	CE
82260	Triple adaptor for domestic use 2P+E 16A German std - with switch	white	labeled bulk	20	CE

## LINEAR PATCH CORDS



### GENERAL SPECIFICATIONS

- Manufactured in compliance with international standards.
- Plug with parallel aligned pins in nickel-coated brass, shrouded and protected.
- Sockets with brass pockets, shielded with protection level 2.1 against accidental and voluntary contact.
- Flexible double insulated and certified H05VV-F cable.
- Voltage: 250V.

### WARNING

- Do not exceed the maximum overload power stated on the item's label.

### 3 M CABLE

Code	Length	Cable mm <sup>2</sup>	Plug and Socket	Colour	Single Package	Packing Unit	
92210	3 m	3G1	2P+E 16A, German std	white	bag	25	CE
92211	3 m	3G1	2P+E 16A, German std	black	bag	25	CE

### 5 M CABLE

Code	Length	Cable mm <sup>2</sup>	Plug and Socket	Colour	Single Package	Packing Unit	
92220	5 m	3G1	2P+E 16A, German std	white	bag	25	CE
92221	5 m	3G1	2P+E 16A, German std	black	bag	25	CE



## EXTENSIBLE PATCH CORDS




### GENERAL SPECIFICATIONS

- Manufactured in compliance with CEI 23-50, CEI 23-124.
- Plug with parallel aligned pins in nickel-coated brass, shrouded and protected.
- Sockets with brass pockets, shielded with protection level 2.1 against accidental and voluntary contacts.

### WARNING

- Do not exceed the maximum overload power stated on the item's label.
- Regularly perform a visual check to assess the conditions of cable, plugs and sockets.
- In order to maintain the spiral effect of the cable do not extend over 70% of the linear length stated for each specific cable.
- The cable length stated below is the original linear length of the cable.

Code	Length	Cable mm <sup>2</sup>	Colour	Single Package	Packing Unit	
90110	5 m	3G0,75	white	bag	12	CE
90111	5 m	3G0,75	black	bag	12	CE
90290	3 m	3G1	white	bag	12	CE
90291	3 m	3G1	black	bag	12	CE
90130	5 m	3G1	white	bag	12	CE
90131	5 m	3G1	black	bag	12	CE
90190	10 m	3G1	white	bag	12	CE
90191	10 m	3G1	black	bag	12	CE
90140	5 m	3G1,5	white	bag	12	CE
90141	5 m	3G1,5	black	bag	12	CE
90150	5 m	4G1	white	bag	12	CE
90151	5 m	4G1	black	bag	12	CE



## LINEAR GARDEN PATCH CORDS

Code	Length	Cable mm <sup>2</sup>	Plug and Socket	Colour	Single Package	Packing Unit	
92833	20 m	2x1,5	2P 16A, German std	orange	shrink film	6	CE
92834	25 m	2x1,5	2P 16A, German std	orange	shrink film	6	CE





Series for professional use

# CEE adaptors

The Fanton industrial adaptors series is essential where the available socket is not compatible with the user plug. Ideal to be used in building sites, camping, open-air markets, garages, gymnasiums, marinas and service providers.

Manufactured in accordance with EN 50250 and EN 60309-1/2.



# CEE INDUSTRIAL ADAPTORS GERMAN STD



Code	Description	Colour	Single Package	Packing Unit	CE
<b>73001</b>	French/German std 2P+E 16A 250V plug CEE 2P+E 16A 220V socket	blue	box	12	CE

<b>73102</b>	CEE 2P+E 16A 220V plug Italian/German std 2P+E 16A 250V socket	blue	box	12	CE
--------------	---	------	-----	----	----

<b>92955</b>	French/German std 2P+E 16A 250V plug CEE 2P+E 16A 220V socket	blue	bag + hanger	25	CE
--------------	--	------	-----------------	----	----

<b>92956</b>	CEE 2P+E 16A 220V plug Italian/German std 2P+E 16A 250V socket	blue	bag + hanger	25	CE
--------------	---	------	-----------------	----	----

<b>73114</b>	CEE 2P+E 16A 220V plug 2 x Italian/German std 2P+E 16A 250V socket	blue	box	6	CE
--------------	---	------	-----	---	----

<b>73116</b>	CEE 2P+E 16A 220V plug 1 x CEE 2P+E 16A 220V socket 1 x Italian/German std 2P+E 16A 250V socket	blue	—	6	CE
--------------	---	------	---	---	----

<b>73128</b>	CEE 2P+E 16A 220V plug 2 x CEE 2P+E 16A 220V IP44 sockets 1 x German std 2P+E 250V 16A socket	blue	—	6	CE
--------------	---	------	---	---	----



73001



73102



92955



92956



73114



73116



73128



cee plug converter

# optimus

Optimus is a plug converter fully compatible with both Italian and German standard domestic plugs. Optimus allows the usage of tools equipped with domestic plug, everywhere the use of industrial standard is needed, maintaining the tool warranty.


Easy and fast to assemble, 100% without screws, no live parts exposed during assembly and even during installation. Resistant to rain with an IP44 protection degree, it is suitable for the use on building site.

Its new patented system for closing and tightening of the rear cable guarantees a solid mechanical seal.



## OPTIMUS - CEE PLUG CONVERTER

MADE IN  
ITALY



Quick assembly,  
100% without  
screws



No live parts  
exposed even  
during installation



Resistant to rain  
**IP44** protection  
degree



Suitable for use  
on building site



No more cable cut.  
Maintain the  
WARRANTY!



**UNIVERSAL**  
Accepting both Italian  
and German standard plugs



**PATENTED CLOSING  
SYSTEM**

## OPTIMUS PLUG CONVERTER

Code	Description	Colour	Single Package	Packing Unit	CE
<b>73020</b>	Plug converter for industrial purposes IP44 2P+E 16A 200-250V 6h IP44 plug Italian-dual-size/german std. 2P+E 16A socket	grey	Bag	6	CE

## OPTIMUS PLUG CONVERTER FOR ENTERTAINMENT

Code	Description	Colour	Single Package	Packing Unit	CE
<b>73020-E</b>	Plug converter for industrial purposes IP44 2P+E 16A 200-250V 6h IP44 plug Italian-dual-size/german std. 2P+E 16A socket	black	Shrink film	6	CE



73020

73020-E





[illegible]

[illegible]

CATALOGUES FOR  
BRITISH AND FRENCH  
STANDARD PRODUCTS  
ARE ALSO AVAILABLE



FANTON SpA reserves the right to modify/improve this catalogue and its products at any time without advance notification, in line with established legislation, except for printing errors.

**FANTON**<sup>®</sup>



FABBRICA  
MATERIALE  
ELETTRICO



CABLING  
SYSTEM

FANTON SpA

Viale dell'Industria, 8/10 • 35026 CONSELVE (Padova) ITALY

• tel. +39 049 95 97 911 • fax +39 049 95 00 311

• [www.fanton.com](http://www.fanton.com) • [export@fanton.com](mailto:export@fanton.com)