



Signcomplex
light and smart



+86 755 2760 8650



info@signcomplex.com



www.signcomplex.com



STRIP

WHITE COLOR STRIP

Waterproof white COB strip | 01

Dampproof white COB strip | 03

Ultra-long without solder points strips | 05

DC24V&48V constant current LED strip | 07

DUAL-CCT LED strip | 09

RIGID STRIP

Stepless dimming series | 11

ARK8 series | 13

ARK9 series | 15

RGB & HYRBID STRIP & LED STRIP KITS

DMX512 Neon flex | 17

Mosquito-repelling & ambience lighting series | 19

(Drop glue) RGBIC magic series | 21

(External IC) RGB magic series | 23




Full color multi-channel series | 25

HDMI TV LED backlight kits | 27

AR color pickup TV LED backlight kits | 29

WATERPROOF WHITE COB STRIP

SILICONE EXTRUSION LED STRIP





Color	SWW, WW, NW, W, R, G, B, RGB, RGBW
LED Type	SMD3528, SMD3014, SMD2835, SMD2219
Dimensions	10*5.5mm, 10*6.5mm, 10*9.5mm
Lumens	810-2250lm/m
Power	9-15W/m
Efficiency	90lm/W-150lm/W
IP Grade	IP67



DAMPPROOF WHITE COB STRIP

8×3 series




Color	2700K, 3000K, 3500K, 4000K, 5000K, 6500K
LED Type	SMD2219
Dimensions	288LEDs/m
Lumens	1150-1250lm/m
Power	9.6W/m
Efficiency	120lm/W-130lm/W
IP Grade	IP20



Ultra-long

WITHOUT SOLDER POINTS STRIPS



25m/reel
without soldering connection

720
SKU



Multi-options

5
DAYS
standard

Fast delivery



Support
customized





Color	2200K, 2400K, 2700K, 3000K, 3500K, 4000K, 5000K, 6000K, 6500K
LED Type	SMD2835, SMD2219
LED Qty.	60LEDs/m, 120LEDs/m, 240LEDs/m, 144LEDs/m, 288LEDs/m
Lumens	770-2520lm/m
Power	7-14.4W/m
Efficiency	110-175lm/W
IP Grade	IP20, IP64, IP65, IP67



CONSTANT CURRENT

DC24V&28V CONSTANT CURRENT LED STRIP



Color	2700K, 3000K, 4000K, 6500K
LED Type	SMD2835
LED Qty.	24V: 60LEDs/m, 120LEDs/m, 48V: 78LEDs/m, 130LEDs/m
Lumens	520lm/m, 1050lm/m, 620lm/m, 1150lm/m
Power	5W/m, 10W/m
IP Grade	IP20, IP65



DUAL-CCT STRIP

OPTIONAL CONTROLLER




LED STRIP KIT OPTIONAL



Color	1800K-6500K, 2700-6500K
LED Type	SMD2835, SMD2216, SMD5050, SMD3528
LED Qty.	60LEDs/m, 96LEDs/m, 120LEDs/m, 240LEDs/m, 320LEDs/m
Lumens	950-2000lm/m
Power	8.64W*2, 11.52W*2, 14.4W*2, 9.6W*2
Efficiency	112lm/W, 115lm/W, 142lm/W, 88lm/W, 122lm/W
Controller	LCD display controller, Three-button controller

SEAMLESS LIGHTBAR

Two beam angles optional



Color	1800K-6500K
Lumens	640lm/m
LED Qty.	80LEDs/m
Cutting Points	50mm
CRI	CRI 80/ CRI 90
Spool Size	Max. 15m





F R E E L Y S P L I C E D

ARK8 SERIES

SEAMLESS LIGHTBAR

EVEN AND SOFT | EASY TO SPLICE




Color	WW, NW, W, WW+W
LED Type	SMD2835, WW+W: SMD2216
LED Qty.	104LEDs/PCS, WW+W: 240LEDs/PCS
Lumens	240-530lm/PCS, WW+W: 260+300lm/PCS
Power	2.5W/PCS, 5W/PCS, 3.6+3.6W/PCS
Efficiency	105 lm/W, WW+W: 85lm/W
CRI	CRI 80/ CRI 90



ARKO SERIES

SEAMLESS LIGHTBAR





Free splicing

It can be spliced according to the required length for easy use

RGB/ RGBTW/ RGBTWIC



Seamless linkable design



Smart control & RF remote control



Optional Types

RGB, RGBTW, RGBIC+CCT

LED Qty.

36LEDs/PCS, 54*3LEDs/PCS

Power

3.6W/PCS, 1.2+1.2+3.6W/PCS, 3*2.5+3.2+3.2W/PCS

Dimensions

301.5mm, 451.5mm(RGBIC+CCT)

Optional Controller

IR control (RGB)

RF control(RGBTW)

Smart Control+Remote Controller(RGBIC+CCT)



N E O N F L E X

DMX512 NEON FLEX

8 × 18 m m | 12 × 20 m m | 20 × 20 m m

Magic RGB effect

Adopt DMX512 IC, with high reliability and practicability

Abundant color mix pattern

With PWM256 gray level control, more than 16 million colors

DMX512

Match all kinds of DMX512 controller sold in market

Dimension

8×18mm, 12×20mm, 20×20mm

IP65 waterproof



Silicon-tube sleeved, bending resistance reliable

Color	RGB, RGBW
LED Type	SMD5050
LED Qty.	70LEDs/m
PCB Width	12mm
Dimension	8×18mm, 12×20mm, 20×20mm
IP Grade	IP65



LED STRIP LIGHT

MOSQUITO-REPELLING & AMBIENCE LIGHTING



RGB & MAGIC effects

SMD5050 external IC LED, multiple color variations, static and dynamic ambient lighting effects

Color	5050RGB+2835WW(590nm)
LED Qty.	RGB: 60LEDs/m+WW: 120LEDs/m
Min. Length	RGB: 50mm/ WW: 8.33mm
Power	5W/m
Beam angle	216°
IP Grade	IP67



R G B I C M A G I C





L E D S T R I P S L I G H T

RGBIC MAGIC

Drop Glue

R G B W | S M D 5 0 5 0 + S M D 2 8 3 5




Color	RGB+NW
LED Type	SMD5050+SMD2835
LED Qty.	36LEDs/m
Rated Watt	3.6W/m+4.3W/m
Min. Length	333.3mm
IP Grade	IP64



RGB MAGIC SERIES External IC

LED STRIP KITS



Color	5050RGB
LED Qty.	30LEDs/m, 60LEDs/m, 72LEDs/m, 84LEDs/m
Voltage	5V, 12V, 24V
Power	6W/m, 8W/m, 10W/m, 13W/m, 15W/m, 20W/m, 25W/m, 30W/m, 35W/m
IP Grade	IP20
Lengths	3m, 5m





FULL COLOR MULTI-CHANNEL

L E D S T R I P K I T S



Controlled by
Smart Life App



Controlled by
Tuya App



Full Color, multi-channels

Excellent rich colors, good mixing effect



Smart control & Remote controller optional

Each channel can be controlled separately, and all LEDs can light up together

Free adjustable

Color adjustable | CCT adjustable | Brightness adjustable | Dynamic modes



Color	5050RGB+2835WW+2835CW
LED Qty.	144LEDs/m
Min.cut	125mm
Power	14.4W/m(optional)
IP Grade	IP20, IP64
Optional controller	RF Remote Controller, APP Control



TV LED **PRO** BACKLIGHT KITS WITH HDMI SYNC BOX

Feeling a sense of immersion



Brightness adjustable



Color adjustable



Scene mode



Musical rhythm



Voice control



APP control



Schedule time



Multiple devices control



Smart control

 works with amazon alexa

 works with Google Assistant

 Controlled by Smart Life App

 Controlled by Tuya Smart

Color	5050RGB
LED Qty.	60LEDs/m
Power supply	36W
Suitable TV Size	75-85 inch
Strip Light Length	5m
IP Grade	IP20



SUITABLE FOR 24-100 INCH TVS



AR COLOR PICKUP

TV LED BACKLIGHT KITS

Feeling a sense of immersion



Suitable for 24-100 inch TVs




5050 RGB



Adjustable pick area

Adjustable length



Remote control & APP control

Remote control

 uLamp APP

 Tuya Smart APP

Color

RGB

Suitable For TV Size

24-100 inch

LED Qty.

30LEDs/m, 60LEDs/m

Power

3W/m

Strip Length

1.5m, 2.5m, 3.5m, 4.5m

Optional Type

Remote control, uLamp APP control, Smart tuya APP control





www.signcomplex.com



Signcomplex VR Panorama