



THE ESSENCE OF THE
LIGHT, NATURE & LIFE

AM

BI

EN


CE

Cave

7 Model
7 Power
P. 58

Lake

12 Model
3 Power
P. 80



Lake



LAKE R10
10W - P089



LAKE R20
20W - P091



LAKE R30
30W - P093



LAKE RS10
10W - P095



LAKE RS20
20W - P096



LAKE RS30
30W - P097



LAKE RT10
10W - P099



LAKE RTS10
10W - P099



LAKE RTW10
10W - P101



LAKE RTWC10
10W - P101



LAKE RW10
10W - P103



LAKE RWC10
10W - P103

Las luces de Lake iluminan como el reflejo del atardecer en las aguas del lago. Una sensación de paz e inmensidad presentada por la naturaleza y las luminarias Lake.

The lights of LAKE illuminate like the reflection of the sunset in the waters of the lake. A sense of peace and vastness presented by nature and LAKE lighting.



Deep anti-glare



Downlights with
extra wide flood
light distribtion



Downlights with
oval flood
light distribtion



Lens wallwashers




Directional luminaires



Precise angle alignment

Self-contained led engine will be open/closed via twist&lock system



Optional fixed reflector avoids visible ceiling aperture



Standard adjustable reflector with 30° tilt and 355° rotation

Advanced ceiling installation



Ceiling thickness
4mm to 25mm

Ceiling thickness
2mm to 25mm



Standard Trim

Trimless installation



Normal IP rating: IP20
Maximum IP rating: IP65

High quality LED **IP65**:
CREE COB CRI>90

Perfect Optical control:
15°, 24°, 38°, 50°

IP20/IP65 protection

Optional accessories:
honey comb / striped glass

UGR<9, cutoff angle >35°, offers
excellent visual confort



Striped Glass
Honey Comb


Reflector Color



Technical White

Chrome

Black






7IA580 10 - 2 1 M 3 - 9011

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IA580	10W	2- ON/OFF 220-240V PF>0,9 3 - 1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,95 <i>(only with JISO driver)</i> D- DALI/PUSH 200-240V PF>0,95	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	A- 15° I- 24° M- 38° W- 50°	2- 2700K 626 lm system 1125 lm source <i>(38°)</i> 3- 3000K 659 lm system 1183 lm source <i>(38°)</i> 4- 4000K 692 lm system 1258 lm source <i>(38°)</i>	9001- Tec. White- Black 9011- Tec. White- Chrome 9090- Tec. White



Accessories not included

	HC580H
	HC580F
Emergency Kit	
	2DCLEDK1
	2DCLEDK2

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time






LAKE R20



71A580 20 - 2 1 M 4 - 9011

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A580	20W	2- ON/OFF 220-240V PF>0,9 4- DALI/PUSH/1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,95 <i>(only with JISO driver)</i>	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	A- 15° I- 24° M- 38° W- 50°	3- 3000K 1487 lm system 2181 lm source 4- 4000K 1552 lm system 2306 lm source	9001- Tec. White- Black 9011- Tec. White- Chrome 9090- Tec. White



Accessories not included

	HC580H
	HC580F
Emergency Kit	
	2DCLEDK1
	2DCLEDK2

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time







LAKE R30



71A580 30 - 2 1 W 4 - 9011

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IA580	30W	 2- ON/OFF 220-240V PF>0,95	1- 5 Years Warranty JISO driver Incl.	A- 15°	3- 3000K 2411 lm system 3053 lm source	 9001- Tec White- Black
		 4- DALI/PUSH/1-10V 220-240V PF>0,95		2- 5 Years Warranty Other driver Incl.	I- 24°	4- 4000K 2532 lm system 3228 lm source
		 5- Trailing Edge 220-240V PF>0,9 <i>(only with JISO driver)</i>	M- 38°		 9090- Tec White	
			W- 50°			



Accessories not included

	HC580H
	HC580F
Emergency Kit	
	2DCLEDK1
	2DCLEDK2

*All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time*







LAKE RS10

7IA585 10 - 2 1 M 3 - 9011

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IA585	10W	2- ON/OFF 220-240V PF>0,9 3 - 1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,95 <i>(only with JISO driver)</i> D- DALI/PUSH 200-240V PF>0,95	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	A- 15° I- 24° M- 38° W- 50°	2- 2700K 626 lm system 1125 lm source <i>(38°)</i> 3- 3000K 659 lm system 1183 lm source <i>(38°)</i> 4- 4000K 692 lm system 1258 lm source <i>(38°)</i>	9001- Tec. White- Black 9011- Tec. White- Chrome 9090- Tec. White



Accessories not included



	HC580H
	HC580F
Emergency Kit	
	2DCLEDK1
	2DCLEDK2

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time





LAKE RS20

$$\begin{array}{cccccccc} 7 & 1 & A & 5 & 8 & 5 & 2 & 0 & - & 2 & 1 & M & 4 & - & 9 & 0 & 1 & 1 \\ \hline & & & & & & 1 & & & 2 & & & & & 3 & 4 & 5 & 6 & & 7 \end{array}$$


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A585	20W	 2- ON/OFF 220-240V PF>0,9  4- DALI/PUSH/1-10V 200-240V PF>0,95  5- Trailing Edge 220-240V PF>0,95 <i>{only with JISO driver}</i>	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	A- 15° I- 24° M- 38° W- 50°	3- 3000K 1478 lm system 2181 lm source 4- 4000K 1552 lm system 2306 lm source	 9001- Tec. White-Black  9011- Tec. White-Chrome  9090- Tec. White



Accessories not included



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



LAKE RS30

$$\frac{71A585}{1} \frac{30}{2} - \frac{2}{3} \frac{1}{4} \frac{M}{5} \frac{4}{6} - \frac{9011}{7}$$



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IA585	30W	 2- ON/OFF 220-240V PF>0,95  4- DALI/PUSH/1-10V 220-240V PF>0,95  5- Trailing Edge 220-240V PF>0,9 (only with JISO driver)	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	A- 15° I- 24° M- 38° W- 50°	3- 3000K 2411 lm system 3053 lm source 4- 4000K 2532 lm system 3228 lm source	 9001- Tec. White-Black  9011- Tec. White-Chrome  9090- Tec. White

Accessories not included



*All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time*





Accessories not included

- HC580H
- HC580F
- Emergency Kit
- 2DCLEDK1
- 2DCLEDK2


LAKE RT10



71A680 10 - 2 1 M 3 - 9011

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A680	10W	2- ON/OFF 220-240V PF>0,9 3 - 1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,95 <i>(only with JISO driver)</i> D- DALI/PUSH 200-240V PF>0,95	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	A- 15° I- 24° M- 38° W- 50°	2- 2700K 626 lm system 1125 lm source <i>[38°]</i> 3- 3000K 659 lm system 1183 lm source <i>[38°]</i> 4- 4000K 692 lm system 1258 lm source <i>[38°]</i>	9001- Tec. White- Black 9011- Tec. White- Chrome 9090- Tec. White




LAKE RTS10



71A685 10 - 2 1 M 3 - 9011

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A685	10W	2- ON/OFF 220-240V PF>0,9 3 - 1-10V 200-240V PF>0,95 5- Trailing Edge 220-240V PF>0,95 <i>(only with JISO driver)</i> D- DALI/PUSH 200-240V PF>0,95	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	A- 15° I- 24° M- 38° W- 50°	2- 2700K 626 lm system 1125 lm source <i>[38°]</i> 3- 3000K 659 lm system 1183 lm source <i>[38°]</i> 4- 4000K 692 lm system 1258 lm source <i>[38°]</i>	9001- Tec. White- Black 9011- Tec. White- Chrome 9090- Tec. White



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time





Accessories not included


Emergency Kit	
	2DCLEDK1
	2DCLEDK2

LAKE RTW10



71A683 10 - 2 1 0 3 - 9090

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A683	10W	 2- ON/OFF 220-240V PF>0,9  3 - 1-10V 200-240V PF>0,95  5- Trailing Edge 220-240V PF>0,95 (only with JISO driver)  D- DALI/PUSH 200-240V PF>0,95	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	0 - Wall Washer	2- 2700K 740 lm system 1125 lm source 3- 3000K 759 lm system 1183 lm source 4- 4000K 797 lm system 1258 lm source	 9090- Tec. White




LAKE RTWC10



71A684 10 - 2 1 0 3 - 9090

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A684	10W	 2- ON/OFF 220-240V PF>0,9  3 - 1-10V 200-240V PF>0,95  5- Trailing Edge 220-240V PF>0,95 (only with JISO driver)  D- DALI/PUSH 200-240V PF>0,95	1- 5 Years Warranty JISO driver Incl. 2- 5 Years Warranty Other driver Incl.	0 - Wall Washer	2- 2700K 740 lm system 1125 lm source 3- 3000K 759 lm system 1183 lm source 4- 4000K 797 lm system 1258 lm source	 9090- Tec. White



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time






LAKE RW10

71A583 10 - 2 1 0 3 - 9090

1 2 3 4 5 6 7



Accessories not included



Emergency Kit	
	2DCLEDK1
	2DCLEDK2



LAKE RWC10

71A584 10 - 2 1 0 3 - 9090

1 2 3 4 5 6 7



Accessories not included

Emergency Kit	
	2DCLEDK1
	2DCLEDK2



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



