



THE ESSENCE OF THE
LIGHT, NATURE & LIFE



JISO
ILUMINACION
SPAIN

More than 20 years
lighting dreams

Since 2001






*For more than 20 years we have been growing and projecting incredible spaces that can only be achieved thanks to the strength and essence of light.
In 2001 we began this adventure and our aim has always been to offer our customers lighting that would make them dream, transforming every room, enriching it with new colours and atmospheres.*

JISO Iluminación lleva más de 20 años creciendo e imaginando espacios increíbles que sólo pueden conseguirse gracias a la fuerza y la esencia de la luz.
En 2001 comenzamos esta aventura, nuestro objetivo era ofrecer a nuestros clientes luminarias que transformasen cada estancia, enriqueciéndola con nuevos colores y ambientes.



We were born in Chiva, near Valencia, and there you can find our main offices, production and logistics centre, and our showroom with our luminaires.

Nuestra sede está ubicada en la población valenciana de Chiva, cerca de Valencia, en ella se encuentran nuestras oficinas principales, centro de producción y logística, y nuestro showroom con nuestros productos.



More than 60 Countries

We are global; we meet the needs of the domestic market, but also the international market. We are present in more than 60 countries, including Portugal, France, the Netherlands, the Czech Republic, Poland, Morocco, Egypt, Lebanon, Oman, Cuba, Sierra Leone, Algeria, Qatar, Kuwait, Saudi Arabia, UAE and Peru.

Muy presentes en el mercado nacional e internacional, estamos presentes en más de 60 países entre ellos Portugal, Francia, Países Bajos, República Checa, Polonia, Marruecos, Egipto, Líbano, Oman, Cuba, Sierra Leona, Argelia, Qatar, Kuwait, Arabia Saudí, UAE o Perú.




Product Control


Our product control and development laboratory carries out testing, verification of manufactured luminaires, development and analysis of new products. In order to ensure that our luminaires meet both our quality standards and the applicable regulations. We are ISO 9001:2015 and ISO 14001:2015 certified.

Nuestro laboratorio de control y desarrollo de producto lleva a cabo tanto ensayos de control y verificación de producto como desarrollo y análisis de nuevos productos, con el fin de que nuestras luminarias cumplan tanto con nuestros estándares de calidad como con la normativa de aplicación. Contamos con los certificados ISO 9001:2015 y 14001:2015.

Cutting-edge products that incorporate the latest improvements in luminous efficiency. We work to ensure that our luminaires offer the best lumen/watt ratio and the best CRI. New designs and new technology allow us to offer luminaires that meet the needs of our customers.

Productos de vanguardia que incorporan las últimas mejoras en eficiencia luminosa. Trabajamos para que nuestras luminarias ofrezcan la mejor relación lumen/watio y el mejor CRI. Los nuevos diseños y las nuevas tecnologías nos permiten ofrecer luminarias que satisfacen las necesidades de nuestros clientes.





In a dynamic and constantly changing world, we work every day to offer different, quality and avant-garde luminaires that adapt to the demands of the market. Luminaires with a high aesthetic level, but also with the latest dimming and control technology.

En un mundo dinámico y en constante cambio, trabajamos cada día para ofrecer luminarias diferentes, de calidad y vanguardistas que se adapten a las exigencias del mercado. Luminarias con un alto nivel estético, pero también con la última tecnología de regulación y control.



Smart Control System

Intelligent lighting is the present and for this reason our luminaires can be controlled and regulated with most or the options available on the market. In a easy way you can adapt the light in each space depending on the need of the moment and create scenes or daily routines.

La iluminación inteligente es el presente y por ello nuestras luminarias pueden ser controladas y reguladas con la mayoría de las opciones disponibles en el mercado. De una forma sencilla se puede adaptar la luz en cada espacio dependiendo de la necesidad del momento y crear escenas o rutinas diarias.

Our exhibitions

We like to know, study, exchange impressions and share experiences. That is why we are present at both national and international trade fairs and events in the sector. To present our luminaires to the world, but also to learn and soak up everything that happens at Light&Building, Euroluce, Light Middle East, Oporto Electrica, Matelec,...

Nos gusta conocer, estudiar, intercambiar impresiones y compartir experiencias. Por eso estamos presentes en ferias y eventos del sector, tanto nacionales como internacionales. Para presentar nuestras luminarias al mundo, pero también para aprender y empaparnos de todo lo que ocurre en Light&Building, Euroluce, Light Middle East, Oporto Electrica, Matelec,...





CAVE. Ambience

With the intensity and majesty in which light reaches a cave, Cave surprisingly penetrates into any stay. Its large size and design evokes the bombast of the nature of this light.



OWL. Dots

Points that glimpse in the dark to the smallest detail, such as the eyes of an owl. Dots with its small and elegant luminaires brings light to any room in your rooms.



HAWK. Dots

Our Hawk model is inspired by the wings of falcons, in its aesthetics, but also in its characteristics. An easily combinable model that allows you to create a multitude of luminaires within a single one.



TURTLE. Tubule

Retractable like the neck of a turtle. Turtle adapts its length to the needs of each client with a simple and elegant design.



LIANA. Pendant

As if it were in the jungle, LIANA adapts to your room, creating a network of intelligent magnetic guides that will run through ceilings and walls to illuminate all kinds of rooms.



OUTDOOR

Like stars in the sky, Outdoor LEDs illuminate any space. Its infinite models will make these luminaires an essential element to shine outdoor lighting.



LAKE. Ambience

The lights of LAKE illuminate like the reflection of the sunset in the waters of the lake. A sense of peace and vastness presented by nature and LAKE lighting.



EAGLE. Dots

The eagle's vision is powerful and capable of focusing any point at a great distance. Eagle takes this wonder of nature to develop luminaires capable of bringing any element into focus in your interiors.



CATERPILLAR. Magnetic

Caterpillar is a magnetic system capable of gripping any surface with the ease of a caterpillar. Its guides will cut through walls and ceilings creating a smart magnetic track that will allow you to easily install spotlights and lights.




SPIDER. Tubule

Fast and smart, these lamps will sweep down walls and ceilings like spider webs to illuminate and personalize all kinds of rooms.





DRAGON. Big

In traditional Chinese culture, the dragon among other things symbolizes power. This imposing luminaire amazes with its simplicity and size, turning each space into a stage full of light and brilliance.



Sacred Buildings. UAE, Turkey & Algeria.
Larsa. Debbas Industries Libano



Offices. Ministry Arabia
Green Light



Hotels. Hilton. The Netherlands
Lueur



Hotels. Golf Vietnam
Cong







Residential. Spain
Dobleese Studio



Hotels. UPB Jordan
Soufan



Hotels. Royal Hotel. UAE
Larsa

Options code
Código opciones


71A585 10 - 21 M 3 - 9011

Column number
Número de columna

LAKE RS10



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A585	10W	2- ON/OFF 220-240V PF-0,9	1- 5 Years Warranty JISO driver Incl.	A- 10°	3- 3000K 657 lm system 1183 lm source (38°)	9001- Tec. White- Black
		3- 1-10V 200-240V PF-0,95	2- 5 Years Warranty Other driver Incl.	1- 24°	4- 4000K 692 lm system 1258 lm source (38°)	9011- Tec. White- Chrome
		5- Trailing Edge 220-240V PF-0,95 (only with JISO driver)		M- 38°		9090- Tec. White
		G- JISO Smart Control (19W) 100-240V PF-0,9		W- 50°		
		D- DALI/PUSH 200-240V PF-0,95				



Accessories not included

- HCS80H
- HCS80F
- Emergency Kit
- 20CLEDK1
- 20CLEDK2

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



Product images
Imágenes de producto

Reference
Referencia

71A585 30 - 2 1 W 4 - 9011

Name
Nombre


LAKE RS30



Options and characteristics
Opciones y características

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
71A585	30W	2- ON/OFF 220-240V PF-0,95	1- 5 Years Warranty JISO driver Incl.	A- 10°	3- 3000K 2529 lm system 3813 lm source	9001- Tec. White- Black
		4- DALI/PUSH/1-10V 220-240V PF-0,95	2- 5 Years Warranty Other driver Incl.	1- 24°	4- 4000K 2666 lm system 3228 lm source	9011- Tec. White- Chrome
		5- Trailing Edge 220-240V PF-0,9 (only with JISO driver)		M- 38°		9090- Tec. White
		C- JISO Smart Control 100-240V PF-0,95		W- 50°		

Technical drawing and
basic dimensions
Dibujo técnico y cotas



Accessories
Accesorios

- HCS80H
- HCS80F
- Emergency Kit
- 20CLEDK1
- 20CLEDK2

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



CEILING

Vela



VELA 18
18W - P239

Canopus



CANOPUS 18
18W - P241

Carina



CARINA 10
10W - P242



CARINA 15
15W - P243



CARINA 20
20W - P245



CARINA 30
30W - P245

PENDANT

Orion



ORION H
7W - P249

Carina



CARINA10
10W - P251



CARINA 15
15W - P251

WALL

Sirius



SIRIUS 09
9W - P254



SIRIUS 10
10W - P255

Versalles



VERSALLES 07
7W - P257

Tivoli



TIVOLI 07
7W - P259

Tucan



TUCAN 09
9W - P261



TUCAN 18
2x9W - P261

Hamal



HAMAL 13
13W - P263

Capella



CAPELLA 10
2x5W - P265

Lupus



LUPUS W10
12W - P267

Orion



ORION W07
7W - P269

STEP WALL

Alpha



ALPHA 04
4W - P273



ALPHA S04
4W - P273



ALPHA S08
8W - P273

Ankaa



ANKAA T03
3W - P275



ANKAA ST03
3W - P275

Beta



BETA 04
4W - P276



BETA S04
4W - P276



BETA 10
10W - P277



BETA S10
10W - P277

SPIKE&FLOODLIGHT

Acrux



ACRUX 04
4W - P281



ACRUX 12
12W - P281

Kaus



KAUS 04
4W - P283



KAUS 06
6W - P283



KAUS 10
10W - P283

UPLIGHT

Upregu



UPREGU 06
6W - P287



UPREGU S06
6W - P287



UPREGU 15
15W - P289



UPREGU 20
20W - P289



UPREGU 30
30W - P289

BOLLARD

Lupus



LUPUS B03
12W - P293

Fornax



FORNAX B06
8W - P295

Corvus



CORVUS B03
8W - P297

Indi



INDI B05
21W - P299



INDI B09
21W - P299



INDI B12
36W - P301



INDI B17
36W - P301

PORTABLE

Orion



ORION M
7W - P305

Rubik











RUBIK
3W - P307



OUTDOOR

OUTDOOR





Vela



VELA 18
18W - P239

Canopus



CANOPUS 18
18W - P241

Carina



CARINA 10
10W - P242



CARINA 15
15W - P243



CARINA 20
20W - P245



CARINA 30
30W - P245

Luminarias de superficie de diseños modernos, disponibles en varios acabados. Perfectos para colocación en techos de zonas de exterior como terrazas, porches, balcones o jardines. Resistencia: IP65.

Modern-design surface luminaires, available in several finishes. Perfect for placing on roofs in outdoor areas such as terraces, porches, balconies or gardens. Resistance: IP65.

OUTDOOR
CEILING





70C201 18 - 2 2 V 3 - TB

1

2

3


4

5

6

7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C201	18W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	V - 120°	3- 3000K 1400 lm system 2106 lm source 4- 4000K 1470 lm system 2106 lm source	TB- Black DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time

IP 65

IK 06

LED SMD

CRI >80

RG1

50.000h L70B10

MAC Adam x3

Chip OSRAM

With CONNECTION BLOCK




CANOPUS 18



70C202 18 - 2 2 V 3 - TB
1 2 3 4 5 6 7



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C202	18W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	V - 120°	3- 3000K 1400 lm system 2106 lm source 4- 4000K 1470 lm system 2106 lm source	TB- Black DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



CARINA 10




100

75



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	10W	 2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 916 lm system 1173 lm source 4- 4000K 962 lm system 1173 lm source	 TB- Black  TW- Technical White

CARINA 15



00

95



70C203 15 - 2 2 D 3 - TW

1	2	3	4	5	6	7
1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	15W	 2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 1221 lm system 1642 lm source 4- 4000K 1287 lm system 1642 lm source	 TB- Black  TW- Technical White



Accessories not included

Pendant accesory



HC70H403-TB

HC70H403-TW

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time







CARINA 20

70C203 20 - 2 2 D 3 - TB

1	2	3	4	5	6	7
1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	20W	 2- ON/OFF 220-240V PF>0,95	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 1800 lm system 2253 lm source 4- 4000K	 TB- Black  TW- Techni White





9



CARINA 30

70C203 30 - 2 2 D 3 - TB

1	2	3	4	5	6	7
1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	30W	 2- ON/OFF 220-240V PF>0,95	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 2700 lm system 3028 lm source 4- 4000K	 TB- Black  TW- Techni White



11

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time





Orion



ORION H
7W - P249

Carina



CARINA 10
10W - P251



CARINA 15
15W - P251

Lámparas de techo de composició de estilo moderno y sorprendetes diseños. Originales e ideales para iluminación en porches de chalets, unifamiliares, cenadores, terrazas de restaurantes, jardines y zonas de exterior. Resistentes al agua (IP65).

Composition ceiling lamps featuring a modern style and unique designs. Original and ideal for lighting on porches of villas, detached houses, gazebos, restaurant terraces, gardens and outdoor areas. Water resistant (IP65).

OUTDOOR
PENDANT






70H402 07 - 2 2 X 3 - TB

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70H402	7W	2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	X- 180º	3- 3000K 515 lm system 756 lm source 4- 4000K 542 lm system 756 lm source	TB- Black

ORION H




All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



CARINA 10

70C203 10 - 2 2 D 3 - TB + HC70H403-TB


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	10W	 2 - ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 916 lm system 1173 lm source 4- 4000K 962 lm system 1173 lm source	 TB- Black  TW- Techni White



CARINA 15

70C203 15 - 2 2 D 3 - TB + HC70H403-TB

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70C203	15W	 2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 1221 lm system 1642 lm source 4- 4000K 1287 lm system 1642 lm source	 TB- Black  TW- Technical White



70C203



HC70H403

*All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time*





Sirius



SIRIUS 09
9W - P254



SIRIUS 10
10W - P255



VERSALLES 07
7W - 257



TIVOLI 07
7W - P259

Tucan



TUCAN 09
9W - P261



TUCAN 18
2x9W - P261



HAMAL 13
13W - P263



CAPELLA 10
2x5W - P265

Lupus



LUPUS W10
12W - P267

Orion



ORION W07
7W - P269

*Apliques de pared para exterior con diseños modernos.
Perfectos para iluminación en porches, terrazas,
jardines así como cualquier estancia de exterior o
zonas de paso. Resistente al agua.*

*Outdoor wall lights with modern designs.
Perfect for lighting on porches, terraces,
gardens as well as any outdoor room or
walkways. Water resistant.*

OUTDOOR
WALL







SIRIUS 09

70W201 09 - 2 2 2 3 - DG

1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W201	9W	 2- ON/OFF 220-240V PF>0,8	2- 5 Years Warranty Other driver Incl.	Up&Down 2- 0-100°	3- 3000K 495 lm system 920 lm source 4- 4000K 520 lm system 966 lm source	 DG- Dark Grey



SIRIUS 10

$$\begin{array}{ccccccc} 70W201 & 10 & - & 2 & 2 & Q & 3 & - & DG \\ \hline & 1 & & 2 & 3 & 4 & 5 & 6 & 7 \end{array}$$

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W201	10W	 2- ON/OFF 220-240V PF>0,8	2- 5 Years Warranty Other driver Incl.	Q- 80°	3- 3000K 706 lm system 1050 lm source 4- 4000K 742 lm system 1125 lm source	 DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time







VERSALLES 07

70W227 07 - 2 2 3 3 - TB

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W227	7W	 2- ON/OFF 220-240V PF:0,5	2- 5 Years Warranty Other driver Incl.	Up&Down 3- 0-120°	3- 3000K 418 lm system 840 lm source 4- 4000K 440 lm system 840 lm source	 TB- Black  BR- Corten  TW- Technic White



100x100



*All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time*






TIVOLI 07

70W229 07 - 2 2 3 3 - TW
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W229	7W	 2- ON/OFF 220-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	Up&Down 3- 0-120°	3- 3000K 418 lm system 840 lm source 4- 4000K 440 lm system 840 lm source	 TB- Black  BR- Corten  TW- Techni White



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time







TUCAN 09

70W203 09 - 2 2 N 3 - DG



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W203	9W	 2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	N- 45°	3- 3000K 573 lm system 1089 lm source 4- 4000K 601 lm system 1089 lm source	 DG- Dark Grey



TUCAN 18


70W203 18 - 2 2 N 3 - DG

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W203	2x9W	 2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Up&Down N- 2x45°	3- 3000K 1243 lm system 2178 lm source 4- 4000K 1305 lm system 2178 lm source	 DG- Dark Grey



*All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time*





70W204

13

-

2

2

S

3

-

DG

1

2

3

4

5

6

7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W204	13W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Up&Down S -100º	3- 3000K 800 lm system 4- 4000K	TB- Black DG- Dark Grey

ALUM

PC

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time


With
CONNECTION
BLOCK



CAPELLA 10


$$\begin{array}{ccccccc} 70 & W & 205 & 10 & - & 2 & 2 & 3 & - & D & G \\ \hline & & 1 & & & 2 & & 3 & 4 & 5 & 6 & 7 \end{array}$$

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W205	10W	 2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Up&Down R - 90°	3- 3000K 700 lm system 4- 4000K	 TB- Black  DG- Dark Grey




All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



70W207 10 - 2 2 N 3 - TB

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W207	12W	 2 - ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	N- 45°	3 - 3000K 547 lm system 975 lm source 4 - 4000K 576 lm system 1024 lm source	 TB- Black






ORION W07


70W208 07 - 2 2 X 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W208	7W	 2 - ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	X- 180°	3 - 3000K 515 lm system 756 lm source 4 - 4000K 542 lm system 756 lm source	 TB- Black



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time





Alfa



ALPHA 04
4W - P273



ALPHA S04
4W - P273



ALPHA S08
8W - P273

Ankaa



ANKAA 03
3W - P275



ANKAA S03
3W - P275

Beta



BETA 04
4W - P276



BETA S04
4W - P276



BETA 10
10W - P277



BETA S10
10W - P277

*Empotrables de pared para exterior realizado en aluminio
inyectado gris oscuro. Perfectos para iluminar zonas
de paso, pasillos o escaleras en terrazas y jardines.
Mínimo consumo y estilo moderno. Protección contra
el agua (IP65).*

*Wall recessed luminaires for outdoor use made
of dark grey die-cast aluminium. Perfect
for illuminating passageways, corridors or
stairs in terraces and gardens. Minimum
consumption and modern style. Protection
against water (IP65).*

OUTDOOR
STEP WALL






ALPHA 04

70W501 04 - 2 2 P 3 - DG

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W501	4W	 2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 170 lm system 584 lm source 4- 4000K 179 lm system 584 lm source	 DG- Dark Grey




ALPHA S04

70W502 04 - 2 2 P 3 - DG

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W502	4W	 2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	P- 70°	3- 3000K 223 lm system 584 lm source 4- 4000K 235 lm system 584 lm source	 DG- Dark Grey




ALPHA S08

70W503 08 - 2 2 P 3 - DG

1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W503	8W	 2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 328 lm system 1168 lm source 4- 4000K 344 lm system 1168 lm source	 DG- Dark Grey




All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W507	3W	 2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	S - 100°	3- 3000K 90 lm system 450 lm source 4- 4000K 95 lm system 450 lm source	 DG- Dark Grey



1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W508	3W	 2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	S - 100°	3- 3000K 100 lm system 450 lm source 4- 4000K 105 lm system 450 lm source	 08- Dark Grey










 IP 65 IK 06 LED COB CRI >80 R90 36.000h L70B10 MAC Adam v3 Chip CREE Without CONNECTION BLOCK

BETA 04

70W240 04 - 2 2 0 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W240	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	0 - 55°	3- 3000K 134 lm system 572 lm source 4- 4000K 141 lm system 572 lm source	DG- Dark Grey



BETA 10

70W240 10 - 2 2 P 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W240	10W	2- ON/OFF 220-240V PF>0,55	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 530 lm system 1430 lm source 4- 4000K 557 lm system 1430 lm source	DG- Dark Grey



BETA S04

70W241 04 - 2 2 P 3 - DG
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W241	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	P - 65°	3- 3000K 177 lm system 572 lm source 4- 4000K 185 lm system 572 lm source	DG- Dark Grey



BETA S10

70W241 10 - 2 2 P 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70W241	10W	2- ON/OFF 220-240V PF>0,55	2- 5 Years Warranty Other driver Incl.	P- 65°	3- 3000K 530 lm system 1430 lm source 4- 4000K 557 lm system 1430 lm source	DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time





Acrux



ACRUX 04
4W - P281



ACRUX 12
12W - P281

Kaus



KAUS 04
4W - P283



KAUS 06
6W - P283



KAUS 10
10W - P283

Aplique con y sin piqueta para exterior. Diseños modernos que podemos colocar como apliques de pared o como piquetas. Ideales para terrazas, jardines, así como cualquier estancia o zona de paso en ambientes de exterior. Resistencia: IP65.

Outdoor wall light with and without spike. Modern designs that can be placed as wall lights or as spike lights. Ideal for terraces, gardens, as well as any outdoor area or walkway. Resistance: IP65.



70S103 04 - 2 2 | 3 - TB

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70S103	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	1 - 24°	3- 3000K 271 lm system 385 lm source 4- 4000K 271 lm system 385 lm source	TB- Black DG- Dark Grey

ACRUX 04

70S103 12 - 2 2 | 3 - TB

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70S103	12W	2- ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	1 - 24°	3- 3000K 752 lm system 1223 lm source 4- 4000K 752 lm system 1223 lm source	TB- Black DG- Dark Grey

ACRUX 12

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time

IP 65

IK 06

LED

CRI >80

RG1

36.000h L70B10

MAC Adam <3

Chip CREE

Without CONNECTION BLOCK



KAUS 04

70F203 04 - 2 2 D 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70F203	4W	2- ON/OFF 100-240V PF>0,4	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 225 lm system 457 lm source 4- 4000K 236 lm system 490 lm source	DG- Dark Grey



KAUS 06

70F203 06 - 2 2 D 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70F203	6W	2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	D- 40°	3- 3000K 353 lm system 686 lm source 4- 4000K 370 lm system 734 lm source	DG- Dark Grey



KAUS 10

70F203 10 - 2 2 G 3 - DG
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70F203	10W	2- ON/OFF 220-240V PF>0,8	2- 5 Years Warranty Other driver Incl.	G- 20°	3- 3000K 671 lm system 1080 lm source 4- 4000K 705 lm system 1170 lm source	DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time





Upregu



UPREGU 06
6W - P287



UPREGU S06
6W - P287



UPREGU 15
15W - P289



UPREGU 20
20W - P289



UPREGU 30
30W - P289

Empotrables para señalización exterior. Con alta resistencia a golpes y luz LED de mínimo consumo. Resistente al agua (IP67). Perfecto para iluminar jardines, terrazas o zonas de descanso junto a piscinas.

Recessed luminaires for outdoor signage. With high resistance to impact and LED light with minimum consumption. Waterproof (IP67). Perfect for illuminating gardens, terraces or rest areas next to swimming pools.

OUTDOOR
UPLIGHTS





UPREGU 06

70U501 06 - 2 2 B 3 - SS

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	6W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15° B- 25°	3- 3000K 229 lm system 427 lm source 4- 4000K 240 lm system 447 lm source	SS- Stainless Steel

UPREGU S06

70U511 06 - 2 2 B 3 - SS

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U511	6W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15° B- 25°	3- 3000K 229 lm system 427 lm source 4- 4000K 240 lm system 447 lm source	SS- Stainless Steel

Die Casting aluminium alloy,
clear tempered glass, 316
stainless steel

Inground directional light, tiltable
optica +-15°, with very narrow
beam light distribution, 12°
beam angle

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time




Die Casting aluminium alloy,
clear tempered glass, 316
stainless steel

Inground directional light, tiltable
optica +-15°, with very narrow
beam light distribution, 12°
beam angle

UPREGU 15

70U501 15 - 2 2 A 3 - SS


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	15W	 2 - ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15°	3 - 3000K 912 lm system 1105 lm source 4 - 4000K 958 lm system 1141 lm source	 SS- Stainless Steel



UPREGU 20

70U501 20 - 2 2 A 3 - SS


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	20W	 2 - ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15°	3 - 3000K 1003 lm system 1750 lm source 4 - 4000K 1053 lm system 1850 lm source	 SS- Stainless Steel



UPREGU 30

70U501 30 - 2 2 A 3 - SS

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70U501	30W	 2 - ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	A- 15°	3 - 3000K 1779 lm system 2209 lm source 4 - 4000K 1868 lm system 2307 lm source	 SS- Stainless Steel



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time





Lupus



LUPUS B03
12W - P293

Fornax



FORNAX B06
8W - P295

Corvus



CORVUS B03
8W - P297

Indi



INDI B05
21W - P299



INDI B09
21W - P299



INDI B12
36W - P301



INDI B17
36W - P301

Balizas de exterior diseñadas con líneas estilizadas y modernas. Balizas de diferentes tamaños, compactas fabricada en aluminio y policarbonato. Adecuadas para iluminar zonas de paso en ambientes de exterior como jardines, zonas comunes, hoteles etc. Resistentes al agua.


Outdoor beacons designed with stylised and modern lines. Compact beacons of different sizes made of aluminium and polycarbonate. Suitable for lighting outdoor passage areas such as gardens, common areas, hotels etc. Water resistant.



LUPUS B03

70B211 10 - 2 2 Y 3 - TB
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B211	12W	 2- ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	Y - 330°	3- 3000K 528 lm system 975 lm source 4- 4000K 554 lm system 1024 lm source	 TB- Black



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time






FORNAX B06

70B201 08 - 2 2 0 3 - DG

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B201	8W	2- ON/OFF 220-240V PF>0,5	2- 5 Years Warranty Other driver Incl.	0 - 55°	3- 3000K 320 lm system 4- 4000K	DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time






CORVUS B03

70B203 08 - 2 2 U 3 - DG

1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B203	8W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	U - 155°	3- 3000K 450 lm system 4- 4000K	DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time






INDI B05

70B212 25 - 2 2 Z 3 - DG


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B212	21W	2- ON/OFF 100-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Z - 360º	3- 3000K 1065 lm system 2041 lm source 4- 4000K 1118 lm system 2155 lm source	TB- Black DG- Dark Grey



INDI B09

70B213 25 - 2 2 Z 3 - DG

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B213	21W	2- ON/OFF 100-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	Z - 360º	3- 3000K 1065 lm system 2041 lm source 4- 4000K 1118 lm system 2155 lm source	TB- Black DG- Dark Grey



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



70B214 36 - 2 2 Z 3 - DG

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B214	36W	2- ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	Z- 360º	3- 3000K 2317 lm system 3499 lm source 4- 4000K 2433 lm system 3694lm source	TB- Black DG- Dark Grey

INDI B12

70B215 36 - 2 2 Z 3 - DG

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
70B215	36W	2- ON/OFF 100-240V PF>0,7	2- 5 Years Warranty Other driver Incl.	Z - 360º	3- 3000K 2317 lm system 3499 lm source 4- 4000K 2433 lm system 3694 lm source	TB- Black DG- Dark Grey

INDI B17



Orion



ORION M
7W - P305

Rubik




RUBIK
3W - P307

Lámpara portátil para exterior. Estilo moderno para colocar en el suelo, útil tanto para la iluminación como para decoración. Disponible en varios diseños, perfecta para iluminación ambiental en terrazas, jardines o mesas de exterior para dar un toque chill out al ambiente. Ideal para particulares, restaurantes, hoteles o pubs que quieran dar una iluminación diferente por las noches. IP 65.

Portable outdoor lamp. Modern style to place on the floor, useful for both lighting and decoration. Available in various designs, perfect for ambient lighting on terraces, gardens or outdoor tables to create a relaxing "chill-out" vibe. Ideal for private use, restaurants, hotels or pubs where a different type of night-time lighting is sought. IP 65.

OUTDOOR
PORTABLE





305 // jisoiluminacion.com **JISO**
ILUMINACION
SPAIN




RUBIK

70MS01 03 - 2 2 - TW

1 2 3 4 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	7 - Color
70MS01	3- 3W-RGBW	2- ON/OFF	2- 5 Years Warranty Other driver Incl.	 TW- Technical White



Cable for coupling to charger included



All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time



	Do not eliminate with the domestic wastes.	No eliminar con los residuos domésticos.
	Empresa adherida a ECOEMBES.	Company adhered to ECOEMBES.
	Compliance with directive 2002/95/CE. Restriction of Hazardous Substances in electrical and electronic equipment.	Cumplimiento directiva 2002/95/CE de Restricción de ciertas Sustancias Peligrosas en aparatos eléctricos y electrónicos.
	Indicates the compliance with the low voltaje and electromagnetic compatibility.	Indica el cumplimiento de acuerdo con las directivas de baja tensión compatibilidad electromagnética.
	Light should never be covered with any heat insulating material.	Luminarias no adecuadas para cubrirse con material aislante.
	Recessed assembly. Light to be installed on NOT combustible/inflammable surfaces only. EN 60598-1: 2008.	Montaje empotrado. Luminaria prevista únicamente para instalarse en superficies NO combustibles/inflamables. EN 60598-1: 2008.
	Surface assembly. Light to be installed on NOT combustible/inflammable surfaces only. EN 60598-1: 2008.	Montaje superficial. Luminaria prevista únicamente para instalarse en superficies NO combustibles/inflamables. EN 60598-1: 2008.
	Class II Protection. Double insulation.	Protección Clase II. Doble aislamiento
	Class I Protection. Earth plug.	Protección Clase I. Toma-tierra
	Class III Protection. Low safety voltage.	Protección Clase III. Baja tensión segur.
	Rotation angle.	Ángulo de rotación, sobre eje central.
	Swivelling angle, over central main point.	Ángulo de basculación, sobre eje central.
	Interior angle of Swivel, over central main point.	Ángulo de basculación interior sobre eje central.
	Duration of the warranty. Consult terms and conditions.	Duración de la garantía. Consultar terminos y condiciones.
	Luminaire lifetime in normal conditions.	Vida útil de la luminaria funcionando en condiciones normales.
	Color rendering index.	Índice de reproducción cromática.
	Protection index against liquid and solid particles in the external face of the luminaire.	Indice de protección contra humedad y partículas externas en la parte externa de la luminaria.
	Luminaire with UGR values below XX within the UGR table according to CIE 117.	Luminaria con valores UGR por debajo de XX dentro de la tabla UGR según CIE 117.
	Luminaire to be used outdoor.	Luminaria apta para uso en exteriores.
	Luminaire to be used indoor.	Luminaria apta para uso en interiores.
	Packing.	Capacidad por embalaje.
	Recess in mm.	Corte de empotramiento en mm.

XX	Height mm.	Medida alto en mm.
XX	Width mm.	Medida ancho en mm.
R61	Risk Group X according to EN 62471	Grupo de Riesgo X según EN 62471
EER	Products with this icon have EER - Energy efficiency report.	Los productos con este icono tienen EER - Informe de eficiencia energética.
CB	Products with this icon have CB Test Certificate and CB Test Report.	Los productos con este icono tienen certificado de prueba CB e informe de prueba CB.
	Equipment not included	Equipamiento no incluido
ALUM	Structure material	Material luminaria
PC	Diffuser material	Material difusor
DIE C	Optical material	Material de la óptica
MAC Adam x3	MacAdam	MacAdam
IK 06	Degree of resistance of the light source against mechanical impact or accidents	Grado de resistencia de la fuente de luz contra impactos mecánicos o accidentes
LED SMD	Type LED	Tipo de LED
Chip OSRAM	Brand Chip	Marcha Chip
48V	Works 48VDC	Funciona a 48VDC
	Installation typ	Tipo de instalación
	Driver on/off	Driver on/off
	Driver Dimmable	Driver dimmable
NOTE	All references highlighted in bold are available, the rest consult minimum of quantity and delivery time	Todas las referencias en negrita están disponibles, el resto consultar pedido mínimo y plazo de entrega

ALUM	Aluminium	Aluminio
GLASS	Glass	Cristal
PC	Polycarbonate	Policarbonato
PMMA	Polymethylmethacrylate	Polimetilmetacrilato
ST	Steel	Acero
GLASS T	Tempered glass	Cristal Templado
SS316	Stainless steel 316	Acero Inoxidable 316
SILIC	Silicone	Silicona
PLAS	Plastic	Plastico

General Conditions

All orders sent to JISO ILUMINACION, S.L. are bound to the general sales conditions issued by the exporter, which will be accepted by the customer from the issue of his order.

The goods are exclusive property of JISO ILUMINACION, S.L., until the full payment of the invoice amount even if the goods have been sold to a third part.

All the goods supplied by JISO ILUMINACION, S.L. will be sent with incoterm “EXW” and at the customer’s account and risk. Any other transport conditions will have to be previously agreed by both parts. The possible claims for damages, missing goods, etc. will have to be done during the next 24 hours from the receipt of the goods and duly written on the delivery note of the transport company.

The sales are expressly under the legislation of the Convention for the International Sale of Goods of the UN (Vienna 1980) In case of dispute the parties shall go to the Arbitration Court of the Valencian Chamber of Commerce (Valencia-Spain).

For online distribution and sales of Jiso Iluminación products, you must require the authorisation of the Company. Otherwise, the Company reserves reserves the rate to take any legal or commercial action.

Condiciones Generales

Todos los pedidos deberán ser formulados a JISO ILUMINACIÓN, S.L. por escrito vía fax o e-mail, quedando aceptadas por el comprador las condiciones descritas a continuación.

La mercancía suministrada por la empresa, será propiedad de JISO ILUMINACIÓN, S.L. hasta el momento de pago, aunque dicha mercancía hubiese sido vendida a un tercero.

Los plazos de entrega son aproximados y sin compromiso, JISO ILUMINACION, S.L. no admitirá demandas por daños y perjuicios por la demora en la entrega.

El destinatario tiene la obligación de examinar la mercancía a su recepción y hacer constar las incidencias, si las hubiese, dentro del plazo de 24 horas, a JISO ILUMINACION, S.L., si el envío fue a portes pagados o bien a su agencia de transporte si fue a portes debidos.

En caso de discrepancia entre el comprador y JISO ILUMINACION, S.L., ambas partes se someterán expresamente a los Juzgados y Tribunales de Valencia.

Para la distribución y venta online de productos Jiso Iluminación, se precisa la autorización de la empresa. En caso contrario, la empresa se reserva el derecho de realizar cualquier acción legal y/o comercial.

General Information

All items meet the E.C. safety regulations. We reserve the right to cancel or change all models without prior notice. The descriptions and dimensions of the items in this catalogue are indicative and may be modified for the purpose of technical or design improvements. Do not use stronger bulbs than recommended, and always clean lamps with a soft dry cloth alone since metal polish will damage the protection. The finishes and technical specifications listed here are for the European market and may vary elsewhere. The necessary transformer or switchgear is not included with the luminaries, unless it has been requested and supplied with the luminary. The luminary will not be subject to the “Electromagnetic Compatibility (EMC) directive) and ultimate responsibility as regards compliance lies with the fitter.

All references highlighted in **bold** are available, the rest consult minimum of quantity and delivery time.

Información General

Todos los modelos presentados en este catálogo, cumplen las normas exigidas por la C.E. para aparatos de iluminación. La empresa se reserva el derecho de anular o modificar cualquier modelo sin previo aviso. Las descripciones y medidas de las luminarias y accesorios del presente catálogo son orientativas, pudiendo ser modificadas a fin de mejorar las características técnicas o de diseño. Para una buena conservación de las luminarias, no usar bombillas de potencia superior a las recomendadas y limpiar simplemente con un paño seco. No usar limpia metales, ya que pueden dañar la protección que garantiza la duración del acabado. Los acabados y especificaciones técnicas corresponden a los productos que se suministran en Europa, pudiendo éstos variar en otros mercados. En las luminarias en las que no se incluye el transformador o equipo de funcionamiento necesario, si éste no se solicita y suministra junto con la luminaria, ésta no estará sometida a la “Directiva de Compatibilidad Electromagnética (EMC)” y la responsabilidad final en cuanto a su cumplimiento recae en el instalador.

Todas las referencias en **negrita** están disponibles, el resto consultar pedido mínimo y plazo de entrega.

Acknowledgements (project images): Dobleese Estudio, German Cabo, Larsa, Anton van Daal (the electrician HOMIJ technische Installaties and lightdesigner Lueur B.V)

Family	Model	Reference	Page
Spike&Floodlight	ACRUX 03	70S10303	281
	ACRUX 12	70S10312	281
Step Wall	ALPHA 04	70W50104	273
	ALPHA S04	70W50204	273
	ALPHA S08	70W50308	273
	ANKAA T03	70W50703	275
	ANKAA ST03	70W50803	275
Magnetic	AXEL 05	71M70105	169
	AXEL 10	71M70110	169
Step Wall	BETA 04	70W24004	276
	BETA S04	70W24104	276
	BETA 10	70W24010	277
	BETA S10	70W24110	277
Ceiling	CANOPUS 18	70C20218	241
Wall	CAPELLA 10	70W20510	265
Ceiling	CARINA 10	70C20310	242
	CARINA 15	70C20315	243
	CARINA 20	70C20320	245
	CARINA 30	70C20330	245
Pendant	CARINA 10	70C20310+HC70H403	251
	CARINA 15	70C20315+HC70H403	251
Ambience	CAVE 03	71A53603	69
	CAVE 05	71A53605	69
	CAVE 10	71A53607	71
	CAVE 10	71A53610	71
	CAVE 15	71A53615	73
	CAVE 22	71A53622	75
	CAVE 22	71A53633	75
	CAVE 30	71A53630	77
	CAVE RW10	71A53810	79
Magnetic	CONNI 04	71M70904	175
Pendant	CONNI P04	71L40204	221
Bollard	CORVUS B03	70B20308	297
Magnetic	CYLIN 05	71M70605	173
	CYLIN 10	71M70610	173
Big	DRAGON L	71B40108	229
	DRAGON XL	71B40126	231
	DRAGON XXL	71B40156	231
Pendant	DUPPI P10	71L40110	219
Dots	EAGLE R2L	71D50106	119
	EAGLE R5L	71D50110	121
	EAGLE RT5L	71D60110	127
	EAGLE S5L	71D20110	125
	EAGLE R10L	71D50120	121
	EAGLE RT10L	71D60120	127
	EAGLE S10L	71D20120	125
	EAGLE R15L	71D50130	123
Bollard	FORNAX B06	70B20108	295
Wall	HAMAL 13	70W20413	263
Dots	HAWK R06	71D52506	133
	HAWK R12	71D52512	133
	HAWK S12	71D22512	148
	HAWK R18	71D52518	135
	HAWK S18	71D22518	149
	HAWK R24	71D52524	135
	HAWK S24	71D22524	149
	+DIRECTIONAL	HC71D528	145
	+DOT	HC71D529	147
	+HONEY	HC71D526	141
	+OPAL	HC71D527	143
Bollard	INDI B05	70W21225	299
	INDI B09	70W21325	299
	INDI B12	70W21436	301
	INDI B17	70W21536	301
Spike&Floodlight	KAUS 04	70F20304	283
	KAUS 06	70F20306	283
	KAUS 10	70F20310	283

Family	Model	Reference	Page
Ambience	LAKE R10	71A58010	89
	LAKE RS10	71A58510	95
	LAKE RT10	71A68010	99
	LAKE RTS10	71A68510	99
	LAKE RTW10	71A68310	101
	LAKE RTWC10	71A68410	101
	LAKE RW10	71A58310	102
	LAKE RWC10	71A58410	103
	LAKE R20	71A58020	91
	LAKE RS20	71A58520	96
	LAKE R30	71A58030	93
	LAKE RS30	71A58530	97
Magnetic	LINEDOT 12	71M70412	169
	LINEDOT 20	71M70420	169
	LINEDOT 30	71M70426	169
Wall	LUPUS W10	70W20710	267
Bollard	LUPUS B03	70B21110	293
Magnetic	MAGDOT 15	71M70715	167
	MILKY 12	71M70312	171
	MILKY 20	71M70320	171
	MILKY 30	71M70330	171
	MOON 10	71M71110	159
	MOON 10P	71M71010	175
Wall	ORION W07	70W20807	269
Pendant	ORION H	70H40207	249
Portable	ORION M	70M20107	305
Dots	OWL R2L	71D51210	111
	OWL R4L	71D51212	113
	OWL R5L	71D51220	113
Magnetic	PENMAG 10	71M20210	176
	PENMAG 15	71M20215	176
	PENMAG 20	71M20220	176
Portable	RUBIK	70M50103	307
Wall	SIRIUS 09	70W20109	254
	SIRIUS 10	70W20110	255
Tubule	SLATE 05	71E50105	187
	SLATE 10	71E50110	187
	SLATE RD07	71E50207	191
	SLATE RS07	71E50307	195
	SLATE RTS07	71E60307	195
	SLATE RS14	71E50414	198
	SLATE RTS14	71E60414	198
	SLATE S10	71E20110	201
	SLATE S20	71E20120	201
	SPIDER P07	71E20207	211
	SPIDER P25	71E20225	213
Magnetic	SPIDER P35	71E20235	213
	SURMAG 10	71M20110	176
	SURMAG 15	71M20115	176
	SURMAG 20	71M20120	176
	TEKNO 07	71M70207	163
	TEKNO 14	71M70214	163
	TEKNO 20	71M70220	165
Wall	TIVOLI 07	70W22907	259
Magnetic	TRIMAG 10	71M60110	176
	TRIMAG 15	71M60115	176
	TRIMAG 20	71M60120	176
Wall	TUCAN 09	70W20309	261
	TUCAN 18	70W20318	261
Tubule	TURTLE P07	71E40107	205
	TURTLE P25	71E40125	207
Underground	UPREGU 06	70U50106	287
	UPREGU S06	70U50116	287
	UPREGU 15	70U50115	289
	UPREGU 20	70U50120	289
	UPREGU 30	70U50130	289
Ceiling	VELA 18	70C20118	239
Wall	VERSALLES 07	70W20207	257

JISO ILUMINACIÓN, S.L.

C/ Fuente Corachán, nº 223 (P.I. La Pahlilla)
Apartado de Correos 116. 46370 Chiva (Valencia – Spain)
www.jisoiluminacion.com

☎ 0034 962 523 061

✉ export@jisoiluminacion.com



