


knikerboker
the art of hand made



“The Book”
ITALIAN LIGHTING SCULPTURES

“The Book”

ITALIAN LIGHTING SCULPTURES

Da una piccola attività artigianale, l’azienda ha acquisito col tempo visibilità e credibilità in campo nazionale e soprattutto internazionale, portando i prodotti ad essere conosciuti, apprezzati e venduti in tutto il mondo.

L’obiettivo di Knikerboker è poter soddisfare ogni esigenza del cliente mantenendo sempre alto il livello di qualità e la sua caratteristica principale di “absolutely Hand Made”.

From a small handicraft activity, the company eventually acquired visibility and credibility nationally and mostly internationally, bringing the products to be known, valued and sold in all the world. Knikerboker’s purpose is to be able to satisfy every client's need maintaining the quality level always high and its principal feature of “absolutely Hand Made”.

Als flexible kleine Manufaktur hat das Unternehmen im Laufe der Zeit Visibilität und Glaubwürdigkeit im nationalen aber vor allem im internationalen Markt erlangt. Das hat dazu beigetragen, dass die Produkte weltweit bekannt, geschätzt und verkauft werden.

Das Ziel von Knikerboker ist jede Anforderung der Kunden zu erfüllen. Hierbei ist es wichtig die Produktqualität und ihre wichtigste Eigenschaft “Absolutely Hand Made” beizubehalten.



Thanks to:

GRAPHIC DESIGN • Giuseppe Ranica - bepperanica@gmail.com - PRINT • CPZ
FINITO DI STAMPARE • Giugno 2023

index

- pag.4 PARACHUTE
pag.10 CHAPEAU
pag.22 POIS
pag.28 LE GIGINE
pag.46 GI•GI
pag.54 CURVE
pag.70 CHIAVE DI SOL
pag.74 DOPPIOZERO
pag.84 BUCHI ZERO
pag.88 PAPERÀ
pag.94 DO NOT DISTURB
pag.106 BEVICI SU!
pag.110 ZETA
pag.114 SCHEGGÈ
pag.122 VIENI GIU'!
pag.128 SEI FUORII
pag.134 CRASH
pag.172 STRISCIA
pag.174 A TEMPO PERSO
pag.192 NON SO!
pag.206 BUCHI
pag.230 BUCOLA
pag.238 HUE'
pag.258 HUE' LED
pag.260 STENDIMI
pag.268 DES•AGN
pag.286 STE.VEN
pag.288 SPIRALE
pag.294 ECLIPTIKA
pag.304 GRAN CONFUSIONE
pag.306 CONFUSIONE
pag.322 SOLARIA
pag.324 WORK IN PROGRESS



PARACHUTE

L'eleganza e la raffinatezza della trama metallica si incontrano con l'intimità della luce calda, e dall'estro dell'hand-made italiano nasce la collezione Parachute, la nuova lampada da sospensione, connubio di illuminazione tra trama e ordito. L'intreccio di fili in ottone e in rame, combinati ad una fonte luminosa dall'aspetto retrò, creano un effetto iridescente e cangiante, dando vita a questo un tessuto lievemente stropicciato che sembra fluttuare con grazia aerodinamica in uno spazio ricco di sfumature di colore.

The elegance and refinement of metal texture meet the intimacy of warm light, and from the flair of Italian hand-made work Parachute collection borns, the new pendant lamp, a lighting combination of warp and weft. The twist of brass and copper threads, combined with a retro-looking light source, create an iridescent and changing effect, giving life to this slightly wrinkled fabric that seems to float with aerodynamic grace in a space full of colour nuances.

PARACHUTE

Suspension lamp
in brass and copper interlaced wire meshes
cm 110X60X120

2 polished brass rods cm 110


Steel base
Ø cm 7,5X3,5

4 steel cables cm 200
2 Silicon cables cm 200

Weight Kg 1,4

2 E14 LED
6W 220V included
1612 Lm emitted = 120W
2700°K - CRI>85

100/110





PETITE PARACHUTE

Suspension lamp
in brass and copper interlaced wire meshes
cm 65X40X60


2 polished brass rods cm 65

Steel base
Ø cm 7,5X3,5

4 steel cables cm 200
2 Silicon cables cm 200

Weight Kg 0,8

2 E14 LED
6W 220V included
1612 Lm emitted = 120W
2700°K - CRI>85









CHAPEAU !

Esistono mille modi di portare un cappello, è un accessorio che a seconda della forma, colore e posizione in cui lo si indossa dona personalità e un tocco di fascino.

Ripercorrendo la strada che unisce moda, design e illuminazione, la lampada da parete Chapeau prende ispirazione dalla versatilità di questo capo: un disco a led proietta la luce verso un foglio di lamiera piegato e rifinito da mani esperte con preziose finiture. L'artigianalità rende questo oggetto unico e personalizzato, ricavando dall'inclinazione della piegatura infiniti giochi di luce ed ombra, arricchendo la stanza in cui si trova proprio come un copricapo stravolge in maniera sempre diversa il look di chi lo porta.

Et voilà: ecco che calza alla perfezione!

There are a thousand ways to wear a hat; it is an accessory that, depending on the shape, colour and position in which it is worn, gives personality and a touch of charm.

Going down the road that connects fashion, design and lighting, Chapeau wall lamp takes its inspiration from the versatility of this garment: a led disc projects light onto a sheet metal folded and finished by expert hands with precious finishes. The craftsmanship makes this object unique and customised, obtaining from the inclination of the folding infinite plays of light and shadow, enriching the room in which it is placed just as a cap always changes the look of the wearer.

Et voilà: it fits perfectly!



CHAPEAU !


Wall/ceiling lamp
in anodized aluminium
cm 40X29X21

Spread cm 29

Weight Kg 0,9

1 led COB
16W - 350mA
2100 Lm emitted
3000°K - CRI 85
Phase cut dimmable
power supply included

2700°K on request










CHAI





EAU



CHAPEAU ! tavolo

CHAPEAU ! tavolo


Table lamp
in anodized aluminium
cm 40X31X21

Steel base cm 11,5X3,5

Weight Kg 1,2

1 led COB
16W - 350mA
2100 Lm emitted
3000°K - CRI 85
Dimmable power adapter
included

2700°K on request



CHAPEAU! terra

Floor lamp
in painted steel
cm 35X40X180

Steel base Ø cm 35X1


Weight kg 9

1 led COB
10W - max 350mA
2900 Lm emitted
3000°K - CRI>85
Electronic floor dimmer

2700°K on request









POIS



Dall'aspetto minimalista e moderno,
Pois è un piccolo punto contrapposto per finitura e dimensione
al disco di alluminio al quale è ancorato.
Un grande classico della moda, sfruttato dagli stilisti perché in grado
di cambiare le sorti di un capo d'abbigliamento,
allo stesso modo questa nuova lampada si adatta all'ambiente in cui
è inserita, arredando e donando ad ogni stanza originalità e
un tocco pop!

With its minimalist and modern appearance,
Pois is a small dot contrasting in finish and size with the aluminium
disc to which it is anchored.
A great fashion classic, exploited by fashion designers because
it can change the fate of a garment,
in the same way this new lamp adapts to the environment in
which it is placed,
furnishing and giving every room originality and a touch of pop!









POIS

Wall/ceiling lamp
in polished iron
 \varnothing cm 25X15

Spread cm 15

Weight Kg 1

1 led COB
16W - 350mA
2100 Lm emitted
3000°K - CRI 85
Phase cut dimmable
power supply included

2700°K on request







LE GIGINE

L'acciaio si restringe per diventare più grande!

GIGINE nascono da una rivisitazione nelle dimensioni della lampada Gi.Gi:


la taglia diventa più piccola e si moltiplica formando una cascata luminosa che si sviluppa su diverse altezze. Ciascun elemento sembra galleggiare nell'aria, adattandosi a grandi spazi e impreziosendo l'ambiente grazie alle diverse finiture disponibili.

Non solo, la novità dell'anno 2022 consiste l'introduzione della versione da parete, con l'aggiunta di nuovissime finiture come l'antracite metallico e il purple red.

The steel gets smaller to get bigger!

GIGINE were born from a reinterpretation in the dimensions of the Gi.Gi lamp:
the size becomes smaller and multiplies forming a luminous cascade that develops on different heights.

Each element seems to float in the air, adapting to large spaces and embellishing the environment thanks to the different finishes available. In addition, new for 2022 is the introduction of a wall-mounted version, with the addition of brand new finishes such as metallic anthracite and purple red.





LE GIGINE


sospensione

















LE GIGINE

sospensione speciale

LE GIGINE a 50 speciale

Suspension lamp
hand-thumped steel
50 small Gigine
cm 18X18X16

Special steel base cm 250X125

Silicon coaxial cables
n. 20 cm 100
n. 20 cm 150
n. 10 cm 200

Lamps weight kg 28
Base weight kg 66

50 led module
275W - max 1050mA
42500 Lm emitted
3000°K - CRI>85
Dimmable
power supply included

LE GIGINE

sospensione











LE GIGINE
plafone

LE GIGINE
parete





LE GIGINE parete

Wall lamp
hand-thumped steel
cm 18X21X16

Steel base Ø cm 5,5X2

Spread cm 21

Weight kg 0,3

Led module 6W 230V
500 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



16

LE GIGINE a 8

Suspension lamp
hand-thumped steel
8 small Gigine
cm 18X18X16

Steel base Ø cm 50X7

Silicon coaxial cables
n. 4 cm 100
n. 4 cm 150

Lamps weight kg 4,4
Base weight kg 8

8 led module
44W - max 1050mA
6800 Lm emitted
3000°K - CRI>85
Dimmable
power supply included

2700°K on request



LE GIGINE plafone

Ceiling lamp
hand-thumped steel
cm 18X20X16

Steel base Ø cm 5,5X2

Spread cm 20

Weight kg 0,3

Led module 6W 230V
500 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



20

18

LE GIGINE a 16

Suspension lamp
hand-thumped steel
16 small Gigine
cm 18X18X16


Steel base Ø cm 70X7

Silicon coaxial cables
n. 5 cm 100
n. 6 cm 150
n. 5 cm 200

Lamps weight kg 8,8
Base weight kg 12,5

16 led module
88W - max 1050mA
13600 Lm emitted
3000°K - CRI>85
Dimmable
power supply included

2700°K on request



LE GIGINE a 1

Suspension lamp
hand-thumped steel
cm 18X18X16

Steel base cm 12,5X4

Silicon coaxial cable cm 150

Weight kg 0,55

Led module
5,5W - max 900mA
850 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



16

18

LE GIGINE a 24

Suspension lamp
hand-thumped steel
24 small Gigine
cm 18X18X16


Steel base Ø cm 90X7

Silicon coaxial cables
n. 6 cm 100
n. 6 cm 150
n. 6 cm 200
n. 6 cm 250

Lamps weight kg 13,2
Base weight kg 15

24 led module
132W - max 1050mA
20400 Lm emitted
3000°K - CRI>85
Dimmable
power supply included

2700°K on request







Glò Glò

L'acciaio appare come un materiale statico e inutile finché viene plasmato e ripiegato su se stesso creando al suo interno, come uno scrigno che si schiude svelando il tesoro o un'ostrica con un luminoso segreto, una luce che irradia l'ambiente circostante.

Steel looks like an useless and static material until it is shaped and folded on itself creating inside, as a casket which burst revealing its treasure or an oyster with a lighting secret, a light which radiates the surroundings.







Gl•Gl p/pl 40

Wall/ceiling lamp
in hand thumped steel
cm 39X28X24

Steel base Ø cm 12,4X4

Spread cm 24

Weight kg 1,4

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



28

24 39



Gl•Gl p/pl 70

Wall/ceiling lamp
in hand thumped steel
cm 68X47X38

Steel base Ø cm 16X5

Spread cm 38

Weight kg 8,2

2 led COB
10W - max 500mA
7800 Lm emitted
3900°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




47

38 68

•AVAILABLE FINISHINGS AT THE END OF THE CATALOGUE

Glò Glò

tavolo



Glò Glò tavolo 27

Table lamp
in hand thumped steel
cm 27X22X24

Steel base cm 9X6X1

Weight kg 1,2

1 Multichip led
8W - max 700mA
900 Lm emitted
3000°K - CRI>85
Dimmable power adapter
included



24

27







Glo•Glo tavolo 23

Table lamp
in hand thumped steel
cm 23X18X22

Steel base Ø cm 6X1

Weight kg 1

1 Multichip led
8W - max 700mA
900 Lm emitted
3000°K - CRI>85
Dimmable power adapter
included



22

23



CURVE

In questa collezione, forme concave e convesse di una leggera striscia di acciaio si alternano creando morbide curve. Una linea di luce, composta da una barra a led, ne illumina i lati in cui si ripiega su se stessa dando vita all'acciaio e alle sue diverse finiture.

La collezione 2022 comprende la nuova versione lampada in cui la striscia si assottiglia, e i lati vengono illuminati da una ministar led collocabile in qualunque posizione della struttura stessa.

In questo modo nasce una lampada da tavolo, da parete e da sospensione (modulabile) in cui le forme e la luce si alternano morbidiamente dando vita nello spazio a un oggetto immobile.

In this collection, concave and convex shapes of a steel strip alternate to create soft curves. A line of light, consisting of a LED bar, illuminates the sides where it folds back on itself, bringing the steel and its different finishes to life.

The 2022 collection includes the new lamp version in which the strip becomes thinner, and the sides are illuminated by a LED ministar that can be placed in any position of the structure itself.

The result is a table lamp, wall lamp and suspension lamp (modular) in which shapes and light alternate softly, giving life to an immobile object in space.





CURVE

tavolo



CURVE tavolo

Table lamp
in hand-made
polished steel cm 15X9X43

Steel base cm 15X9X1

Weight kg 1,6

1 Ministar led
2W - max 500mA
280 Lm emitted
3000°K - CRI>85
Dimmable power adapter
included

2700°K on request



43

15



CURVE

parete



move the light as you like !



CURVE parete

Wall lamp
in hand-made
polished steel cm 29X14X20


Steel base Ø cm 12,5X4

Spread cm 20

Weight kg 0,30

1 Ministar led
2W - max 500mA
280 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



20

14

29

CURVE

sospensione



CURVE s a 1

Suspension lamp
in hand-made
polished steel cm 9X14X24

Steel base Ø cm 12,5X4

Silicon coaxial cable cm 150

Weight kg 0,5

1 Ministar led
2W - max 500mA
280 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



24


14





CURVE

sospensione



AVAILABLE FINISHING

embossed white	B	[white square]
embossed black	N	[black square]
metallic anthracite	MA	[grey/black square]
coffee	CA	[brown square]
purple red	PR	[dark red square]

gold leaf	TO	[gold square]
silver leaf	TA	[silver square]
copper leaf	TR	[copper square]
bronze leaf	TB	[bronze square]

CURVE s a 10

Suspension lamp
in hand-made polished steel
10 small Curve cm 9X14X24

Steel base Ø cm 50X7

Silicon coaxial cables
n. 5 cm 100
n. 5 cm 150

Lamps weight kg 4,8
Base weight kg 8

10 suspended Ministar led
20W - max 500mA
2800 Lm emitted - 3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CURVE s a 10 plus

Suspension lamp
in hand-made polished steel
10 small Curve cm 9X14X24

Steel base Ø cm 50X7

Silicon coaxial cables
n. 5 cm 100
n. 5 cm 150

Lamps weight kg 4,8
Base weight kg 8

10 suspended Ministar led
6 Ministar led on the base
32W - max 500mA
4480 Lm emitted - 3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CURVE s a 20

Suspension lamp
in hand-made polished steel
20 small Curve cm 9X14X24


Steel base Ø cm 70X7

Silicon coaxial cables
n. 5 cm 100
n. 10 cm 150
n. 5 cm 200

Lamps weight kg 9,6
Base weight kg 12

20 suspended Ministar led
40W - max 500mA
5600 Lm emitted - 3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CURVE s a 20 plus

Suspension lamp
in hand-made polished steel
20 small Curve cm 9X14X24


Steel base Ø cm 70X7

Silicon coaxial cables
n. 5 cm 100
n. 10 cm 150
n. 5 cm 200

Lamps weight kg 9,6
Base weight kg 12

20 suspended Ministar led
6 Ministar led on the base
52W - max 500mA
7280 Lm emitted - 3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CURVE s a 30

Suspension lamp
in hand-made polished steel
30 small Curve cm 9X14X24


Steel base Ø cm 90X7

Silicon coaxial cables
n. 5 cm 100
n. 10 cm 150
n. 10 cm 200
n. 5 cm 250

Lamps weight kg 16,5
Base weight kg 15

30 suspended Ministar led
60W - max 500mA
8400 Lm emitted - 3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CURVE s a 30 plus

Suspension lamp
in hand-made polished steel
30 small Curve cm 9X14X24


Steel base Ø cm 90X7

Silicon coaxial cables
n. 5 cm 100
n. 10 cm 150
n. 10 cm 200
n. 5 cm 250

Lamps weight kg 16,5
Base weight kg 15

30 suspended Ministar led
6 Ministar led on the base
72W - max 500mA
10080 Lm emitted - 3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request





CURVE





CURVE terra

Floor lamp
in hand-made
polished aluminium cm 205X60X40

Central rod in chromed steel cm 200

Chromed steel base Ø cm 35X1

Weight kg 8,7

Double switch:

2 strips 36 led 6W 24V

1 led COB


10W - max 250mA

1100 Lm emitted

3000°K - CRI>85

2 power supplies included

2700°K on request



CURVE sospensione

Suspension lamp
in hand-made
polished steel cm 100X60X40

Central rod in chromed steel cm 100

Steel base Ø cm 15X6

Weight kg 2,5

Double switch:

2 strips 36 led 6W 24V

1 led COB


10W - max 250mA

1100 Lm emitted

3000°K - CRI>85

2 power supplies included

2700°K on request








CHIAVE DI SOL

“La musica è l’aritmetica dei suoni come ottica è la geometria della luce”

Claude Debussy

“Music is the arithmetic of sounds as optics is the geometry of light”



CHIAVE DI SOL

Floor lamp
in hand-made
polished aluminium cm 220X80X35

Painted steel base cm 80X35X8

Weight kg 15


4 strips 72 led
20W - 24V
2000 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



220

80









DOPPIOZERO

Una luce che nasce dalla sovrapposizione di due dischi in acciaio
dal design unico ed essenziale.

Come un corpo celeste che si interpone ad una sorgente luminosa durante l'eclisse,
questa lampada da parete e da plafone crea un'illuminazione completamente
direzionabile grazie ad uno snodo orientabile a 360°.

A light born from the overlapping of two steel
discs with a unique and essential design.

Like a celestial body that interposes itself to a light source during the eclipse,
this wall and ceiling lamp creates a fully adjustable lighting
thanks to a 360° swivel joint.



DOPPIOZERO
parete







DOPPIOZERO 25



Wall/ceiling lamp
in polished steel Ø cm 25X8

Spread cm 8

Weight kg 1,5

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



DOPPIOZERO 30



Wall/ceiling lamp
in polished steel Ø cm 30X8

Spread cm 8

Weight kg 1,8

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



DOPPIOZERO 40



Wall/ceiling lamp
in polished steel Ø cm 40X13

Spread cm 13

Weight kg 2,9

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request











AVAILABLE FINISHING COMBINATIONS

embossed
white

embossed
black

metallic
anthracite

coffee

purple
red

silver
leaf

gold
leaf

copper
leaf

bronze
leaf

BASE



DISC



BUCHI ZERO

“Buchi Zero”

rappresenta il punto di partenza e il punto di arrivo di un'intera collezione, da cui questa lampada da parete prende il nome. Con il suo design essenziale, la luce risalta al di là dell'ombra di un disco d'alluminio, creando una vera e propria eclissi luminosa. “Buchi Zero”, con il suo richiamo allo spazio infinito,


si inserisce perfettamente nella collezione “Buchi” e ne è la conclusione ideale.

“Buchi Zero”

represents the starting and arrival point of an entire collection, from which this wall lamp takes its name. With its essential design, light stands out beyond the shadow of an aluminium disk, creating a real light eclipse. “Buchi Zero”, with its reference to infinite space, fits perfectly into the “Buchi” collection and it's the ideal conclusion.







BUCHI ZERO p/pl 15

Wall/ceiling lamp
in polished steel Ø cm 15X7,5


Steel base Ø cm 5,5X2

Spread cm 7,5

Weight kg 0,37

Led module
16W - 230V
1800 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request





BUCHI ZERO p/pl 20

Wall/ceiling lamp
in polished steel Ø cm 20X8


Steel base Ø cm 7X2

Spread cm 8

Weight kg 0,57

Led module
16W - 230V
1800 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



AVAILABLE FINISHINGS

embossed white B
embossed black N
metallic anthracite MA
coffee CA
purple red PR

gold leaf TO
silver leaf TA
copper leaf TR
bronze leaf TB

B
N
MA
CA
PR

TO
TA
TR
TB


PAPERÀ

Un gioco di distanze tra piani diversi che creano
un'affascinante luce riflessa e suggestivi scenari:
un chiaroscuro di ombre con due nuclei luminosi direzionabili e rotabili
applicati a un disco d'acciaio.

A play of distances between different planes that create
a fascinating reflected light and suggestive scenarios:
a chiaroscuro of shadows with two directable and swiveling luminous
cores applied to an steel disc.









PAPERA plafone speciale 70



PAPERA parete


Wall lamp
in polished steel Ø cm 50X20

Spread cm 20

Weight kg 3,9

2 led module
16W - max 230V
3600 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



PAPERA plafone


Ceiling lamp
in polished steel Ø cm 50X30

Spread cm 30

Weight kg 4

2 led module
16W - max 230V
3600 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



AVAILABLE FINISHING COMBINATIONS

embossed
white



embossed
black



metallic
anthracite



coffee



purple
red



silver
leaf



gold
leaf



copper
leaf



bronze
leaf



BASE

DISC





DO NOT DISTURB

Stiamo creando...

Non poniamo mai limiti a nuove idee, dando libero sfogo alla nostra indole ispiratrice:
creare nuovi concetti che diffondono il nostro lume artistico.

Nasce DO NOT DISTURB, un'emblematica visione di una lente d'ingrandimento con led a
doppio spettro.
Niente ombre... "focus on light"!

We are creating...

We never put limits to new ideas, since we give loose to our inspirational character:
to create new concepts that spread our artistic light.
DO NOT DISTURB rises, an emblematic vision of a magnifying glass with double spectrum led.
No shadows... "focus on light"!





DND

tavolo



DND profile-tavolo

Table lamp
in hand curved steel cm 18,5X24,5X4


Base in raw iron cm 10X10X14

Weight kg 1,6

Double reflective opal led discs

8W - 24V
1000 Lm emitted
3000°K - CRI>85
Power adapter included

2700°K on request



DND tavolo

Table lamp
in hand curved steel cm 11X14X4


Base in raw iron cm 10X10X14

Weight kg 1,5

Double reflective opal led discs

8W - 24V
1000 Lm emitted
3000°K - CRI>85
Power adapter 15W 24V

2700°K on request





DND

sospensione

DND profile-sospensione

Suspension lamp
in hand curved steel cm 23,5X14,5X2,4

Painted in steel base Ø cm 7,5X3,6


Silicon coaxial cable cm 150

Weight kg 0,5

Double reflective opal led discs

8W - 24V
1000 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



11



DND sospensione-uno

Suspension lamp
in anodized aluminium Ø cm 11X2,4

Painted in steel base Ø cm 7,5X3,6

Silicon coaxial cable cm 150

Weight kg 0,35

Double reflective opal led discs

8W - 24V
1000 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



11



DND parete

DND profile-parete

Wall lamp
in hand curved steel cm 16X25,5X3

Base in steel cm 15X3X3



Projection cm 25,5

Weight kg 0,7

Double reflective opal led discs

8W - 24V
1000 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



DND parete

Wall lamp
in hand curved steel cm 15X14X3

Base in steel cm 15X3X3


Projection cm 14




Weight kg 0,5

Double reflective opal led discs

8W - 24V
1000 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request







DND sospensione-due

Suspension lamp
in anodized aluminium

Painted aluminium base cm 30X4,5X4

Silicon coaxial cables cm 150

Weight kg 0,9

Double reflective opal led discs


2X8W - 24V

2000 Lm emitted

3000°K - CRI>85

Power supply included

2700°K on request



DND sospensione-quattro

Suspension lamp
in anodized aluminium

Painted aluminium base cm 55X5,5X4

Silicon coaxial cables cm 150

Weight kg 1,5

Double reflective opal led discs


4X8W - 24V

4000 Lm emitted

3000°K - CRI>85

Power supply included

2700°K on request



DND sospensione-cinque

Suspension lamp
in anodized aluminium

Painted aluminium base Ø cm 24,5X5

Silicon coaxial cables cm 150

Weight kg 1,6

Double reflective opal led discs


5X8W - 24V

5000 Lm emitted

3000°K - CRI>85

Power supplies included

2700°K and dimming
on request



DND sospensione-dieci

Suspension lamp
in anodized aluminium

Painted steel base Ø cm 50X7

Silicon coaxial cables
n. 10 cm 150

Lampe weight kg 3,5
Base weight kg 8

Double reflective opal led discs


10X8W - 24V

10000 Lm emitted

3000°K - CRI>85

Power supplies included

2700°K and dimming
on request



DND sospensione-venti

Suspension lamp
in anodized aluminium

Painted steel base Ø cm 70X7

Silicon coaxial cables
n. 10 cm 150
n. 10 cm 200

Lampe weight kg 7
Base weight kg 12,5


Double reflective opal led discs

20X8W - 24V
20000 Lm emitted

3000°K - CRI>85

Power supplies included

2700°K and dimming
on request



AVAILABLE FINISHINGS

embossed white

B

embossed black

N

metallic anthracite

MA

coffee

CA

purple red

PR

gold leaf

TO

silver leaf

TA

copper leaf

TR

bronze leaf

TB





BEVICI SU!

Una luce per accompagnare i migliori momenti della quotidianità, una luce che unisce e che dà brio alle sensazioni, dolce equilibrio alla vista e gustosa armonia delle forme. Knikerboker propone "Bevici Sul!", la lampada da tavolo ricaricabile che diventa parte integrante di un arredamento conviviale, con nuovissime finiture tutte da scoprire.

A light to accompany the best moments of everyday life, a light that units and gives liveliness to sensations, sweet balance to the sight and tasty harmony of shapes. Knikerboker proposes "Bevici Sul!", the rechargeable table lamp that becomes an integral part of a convivial furniture, with brand new finishes to be discovered.



BEVICI SU! tavolo

Rechargeable sensor
table lamp
in polished aluminium Ø cm 11X2,8

Weight kg 0,38

1 led Seul 6V
1,2W - DC 5V
110Lm emitted
3000°K CRI>85
Dimmable

Li-on Battery 3,7V 1,8Ah


Led module time live 70000h

Degree of protection IP 54



11

2,8



AVAILABLE FINISHINGS

embossed white	B	<input type="checkbox"/>
embossed black	N	<input checked="" type="checkbox"/>
metallic anthracite	MA	<input type="checkbox"/>
coffee	CA	<input type="checkbox"/>
purple red	PR	<input type="checkbox"/>

GALVANIC FINISHINGS

shiny gold	OR	
shiny black nikel	NNL	
matt black nikel	NNO	





ZETA

Zeta è la lampada da tavolo ricaricabile e senza filo composta da una struttura dalla forma originale e una fonte luminosa suggestiva e separabile dal suo sostegno.

Un oggetto dal design moderno e struttura minimale che costituisce un elemento portante di un arredamento ricco di creatività, adatto agli ambienti domestici ed alberghieri.

Zeta is the rechargeable and cordless table lamp composed of a structure with an original shape and a suggestive light source that can be separated from its support.

An object with a modern design and minimalist structure that constitutes a supporting element of a furnishing rich in creativity, suitable for domestic and hotel environments.



ZETA

tavolo



ZETA tavolo

Rechargeable sensor
table lamp
in polished aluminium Ø cm 11X2,8

Painted steel structure
cm Ø cm 11,5X35,5

Weight kg 0,9

1 led Seul 6V
1,2W - DC 5V
110Lm emitted
3000°K CRI>85
Dimmable

Li-on Battery 3,7V 1,8A/h

Led module time live 70000h

Degree of protection IP 54

AVAILABLE FINISHINGS

embossed white	B	[white square]
embossed black	N	[black square]
metallic anthracite	MA	[grey square]
coffee	CA	[brown square]
purple red	PR	[red square]



11,5

35,5



SCHEGGE

Schegge sono i frammenti luminosi, acuminati e taglienti, generati da una vera e propria esplosione creativa che formano lampade dal design moderno per comporre e completare spazi d'arredo contemporaneo. Con le loro linee sottili, sono lame di luce che non solo contribuiscono ad un progetto di illuminazione interna, ma diventano un elemento centrale dello spazio circostante.

Schegge are the luminous, sharp and edgy fragments generated by a real creative explosion that form modern design lamps to compose and complete contemporary furnishing spaces. With their thin lines, they are blades of light that not only contribute to an interior lighting project, but become a central element of the surrounding space.









SCHEGGE s/1

Suspension lamp
in alluminium cm 160X5,5X6,5

Steel base cm 22,5X5,5X4,5


2 steel cables cm 200
Silicon cable cm 200

Weight kg 1,3

Single emission light upwards

Led bar
25W - 700mA
3300 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



160

SCHEGGE s/2

Suspension lamp
in alluminium cm 160X5,5X6,5

Steel base cm 22,5X5,5X4,5
2 steel cables cm 200
Silicon cable cm 200

Weight kg 1,3

Single emission light downwards

Led bar
25W - 700mA
3300 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



160

SCHEGGE s/3

Suspension lamp
in alluminium cm 160X5,5X6,5

Steel base cm 22,5X5,5X4,5
2 steel cables cm 200
Silicon cable cm 200

Weight kg 1,3

Double emission

Led bar
50W - 1400mA
6600 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



160



SCHEGGE

parete



SCHEGGE parete

Wall lamp
in alluminium cm 160X5,5X6,5


Silicon cable cm 100

Spread cm 25 - 35

Weight kg 1

Led bar
25W - 700mA
3300 Lm emitted
3000°K - CRI>85
Dimmable
power supply included

2700°K on request




AVAILABLE FINISHINGS

embossed white
embossed black
metallic anthracite
coffee
purple red

B □
N ■
MA ■■
CA ■■■
PR ■■■■

gold leaf
silver leaf
copper leaf
bronze leaf

TO ■■■■■
TA ■■■■■■
TR ■■■■■■■
TB ■■■■■■■■





VIENI GIÙ!

Sottili aste sospese da un cavo o applicate a plafone dalle diverse cromature illuminano come una pioggia luminescente ogni angolo di vita grazie alla bispina a led rivestita da una capsula in borosilicato.


“Vieni Giù!”

è disponibile nelle lunghezze da cm 30, 40, 50, 100, 150 e 200 e può essere realizzata come una sospensione singola o come una cascata di diversi elementi.

This rods suspended from a cable or ceiling mounted of different chrome-plating illuminate every corner of the life like luminescent rain thanks to the LED double-pin covered with a borosilicate capsule.

“Vieni Giù!”

is available in lenghts of cm 30, 40, 50, 100, 150 and 200 and can be made as a single suspension or as a cascade of different elements.





VIENI GIU'! s/12 mix

Suspension lamp
in polished aluminium

Polished aluminium rods Ø cm 0,6

Borosilicate cover capsules Ø cm 1,6X6

Steel base Ø cm 50X7

Nikel-plated coaxial cable

12 two-pin G4

1,5W - 12V


included

2640 Lm emitted

3000°K - CRI>85

2700°K on request

Power supply 20W 12V



VIENI GIU'! s/24 mix

Suspension lamp
in polished aluminium

Polished aluminium rods Ø cm 0,6

Borosilicate cover capsules Ø cm 1,6X6

Steel base Ø cm 70X7

Nikel-plated coaxial cable

24 two-pin G4

1,5W - 12V


included

5280 Lm emitted

3000°K - CRI>85

2700°K on request

Power supply 30W 12V



AVAILABLE FINISHINGS

embossed white	B	
embossed black	N	
metallic anthracite	MA	
coffee	CA	
purple red	PR	

gold leaf	TO	
silver leaf	TA	
copper leaf	TR	
bronze leaf	TB	

GALVANIC FINISHINGS

shiny gold	OR	
shiny black nikel	NNL	
matt black nikel	NNO	





SEI FUORI!

"Sei Fuori" è una collezione adatta sia per l'illuminazione outdoor che indoor.

Le versioni da parete, da tavolo e da terra con la loro luce immersa nell'acqua creano in questo modo un gioco di luce eterea e avvolgente adatto ad ogni ambiente.

"Sei Fuori" is a collection suitable both for indoor and outdoor lighting.


Wall, table and floor versions with their light covered by the water in this way create a game of ethereal and wrapping light available for every space.





SEI FUORI!

terra



AVAILABLE FINISHINGS

embossed white	B	□
embossed black	N	■
metallic anthracite	MA	■
coffee	CA	■
purple red	PR	■

GALVANIC FINISHINGS

shiny gold	OR	■
------------	----	---





SEI FUORI! tavolo

Rechargeable sensor table lamp
in polished aluminium cm Ø cm 11X2,8

Polished aluminium rod cm 28

Borosilicate cover capsule cm 6
Cylindrical glass included


Weight kg 0,5

two-pin G4 **K LED** 1,5W 12V included
100Lm emitted
3000°K CRI>85
Dimmable

2700°K on request

Li-on Battery 3,7V 1,8A/h
Two-pin time live 30000h

Two-pin degree of protection IP 67
Base degree of protection IP54



28

11

SEI FUORI! parete

Wall lamp
in polished aluminium

Polished aluminium base Ø cm 3,5X3X12

Polished aluminium rod cm 28


Borosilicate cover capsule cm 6
Cylindrical glass included

Weight kg 0,48

two-pin G4 **K LED** 1,5W 12V included
100Lm emitted
3000°K CRI>85

2700°K on request

Power supply 3W 12V
Two-pin degree of protection IP 67



29

14

SEI FUORI! terra

Rechargeable sensor floor lamp
in polished aluminium cm Ø cm 11X2,8

Polished aluminium rod cm 98

Borosilicate cover capsule cm 6
Cylindrical glass included


Weight kg 0,5

two-pin G4 **K LED** 1,5W 12V included
100Lm emitted
3000°K CRI>85
Dimmable

2700°K on request

Li-on Battery 3,7V 1,8A/h
Two-pin time live 30000h

Two-pin degree of protection IP 67
Base degree of protection IP54



75

80

SEI FUORI! terra 230V

Floor lamp
in polished aluminium cm Ø cm 11X2,8

Polished aluminium base cm 3,5X3X12

Polished aluminium rod cm 98

Borosilicate cover capsule cm 6
Cylindrical glass included


Weight kg 0,5

two-pin G4 **K LED** 1,5W 12V included
100Lm emitted
3000°K CRI>85

2700°K on request

Power supply 3W 12V

Two-pin degree of protection IP 67



75

80





CRASH

Sculptures a form of satellites composed of hand-wrought steel, color ice, the look total monochromatic in gold leaf, silver and total white shine with its reflecting light. A monolith light that reaches the apex of its shape thanks to the skilful irreplaceable craft manipulation who sign and countersign the brand KNIKERBOKER.

Satellites-sculptures shaped malleable hand-wrought steel, color-icy, the total look monochromatic in gold leaf, silver and total white shine with its reflecting light. A monolith light that reaches the apex of its shape thanks to the skilful irreplaceable craft manipulation who sign and countersign the brand KNIKERBOKER.



CRASH

sospensione








CRASH

sospensione



CRASH s 100

Suspension lamp
hand-thumped steel cm 100X100

Aluminium base
cm 16X16X3,5

4 steel cables cm 200
Silicon cable cm 200


Spread +/- cm 25 - 30

Weight kg 7,8

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request

Hal-eco R7s
160W 230V
not included



100

25/30





CRASH s 150X150

Suspension lamp
hand-thumped steel cm 150X150

Aluminium base
cm 16X16X4,5

4 steel cables cm 200
Silicon cable cm 200

Spread +/- cm 25 - 35

Weight kg 20

3 led COB
10W - max 1400mA
7900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request

Hal-eco R7s
230W 230V
not included



25/35

150



CRASH 150

plafone speciale



PICCOLA CRASH

plafone



PICCOLA CRASH

Ceiling lamp
hand-thumped steel cm 20X18

Spread +/- cm 25

Weight kg 0,8

1 led COB
10W - max 250mA
2900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request

Hal-eco R7s
80W 230V
not included



25

20



CRASH plafone 30

Ceiling lamp
hand-thumped steel cm 30X30

Spread +/- cm 25 - 30

Weight kg 1,5

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K and other dimming
ways on request

Hal-eco R7s
120W 230V
not included



30

CRASH plafone 50

Ceiling lamp
hand-thumped steel cm 50X50

Spread +/- cm 25 - 30

Weight kg 2,5

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K and other dimming
ways on request

Hal-eco R7s
120W 230V
not included



50

CRASH plafone 75

Ceiling lamp
hand-thumped steel cm 75X75

Spread +/- cm 25 - 30

Weight kg 4,8

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K and other dimming
ways on request

Hal-eco R7s
160W 230V
not included



75

CRASH plafone 100

Ceiling lamp
hand-thumped steel cm 100X100

Spread +/- cm 25 - 30

Weight kg 7,4

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K and other dimming
ways on request


Hal-eco R7s
160W 230V
not included



100





•AVAILABLE FINISHINGS AT THE END OF THE CATALOGUE





CRASH P/PL 100X40

parete/plafone



CRASH p/pl 100X40

Wall/ceiling lamp
hand-thumped steel cm 100X40

Spread +/- cm 25 - 30

Weight kg 3,2

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K and other dimming
ways on request

Hal-eco R7s
120W 230V
not included




100



CRASH 350

sospensione



CRASH 250

sospensione

CRASH s 250

Suspension lamp
hand-thumped steel cm 250X62

Aluminium base
cm 16X16X4,5

4 steel cables cm 200
Silicon cable cm 200

Spread +/- cm 25 - 35

Weight kg 14

4 led COB
10W - max 2100mA
11780 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request

2 Hal-eco R7s
160W 230V
not included



250

25/35







CRASH 250

sospensione




finitura bianco lucido



CRASH P 250

parete



finitura ruggine

CRASH parete 250


Wall lamp
hand-thumped steel cm 250X62

Spred +/- cm 10 - 15

Weight kg 13

3 led COB
16W - max 500mA
8700 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



k
th



CRASH P 100X100

parete



CRASH parete 75

Wall lamp
in hand-thumped steel cm 75X75

Spread +/- cm 15 - 20

Weight kg 4,8

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CRASH parete 100


Wall lamp
in hand-thumped steel cm 100X100

Spread +/- cm 20 - 25

Weight kg 8,1

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CRASH ROUND

parete/plafone

CRASH p/pl 100 round


Wall/ceiling lamp
hand-thumped steel cm 100X40

Spred +/- cm 20

Weight kg 3,4

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CRASH p/pl 250 round


Wall/ceiling lamp
hand-thumped steel cm 250X62

Spred +/- cm 25

Weight kg 13,5

4 led COB
10W - max 2100mA
11780 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



•AVAILABLE FINISHINGS AT THE END OF THE CATALOGUE





CRASH TUBE

La celebre e iconica collezione Crash viene reinterpretata e, al foglio di lamiera piegato a mano e impreziosito da diverse finiture, viene accostato il design semplice e lineare di un tubo contenente una barra a led che illumina la superficie irregolare della lampada.

The famous and iconic Crash collection has been reinterpreted and the hand-folded sheet metal, embellished with different finishes, has been combined with the simple and linear design of a tube containing an LED bar that illuminates the irregular surface of the lamp







CRASH TUBE s 130X40

Suspension lamp
hand-thumped aluminium cm 130X40

Aluminium base cm 18X9X3,5


4 steel cables cm 200
Silicon cable cm 200

Spread +/- cm 25

Weight kg 5,2

Led bar
20W - max 500mA
3000 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



CRASH TUBE s 250X62

Suspension lamp
hand-thumped aluminium cm 250X62

Aluminium base cm 23X12,5X4,5


4 steel cables cm 200
Silicon cable cm 200

Spread +/- cm 25

Weight kg 16

Led bar
40W - max 24V
6000 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included


2700°K and other dimming
ways on request











CRASH TUBE p/pl 60X25

Wall/ceiling lamp
hand-thumped steel cm 60X25

Spread +/- cm 12

Weight kg 1,5

Led bar
6W - 24V
1000 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



60
25



CRASH TUBE p/pl 100X40

Wall/ceiling lamp
hand-thumped steel cm 100X40

Spread +/- cm 12

Weight kg 3,1

Led bar
12W - max 350mA
2000 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



100
40



STRISCIÀ

Striscia è un semplice tubo montato a parete e sospeso da un cavo sottile, un progetto che si è evoluto da una commissione per illuminazione costum. Con la luce distribuita per tutta la lunghezza dello stelo in acciaio illumina in modo omogeneo ogni ambiente, anche il più piccolo, in cui si inserisce alla perfezione grazie alla sua sottilissima struttura.

Striscia is a simple tube mounted on the wall and suspended by a thin cable, a design that has evolved from a costum lighting commission. With the light distributed along the entire length of the steel stem, it illuminates every room homogeneously, even the smallest, into which it fits perfectly thanks to its extremely thin structure.

STRISCIÀ parete

Wall lamp
in polished steel Ø cm 1,2X100

Steel base Ø cm 12,5X4


Silicon cable cm 200

Spread cm 13

Weight kg 5,2

Led bar
20W - max 500mA
3000 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



AVAILABLE FINISHINGS

embossed white	B	[white square]
embossed black	N	[black square]
metallic anthracite	MA	[grey square]
coffee	CA	[brown square]
purple red	PR	[red square]

gold leaf	TO	[gold square]
silver leaf	TA	[silver square]
copper leaf	TR	[copper square]
bronze leaf	TB	[bronze square]






A TEMPO PERSO


Con un'attenta lavorazione artigianale, solidi ma leggeri pezzi di alluminio, cambiano consistenza trasformandosi in morbide onde che, come quelle marine, sembrano muoversi delicatamente sulla riva al soffio del vento e si riempiono di luci e colori per poi ritirarsi su se stesse.

With a careful craftsmanship, solid but thin pieces of aluminium change consistency turning into smooth waves that, like the marine ones, seem to softly move on the shore to the wind blow and fill with lights and colors and then retreat on themselves.



A TEMPO PERSO

sospensione







A TEMPO PERSO

sospensione





A TEMPO PERSO 100A2

Suspension lamp
hand-thumped aluminium cm 100X20


Aluminium base cm 18X9X3,5

4 steel cables cm 200
Silicon cable cm 200

Weight kg 2,3

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



A TEMPO PERSO 100A3

Suspension lamp
hand-thumped aluminium cm 100X20


Aluminium base cm 18X9X3,5

4 steel cables cm 200
Silicon cable cm 200

Weight kg 2,4

3 led COB
10W - max 1400mA
7900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



A TEMPO PERSO 160

Suspension lamp
hand-thumped aluminium cm 160X40


Aluminium base cm 18X9X3,5

4 steel cables cm 200
Silicon cable cm 200

Weight kg 7,5

4 led COB
10W - max 2100mA
11780 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



A TEMPO PERSO 220

Suspension lamp
hand-thumped aluminium cm 220X40


Aluminium base cm 18X9X3,5

4 steel cables cm 200
Silicon cable cm 200

Weight kg 11

6 led COB
10W - max 2100mA
12040 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included


2700°K and other dimming
ways on request






POSSIBLE SOLUTIONS


a tempo perso 100a2




a tempo perso 100a3




a tempo perso 160




Model - C




Model - D



a tempo perso 220




Model - B




Model - C



Model - D







• AVAILABLE FINISHINGS AT THE END OF THE CATALOGUE









A TEMPO PERSO

parete







A TEMPO PERSO p 80


Wall lamp
hand-thumped aluminium cm 80X20

Aluminium base cm 18X9X3,5

Weight kg 1,1

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



A TEMPO PERSO p 85

Wall lamp
hand-thumped aluminium cm 85X15

Aluminium base cm 18X9X3,5

Weight kg 1,1

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



A TEMPO PERSO p 180


Wall lamp
hand-thumped aluminium cm 180X9

Aluminium base cm 18X9X3,5

Weight kg 2,5

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



A TEMPO PERSO orizzontale

Wall lamp
hand-thumped aluminium

cm 230X9 or cm 210X15

Aluminium base cm 18X9X3,5

Weight kg 2,5

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request





•AVAILABLE FINISHINGS AT THE END OF THE CATALOGUE


191



NON SO!

Indefinibile... Imprescindibile.... Sensazione o impressione che non si riesce a definire.
Avere un certo "Non So che", qualcosa di affascinante ma difficilmente definibile.

Essential... Indefinable... Sensation or impression that can't be clearly defined.
Having a certain "Non So che", something charming but hardly definable



NON SO! P/PL75

parete/plafone







NON SO! P/PL150
parete/plafone









NON SO! S75

sospensione

NON SO! s 75

Suspension lamp
hand-thumped steel Ø cm 75

Steel base Ø cm 20X6

3 steel cables cm 200
Silicon cable cm 200

Weight kg 5,2

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



24/28

75

NON SO! s 100

Suspension lamp
hand-thumped steel Ø cm 100


Steel base Ø cm 20X6

3 steel cables cm 200
Silicon cable cm 200

Weight kg 8,1

3 led COB
10W - max 1400mA
7900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



28/32

100

NON SO! s 150

Suspension lamp
hand-thumped steel Ø cm 150

Steel base Ø cm 20X6

3 steel cables cm 200
Silicon cable cm 200

Weight kg 16,5


4 led COB
10W - max 2100mA
11780 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



36/40

150



NON SO! square

parete/plafone



NON SO! Square p/pl 40

Wall/ceiling lamp
hand-hammered steel cm 40X32


Steel base Ø cm 12,5X4

Spread cm 14/16

Weight kg 1,4

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



40

14/16 | 32 |

NON SO! Square p/pl 70

Wall/ceiling lamp
hand-hammered steel cm 70X60

Steel base Ø cm 16,5X5,5 adjustable

Spread cm 22/24

Weight kg 3,9

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



70

22/24 | 60 |



NON SO! p/pl 40

Wall/ceiling lamp
hand-thumped steel Ø cm 40

Steel base Ø cm 12,5X4

Spread cm 16/18

Weight kg 1,4

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



30

16/18 40

NON SO! p/pl 55

Wall/ceiling lamp
hand-thumped steel Ø cm 55

Steel base Ø cm 12,5X4

Spread cm 18/20

Weight kg 1,8

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



38

18/20 55

NON SO! p/pl 75

Wall/ceiling lamp
hand-thumped steel Ø cm 75

Steel base Ø cm 16,5X5,5 adjustable

Spread cm 24/28

Weight kg 5,1

2 led COB
10W - max 250mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



56

24/28 75

NON SO! p/pl 100

Wall/ceiling lamp
hand-thumped steel Ø cm 100

Steel base Ø cm 16,5X5,5 adjustable

Spread cm 28/32

Weight kg 8

3 led COB
10W - max 1400mA
7900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



75

28/32 100

NON SO! p/pl 150

Wall/ceiling lamp
hand-thumped steel Ø cm 150

Steel base Ø cm 16,5X5,5 adjustable

Spread cm 36/40

Weight kg 16

4 led COB
10W - max 2100mA
11780 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



110


36/40 150



BUCHI

Diverse forme, colori e dimensioni, spazio infinito e intrigante, di cui noi vediamo una piccola parte: il cielo che si illumina di stelle e scintille durante la notte e assume così diverse sfaccettature di colore.

Different shapes, colors and dimensions, endless and intriguing space, of which we see a small part: the sky that lights up with stars and sparks during the night and gathers different shades of color.





BUCHI

plafone







MOLES e GIAGGE
Geometri associati



BUCHI
plafone



BUCHI

sospensione





knikerboker
the art of hand made



"the skies are
painted with
unnumbered
sparks

William Shakespeare
Julius Caesar





BUCHI terra

Floor lamp
in painted steel
cm 42X32X189

Steel base cm 42X32X1

Weight kg 11


1 led module
16W - 230V
1800 Lm emitted
3000°K - CRI>85
Electronic floor dimmer
2700°K on request

42




189

42










BUCHI
parete






BUCHI p/pl 32

Wall/ceiling lamp
in steel cm 32X32X4,5

Weight kg 1,8

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




BUCHI p/pl 40

Wall/ceiling lamp
in steel Ø cm 40X4,5

Weight kg 2,2

2 led COB
10W - max 500mA
3900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




BUCHI p/pl 100X40

Wall/ceiling lamp
in aluminium cm 100X40X4,5

Weight kg 4,5

4 led COB
10W - max 500mA
7800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




BUCHI p/pl 75

Wall/ceiling lamp
in aluminium Ø cm 75X4,5

Weight kg 5,2

4 led COB
10W - max 500mA
7800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




BUCHI p/pl 60

Wall/ceiling lamp
in aluminium cm 60X60X4,5

Weight kg 4,6

4 led COB
10W - max 500mA
7800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




BUCHI p/pl 100

Wall/ceiling lamp
in aluminium Ø cm 100X4,5

Weight kg 8,8

6 led COB
10W - max 2100mA
11700 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




BUCHI p/pl 150

Wall/ceiling lamp
in aluminium Ø cm 150X4,5

Weight kg 19,5

8 led COB
10W - max 2100mA
12040 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



BUCHI
parete







BUCHI s 60

Suspension lamp
in aluminium cm 60X60X4,5


Aluminium base cm 18X9X3,5

4 steel cables cm 200
Silicon cable cm 200

Weight kg 4,8

4 led COB
10W - max 2100mA
7800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



60

4,5

BUCHI s 75

Suspension lamp
in aluminium Ø cm 75

Steel base Ø cm 16X6

3 steel cables cm 200
Silicon cable cm 200

Weight kg 6,5

4 led COB
10W - max 2100mA
7800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included



Ø 75

2700°K and other dimming
ways on request

BUCHI s 100X40

Suspension lamp
in aluminium cm 100X40X4,5


Aluminium base cm 18X9X3,5

4 steel cables cm 200
Silicon cable cm 200

Weight kg 4,8

4 led COB
10W - max 2100mA
7800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



100

4,5

BUCHI s 100


Suspension lamp
in aluminium Ø cm 100

Steel base Ø cm 16X6

3 steel cables cm 200
Silicon cable cm 200

Weight kg 10,1

6 led COB
10W - max 2100mA
11700 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included



Ø 100

2700°K and other dimming
ways on request

AVAILABLE FINISHINGS

embossed white	B	
embossed black	N	
metallic anthracite	MA	
coffee	CA	
purple red	PR	

gold leaf	TO	
silver leaf	TA	
copper leaf	TR	
bronze leaf	TB	

BUCHI s 150


Suspension lamp
in aluminium Ø cm 150

Steel base Ø cm 20X6

3 steel cables cm 200
Silicon cable cm 200

Weight kg 23

8 led COB
10W - max 2100mA
12040 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included



Ø 150

2700°K and other dimming
ways on request





BUCHI sospensione A


Suspension lamp
in steel cm 13X11X16,5

Aluminium base cm 9X9X3,5

Cable with textile braid cm 200

Weight kg 0,9

Globe light E27
7W - max 220/240V
Dimmable included
806 Lm emitted = 60W
2700°K - CRI>80



16,5

-

11

BUCHI sospensione B


Suspension lamp
in steel cm 11X11X23

Aluminium base cm 9X9X3,5

Cable with textile braid cm 200

Weight kg 1,1

Candle light E27
7W - max 220/240V
Dimmable included
806 Lm emitted = 60W
2700°K - CRI>80



23

-

11

BUCHI sospensione C

Suspension lamp
in steel cm 19X19X40

Aluminium base cm 9X9X3,5

Cable with textile braid cm 200

Weight kg 2,1

Candle light E27
7W - max 220/240V
Dimmable included
806 Lm emitted = 60W
2700°K - CRI>80



40

-

19

BUCHI sospensione 10

Suspension lamp
in steel



Steel base cm 80X80X5


n. 5 pz mod.A
n. 5 pz mod.B

Cables with textile braid cm 200

Lamps weight kg 10
Base weight kg 12,5

5 Globe light and 5 Candle light E27
7W - max 220/240V
Dimmable included
806 Lm emitted = 60W
2700°K - CRI>80







BUCOLA

Una cupola d'acciaio, con la sua simmetria eterea e infinita, incontra e abbraccia il cielo stellato e scintillante dalla precedente collezione Buchi.

Sotto la volta della cupola, la luce nasce e si diffonde uniformemente illuminando l'ambiente circostante con colori che vanno dal bianco al nero, arricchiti dai riflessi delle foglie d'oro, argento, rame e bronzo. E' dalla fusione tra le stelle accese della serie Buchi con il design perfetto della Cupola che nasce Bucola, la collezione di lampade disponibili nelle versioni da terra e da sospensione.

A steel dome, with its divine and endless symmetry, meets and envelopes the starry and glittering sky from the last collection Buchi.

Under the dome vault, the light borns and evenly spreads radiating the surrounding environment with colors ranging from white to black, enriched by reflections of gold, silver, copper and bronze leaves.

It is from the fusion between the bright stars of Buchi series with the perfect design of the Dome (Cupola, in italian), that Bucola borns, the collection of lamps available in floor and suspension versions.





BUCOLA s57
sospensione



BUCOLA S30

Suspension lamp
in alluminium Ø cm 30

Steel base Ø cm 7,5X2,1

Silicon cable cm 200

Weight kg 1,2

1 led module
16W - 230V
1800 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



Ø 30

BUCOLA S45/3

Suspension lamp
in alluminium Ø cm 45

Steel base Ø cm 12,5X2,5

Steel cable cm 200
Cable with textile braid cm 200

Weight kg 2,6

3 led module
16W - 230V
5400 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



Ø 45

BUCOLA S57/4

Suspension lamp
in alluminium Ø cm 57

Steel base Ø cm 12,5X2,5

Steel cable cm 200
Cable with textile braid cm 200

Weight kg 4,15

4 led module
16W - 230V
7200 Lm emitted
3000°K - CRI>85
Dimmable

2700°K on request



Ø 57

•AVAILABLE FINISHINGS:

embossed
white

embossed
black

metallic
anthracite

coffee

purple
red

gold
leaf

silver
leaf

copper
leaf

bronze
leaf

OUTSIDE



INSIDE



DISC



ONLY COMBINATIONS BETWEEN PAINTING AND LEAF ARE AVAILABLE





BUCOLA T30

terra



BUCOLA T30

Floor lamp
in painted steel cm 30X30X160

Steel base Ø cm 30X1
Dome Ø cm 30

Spread cm 68

Silicon cable cm 200

Weight kg 8

1 led module
16W - 230V
1800 Lm emitted
3000°K - CRI>85
Electronic floor dimmer

2700°K on request

Ø 30

160



Ø 30

BUCOLA T45

Floor lamp
in painted steel cm 50X45X215

Steel base Ø cm 35X1
Dome Ø cm 45

Silicon cable cm 200

Weight kg 12,5

3 led module
16W - 230V
5400 Lm emitted
3000°K - CRI>85
Electronic floor dimmer

2700°K on request

Ø 45

215



Ø 35



HUE'

Ripiegata sinuosamente su se stessa quasi a formare un cilindro luminoso, con punte rivolte ai due poli.

Gli abbinamenti cromatici, quasi serici, uniscono tipologie di verniciature inusuali ed innovative, dall'oro all'argento, dal rame al bronzo, con l'aggiunta del "total white", cromia essenziale ed elegante.

Sinuosly curved on its own figure as lightful cylindric shapes, with both tips turned towards to the two poles.

Nearly silky chromatic couplings join together innovative and unusual paintings, from gold to silver, from copper to bronze, with a dash of "total white", essential and smart color.



HUE'

sospensione



HUE' s 37

Suspension lamp
in polished steel Ø cm 8X37

Steel base Ø cm 8X15

Silicon cable cm 200

Weight kg 0,9

GU10 LED
8W - 230V
Dimmable included
650 Lm emitted =75W
3000°K - CRI>80







HUE' sospensione

HUE' s 54


Suspension lamp
in polished steel Ø cm 12X54

Steel base Ø cm 12X21

2 steel cables cm 200
Silicon cable cm 200

Weight kg 2,3

2 GU10 LED
8W - 230V
Dimmable included
1300 Lm emitted =150W
3000°K - CRI>80



HUE' s 54 a 2

Suspension lamp
in polished steel Ø cm 12X54

Steel base Ø cm 12X21

2 steel cables cm 200
Silicon cable cm 200

Weight kg 3,7

4 GU10 LED
8W - 230V
Dimmable included
2600 Lm emitted =300W
3000°K - CRI>80



HUE' s 54 a 3

Suspension lamp
in polished steel Ø cm 12X54

Steel base Ø cm 12X21

2 steel cables cm 200
Silicon cable cm 200

Weight kg 5,2

6 GU10 LED
8W - 230V
Dimmable included
3900 Lm emitted =450W
3000°K - CRI>80










HUE' parete



HUE' p 37

Wall lamp
in polished steel Ø cm 8X37

Weight kg 0,5

2 G9 LED
2,5W 230V 360°
included
484 Lm emitted
3000°K - CRI>80



37



54

HUE' p 54

Wall lamp
in polished steel Ø cm 12X54

Weight kg 1,5

2 GU10 LED
8W - 230V
Dimmable included
1300 Lm emitted =150W
3000°K - CRI>80




12









HUE' s 15

Ceiling lamp
in polished steel Ø cm 8X15

Weight kg 0,4

GU10 LED
8W - 230V
Dimmable included
650 Lm emitted =75W
3000°K - CRI>80



15

8

HUE' s 21

Ceiling lamp
in polished steel Ø cm 12X21

Weight kg 0,7

AR111 - GU10 LED
13W - 230V - 45°
Dimmable included
900 Lm emitted =75W
3000°K - CRI>80



21

12



HUE'

tavolo




HUE' t 37

Table lamp
in polished steel cm 10X10X50

Steel base cm 9X9X1

Weight kg 1,3

GU10 LED
8W - 230V
Dimmable included
650 Lm emitted =75W
3000°K - CRI>80
Dimmer 10-60W 240V



| 9 |

HUE' t 54

Table lamp
in polished steel cm 16X16X70

Steel base cm 16X16X1

Weight kg 3,9

2 GU10 LED
8W - 230V
Dimmable included
1300 Lm emitted =150W
3000°K - CRI>80
Dimmer 10-60W 240V



| 16 |





HUE' t 135

terra



HUE' t 135

Floor lamp
in polished steel cm 30X30X190

Steel base Ø cm 35X1

Weight kg 12

4 Mirror bulbs E27
4W 230/240V
included
1800 Lm emitted
3000°K - CRI>80

4 Decor Silver E27
100W 230V
included





HUE' p 135

Wall lamp
in polished steel Ø cm 16X135

Weight kg 5,5

4 Mirror bulbs E27
4W 230/240V
included
1800 Lm emitted
3000°K - CRI>80

4 Decor Silver E27
100W 230V
included



135

16

HUE' s 135 verticale

Suspension lamp
in polished steel cm 16X135

Steel base Ø cm 16X35

3 steel cables cm 200
Silicon cable cm 200

Weight kg 3,5

4 Mirror bulbs E27
4W 230/240V
included
1800 Lm emitted
3000°K - CRI>80

4 Decor Silver E27
100W 230V
included



135

16

HUE' s 135 orizzontale

Suspension lamp
in polished steel cm 16X135

Steel base Ø cm 7,5X2X12

2 steel cables cm 200
Silicon cable cm 200

Weight kg 3,5

4 Mirror bulbs E27
4W 230/240V
included
1800 Lm emitted
3000°K - CRI>80

4 Decor Silver E27
100W 230V
included



135



HUE' Led

Per completare la famiglia "Progetto Huè", Knikerboker ha creato Hue' Led con tecnologia a basso impatto ambientale, elevato rendimento e lunga durata.

To complete "Hue' Project's family" with this new low enviroment impact, better performances and long lasting lamp.



HUE' LED sospensione 1

Suspension lamp
in polished steel Ø cm 3,6X16

Steel base Ø cm 7,5X3,6

Silicon coaxial cable cm 150

Weight kg 0,3

1 Led
1,5W - max 350mA
150 Lm emitted
3000°K - CRI>80
Power supply included

2700°K on request



HUE' LED sospensione 10

Suspension lamp
10 small Hué
in polished steel Ø cm 3,6X16


Steel base Ø cm 50X7

Silicon coaxial cable
n.10 cm 150

Lamps weight kg 2,2
Base weight kg 8

10 Led - 1,5W - max 350mA
1500 Lm emitted
3000°K - CRI>80
Power supply included

2700°K and dimming
on request



HUE' LED sospensione 20

Suspension lamp
20 small Hué
in polished steel Ø cm 3,6X16

Steel base Ø cm 70X7

Silicon coaxial cable
n.10 cm 150
n.10 cm 200

Lamps weight kg 4,5
Base weight kg 10

20 Led - 1,5W - max 350mA
3000 Lm emitted
3000°K - CRI>80
Power supply included

2700°K and dimming
on request



HUE' LED sospensione 30

Suspension lamp
30 small Hué
in polished steel Ø cm 3,6X16


Steel base Ø cm 90X7

Silicon coaxial cable
n.15 cm 150
n.10 cm 200
n. 5 cm 300

Lamps weight kg 6,9
Base weight kg 15

30 Led - 1,5W - max 350mA
4500 Lm emitted
3000°K - CRI>80
Power supply included

2700°K and dimming
on request





STENDIMI

Ombre sinuose modificano le forme... mosse come panni stesi al vento, leggeri
come ali, libere nella luce.

Sinuous shadows alter the shapes... moved like clothes hanging in the wind, soft as
wings, free in the light.










STENDIMI

parete



STENDIMI t 40

Floor lamp
hand-thumped steel cm 40X45

2 steel cables cm 200


Silicon cable cm 200

Weight kg 3,5

Strips led 14,7W 24V
1620 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request

R7s 230W 230V
not included
Dimmer 100-500W



STENDIMI s 20

Suspension lamp
hand-thumped steel cm 20X23

Steel base cm 19X4,5X3

2 steel cables cm 200
Silicon cable cm 200

Weight kg 1,2

Strips led 9,8W 24V
1620 Lm emitted
3000°K - CRI>85
Phase cut dimmable power supply included

2700°K on request

Halopin G9
60W 230V
not included



STENDIMI p 20

Wall lamp
hand-thumped steel cm 20X23

Projection +/- cm 18 - 20

Weight kg 1,1

Strips led 9,8W 24V
1620 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request

Halopin G9
60W 230V
not included



STENDIMI s 40

Suspension lamp
hand-thumped steel cm 40X45

Steel base cm 19X4,5X3


2 steel cables cm 200
Silicon cable cm 200

Weight kg 3,7

Strips led 14,7W 24V
1620 Lm emitted
3000°K - CRI>85
Phase cut dimmable power supply included

2700°K on request

R7s 160W 230V
not included



STENDIMI p 40

Wall lamp
hand-thumped steel cm 40X45

Projection +/- cm 20 - 24

Weight kg 3,4

Strips led 14,7W 24V
1620 Lm emitted
3000°K - CRI>85
Phase cut dimmable power supply included

2700°K on request

R7s 160W 230V
not included



STENDIMI s 80/100

Suspension lamp
hand-thumped steel

Stendimi 80 - cm 80X95

Stendimi 100 - 100X75

Steel base cm 18X9X3


2 steel cables cm 200
Silicon cable cm 200

Weight kg 15


Strips led 29,4W 24V
3240 Lm emitted
3000°K - CRI>85
Dimmable power supply included

2700°K on request

2 R7s 160W 230V
not included








DES•AGN

"Dieci anni" di gioco fra passione e materia tagli di luce e ombre.
Knikerboker celebra così l'amore per il "des.agn" puro e essenziale,
"una lama che taglia una finestra verso il futuro".

"Ten years" of game between passion and material cuts of light and shadows.
Knikerboker thus celebrates love for "des.agn" pure and essential
"a blade which cuts a window towards the future".
















50A1 p/pl

Wall/ceiling lamp
in steel cm 50X50X15

Weight kg 7,5

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



50A1 s


Suspension lamp
in steel cm 50X50X15

4 steel cables cm 200
Silicon cable cm 200

Weight kg 7,8

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




50A2 p/pl

Wall/ceiling lamp
in steel cm 50X50X15

Weight kg 7,9

2 led COB
16W - max 500mA
5800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



50A2 s


Suspension lamp
in steel cm 50X50X15

4 steel cables cm 200
Silicon cable cm 200

Weight kg 8,2

2 led COB
16W - max 500mA
5800 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request




100A3 p/pl

Wall/ceiling lamp
in steel cm 100X40X17

Weight kg 12,3

3 led COB
16W - max 500mA
8700 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



100A3 s


Suspension lamp
in steel cm 100X40X17

4 steel cables cm 200
Silicon cable cm 200

Weight kg 12,8

3 led COB
16W - max 500mA
8700 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request



AVAILABLE FINISHINGS

embossed white	B	
embossed black	N	
metallic anthracite	MA	
coffee	CA	
purple red	PR	

gold leaf	TO	
silver leaf	TA	
copper leaf	TR	
bronze leaf	TB	



DES●AGN
50.1/50.3








50.1 p/pl round/square

Wall/ceiling lamp
in steel cm 40X40X3

Weight kg 1,7

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



3 40

50.1 s round/square


Suspension lamp
in steel cm 40X40X3

4 steel cables cm 200
Silicon cable cm 200

Weight kg 1,9

1 led COB
16W - max 500mA
2900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



40

3


50.3 p/pl round/square

Wall/ceiling lamp
in steel cm 40X40X3

Weight kg 1,7

3 led COB
16W - max 500mA
8700 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



3 40

50.3 s round/square


Suspension lamp
in steel cm 40X40X3

4 steel cables cm 200
Silicon cable cm 200

Weight kg 1,9

3 led COB
16W - max 500mA
8700 Lm emitted
3000°K - CRI>85
Power supply included


2700°K on request



40

3





DES•AGN

160/205/230



160/205/230 p/pl

Wall/ceiling lamp
in steel


160 - cm 16X16 Spread cm 12 - Weight kg 0,6

205 - cm 20,5X14 Spread cm 12 - Weight kg 0,6

230 - cm 23X11,5 Spread cm 12 - Weight kg 0,6

1 led COB
10W - max 250mA
2900 Lm emitted
3000K - CRI>85
Power supply included

2700K on request



AVAILABLE FINISHINGS

embossed white	B	[white square]
embossed black	N	[black square]
metallic anthracite	MA	[grey/black square]
coffee	CA	[dark brown square]
purple red	PR	[red square]

gold leaf	TO	[gold square]
silver leaf	TA	[silver/grey square]
copper leaf	TR	[copper/brown square]
bronze leaf	TB	[bronze/brown square]

T

T

T

l.chilo.e6

T

T

T

T

T

T

T

T

1.chilo.e6



1.CHILLO.e6 p/pl

Wall/ceiling lamp
in anodised aluminium cm 20X15X12

Weight kg 1,1

1 led COB
10W - max 250mA
2900 Lm emitted
3000°K - CRI>85
Power supply included

2700°K on request



20 12

AVAILABLE FINISHINGS

embossed white	B	
embossed black	N	
metallic anthracite	MA	
coffee	CA	
purple red	PR	

gold leaf	TO	
silver leaf	TA	
copper leaf	TR	
bronze leaf	TB	

STE●VEN

Ste.Ven è la lampada da parete che nasce dalla necessità di una illuminazione accogliente, brillante ma senza essere accecante, come la luce naturale.

La barra a led crea una rifrazione sulla lamiera a cui è ancorata, donando un'atmosfera suggestiva anche negli ambienti più piccoli grazie alle diverse combinazioni di colori.

Ste.Ven is the wall lamp that comes from the need for a cozy, bright but not blinding lighting, as the natural light. The led bar creates a refraction on the metal sheet to which it is anchored, giving a suggestive atmosphere even in the smallest environments thanks to the different color combinations.



STE●VEN p/pl

Wall/ceiling lamp
in steel cm 97X13

Spread +/- cm 18

Weight kg 4,4

Led bar
20W - 700mA
3200 Lm emitted
3000°K - CRI>85
Phase cut dimmable
power supply included

2700°K and other dimming
ways on request

AVAILABLE FINISHINGS

embossed white	B	<input type="checkbox"/>
embossed black	N	<input checked="" type="checkbox"/>
metallic anthracite	MA	<input type="checkbox"/>
coffee	CA	<input type="checkbox"/>
purple red	PR	<input type="checkbox"/>

gold leaf	TO	
silver leaf	TA	
copper leaf	TR	
bronze leaf	TB	





SPIRALE

Con una forma singolare la spirale avvolge la luce tra le volute della sua lamina, trattenendola quasi a renderla immortale.

A seconda di come la si osservi, nella sua imponente geometria, allontana e avvicina giochi di luce ed ombre fondendo materia al surreale.

A unique spiral form surrounds light with its luminous surface, retaining and rendering it almost immortal.

Depending on your point of observation, its commanding geometric shape blends rays of light and shadows into surreal material.







SPIRALE p 35

Wall lamp
in polished aluminium Ø cm 10X35

Steel base chromed cm 7,5X3,6

Weight kg 1,4

Ministar GY 6.35
35W - 12V
included
Electronic transformer
20-60W 12V
dimmable



35

SPIRALE s 48


Suspension lamp
in polished aluminium Ø cm 10X48

Steel base Ø cm 14X8

3 steel cables cm 200

Weight kg 2,1

AR111 - GU10 LED
13W - 230V - 45°
Dimmable included
900 Lm emitted =75W
3000°K - CRI>80



48

SPIRALE s 110


Suspension lamp
in polished aluminium Ø cm 25X110

Steel base Ø cm 22X14,5


3 steel cables cm 200

Weight kg 8,4

PAR 38 E27 - LED
15W - 220/240V - 30°
included
1100 Lm emitted =120W
3000°K - CRI>80



110



SLOWLY terra

Floor lamp
in polished aluminium Ø cm 9X48

Steel base chromed cm 46X9X1,2

Weight kg 5,4

Ministar GY 6.35
35W - 12V
included
Electronic transformer
20-60W 12V
dimmable



48



• AVAILABLE FINISHINGS AT THE END OF THE CATALOGUE




ECLIPTIKA

L'oro e l'argento, si accendono di luce per giocare con l'intreccio di lame d'alluminio.

Nasce così la linea Ecliptika, giovane ed elegante, nelle sue diverse versioni, ben si adatta a diverse soluzioni d'interni.

Gold and silver are ignited by light reflected by aluminium blades.
The new Ecliptika line comes to life, young and elegant in different versions will adapt to different interior styles.





ECLIPTIKA s 60

Suspension lamp
in anodised aluminium Ø cm 60

Steel base chromed Ø cm 12X10

3 steel cables cm 200
Silicon cable cm 200

Weight kg 2,9

Mirror bulb E27 LED
4W 230/240V
included
450 Lm emitted = 39W
3000°K - CRI>80

Decor Silver E27
100W 230V
included



60



ECLIPTIKA s 80

Suspension lamp
in anodised aluminium Ø cm 80

Steel base chromed Ø cm 14X7

3 steel cables cm 200
Silicon cable cm 200

Weight kg 8

Mirror bulb E27 LED
4W 230/240V
included
450 Lm emitted = 39W
3000°K - CRI>80

Decor Silver E40
300W 230V
included



80



ECLIPTIKA

parete/plafone





ECLIPTIKA p 20

Wall/ceiling lamp
in anodised aluminium Ø cm 20

Steel base chromed Ø cm 7,5X2,1

Weight kg 0,5

Mirror bulb E14 LED
4W 230/240V
included
260 Lm emitted = 25W
3000°K - CRI>80

Decor Silver E14
40W 230V
included



20

ECLIPTIKA s 12

Suspension lamp
in anodised aluminium Ø cm 12

Steel base chromed Ø cm 7,5X3,6

Silicon cable cm 200

Weight kg 0,4

G9 LED
2,5W 230V 360°
included
242 Lm emitted = 40W
3000°K - CRI>80

Two pin GY 6,3
50W 230V
included



12

ECLIPTIKA s 20

Suspension lamp
in anodised aluminium Ø cm 20

Steel base chromed Ø cm 7,5X2,1

Silicon cable cm 200

Weight kg 0,5

Mirror bulb E14 LED
4W 230/240V
included
260 Lm emitted = 25W
3000°K - CRI>80

Decor Silver E14
40W 230V
included



20

ECLIPTIKA s 40

Suspension lamp
in anodised aluminium Ø cm 40

Steel base chromed Ø cm 10X8,5

Silicon cable cm 200

Weight kg 1,9

Mirror bulb E27 LED
4W 230/240V
included
450 Lm emitted = 39W
3000°K - CRI>80

Decor Silver E27
100W 230V
included





40



ECLIPTIKA

parete/plafone



ECLIPTIKA p 40

Wall/ceiling lamp
in anodised aluminium Ø cm 40

Steel base chromed Ø cm 7,5X2,1

Weight kg 1,2

Mirror bulb E27 LED
4W 230/240V
included
450 Lm emitted = 39W
3000°K - CRI>80

Decor Silver E27
100W 230V
included



ECLIPTIKA t 12

Table lamp
in anodised aluminium Ø cm 12

Weight kg 0,3

G9 LED
2,5W 230V 360°
included
242 Lm emitted =40W
3000°K - CRI>80

Two pin GY 6,3
50W 230V
included
Electronic
transformer
20-60W 12V
dimmable



12

ECLIPTIKA t 20

Table lamp
in anodised aluminium Ø cm 20

Weight kg 0,5

Mirror bulb E14 LED
4W 230/240V
included
260 Lm emitted = 25W
3000°K - CRI>80

Decor Silver E14
40W 230V
included
Dimmer
40-160W 240V



20

ECLIPTIKA t 40

Floor lamp
in anodised aluminium Ø cm 40

Weight kg 1,8

Mirror bulb E27 LED
4W 230/240V
included
450 Lm emitted = 39W
3000°K - CRI>80

Decor Silver E27
100W 230V
included
Dimmer
40-160W 240V



40



•AVAILABLE FINISHINGS AT THE END OF THE CATALOGUE





GRANCONFUSIONE

Knikerboker presenta creature che nascono da mondi e confini tra le diverse sfere della creatività: arte-modà-design si fondono per dare vita a sculture luminose dove gli angoli si smussano per creare enormi cerchi.

Knikerboker features of the creatures that come from different worlds and the boundaries between the spheres of creativity: art-fashion-design come together to create light sculptures where the corners are smoothed to create huge circles.



GRANCONFUSIONE 200

Floor lamp
indoor / outdoor
in anodised aluminium wire Ø cm 200

Dimension: cm 240X200X50


Inox steel base cm 50X50X1

IP Grade - 44(65)

Lamp weight kg 29
Base weight kg 28

50 Two-pinG4
K led 1,5W 12V
included
4000Lm emitted
3000°K - CRI>80
Power supply 75W 12V

2700°K on request



240

200



CONFUSIONE

Questo progetto interpreta sinuosamente la filosofia dell'Hand-Made.
Un filo d'alluminio plasmato a forma irregolare si stratifica "caoticamente", evitando
schemi precisi ed enfatizzando il concetto innovativo di "LIGHTING ART MOOD".

This project sinuosly renders Hand-Made philosophy.
An aluminium wire moulded into irregular shape get ticked accemptuated the innovative
concept of "LIGHTING ART MOOD".





CONFUSIONE p 50

Wall lamp
in anodised aluminium wire Ø cm 50

Steel base chromed Ø cm 12,5X4

Weight kg 2

10 two-pin G4 K LED 1,5W 12V included
800Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

20 two-pin G4 K LED 1,5W 12V included
1600Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

10 two-pin - 10W 12V - G4 included
Electronic transformer 105W 12V
dimmable



50

CONFUSIONE p 50 special

Wall lamp
in anodised aluminium wire Ø cm 50

White painted steel base Ø cm 16X6

Weight kg 2,1

10 two-pin - 20W 12V - G4 included
Toroidal transformer 200W 12V

10 two-pin - 20W 12V - G4 included
2 electronic transformers 105W 12V
dimmable



50

Confusione parete

CONFUSIONE p 75

Wall lamp
in anodised aluminium wire Ø cm 75

White painted steel base Ø cm 16X6

Weight kg 6,4

10 two-pin G4 K LED 1,5W 12V included
800Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

20 two-pin G4 K LED 1,5W 12V included
1600Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

10 two-pin - 20W 12V - G4 included
Toroidal transformer 200W 12V

10 two-pin - 20W 12V - G4 included
2 electronic transformers 105W 12V
dimmable



75



CONFUSIONE p 100

Wall lamp
in anodised aluminium wire Ø cm 100

White painted steel base Ø cm 20X7

Weight kg 9,4

15 two-pin G4 K LED 1,5W 12V included
1200Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

25 two-pin G4 K LED 1,5W 12V included
2000Lm emitted - 3000°K - CRI>80
Power supply 45W 12V
2700°K on request



100

15 two-pin - 20W 12V - G4 included
Toroidal transformer 300W 12V



Confusione
plafone





CONFUSIONE pl 50

Ceiling lamp
in anodised aluminium wire Ø cm 50

Steel base chromed Ø cm 12,5X4

Weight kg 2

10 two-pin G4 K LED 1,5W 12V included
800Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

20 two-pin G4 K LED 1,5W 12V included
1600Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

10 two-pin - 10W 12V - G4 included
Electronic transformer 105W 12V
dimmable



50

CONFUSIONE pl 50 special

Ceiling lamp
in anodised aluminium wire Ø cm 50

White painted steel base Ø cm 16X6

Weight kg 2,1

10 two-pin - 20W 12V - G4 included
Toroidal transformer 200W 12V

10 two-pin - 20W 12V - G4 included
2 electronic transformers 105W 12V
dimmable



50

CONFUSIONE pl 75

Ceiling lamp
in anodised aluminium wire Ø cm 75

White painted steel base Ø cm 16X6

Weight kg 6,4

10 two-pin G4 K LED 1,5W 12V included
800Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

20 two-pin G4 K LED 1,5W 12V included
1600Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

10 two-pin - 20W 12V - G4 included
Toroidal transformer 200W 12V

10 two-pin - 20W 12V - G4 included
2 electronic transformers 105W 12V dimmable



75

CONFUSIONE pl 100

Ceiling lamp
in anodised aluminium wire Ø cm 100

White painted steel base Ø cm 20X7

Weight kg 9,4

15 two-pin G4 K LED 1,5W 12V included
1200Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

25 two-pin G4 K LED 1,5W 12V included
2000Lm emitted - 3000°K - CRI>80
Power supply 45W 12V
2700°K on request

15 two-pin - 20W 12V - G4 included
Toroidal transformer 300W 12V



100

Confusione

sospensione







CONFUSIONE s 50 special

Suspension lamp
in anodised aluminium wire Ø cm 50

White painted steel base Ø cm 16X6

3 steel cables cm 200
Silicon cable cm 200

Weight kg 2,3

10 two-pin G4 K LED 1,5W 12V included
800Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

20 two-pin G4 K LED 1,5W 12V included
1600Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

10 two-pin - 20W 12V - G4 included
Toroidal transformer 200W 12V

10 two-pin - 20W 12V - G4 included
2 electronic transformers 105W 12V dimmable



50

CONFUSIONE s 75

Suspension lamp
in anodised aluminium wire Ø cm 75

White painted steel base Ø cm 16X6

3 steel cables cm 200
Silicon cable cm 200


Weight kg 6,5

10 two-pin G4 K LED 1,5W 12V included
800Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

20 two-pin G4 K LED 1,5W 12V included
1600Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

10 two-pin - 20W 12V - G4 included
Toroidal transformer 200W 12V

10 two-pin - 20W 12V - G4 included
2 electronic transformers 105W 12V dimmable



75



CONFUSIONE s 100

Suspension lamp
in anodised aluminium wire Ø cm 100

White painted steel base Ø cm 20X7

3 steel cables cm 200
Silicon cable cm 200

Weight kg 9,4


15 two-pin G4 K LED 1,5W 12V included
1200Lm emitted - 3000°K - CRI>80
Power supply 30W 12V
2700°K on request

25 two-pin G4 K LED 1,5W 12V included
2000Lm emitted - 3000°K - CRI>80
Power supply 45W 12V
2700°K on request

15 two-pin - 20W 12V - G4 included
Toroidal transformer 300W 12V



100



Confusione

sospensione





Confusione tavolo



CONFUSIONE tavolo

Table lamp
in anodised aluminium wire Ø cm 28

Dimension: cm 40X28X9

Steel base chromed cm 9X9X1

Weight kg 1,5

8 two-pin G4 K LED 1,5W 12V included
640Lm emitted - 3000°K - CRI>80
Power supply included
2700°K on request

5 two-pin
10W 12V - G4 included
Electronic transformer 20-60W 12V dimmable



40

28





SOLARIA

Linea concepita per conservare e alimentare attraverso la luce al mercurio le piante durante tutto l'anno solare, grazie a lampade dai bassi consumi energetici e un'illuminazione in grado di stimolare il processo di fotosintesi.

Line conceived to preserve and feed through mercury light the plants during the whole calendar year thanks to lamps with low energy consumption and a lighting able to stimulate photosynthesis process.



COLTIVA

Table lamp
in painted steel cm 60X15X50

Running system on steel blade

Excursion from cm 50 to cm 75

Weight kg 5,8

Mercury lamp
local power source

Mercury bulb
50W 240V included



50

60

LOTO terra

Floor lamp
in painted steel cm 25X25X210

Base in painted steel Ø cm 25X1

Excursion from cm 140 to cm 220

Weight kg 6

Mercury lamp
local power source

Mercury bulb
50W 240V included



210

25

LOTO parete

Wall lamp
in painted steel cm 25X38X15

Base in painted steel cm 14X7,5

Protusion cm 40

Weight kg 2,4

Mercury lamp
local power source

Mercury bulb
50W 240V included



22

38

LOTO sospensione

Suspension lamp
in painted steel cm 14X22

Base in painted steel Ø cm 14X9

Weight kg 2,2

Mercury lamp
local power source

Mercury bulb
50W 240V included




22

14

work in progress





"le Gigne"
va all'aperto!



GENERAL information

Tutte le lampade Knikerboker vengono realizzate con materiali di qualità e sottoposte ad un attento controllo e collaudo finale.

Il controllo delle lampade durante le fasi della produzione ne garantisce la totale qualità.

I nostri prodotti sono contrassegnati e sottoposti all'applicazione delle normative CE ed appartengono alla Classe I, in IP 20.

Knikerboker garantisce i propri prodotti secondo le normative stabilite dalla comunità europea, dalla data di acquisto.

La garanzia dà diritto alla sostituzione, riparazione gratuita di tutte le parti soggette a vizi di fabbricazione, escludendo danni arrecati da rotture di trasporto, riparazione da terzi, danni o manomissioni e da uso improprio.

La garanzia esclude le lampadine, i trasformatori e gli alimentatori.

E' escluso altresì il prolungamento della garanzia successivamente ad una riparazione del prodotto.

Nessuna responsabilità è assunta per danni accidentali a persone e/o cose in seguito all'uso improprio dei prodotti.

Dimmerazione:

Tutti gli articoli dimmerabili devono essere utilizzati con dimmer compatibili con le caratteristiche tecniche specificate sulle etichette degli alimentatori/trasformatori.

Avvertenza:

Nella continua ricerca di miglioramento Knikerboker si riserva il diritto di apportare delle modifiche ai propri prodotti o parte degli stessi senza preavviso ed in qualsiasi momento.

Knikerboker

assolve l'obbligo dello smaltimento a norma di legge delle apparecchiature elettriche ed elettroniche, associandosi ai consorzi delle rispettive nazioni.

All Knikerboker's lamps are made with high quality material and they are submit to a careful inspection and final test.

The lamp's inspection during every step of production warrantee the quality.

The product is marked and submit to the European prescriptive and belongs to IP 20 in I Class.

Knikerboker warrantees these lamps, through the CE prescriptive from the date of purchase.

The guarantee gives the due of substitution, free repair of all the parts defective from the manufacture.

The guarantee does not apply to light, bulbs, transformers and power supplies shipping damage, damage resulting from alternations, unauthorized repairs of service, misuse or improper maintenance.

This guarantee shall not be extended, subsequent to repair beyond the warranty period.

No responsibility is assumed for any accidental damages to people and/or things arising out of the use or inability to use this product.

Dimming:

All dimmable items must be used with dimmers with the technical features specified on the labels of the power supplies/transformers.

Warning:

In its constant search for improvement, Knikerboker reserves the right to carry changes to the products or part of them without notice and in every moment.

Knikerboker

fulfills the obligation to dispose of the electric and electronical equipment according to law, joining different countries' corporations.

Alle Knikerboker Leuchten werden aus hochwertigen Materialien erstellt und einer aufmerksamen Endkontrolle unterzogen.

Die Kontrolle während der Produktion gewährleistet die Gesamtqualität. Unsere Produkte sind CE zertifiziert und gehören standardmäßig der Klasse I, IP 20 an.

Knikerboker haftet für die eigenen Produkte gemäß der EU- Regelungen ab dem Verkaufsdatum.

Produktionsmängel berechtigen im Rahmen der Garantie zum Austausch oder zur kostenlosen Reparatur der beschädigten Teile. Transportschäden, Reparatur durch Dritte, unbefugte Eingriffe oder nicht ordnungsgemäße Verwendung sind von der Garantie ausgenommen.

Von der Garantie sind Leuchtmittel, Transformatoren und Betriebsgeräte ausgeschlossen. Ebenso ist die Verlängerung der Garantie nach einer erfolgten Reparatur ausgeschlossen.

Für Schäden an Personen und/oder Sachen durch unsachgemäße Verwendung der Produkte wird nicht gehaftet.

Dimmbarkeit:

Für alle dimmbaren Produkte müssen Dimmer genutzt werden, die kompatibel mit den technischen Eigenschaften der Trafos oder Betriebsgeräten sind.

Entsprechende Hinweise befinden sich auf den Etiketten.

Hinweise:

Knikerboker behält sich vor, eigene Produkte ohne Vorankündigung jederzeit zu modifizieren oder zu verbessern.

Knikerboker

erfüllt die Pflicht der Entsorgung von Elektronik und Elektrogeräten laut der entsprechenden Elektrogesetzen.

Our finishings

embossed white	B	
embossed black	N	
metallic anthracite	MA	
coffee	CA	
purple red	PR	
rust	RU	
gold leaf	TO	
silver leaf	TA	
copper leaf	TR	
bronze leaf	TB	
gold leaf/white	TO/B	
silver leaf/white	TA/B	
copper leaf/white	TR/B	
bronze leaf/white	TB/B	
gold leaf/black	TO/N	
silver leaf/black	TA/N	
copper leaf/black	TR/N	
bronze leaf/black	TB/N	
gold leaf/metallic anthracite	TO/MA	
silver leaf/metallic anthracite	TA/MA	
copper leaf/metallic anthracite	TR/MA	
bronze leaf/metallic anthracite	TB/MA	
gold leaf/coffee	TO/CA	
silver leaf/coffee	TA/CA	
copper leaf/coffee	TR/CA	
bronze leaf/coffee	TB/CA	
gold leaf/purple red	TO/PR	
silver leaf/purple red	TA/PR	
copper leaf/purple red	TR/PR	
bronze leaf/purple red	TB/PR	

In caso di doppia finitura, il primo colore coincide con l'esterno, il secondo con l'interno.

Per esempio: foglia argento (esterno) bianco (interno)

Finiture speciali “a richiesta”

La finitura ruggine non è disponibile per tutte le collezioni.

La collezione “Confusione” puo’ essere realizzata in filo di ottone o rame, a seconda del peso e della dimensione.

La stessa puo’ essere verniciata nei colori: ottone, rame, nero opaco e total white.

In case of double finishing, the first color coincides with outside, the second one with inside.

For example: silver leaf (outside) white (inside)

Special finishings “on request”

Rust finish is not available for all the collections.

“Confusione” collections can be realized in brass or copper wire based on weight and size.

The collection can be painted in: brass, copper, matt black and total white.

Bei einer doppelten Oberflächenbehandlung ist die erste Farbe für die Außenseite und die zweite für die Innenseite der Leuchte bestimmt.

Zum Beispiel: Blattsilber (außen) weiß (innen)

Sonderausführungen “auf Anfrage”

Nicht alle Kollektionen sind in Rostausführung lieferbar.

Die Kollektion “Confusione” kann je nach Gewicht und Größe aus Messing- oder Kupferdraht hergestellt werden.

Außerdem kann sie in folgenden Farben lackiert werden: Messing, Kupfer, Mattschwarz und Weiß.



Knikerboker s.r.l. - Via Delle Rose, 7- 24040 Lallio (BG) Italy Tel.+39 (0)35 200586 - Fax +39 (0)35 4327902
info@knikerboker.it - www.knikerboker.it - skype: infoknikerboker - instagram: knikerboker - facebook: knikerbokeritaly