


EASYCONNECT[®]

BASKET TRAY



RESISTANCE & SECURITY IN 1 CLICK

- Patented self-joining system
- Reduces costs and installation time
- Increase safety and life span



Valdinox
THE CABLE TRAY COMPANY




FACTORY: Villanueva, 12 - San Mamés de Meruelo (39192) Cantabria, España
WAREHOUSE: Bº El Campo S/N - Meruelo (39192) Cantabria, España
Tel: (+34) 942 677 135 - (+34) 942 674 992
Fax: (+34) 942 637 901 - (+34) 942 677 020
Email: valdinox@valdinox.com - export@valdinox.com
www.valdinox.com

EZ	HDG	IN 304 IN 316L	H (mm)	W (mm)	Su* (cm²)	SWL (N/m)
EC30.060EZ	EC30.060HDG	EC30.060IN	35	70	172	18,78
EC30.100EZ	EC30.100HDG	EC30.100IN	35	102	178	26,87
EC30.150EZ	EC30.150HDG	EC30.150IN	35	152	188	42,42
EC30.200EZ	EC30.200HDG	EC30.200IN	35	202	199	57,97
EC30.300EZ	EC30.300HDG	EC30.300IN	35	302	221	87,43

Length: 3 m

* Sección transversal / Cross Section / Section transversale




EZ	HDG	IN 304 IN 316L	H (mm)	W (mm)	Su* (cm²)	SWL (N/m)
EC60.060EZ	EC60.060HDG	EC60.060IN	55	60	290	25,75
EC60.060EZ-6W	EC60.060HDG-6W	EC60.060IN-6W**	51	66	290	23,74
EC60.100EZ	EC60.100HDG	EC60.100IN	60	102	323	48,47
EC60.150EZ	EC60.150HDG	EC60.150IN	60	152	345	76,52
EC60.200EZ	EC60.200HDG	EC60.200IN	60	202	368	104,57
EC60.300EZ	EC60.300HDG	EC60.300IN	60	302	413	158,63
EC60.400EZ	EC60.400HDG	EC60.400IN	60	402	457	211,86
EC60.500EZ	EC60.500HDG	EC60.500IN	60	502	502	266,73
EC60.600EZ	EC60.600HDG	EC60.600IN	60	602	547	321,93

Length: 3 m

* Sección transversal / Cross Section / Section transversale


** H=55 mm; W=73 mm; Su=29,4 cm²



EZ	HDG	IN 304 IN 316L	H (mm)	W (mm)	Su* (cm²)	SWL (N/m)
EC100.150EZ	EC100.150HDG	EC100.150IN	108	152	441	139,79
EC100.200EZ	EC100.200HDG	EC100.200IN	108	202	462	191,64
EC100.300EZ	EC100.300HDG	EC100.300IN	108	302	504	292,88
EC100.400EZ	EC100.400HDG	EC100.400IN	108	402	546	395,46
EC100.500EZ	EC100.500HDG	EC100.500IN	108	502	588	498,66
EC100.600EZ	EC100.600HDG	EC100.600IN	108	602	630	601,86

Length: 3 m


* Sección transversal / Cross Section / Section transversale
















EZ	HDG	IN 304 IN 316L	H (mm)	W (mm)	Su* (cm²)	SWL (N/m)
EC150.200EZ	EC150.200HDG	EC150.200IN	155	208	285.08	858
EC150.300EZ	EC150.300HDG	EC150.300IN	158	308	443.05	784
EC150.400EZ	EC150.400HDG	EC150.400IN	158	408	596.25	711
EC150.450EZ	EC150.450HDG	EC150.450IN	155	458	659.68	674
EC150.500EZ	EC150.500HDG	EC150.500IN	158	508	749.45	662
EC150.600EZ	EC150.600HDG	EC150.600IN	158	608	902.04	638

Length: 3 m


* Sección transversal / Cross Section / Section transversale








SG	HDG	IN 304	H (mm)	L (mm)
SE100SG	SE100HDG	SE100IN	86	141
SE150SG	SE150HDG	SE150IN	86	190
SE200SG	SE200HDG	SE200IN	86	241
SE300SG	SE300HDG	SE300IN	111	341
SE400SG	SE400HDG	SE400IN	121	441
SE500SG	SE500HDG	SE500IN	162	541
SE600SG	SE600HDG	SE600IN	159	641



SG	HDG	IN 304	H (mm)	L1 (mm)	L2 (mm)
SOPC10SG	SOPC10HDG	SOPC10IN	180	215	115
SOPC15SG	SOPC15HDG	SOPC15IN	180	265	115
SOPC20SG	SOPC20HDG	SOPC20IN	180	315	115
SOPC30SG	SOPC30HDG	SOPC30IN	180	415	115




SG	HDG	IN 304	L (mm)
SOA10SG	SOA10HDG	SOA10IN	250
SOA15SG	SOA15HDG	SOA15IN	300
SOA20SG	SOA20HDG	SOA20IN	350
SOA30SG	SOA30HDG	SOA30IN	450
SOA40SG	SOA40HDG	SOA40IN	550
SOA50SG	SOA50HDG	SOA50IN	650
SOA60SG	SOA60HDG	SOA60IN	750




SG	IN 304	H (mm)	L1 (mm)	L2 (mm)
OHC060SG	OHC060IN	125	83	53
OHC100SG	OHC100IN	125	104	53
OHC150SG	OHC150IN	125	154	53



SG	HDG	IN 304	W (mm)	L (mm)
SD60SG	SD60HDG	SD60IN	50	164
SD100SG	SD100HDG	SD100IN	50	190
SD150SG	SD150HDG	SD150IN	50	240
SD200SG	SD200HDG	SD200IN	50	290
SD300SG	SD300HDG	SD300IN	50	390
SD400SG	SD400HDG	SD400IN	50	490
SD500SG	SD500HDG	SD500IN	50	590
SD600SG	SD600HDG	SD600IN	50	690




SG	HDG	IN 304	H (mm)	W (mm)	L (mm)
SD60SG	SD60HDG	SD60IN	50	60	164
SD100SG	SD100HDG	SD100IN	50	50	190
SD150SG	SD150HDG	SD150IN	50	50	240
SD200SG	SD200HDG	SD200IN	50	50	290
SD300SG	SD300HDG	SD300IN	50	50	390
SD400SG	SD400HDG	SD400IN	50	50	490
SD500SG	SD500HDG	SD500IN	50	50	590
SD600SG	SD600HDG	SD600IN	50	50	690




SG	ZF	IN 304	H (mm)	W (mm)
PS60SG	PS60ZF	PS60IN	50	65













EZ	W (mm)	L (mm)
PGM8EZ	19	35
PGM10EZ	19	35




SG	HDG	IN 304	H (mm)	L (mm)
SOC10SG	SOC10HDG	SOC10IN	115	215
SOC15SG	SOC15HDG	SOC15IN	115	265
SOC20SG	SOC20HDG	SOC20IN	115	315
SOC30SG	SOC30HDG	SOC30IN	115	415
SOC40SG	SOC40HDG	SOC40IN	115	515




SG	HDG	IN 304	H (mm)	W (mm)	L (mm)
P4141SG	P4141HDG	P4141IN	41	41	3000
P4121SG	P4121HDG	P4121IN	21	41	3000





SG	IN 304	W (mm)	L (mm)
CPB5G	CPBIN	55	290
CPB100SG	CPB100IN	103	290




Ref.
INVSO



SG	ZF	IN 304
ENTSG	ENTZF	ENTIN



Ref.
PLASTIC TAG



Ref.
MAT

Brass

Diametre of earthing cable: 25mm
Available for larger cable diameters



Ref.
SEC3.8
SEC4.4

VALDINOX, is the spanish pioneer on the manufacturing of wire mesh cable trays, being among the most experienced manufacturers in Europe.

Our innovative wire mesh cable trays are the result of a wide knowledge accrued for more than 30 years and our commitment to technical quality and customer service.

EASYCONNECT[®]
BASKET TRAY

