

Smart Filament Bulbs



Nothing says old-school and cool in lighting better than the filament bulb. Revived with LED technology, our lineup of filament bulb is both capable and classic.

LED Filament Patent Ledisong Certified.

• Dimmable

• Smart Control

• 15000h Life Span

• 3 Unique Finishes



They come in three unique finishes:

Clear


Amber

Milky





Smart Wi-Fi Filament Bulb



A60



ST64



G125

- LED Filament Patent Ledisong Certified.
- Each model comes in 3 finishes:


Clear/ Amber/ Milky



Model	Base	Input Voltage	Power	Luminous Flux	Color Temperature	Life Span	Beam Angle	ErP Rating	Dimension (mm)
io-WFA60	E27/B22	220-240V	4.9W	470lm	Clear/Milky:2700K Amber: 2200K	15000 h	320°	Clear: F Milky/Amber: G	D60*H105
io-WFST64	E27/B22	220-240V	4.9W	470lm	Clear/Milky:2700K Amber: 2200K	15000 h	320°	Clear: F Milky/Amber: G	D64*H140
io-WFG125	E27/B22	220-240V	4.9W	470lm	Clear/Milky:2700K Amber: 2200K	15000 h	320°	Clear: F Milky/Amber: G	D125*H167
io-WFA60-T	E27/B22	220-240V	4.9W	470lm	2700-6500K	15000 h	320°	Clear: F Milky/Amber: G	D60*H105
io-WFST64-T	E27/B22	220-240V	4.9W	470lm	2700-6500K	15000 h	320°	Clear: F Milky/Amber: G	D64*H140
io-WFG125-T	E27/B22	220-240V	4.9W	470lm	2700-6500K	15000 h	320°	Clear: F Milky/Amber: G	D125*H167
io-WFA60-H	E27/B22	220-240V	7W	806lm	Clear/Milky:2700K Amber: 2200K	15000 h	320°	Clear: F Milky/Amber: G	D60*H105
io-WFST64-H	E27/B22	220-240V	7W	806lm	Clear/Milky:2700K Amber: 2200K	15000 h	320°	Clear: F Milky/Amber: G	D64*H140
io-WFG125-H	E27/B22	220-240V	7W	806lm	Clear/Milky:2700K Amber: 2200K	15000 h	320°	Clear: F Milky/Amber: G	D125*H167
io-WFA60-TH	E27/B22	220-240V	7W	806lm	2700-6500K	15000 h	320°	Clear: F Milky/Amber: G	D60*H105
io-WFST64-TH	E27/B22	220-240V	7W	806lm	2700-6500K	15000 h	320°	Clear: F Milky/Amber: G	D64*H140
io-WFG125-TH	E27/B22	220-240V	7W	806lm	2700-6500K	15000 h	320°	Clear: F Milky/Amber: G	D125*H167



Smart Premium Filament Bulb



A60



ST64



G125


- LED Filament Patent Ledisong Certified.
- Beautifully Twisted Filament
- Golden or Clear Glass



Model	Base	Input Voltage	Power	Luminous Flux	Color Temperature	Life Span	Beam Angle	ErP Rating	Dimension (mm)
io-WFA60-A-WDFL	E27/B22	220-240V	4.9W	470lm	1800-6500K	15000 h	320°	F	D60*H105
io-WFST64-A-WDFL	E27/B22	220-240V	4.9W	470lm	1800-6500K	15000 h	320°	F	D64*H142
io-WFG125-A-WDFL	E27/B22	220-240V	4.9W	470lm	1800-6500K	15000 h	320°	F	D125*H170
io-WFA60-C-WDFL	E27/B22	220-240V	5.5W	470lm	1800-6500K	15000 h	320°	F	D60*H105
io-WFST64-C-WDFL	E27/B22	220-240V	5.5W	470lm	1800-6500K	15000 h	320°	F	D64*H142
io-WFG125-C-WDFL	E27/B22	220-240V	5.5W	470lm	1800-6500K	15000 h	320°	F	D125*H170



Smart Special Filament Bulb



Let's Try Something Special:

- New Shapes: C35 and G45
- New Finish: Smoke Glass
- New Function: Color Control



Model	Base	Input Voltage	Power	Luminous Flux	Color Temperature	Life Span	Beam Angle	ErP Rating	Dimension (mm)
io-WFG45-C-T	E27/B22	220-240V	4.9W	470lm	1800-3000K	15000 h	320°	F	D45*H78
io-WFG45-M-T	E27/B22	220-240V	4.9W	470lm	2200-4000K	15000 h	320°	F	D45*H78
io-WFC35-C-T	E14	220-240V	4.9W	470lm	1800-3000K	15000 h	320°	F	D35*H116
io-WFC35-M-T	E14	220-240V	4.9W	470lm	2200-4000K	15000 h	320°	F	D35*H116
io-WFC35-A	E14	220-240V	4.9W	470lm	2200K	15000 h	320°	F	D35*H116
io-WFG125-M-RGBCW	E27/B22	220-240V	5.5W	380lm	RGB/2700K-6500K	15000 h	320°	G	D125*H172
io-WFG125-M-RGBW	E27/B22	220-240V	4.9W	240lm	RGB+W1800K	15000 h	320°	G	D125*H172
io-WFG125-S	E27/B22	220-240V	7W	400lm	1800K	15000 h	320°	G	D125*H172
io-WFST64-S	E27/B22	220-240V	7W	400lm	1800K	15000 h	320°	G	D64*H142