Dalcnet



Solutions for professional

LED lighting control

Dalcnet is a young, dynamic company with 10 years' experience in the lighting sector.

Dalcnet's core business lies in the design and development of complete solutions for the full control of LED lighting systems and installations.

HISTORY

Dalcnet was founded in 2011 and by 2013 it was already offering its customers a full range of products.

In 2014, due to increasing demands, a foreign sales network was developed and in 2015 Digimax joined the company.

In 2016, important lighting control partnerships were finalized with companies such as Casambi and DIIA (DALI Alliance).

The 2020 marked the move to a new headquarter with the development of new production lines, while 2021 represents the start of a new corporate governance. Mid 2021 Dalcnet was acquired by Digimax and Massimo Tirapelle.

Digimax is 60M€ turnover in 2021 focus in Lighting and Industrial products distribution and consultancy in Italy.



Our history

WITH YOU



2013

First produc catalogue



2015

Partnership with



2018

100k devices sold/year



2011

oundation of Dalonet



2014





2016

Partnership with DAL alliance and with Casambi



2020

New headquarters an new production lines

WWW.DALCNET.COM

2022 Dalcnet re-organization


Key points:

- 1. Powering R&D department by introduction of new HW and FW engineers for completely renew products lines with new plastic cases and amazing features.
- 2. Export re-organization by introduction of new partners and consolidation of existing ones.

Retail

- 3. Second half 2022 and 2023:
 - 1. New production line fully automatized with AOI and new MES Software (Manufacturing Execution System).
 - 2. Digitalization process and introduction of Cyber security tools.
 - Marketing improvement with new tools for Seo and Sem and Vertical market research for control lighting company partners.






TURNOVER YEAR 2021

3.101.657 € at 31/12/2021 + **63**% compared to year 2020





Our Partners






















INTERNATIONAL PARTNER NETWORK





EUROPEAN NETWORK

- Partner distributors
- Direct Clients
- New partnership work in progress

Best Technologies















THE CASAMBI ECOSYSTEM





DLC1224-1CV-CASAMBI





D100X25-1248-CBM-LV



TIMER CASAMBI



THE DALI ECOSYSTEM



DLX1224-4CC350-DALI



DLM1224-1CV-DALI



DLD1248-4CV-DALI



DAC230-4CH-DALI



DGM02

THE DMX ECOSYSTEM





DLX1224-4CV-DMX



DLD1248-4CV-DMX



DGM02



ADC1248-4CH-DMX



DGD-DMX-DALI

NEW CASAMBI CV LINEUP



MINI-1CV-CASAMBI



- Single channel
- Input: 12-48 V
- Output: max 12 A
- PWM frequency 4 kHz
- Bluetooth 5.0 (Beta)
- Size: 46x46x25mm

Availability: Q3 2022



SLIM-2CV-CASAMBI



- Two channels
- Input: 12-48 V
- Output: 2 x 10 A

Total max 17,5 A

- Profiles:
 - Tunable white
 - Dim-to-warm
 - Indipendent channels
 - Single channel up to 17,5 A
- PWM frequency 4 kHz
- Bluetooth 5.0 (Beta)
- Screwless cable cover
- Size: 136x29x21mm

Availability:Q3 2022



LINE-5CV-CASAMBI



- Five channels
- Input: 12-48 V
- Output: 5 x 4 A

Total max 17,5 A

- Profiles:
 - RBG
 - RBG+W
 - RGB+TW
 - RGB + 2W
 - 2 x TW
- PWM frequency 4 kHz
- Bluetooth 5.0 (Beta)
- Screwless cable cover
- Size: 186x29x21mm

Availability: Q3 2022

NEW DALI-2 CV LINEUP



MINI-1CV-DALI



- Single channel
- Input: 12-48 V
- Output: max 12 A
- PWM frequency 4 kHz
- DALI2.0 certification
- Push button input
- **LightApp** configuration
- Size: 46x46x25mm

Availability:

Q4 2022

SLIM-2CV-DALI





• Input: 12-48 V

• Output: 2 x 10 A

Total max 17,5 A



- DALI DT8 Tunable White
- 2 x DT6
- 1 x DT6 up to 17,5 A
- PWM frequency 4 kHz
- DALI2.0 certification
- Push button input
- **LightApp** configuration
- Screwless cable cover

• Size: 136x29x21mm





Availability: Q1 2023



LINE-5CV-DALI



- Five channels
- Input: 12-48 V
- Output: 5 x 4 A

Total max 17,5 A

- Profiles:
 - DALI DT8 RBG+W
 - 2 x DT8 (RBG+TW)
- PWM frequency 4 kHz
- DALI2.0 certification
- Push button input
- **LightApp** configuration
- Screwless cable cover
- Size: 186x29x21mm

Availability: Q2 2023

NEW DMX CV LINEUP



MINI-1CV-DMX



- Single channel
- Input: 12-48 V
- Output: max 12 A
- PWM frequency 4 kHz
- Push button input
- LIGHTAPP configuration
- Size: 46x46x25mm

Availability:

Q4 2022



LINE-5CV-DMX



• Five channels

• Input: 12-48 V

• Output: 5 x 4 A

Total max 17,5 A

• PWM frequency 4 kHz

• LIGHTAPP configuration

• Screwless cable cover

• Size: 186x29x21mm

Availability:

Q1 2023

The new Dalcnet app will be available on Android and iOS.

Thanks to the NFC technology it will be possible to configure:

- Min and max level
- Dimming curve
- PWM frequency
- > Fade time
- > DALI/DMX addressing and parameters (power on level, system failure level, ...)
- > Analogic input type: Push button, 0-10V, 1-10V, potentiometer, sensor, switch
- Push button/switch behavior
 - ☐ On/off/dim
 - ☐ On/off
 - ☐ Cycle: it is possible to set up to 10 different levels; each press of the button change from one level to the next
 - ☐ Animation: it is possible to set up 10 different level and make a dynamic animation associated to the press of the button
- Constant current level
- And many other parameters





A new approach to the devices configuration.

Hot selling products and case studies

Overview on the possible applications and integration of Dalcnet Dimmers



Best sellers

DLM1224-1CV

DLM1224-1CV-DALI

DLX1224-4CV-DALI

DLX1224-4CV-DMX

DLD1248-4CV-DALI

DLD1248-4CV-DMX

DLX1224-4CV-CASAMBI

CBU-MASTER-DALI-IP

DGM02-1248









Clients targets

Lighting fixtures manufacturers - OEM and ODM, customized products

Electrical wholesalers and installers – simple push button dimmers and casambi devices

like DLM1224-1CV, DLM1224-1CV-DALI, DLC1224-1CV-CASAMBI, DLX1224-4CH-CASAMBI

Lighting designers – Casambi, DMX , DALI devices

like DLM1224-1CV-DALI, DLX1224-4CV-CASAMBI, TIMER-CASAMBI, CBU-MASTER-DALI-IP, DLD1248-4CH-DMX or DALI.

Integrators – high professional OEM dimmers, gateways and converters

like DGM02-1248, ADC1248-4CH-DALI or DMX, DLD1248-4CH-DALI or DMX



Application: «La Grande Mela» Shopping mall Facade in Verona, Italy

Products: DLD1248-4CV-DMX





Application: «Katara Village» Building facade in Doha, Qatar

Products: DLD1248-4CH-DALI

Application: commercial square outdoor lighting and building facade. Color lighting control

Products: OEM DMX devices, 8channels, constant current 4ch DMX Splitters Traxxon control system





Applications: Smart towers; car charging stations

Products: DGM01-1248 DLD1248-12CV-DMX DLP1224-6CV-DMX





Application: Yachts and cruise ships (Virgin cruise ships)

Products: OEM DMX to 0-10 converters



Virgin cruise ship



Application: Qatar national museum in Doha, Qatar

Products: DLD1248-4CC-DMX DMX-SPLITTER-4CH

Application: L'Hemisferic museum in Valencia, Spain

Products: DLX1224-4CC500-CASAMBI






Application:

Historical cities and archeological sites

Mercati di Traiano in Rome – Casambi CBU-MASTER-DALI-IP



In Feltre: public lighting relamping – Casambi CBU-MASTER-DMX-IP



Application: Car washers

Products: DLD1248-4CV-MODBUS



Application : underwater facilities

Products: DLD1248-4CC-MODBUS



Application: Horticulture

Products:

DLX1224-4CH-CASAMBI CBU-MASTER-DMX-IP





Application: lighting on Public transport


Products: OEM single channel in Constant Current



Application: train station in Padua, Italy

Products: DLM1248-1CV-DALI





Application: Retail – Flagship stores

Products: Casambi CBU-MASTER-DALI-IP





Application: Retail - Multibrand stores

Products: Casambi CBU-MASTER-DALI-IP

DLD1248-4CH-DALI

