



Augenti®
LIGHTING





ELEGANCE
IS WHEN
AN OBJECT
CORRESPONDS
TO ITS CONCEPT

STEM collection

STEM collection

Un sottile stelo, leggero e discreto, un concept volto a prediligere l'essenza della luce e la pulizia del design. **Stem** si presenta così: una collezione di paletti da giardino **contraddistinti da un sottile anello di luce**, pensati per favorire l'effetto scenografico, la morbidezza, e l'esclusività degli spazi. Il suo utilizzo ideale è la collocazione in zone verdi, cespugli, outdoor living intimi ed accoglienti che evocano il calore di casa, fascino ed eleganza. Adatti anche a creare suggestivi percorsi dedicati ad impreziosire ingressi e vialetti.

Le **tre altezze** e la possibilità di installare **Stem con base, cassaforma interrata o picchetto**, permettono di dare vita a movimenti di luce giocosi e molto attuali. La sua luminescenza diffusa e fluida, quasi fosse un'aura rara, si fonde all'ambiente naturalistico con armonia e delicatezza, con il fine di costruire e valorizzare una scena dando forma ad una visione, senza imporsi su di essa. Proprio per avvantaggiare il principio di fusione con l'ambiente, **Stem è proposto in 9 colori di verniciatura**, agevolando le esigenze del committente, dell'architetto paesaggista o del lighting designer. A completamento della collezione vi è anche la **versione a parete**, un'applicazione a disco che ricrea a muro la stessa avvolgente atmosfera di luce.

Stem, il fascino del concetto.

A thin **stem**, light and discreet, a concept aimed at favoring the essence of the light and cleaning of the design. **Stem** looks like this: a collection of garden stakes **distinguished by a thin ring of light**, designed to enhance the spectacular effect, the softness, and the exclusivity of the spaces. Its ideal use is the placement in green areas, bushes, intimate and welcoming outdoor living areas that evoke the warmth of home, charm and elegance. Also suitable for creating suggestive paths dedicated to embellishing entrances and walkways.

The **three heights** and the possibility of installing **Stem with base, underground recessed box or spike**, allow you to create playful and very modern movements of light. Its diffused and fluid luminescence, as if it was a rarefied aura, blends into the naturalistic environment with harmony and delicacy, with the aim to build and enhance a scene by giving shape to a vision, without imposing itself on it. Precisely to favor the principle of fusion with the environment, **Stem is offered in 9 paint colors**, helping the needs of the client, the landscape architect or the lighting designer. To complete the collection, there is also the **wall version**, a disc-shaped applique that recreates the same enveloping atmosphere of light on the wall.

Stem, the charm of the concept.

Une tige fine, légère et discrète, un concept visant à privilégier l'essence du design léger et épuré. **Stem** ressemble à ceci : une collection de piquets de jardin **qui se distingue par un fin anneau de lumière**, conçue pour rehausser l'effet scénographique, la douceur et l'exclusivité des espaces. Son utilisation idéale est le placement dans des espaces verts, des buissons, des espaces de vie extérieurs intimes et accueillants qui évoquent la chaleur de la maison, le charme et l'élégance. Convient également pour créer des chemins suggestifs dédiés à l'embellissement des entrées et des chemins.

Les **trois hauteurs** et la possibilité d'installer **Stem avec socle, coffrage enterré ou piquet**, permettent de créer des mouvements de lumière ludiques et très actuels. Sa luminescence diffuse et fluide, comme s'il s'agissait d'une aura raréfiée, se fond dans l'environnement naturaliste avec harmonie et délicatesse, dans le but de construire et de mettre en valeur une scène en donnant forme à une vision, sans s'imposer à elle. Précisément pour bénéficier du principe de fusion avec l'environnement, **Stem est proposé en 9 couleurs de peinture**, facilitant les besoins du client, de l'architecte paysagiste ou du concepteur d'éclairage. Pour compléter la collection, il existe également la **version murale**, une application disque qui recrée la même atmosphère enveloppante de lumière sur le mur.

Stem, le charme du concept.



collection

bollard STEM

Finishes

New Color



55
GREEN
COOL MINT
RAL 6019



00
PUREWHITE
RAL 9016




10
WHITE
RAL 9010




24
BRONZE



25
RUST



01
BLACK
RAL 9005



30
ANTHRACITE



35
SLATE GREY



40
GREY
RAL 9006

Technical Data


EMISSIONE DIFFUSA 360° - DIFFUSE EMISSION 360°

3000K - 4000K

Versione in Tensione - Constant voltage (Vdc)

11 W con DRIVER REMOTO 24Vdc - 11 W REMOTE DRIVER 24Vdc

Specifications



Fixture Specifications

Protection . IP 65 - IK 08

Body . Anticorodal turning aluminum 6000 Serie,
for greater corrosion resistance

Screen . Opal Polycarbonate

Seals . EPDM rubber

Screws . Stainless steel A2

Paint / Finishing . Anti-corrosive UV stabilised
polyester powder




STEM BOLLARD

STEM BOLLARD

led WHITE


STANDARD
version




SMALL POLES

Quote espresse in millimetri "mm"
Share expressed in millimeters "mm"

version with
SPIKE ACCESSORY



version with
UNDERGROUND CASING ACCESSORY



Versione in Tensione - Constant voltage (Vdc)

code

350F1/WRRC

beam

DIFFUSE
360°

class

III

power

24Vdc

W

11W

source

1420 lm

fixture

800 lm

CCTLED

3000K

CRI

code

350F1/NRRC

beam

DIFFUSE
360°

class

III

power

24Vdc

W

11W

source

1510 lm

fixture

880 lm

CCTLED

4000K

CRI

code

350F2/WRRC

beam

DIFFUSE
360°

class

III

power

24Vdc

W

11W

source

1420 lm

fixture

800 lm

CCTLED

3000K

CRI

code

350F2/NRRC

beam

DIFFUSE
360°

class

III

power

24Vdc

W

11W

source

1510 lm

fixture

880 lm

CCTLED

4000K

CRI



Accessories



informazioni sugli accessori sul nostro sito web
information about accessories on our website

SPIKE

Underground Casing

DRIVER 24Vdc / mA

HUB for electronic parts



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY



SPIKE ACCESSORY
UNDERGROUND CASING ACCESSORY




STEM

collection



STEM

collection



STEM

collection

wall

STEM



Finishes

New Color



55
GREEN
COOL MINT
RAL 6019



00
PUREWHITE
RAL 9016




10
WHITE
RAL 9010



24
BRONZE




25
RUST




01
BLACK
RAL 9005



30
ANTHRACITE



35
SLATE GREY



40
GREY
RAL 9006


Technical Data

EMISSIONE DIFFUSA 360° - DIFFUSE EMISSION 360°

3000K - 4000K

Versione in Tensione - Constant voltage (Vdc)

11 W con DRIVER REMOTO 24Vdc - 11 W REMOTE DRIVER 24Vdc



Quote espresse in millimetri "mm"
Share expressed in millimeters "mm"

Sizes . Ø160 x W85 x Ø base 80

Specifications



Fixture Specifications

Protection . IP 65 - IK 08

Body . Anticorodal turning aluminum 6000 Serie,
for greater corrosion resistance

Screen . Opal Polycarbonate

Seals . EPDM rubber

Screws . Stainless steel A2

Paint / Finishing . Anti-corrosive UV stabilised
polyester powder

STEM WALL

led WHITE

Versione in Tensione - Constant voltage (Vdc)

LED SYSTEM WITH REMOTE DRIVER 24V


code	beam	class	power	W	source	fixture	CCT LED	CRI
350W/WRRC	DIFFUSE 360°	III	24Vdc	11W	1420 lm	800 lm	3000K	>80
350W/NRRC	DIFFUSE 360°	III	24Vdc	11W	1510 lm	880 lm	4000K	>80



Accessories

informazioni sugli accessori sul nostro sito web
information about accessories on our website

DRIVER 24Vdc / mA



HUB for electronic parts



Specifications



STEM

collection



16/augentilight.it

Paletti / Small Poles / Poteaux



17/stem SMALL POLES

STEM

collection



STEM GOOD INSTALLATION

BY Augenti®
LIGHTING DESIGN



FRAMON GROUP



AUGENTI LIGHTING S.R.L. UNIPERSONALE

Via Francesco Lana, 31 - 25065 Lumezzane (BS) Italy - tel: (+39) 030 7282524 - fax: (+39) 030 7281879
info@augentilighting.it - www.augentilighting.it