





CE



Pekom

CABLE TRAY SPECIALIST

GENERAL CATALOG

2022



Telekom Srbija





Pekom

general catalog

www.pekom.rs



„Mi smo porodično preduzeće, a ne deoničarko društvo. Fokusirani smo na dugoročni i održivi razvoj našeg preduzeća. Mi smo mali i fleksibilni. Možemo brzo da odlučujemo. U stanju smo da pratimo zacrtani put i prebrodimo veće probleme.

Već dugo godina imamo veoma efikasno preduzeće. Uvek smo se prilagođavali novim vremenima. Kada su se menjale potrebe tržišta i tehnologije, mi smo išli uvek korak sa vremenom, razvijali smo nove proizvode. To je ta tajna uspeha, to je ono što je presudno.

Naša MISIJA je da gradimo na osnovama prepoznatljivog kvaliteta, da razvijamo, proizvodimo i plasiramo na tržište najkvalitetnije nosače kablova koje našim potrošačima pružaju laku montažu, dobar kvalitet i konkurentnu cenu.

Nasa VIZIJA je da izrastemo iz lokalnog u Evropskog lidera u proizvodnji nosača kablova.”

MARKO PEKOVIĆ, dipl. maš. ing.
DIREKTOR



We are a family company, instead of a stock company. Our focus lies on a long-term and sustainable development of our company. We are small and flexible. And quick in making decisions. We are capable of following our planned trajectory and overcoming of large problems.


Our company is very efficient for many years. We always successfully adopted to new times. We have always been able to keep up with the new times and we developed new products, when needs of the market changed and when technologies were improved. That's the secret of our success, that's crucial.


Our mission is built on the basis of recognizable quality, to develop, manufacture and place to the market the best quality cable tray systems, that provide easy mounting, good quality and competitive prices to our customers.

Our VISION is to grow from the local to the European leader in the production of cable trays systems and add.

MARKO PEKOVIC, dipl. mechanical engineer
DIRECTOR





1		MS	MONTAŽNI SISTEMI MOUNTING SYSTEMS	4-29
2		PNK	PERFORIRANI NOSAČI KABLOVA PERFORATED CABLE TRAY SYSTEMS H30 H50 H60 H75 H85 H110 POK	30-81
3		LNK	LESTVIČASTI NOSAČI KABLOVA LADDER CABLE TRAY SYSTEMS H50 H60 H110	82-107
4		NKVR	NOSAČI KABLOVA ZA VELIKI RASPOD LONG DISTANCE CABLE TRAYS H110 H160	108-123
5		MNK	MREŽASTI NOSAČI KABLOVA MESH CABLE TRAY SYSTEMS H55 H105	124-133
6		E90	E90 - VATROOPTORNI NOSAČI KABLOVA E90 - FIREPROOF CABLE TRAY SYSTEMS H50 H60	134-149
7		NZR	NOSAČI KABLOVA ZA RASVETU CABLE TRAY SYSTEMS FOR LIGHTING	150-157
8		INOX	NOSAČI KABLOVA OD INOX-A STAINLESS STEEL CABLE TRAY SYSTEMS V2A V4A	158-179
9		CR	PLASTIFICIRANI NOSAČI KABLOVA PLASTICIZED CABLE TRAY SYSTEMS	180-191
10		TUNN	TUNELSKI SISTEMI NOSAČA KABLOVA TUNNEL CABLE SUPPORT SYSTEMS	192-205
11		PS	PRIČVRSNI SISTEMI FASTENING SYSTEMS	206-215



MS


1



MONTAŽNI SISTEMI

MOUNTING SYSTEMS





1

Montaža na „I“ profil pomoću dve navojne šipke. Na slici je prikazan princip montaže na „I“ profil. Veza između „I“ profila i navojne šipke ostvarena je pomoću montažne stege tipa TKL M10. Dalja veza između profilne šine i navojne šipke ostvaruje se pomoću šestougaone maticice tipa PEKOM. Veza između regala i profilne šine ostvarene je vijcima tipa PEKOM M6 x 12.

Mounting the cable trays to the „I“ profile by two threaded rods. The photo shows the principle of the mounting cable trays to „I“ profile. The connection between „I“ profile and the threaded rod is made by assembly steg, type PKL M10. And the connection between threaded rod and profile rail is made hexagon PEKOM type nut. The connection between profile rail and cable trays is made by using PEKOM torch bolts, type M6 x 12.



2

Montaža U profila na ravan plafon. Kod montaže U profila koristi se UD nosač. UD nosač se montira na plafon anker vijcima tipa FAZ II. U profil za UD nosač pričvršćuje se sa 4 torban vijka, tipa PEKOM M8 x 16. Odstojnik U stuba koristi se za povećanje stabilnosti prilikom pričvršćivanja U profila za UD nosač. Za montažu konzola na U stub koriste se 2 torban vijka tipa PEKOM M8 x 16.


Mounting “U” profile against the flat ceiling. When mounting “U” profile, we use „UD“ carrier. „UD“ carrier is mounted against the ceiling by using anchor screws, type FAZ II. The connection between “UD“carrier and “U”profile is made by using 4 PEKOM torch bolts, type M8 x 16. The U-pillar spacer is used to increase the stability when fastening “U” profile to the “UD“carrier. For mounting cantilevers against “U” profile we use 2 PEKOM torch bolts, type M8 x 16.



3

Montaža pomoću jedne navojne šipke i profilne šine. Navojna šipka se u plafon ugrađuje pomoću čeličnog tipla EA II. Veza između navojne šipke i profilne šine ostvaruje se putem šestougaone maticice tipa PEKOM. Spoj između regala i profilne šine ostvaruje se pomoću vijaka tipa PEKOM M6 x 12.

Mounting the cable trays by a threaded rod and a profile rail. Threaded rod is built in the ceiling, by using steel anchor, type EA II. The connection between threaded rod and profile rail is made hexagon PEKOM type nut. The connection between profile rail and cable trays is made by using PEKOM torch bolts, type M6 x 12.



4

„U“ stub na horizontalnoj gredi. „U“ profil koristi se za vertikalnu montažu, sa horizontalne grede u ovom primeru. Za pričvršćivnje „U“ stuba za horizontalnu gredu koriste se vijci tipa FAZ II. Veza između konzole i „U“ stuba otvorena je korišćenjem 2 torban vijka tipa PEKOM M8 x 16.

U pillar against the horizontal beam. In this example U pillar is used for the vertical mounting against the horizontal beam. We use anchor screws, type FAZ II, for attaching U pillar to the horizontal beam. The connection between cantilever and the U pillar is made by using 2 PEKOM torch bolts, type M6 x 12.


5

Plafonski „G“ nosač. Služi za montažu nosača direktno na plafon, kao i za spuštanje sa plafona navojnom šipkom. U ovom slučaju na „G“ nosač postavljen je PNK regal sa Master spojnicom. Za pričvršćivanje na plafon koristi se anker vijak tipa FAZ II. Pričvršćivanje regala za „G“ nosač, obezbeđeno je pomoću vijaka tipa PEKOM M6 x 12. Plafonski „G“ nosač koristi se na mestima gde po visinama ima jako malo prostora za montažu.

G carrier for ceilings. It is used for mounting carrier to the ceilings, as well as for the descending from the ceiling by threaded rod. In this case PNK cable tray is attached to the carrier by Master click system. We use anchor screw, type FAZ II, for mounting G carrier to the ceiling. Attaching PNK cable tray to a G carrier is done by PEKOM torch bolts, type M6 x 12. G carrier for ceilings is used on the places where we do not have enough space for height mounting.


6

Princip montaže profilne šine pomoću dve navojne šipke. Plafonski „G“ nosač služi za vezivanje navojne šipke za plafon. Na navojne šipke postavlja se profilna šina namenjena za dve navojne šipke. Veza između navojne šipke i profilne šine ostvaruje se putem šestougaone matice tipa PEKOM. Veza između regala i profilne šine ostvaruje se putem vijaka tipa PEKOM M6 x 12.

The principle of mounting profile rail by using two threaded rods. C carrier for ceiling is used to attach treaded rods to the ceiling. We attach profile rail to the treaded rods. The connection between treaded rods and profile rail is made by using hexagon PEKOM type nut. The connection between profile rail and cable trays is made by using PEKOM torch bolts, type M6 x 12.


7

Montaža regala na trapezni plafon. Nosač za trapezni plafon služi za pričvršćivanje regala na standardne trapezne plafone. Veza između trapeznog nosača i plafona vrši se mašinskim vijkom M8 x 120. Nosač na sebi ima integriranu maticu sa navojem pomoću koje se ostvaruje jednostavna montaža navojne šipke.

Mounting the cable tray to the trapezoid ceiling. Carrier for trapezoid ceiling is used for attaching PNK cable tray to the standard trapezoid ceiling. The connection between the carrier and the trapezoid ceiling is made by PEKOM screw, type M8x120. There is integrated threaded nut on the carrier, which makes it simple to mount threaded rod.


8

PNK na jednonavojnoj šipki. Navojna šipka ugrađuje se u plafon, korišćenjem čeličnog tipla tipa EA II. Navojna šipka se direktno vezuje za regal pomoću šestougaone matice. Ovaj način montaže se koristi kada su opterećenja mala. Prilikom montaže treba se voditi računa da se ravnomerno rasporedi opterećenje.


PNK cable tray against one threaded rod. Threaded rod is built in the ceiling, by using steel anchor, type EA II. Cable tray is attached to the threaded rod by using hexagon PEKOM type nut. We use this type of mounting on small loads. When assembling, we must make sure to distribute the load evenly.



9

Montaža U profila na ravan plafon. Kod montaže U profila koristi se UD nosač. UD nosač se montira na plafon anker vijcima tipa FAZ II. U profil za UD nosač pričvršćuje se sa 4 torban vijka, tipa PEKOM M8 x 16. Odstojnik U stuba koristi se za povećanje stabilnosti prilikom pričvršćivanja U profila za UD nosač.

Mounting "U" profile against the flat ceiling. When mounting "U" profile, we use „UD“ carrier. „UD“ carrier is mounted against the ceiling by using anchor screws, type FAZ II. The connection between „UD“ carrier and "U" profile is made by using 4 PEKOM torch bolts, type M8 x 16. The U-pillar spacer is used to increase the stability when fastening "U" profile to the "UD" carrier.



10

Montaža nosača na kosom zidu. „UD“ nosač se montira na kosi zid anker vijcima tipa FAZ II. Maksimalan ugao zakretanja „U“ profila iznosi 30°. Spoj između „UD“ nosača i „U“ profila ostvaruje se pomoću 4 torban vijka, tipa PEKOM M8 x 16. Veza između regala i „U“ stuba ostvaruje se pomoću vijka tipa PEKOM M6 x 12.

Mounting the cable tray against the sloping wall. „UD“ carrier is mounted against the sloping wall by anchor screws, type FAZ II. The maximum angle of rotation of the "U" profile is 30°. The connection between „UD“ carrier and "U" profile is made by using 4 PEKOM torch bolts, type M8 x 16. The connection between the cable tray and the "U" profile is made by using PEKOM torch bolts, type M6 x 12.



11

Izrada podkonstrukcije od „U“ profila. Kod izrade podkonstrukcije od „U“ profila za pričvršćivanje na plafon koristi se „UD“ nosač. „UD“ nosač se montira na plafon anker vijcima tipa FAZ II. Za „UD“ nosač pričvršćuje se „U“ profil sa 4 torban vijka, tipa PEKOM M8 x 16. Za poprečnu vezu koristi se standardni „U“ profil, koji se za vetikalne „U“ profile vezuje torban vijcima tipa PEKOM M8 x 16.

Making the sub construction by using "U" profiles. When we are making the sub construction by using "U" profiles, we use „UD“ carrier for fastening it to the ceiling. „UD“ carrier is mounted against the ceiling by using anchor screws, type FAZ II. "U" profile is attached to the UD carrier by using 4 PEKOM torch bolts, type M8 x 16. In order to connect vertical "U" profiles we use standard "U" profile for cross-link, attaching them by using PEKOM torch bolts, type M8 x 16.



12

Montaža U profila na I profil. Veza između I profila i U profila ostvarena je pomoću montažne stege tipa TKR 42. Na U profil montiran je UD nosač na koji se montira U profil pomoću turban vijaka tipa PEKOM M8 x 16. Odstojnik U stuba koristi se za povećanje stabilnosti prilikom pričvršćivanja U profila za UD nosač. Za montažu konzola na U stub koriste se 2 torban vijka tipa PEKOM M8 x 16.

Mounting "U" profile to "I" profile. The connection between "U" profile and "I" profile is made by assembly steg, type TKR 42. There is „UD“ carrier fastened to "U" profile. And than we fasten "U" profile to the „UD“ carrier, by using PEKOM torch bolts, type M8 x 16. The U-pillar spacer is used to increase the stability when fastening "U" profile to the "UD" carrier. For mounting cantilevers against "U" profile we use 2 PEKOM torch bolts, type M8 x 16.


13

Montaža U profila na I profil. Veza između I profila i U profila ostvarena je pomoću montažne stege tipa TKR 42.

Mounting "U" profile to "I" profile. The connection between "U" profile and "I" profile is made by assembly steg, type TKR 42.


15


Montaža konzole direktno na zid. Za montažu konzole direktni na zid koristi se anker vijak tipa FBN II. Na konzolu se postavljaju regali koji se učvršćuju torban vijcima tipa PEKOM 6x12mm.

Mounting cantilever directly to the wall. For mounting the cantilever directly to the wall, we use anchor screws, type FBN II. We place PNK cable trays against the cantilever, fastening them by using PEKOM torch bolts, type M6 x 12.


17

Montaža regala na pod pomoću omega nosača. Montaža omega nosača na pod vrši se anker vijcima tipa FBN II. Za povezivanje regala na omega nosač koriste se torban vijci tipa PEKOM M6 x 12.

Mounting cable tray to the floor by spacer. Mounting the spacer to the floor is made by anchor screws, type FBN II. We use PEKOM torch bolts, type M6 x 12, for mounting PNK cable tray to the spacer.


14

Plafonski „G“ nosač. Na primeru dat je prikaz montaže „G“ nosača na plafon. Za pričvršćivanje nosača na plafon koristi se anker vijak tipa FAZ II.

G carrier for ceilings. Here is an example for mounting G carrier to the ceilings. We use an anchor screw, type FAZ II, for mounting G carrier to the ceiling.


16

Montaža središnjeg nosača. Poseduje na sebi posjeduje integrisnu maticu za montažu navojne šipke na sam nosač. Prilikom montaže potrebno je obratiti pažnju na ravnomernu raspodelu opterećenja.

Mounting the central carrier. There is integrated nut on the central carrier for mounting treaded rod to the carrier. When assembling, we must make sure to distribute the load evenly.



18

Montaža omega nosača na zid. Montaža omega nosača na zid vrši se anker vijcima tipa FBN II. Za povezivanje regala na omega nosač koriste se torban vijci tipa PEKOM M6 x 12.

Mounting spacer against the wall. Mounting the spacer against the wall is made by using anchor screws, type FAZ II. For fastening cable carriers against the spacer, we use PEKOM torch bolts, type M6 x 12.



Plafonski UD nosač / UD carrier for ceilings




Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 PL	2	611	10	PL 30010001
UD U5 TC	2	611	10	TC 30020001

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Plafonski UT nosač / Ceiling UT carrier




Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
UT U5 PL	2	305	10	PL 33313335
UT U5 TC	2	305	10	TC 33323335

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Plafonski UD nosač 60 / Ceiling UD carrier 60




Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 60 PL	2	450	10	PL 33313334
UD U5 60 TC	2	450	10	TC 33323334

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Plafonski UD nosač sa perima / Ceiling UD carrier with 2 quills




Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 Q2 PL	2	622	10	PL 33313333
UD U5 Q2 TC	2	622	10	TC 33323333

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Plafonski T nosač / T carrier for ceilings




Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
PT 2 PL	2	471	4	PL 33313336
PT 2 TC	2	471	4	TC 33323336

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Plafonski T nosač velike nosivosti / Large capacity T carrier for ceilings

MS


Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
PT 3 PL	mm 3	kg 735	4	PL 33313337
PT 3 TC	3	735	4	TC 33323337

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Plafonski T nosač sa navarenom pločom / T carrier for with welded plate


Tip Typ	Debljina Thickness	Nosivost Load	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
PT WP 4 GL	mm 7	kg 730	mm 10	4	GL 33313338
PT WP 4 TC	7	730	10	4	TC 33323338

GL Galvanski pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Plafonski UD nosač sa stopom 4A / Ceiling UD carrier with welded plate 4A


Tip Typ	Debljina Thickness	Nosivost Load	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 WP 4 GL	mm 2	kg 850	mm 5	10	GL 33313331
UD U5 WP 4 TC	2	850	5	10	TC 33323332

GL Galvanski pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Plafonski UD nosač sa stopom 2A / Ceiling UD carrier with welded plate 2A


Tip Typ	Debljina Thickness	Nosivost Load	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 WP 2 GL	mm 2	kg 750	mm 4	10	GL 33313332
UD U5 WP 2 TC	2	750	4	10	TC 33323331

GL Galvanski pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Plafonski UD nosač sa stopom 4A / Ceiling UD carrier with welded plate 4A


Tip Typ	Debljina Thickness	Nosivost Load	Namenjeno za U profil 70x50 Meant for U profile 70x50	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
UD 7 WP 4 GL	mm 2	kg 834	U profil 70x50	5	4	GL 33313339
UD 7 WP 4 TC	2	834	U profil 70x50	5	4	TC 33323339

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Plafonski UD nosač sa stopom 2A / Ceiling UD carrier with welded plate 2A



Tip Typ	Debljina Thickness	Nosivost Load	Namenjeno za U profil 70x50 Meant for U profile 70x50	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
UD 7 WP 2 GL	mm 2	kg 735	U profil 70x50	4	4	GL 33313340
UD 7 WP 2 TC	2	735	U profil 70x50	4	4	TC 33323340

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




T profil / T profile



Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
T 20 PL	200	50x30	2	4	333310010
T 30 PL	300	50x30	2	4	333310009
T 40 PL	400	50x30	2	4	333310008
T 50 PL	500	50x30	2	4	333310007
T 60 PL	600	50x30	2	4	333310006
<hr/>					
T 20 TC	200	50x30	2	4	333322010
T 30 TC	300	50x30	2	4	333322009
T 40 TC	400	50x30	2	4	333322008
T 50 TC	500	50x30	2	4	333322007
T 60 TC	600	50x30	2	4	333322006

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

U profil / U profile



Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
U 5 20 PL	200	50x30	2	10	30010002
U 5 30 PL	300	50x30	2	10	30010003
U 5 40 PL	400	50x30	2	10	30010004
U 5 50 PL	500	50x30	2	10	30010005
U 5 60 PL	600	50x30	2	6	30010006
U 5 70 PL	700	50x30	2	6	30010007
U 5 80 PL	800	50x30	2	6	30010008
U 5 90 PL	900	50x30	2	6	30010009
U 5 100 PL	1000	50x30	2	4	30010010
U 5 150 PL	1500	50x30	2	4	30010011
U 5 200 PL	2000	50x30	2	4	30010012
U 5 300 PL	3000	50x30	2	4	30010059
<hr/>					
U 5 20 TC	200	50x30	2	10	30020002
U 5 30 TC	300	50x30	2	10	30020003
U 5 40 TC	400	50x30	2	10	30020004
U 5 50 TC	500	50x30	2	10	30020005
U 5 60 TC	600	50x30	2	6	30020006
U 5 70 TC	700	50x30	2	6	30020007
U 5 80 TC	800	50x30	2	6	30020008
U 5 90 TC	900	50x30	2	6	30020009
U 5 100 TC	1000	50x30	2	4	30020010
U 5 150 TC	1500	50x30	2	4	30020011
U 5 200 TC	2000	50x30	2	4	30020012
U 5 300 TC	3000	50x30	2	4	30020059

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

U profil sa navarenom pločom 4A / U profile with welded plate 4A



Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
U 5 30 WP 4 GL	300	50x30	2	5	10	30220003
U 5 50 WP 4 GL	500	50x30	2	5	10	30220005
U 5 75 WP 4 GL	750	50x30	2	5	6	33310077
U 5 100 WP 4 GL	1000	50x30	2	5	4	30220010
U 5 150 WP 4 GL	1500	50x30	2	5	4	30220011
U 5 200 WP 4 GL	2000	50x30	2	5	4	33310012
U 5 300 WP 4 GL	3000	50x30	2	5	4	30220013
<hr/>						
U 5 30 WP 4 TC	300	50x30	2	5	10	32220003
U 5 50 WP 4 TC	500	50x30	2	5	10	32220005
U 5 75 WP 4 TC	750	50x30	2	5	6	32220077
U 5 100 WP 4 TC	1000	50x30	2	5	4	32220010
U 5 150 WP 4 TC	1500	50x30	2	5	4	32220011
U 5 200 WP 4 TC	2000	50x30	2	5	4	32220012
U 5 300 WP 4 TC	3000	50x30	2	5	4	32220013

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





U profil 50x30 sa navarenom pločom 45 / U profile 50x30 with welded plate 45

MS


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness	Debljina ploče Plate thickness		Pakovanje Pack kom piece	Šifra artikla Article
				mm	mm		
U 5 45 30 WP 4 GL	300	50x30	2		5	10	35310001
U 5 45 50 WP 4 GL	500	50x30	2		5	10	35310002
U 5 45 75 WP 4 GL	750	50x30	2		5	6	35310003
U 5 45 100 WP 4 GL	1000	50x30	2		5	4	35310004
U 5 45 150 WP 4 GL	1500	50x30	2		5	4	35310005
U 5 45 200 WP 4 GL	2000	50x30	2		5	4	35310006
U 5 45 300 WP 4 GL	3000	50x30	2		5	4	35310007
TC							
U 5 45 30 WP 4 TC	300	50x30	2		5	10	35320001
U 5 45 50 WP 4 TC	500	50x30	2		5	10	35320002
U 5 45 75 WP 4 TC	750	50x30	2		5	6	35320003
U 5 45 100 WP 4 TC	1000	50x30	2		5	4	35320004
U 5 45 150 WP 4 TC	1500	50x30	2		5	4	35320005
U 5 45 200 WP 4 TC	2000	50x30	2		5	4	35320006
U 5 45 300 WP 4 TC	3000	50x30	2		5	4	35320007

GL Galvanski pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

U profil sa navarenom pločom 2A/ U profile with welded plate 2A


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness	Debljina ploče Plate thickness		Pakovanje Pack kom piece	Šifra artikla Article
				mm	mm		
U 5 30 WP 2 GL	300	50x30	2		4	10	32320003
U 5 50 WP 2 GL	500	50x30	2		4	10	32320005
U 5 75 WP 2 GL	750	50x30	2		4	6	32320077
U 5 100 WP 2 GL	1000	50x30	2		4	4	32320010
U 5 150 WP 2 GL	1500	50x30	2		4	4	32320011
U 5 200 WP 2 GL	2000	50x30	2		4	4	32320012
U 5 300 WP 2 GL	3000	50x30	2		4	4	32320013
TC							
U 5 30 WP 2 TC	300	50x30	2		4	10	33330003
U 5 50 WP 2 TC	500	50x30	2		4	10	33330005
U 5 75 WP 2 TC	750	50x30	2		4	6	33330077
U 5 100 WP 2 TC	1000	50x30	2		4	4	33330010
U 5 150 WP 2 TC	1500	50x30	2		4	4	33330011
U 5 200 WP 2 TC	2000	50x30	2		4	4	33330012
U 5 300 WP 2 TC	3000	50x30	2		4	4	33330013

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

U profil sa perima / U profile with 3 quills


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness			Pakovanje Pack kom piece	Šifra artikla Article
				mm	mm		
U 5 20 Q 3 PL	200	50x30	2			10	33310001
U 5 30 Q 3 PL	300	50x30	2			10	33310002
U 5 50 Q 3 PL	500	50x30	2			10	33310005
TC							
U 5 20 Q 3 TC	200	50x30	2			10	33320001
U 5 30 Q 3 TC	300	50x30	2			10	33320002
U 5 50 Q 3 TC	500	50x30	2			10	333320010

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Spojnica U stuba 50x30 / U pillar clip 50x30


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness			Pakovanje Pack kom piece	Šifra artikla Article
				mm	mm		
S U 5 PL	200		2			10	30010013
S U 5 TC	200		2			10	30020013



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Z profil / Z profile

MS





Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness			Pakovanje Pack kom piece	Šifra artikla Article
Z 5 20 PL	200	50x30	2			10	99910002
Z 5 30 PL	300	50x30	2			10	99910003
Z 5 40 PL	400	50x30	2			10	99910004
Z 5 50 PL	500	50x30	2			10	99910005
Z 5 60 PL	600	50x30	2			6	99910006
Z 5 70 PL	700	50x30	2			6	99910007
Z 5 80 PL	800	50x30	2			6	99910008
Z 5 90 PL	900	50x30	2			6	99910009
Z 5 100 PL	1000	50x30	2			4	99910010
Z 5 150 PL	1500	50x30	2			4	99910012
Z 5 200 PL	2000	50x30	2			4	99910013
Z 5 300 PL	3000	50x30	2			4	99910014
							PL
Z 5 20 TC	200	50x30	2			10	99920002
Z 5 30 TC	300	50x30	2			10	99920003
Z 5 40 TC	400	50x30	2			10	99920004
Z 5 50 TC	500	50x30	2			10	99920005
Z 5 60 TC	600	50x30	2			6	99920006
Z 5 70 TC	700	50x30	2			6	99920007
Z 5 80 TC	800	50x30	2			6	99920008
Z 5 90 TC	900	50x30	2			6	99920009
Z 5 100 TC	1000	50x30	2			4	99920010
Z 5 150 TC	1500	50x30	2			4	99920012
Z 5 200 TC	2000	50x30	2			4	99920013
Z 5 300 TC	3000	50x30	2			4	99920014
							TC

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Z profil sa navarenom pločom 4A / Z profile with welded plate 4A




Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
Z 5 30 WP 4 GL	300	50x30	2	5	10	99100015
Z 5 50 WP 4 GL	500	50x30	2	5	10	99100016
Z 5 75 WP 4 GL	750	50x30	2	5	6	99100017
Z 5 100 WP 4 GL	1000	50x30	2	5	4	99100018
Z 5 150 WP 4 GL	1500	50x30	2	5	4	99100019
Z 5 200 WP 4 GL	2000	50x30	2	5	4	99100020
Z 5 300 WP 4 GL	3000	50x30	2	5	4	99100021
						GL
Z 5 30 WP 4 TC	300	50x30	2	5	10	99200015
Z 5 50 WP 4 TC	500	50x30	2	5	10	99200016
Z 5 75 WP 4 TC	750	50x30	2	5	6	99200017
Z 5 100 WP 4 TC	1000	50x30	2	5	4	99200018
Z 5 150 WP 4 TC	1500	50x30	2	5	4	99200019
Z 5 200 WP 4 TC	2000	50x30	2	5	4	99200020
Z 5 300 WP 4 TC	3000	50x30	2	5	4	99200021
						TC

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



U profil 50x50 / U profile 50x50




Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness			Pakovanje Pack kom piece	Šifra artikla Article
U 55 20 PL	200	50x50	2			10	35510002
U 55 30 PL	300	50x50	2			10	35510003
U 55 40 PL	400	50x50	2			10	35510004
U 55 50 PL	500	50x50	2			10	35510005
U 55 60 PL	600	50x50	2			6	35510006
U 55 70 PL	700	50x50	2			6	35510007
U 55 80 PL	800	50x50	2			6	35510008
U 55 90 PL	900	50x50	2			6	35510009
U 55 100 PL	1000	50x50	2			4	35510010
U 55 150 PL	1500	50x50	2			4	35510011
U 55 200 PL	2000	50x50	2			4	35510012
U 55 300 PL	3000	50x50	2			4	35510059
							PL
U 55 20 TC	200	50x50	2			10	35520002
U 55 30 TC	300	50x50	2			10	35520003
U 55 40 TC	400	50x50	2			10	35520004
U 55 50 TC	500	50x50	2			10	35520005
U 55 60 TC	600	50x50	2			6	35520006
U 55 70 TC	700	50x50	2			6	35520007
U 55 80 TC	800	50x50	2			6	35520008
U 55 90 TC	900	50x50	2			6	35520009
U 55 100 TC	1000	50x50	2			4	35520010
U 55 150 TC	1500	50x50	2			4	35520011
U 55 200 TC	2000	50x50	2			4	35520012
U 55 300 TC	3000	50x50	2			4	35520059
							TC

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






U profil 50x50 sa navarenom pločom 2A / U profile 50x50 with welded plate 2A
MS


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm	mm		GL
U 55 30 WP 2 GL	300	50x50	2	4	10	35510013
U 55 50 WP 2 GL	500	50x50	2	4	10	35510014
U 55 75 WP 2 GL	750	50x50	2	4	6	35510015
U 55 100 WP 2 GL	1000	50x50	2	4	4	35510016
U 55 150 WP 2 GL	1500	50x50	2	4	4	35510017
U 55 200 WP 2 GL	2000	50x50	2	4	4	35510018
U 55 300 WP 2 GL	3000	50x50	2	4	4	35510019
						TC
U 55 30 WP 2 TC	300	50x50	2	4	10	35520013
U 55 50 WP 2 TC	500	50x50	2	4	10	35520014
U 55 75 WP 2 TC	750	50x50	2	4	6	35520015
U 55 100 WP 2 TC	1000	50x50	2	4	4	35520016
U 55 150 WP 2 TC	1500	50x50	2	4	4	35520017
U 55 200 WP 2 TC	2000	50x50	2	4	4	35520018
U 55 300 WP 2 TC	3000	50x50	2	4	4	35520019

GL Galvanski pocinkovani lim / Galvanized sheet



TC Toplo pocinkovano potapanjem / Hot - dip galvanized


U profil 50x50 sa navarenom pločom 4A / U profile 50x50 with welded plate 4A


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm	mm		GL
U 55 30 WP 4 GL	300	50x50	2	5	10	35510020
U 55 50 WP 4 GL	500	50x50	2	5	10	35510021
U 55 75 WP 4 GL	750	50x50	2	5	6	35510022
U 55 100 WP 4 GL	1000	50x50	2	5	4	35510023
U 55 150 WP 4 GL	1500	50x50	2	5	4	35510024
U 55 200 WP 4 GL	2000	50x50	2	5	4	35510025
U 55 300 WP 4 GL	3000	50x50	2	5	4	35510026
						TC
U 55 30 WP 4 TC	300	50x50	2	5	10	35520020
U 55 50 WP 4 TC	500	50x50	2	5	10	35520021
U 55 75 WP 4 TC	750	50x50	2	5	6	35520022
U 55 100 WP 4 TC	1000	50x50	2	5	4	35520023
U 55 150 WP 4 TC	1500	50x50	2	5	4	35520024
U 55 200 WP 4 TC	2000	50x50	2	5	4	35520025
U 55 300 WP 4 TC	3000	50x50	2	5	4	35520026

GL Galvanski pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Odstojnik za U profil 50x50 / Spacer for U pillar 50x50


Tip Typ			Debljina Thickness	Namenjeno za U profil 50x50 Meant for U profile 50x50	Pakovanje Pack kom piece	Šifra artikla Article
OD U55 PL			mm	U profil 50x50	4	PL 35510041
OD U55 TC			2	U profil 50x50	4	TC 35520041

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Spojnica U stuba 50x50 / Clip U pillar 50x50


Tip Typ	Dužina L Length L	Debljina Thickness	Namenjeno za U profil 50x50 Meant for U profile 50x50	Pakovanje Pack kom piece	Šifra artikla Article
S U55 PL	200	2	U profil 50x50	10	PL 35510040
S U55 TC	200	2	U profil 50x50	10	TC 35520040

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






The logo consists of a black silhouette of a muscular person flexing their biceps on the left, followed by the letters "MS" in large white bold letters on a red background.

Perforirana kutija 50x50 / Perforated box 50x50

Tip Typ	Dužina L Length L	Dimenzijske Dimensions	Debljina Thickness			Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm				GL
PK 5 30 GL	300	50x50	2			10	35510027
PK 5 50 GL	500	50x50	2			10	35510028
PK 5 75 GL	750	50x50	2			6	35510029
PK 5 100 GL	1000	50x50	2			4	35510030
PK 5 150 GL	1500	50x50	2			4	35510031
PK 5 200 GL	2000	50x50	2			4	35510032
PK 5 300 GL	3000	50x50	2			4	35510033
							TC
PK 5 30 TC	300	50x50	2			10	35520027
PK 5 50 TC	500	50x50	2			10	35520028
PK 5 75 TC	750	50x50	2			6	35520029
PK 5 100 TC	1000	50x50	2			4	35520030
PK 5 150 TC	1500	50x50	2			4	35520031
PK 5 200 TC	2000	50x50	2			4	35520032
PK 5 300 TC	3000	50x50	2			4	35520033




GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapaniem / Hot - dip galvanized



Perforirana kutija 50x50 sa navarenom pločom 4A / Perforated box 50x50 with welded plate 4A

Tip Typ	Dužina L Length L	Dimenzijske Dimensions	Debljina Thickness		Debljina ploče Plate thickness		Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		mm			GL
PK 5 30 WP 4 GL	300	50x50	2		5		10	35510034
PK 5 50 WP 4 GL	500	50x50	2		5		10	35510035
PK 5 75 WP 4 GL	750	50x50	2		5		6	35510035
PK 5 100 WP 4 GL	1000	50x50	2		5		4	35510036
PK 5 150 WP 4 GL	1500	50x50	2		5		4	35510037
PK 5 200 WP 4 GL	2000	50x50	2		5		4	35510038
PK 5 300 WP 4 GL	3000	50x50	2		5		4	35510039
								TC
PK 5 30 WP 4 TC	300	50x50	2		5		10	35520034
PK 5 50 WP 4 TC	500	50x50	2		5		10	35520035
PK 5 75 WP 4 TC	750	50x50	2		5		6	35520035
PK 5 100 WP 4 TC	1000	50x50	2		5		4	35520036
PK 5 150 WP 4 TC	1500	50x50	2		5		4	35520037
PK 5 200 WP 4 TC	2000	50x50	2		5		4	35520038
PK 5 300 WP 4 TC	3000	50x50	2		5		4	35520039




Gl Galvanski pocinkovaný lim / Galvanized sheet

TG Topo pocinkovano potapaniem / Hot - dip galvanized



U profil / U profile

Tip Typ	Dužina L Length L	Dimenzijske Dimensions	Debljina Thickness		Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		PL	
U 7 20 PL	200	70x50	2		10	37510002
U 7 30 PL	300	70x50	2		10	37510003
U 7 40 PL	400	70x50	2		10	37510004
U 7 50 PL	500	70x50	2		10	37510005
U 7 60 PL	600	70x50	2		6	37510006
U 7 70 PL	700	70x50	2		6	37510007
U 7 80 PL	800	70x50	2		6	37510008
U 7 90 PL	900	70x50	2		6	37510009
U 7 100 PL	1000	70x50	2		4	37510010
U 7 150 PL	1500	70x50	2		4	37510011
U 7 200 PL	2000	70x50	2		4	37510012
U 7 300 PL	3000	70x50	2		4	37510059
					TC	
U 7 20 TC	200	70x50	2		10	37520002
U 7 30 TC	300	70x50	2		10	37520003
U 7 40 TC	400	70x50	2		10	37520004
U 7 50 TC	500	70x50	2		10	37520005
U 7 60 TC	600	70x50	2		6	37520006
U 7 70 TC	700	70x50	2		6	37520007
U 7 80 TC	800	70x50	2		6	37520008
U 7 90 TC	900	70x50	2		6	37520009
U 7 100 TC	1000	70x50	2		4	37520010
U 7 150 TC	1500	70x50	2		4	37520011
U 7 200 TC	2000	70x50	2		4	37520012
U 7 300 TC	3000	70x50	2		4	37520059




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapaniem / Hot - dip galvanized





U profil sa navarenom pločom 4A / U profile with welded plate 4A

MS


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
U 7 30 WP 4 GL	300	70x50	2	5	10	37510013
U 7 50 WP 4 GL	500	70x50	2	5	10	37510014
U 7 75 WP 4 GL	750	70x50	2	5	6	37510015
U 7 100 WP 4 GL	1000	70x50	2	5	4	37510016
U 7 150 WP 4 GL	1500	70x50	2	5	4	37510017
U 7 200 WP 4 GL	2000	70x50	2	5	4	37510018
U 7 300 WP 4 GL	3000	70x50	2	5	4	37510019
TC						
U 7 30 WP 4 TC	300	70x50	2	5	10	37520013
U 7 50 WP 4 TC	500	70x50	2	5	10	37520014
U 7 75 WP 4 TC	750	70x50	2	5	6	37520015
U 7 100 WP 4 TC	1000	70x50	2	5	4	37520016
U 7 150 WP 4 TC	1500	70x50	2	5	4	37520017
U 7 200 WP 4 TC	2000	70x50	2	5	4	37520018
U 7 300 WP 4 TC	3000	70x50	2	5	4	37520019


GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Spojnica U stuba 70x50 / Clip U pillar 70x50


Tip Typ	Dužina L Length L	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
S U5 PL	200	2	10	377510013
S U5 TC	200	2	10	377520013

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Konzola / Cantilever


Tip Typ	Dužina L mm	Visina H mm	Debljina D mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 PL	50	60	2	129	10	30010015
KZ PNK 100 PL	100	60	2	130	10	30010016
KZ PNK 160 PL	160	60	2	131	10	30010017
KZ PNK 200 PL	200	60	2	132	10	30010018
KZ PNK 300 PL	300	60	2	128	10	30010019
KZ PNK 400 PL	400	60	2	126	10	30010020
KZ PNK 500 PL	500	93	2	121	10	30010021
KZ PNK 600 PL	600	93	2	118	10	30010022
TC						
KZ PNK 50 TC	50	60	2	129	10	30020015
KZ PNK 100 TC	100	60	2	130	10	30020016
KZ PNK 160 TC	160	60	2	131	10	30020017
KZ PNK 200 TC	200	60	2	132	10	30020018
KZ PNK 300 TC	300	60	2	128	10	30020019
KZ PNK 400 TC	400	60	2	126	10	30020020
KZ PNK 500 TC	500	93	2	121	10	30020021
KZ PNK 600 TC	600	93	2	118	10	30020022

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Konzola sa navarenom pločom / Cantilever with welded plate


Tip Typ	Dužina L Length L	Visina Height H	Debljina Thickness	Nosivost Load	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
KZP PNK 50 GL	50	80	2	345	4	10	30010064
KZP PNK 100 GL	100	80	2	350	4	10	30010065
KZP PNK 160 GL	160	80	2	330	4	10	30010066
KZP PNK 200 GL	200	80	2	330	4	10	30010067
KZP PNK 300 GL	300	80	2	320	4	10	30010068
KZP PNK 400 GL	400	110	2	320	4	10	30010069
KZP PNK 500 GL	500	110	2	320	4	10	30010070
KZP PNK 600 GL	600	110	2	320	4	10	30010071
							GL
KZP PNK 50 TC	50	80	2	345	4	10	30020064
KZP PNK 100 TC	100	80	2	350	4	10	30020065
KZP PNK 160 TC	160	80	2	330	4	10	30020066
KZP PNK 200 TC	200	80	2	330	4	10	30020067
KZP PNK 300 TC	300	80	2	320	4	10	30020068
KZP PNK 400 TC	400	110	2	320	4	10	30020069
KZP PNK 500 TC	500	110	2	320	4	10	30020070
KZP PNK 600 TC	600	110	2	320	4	10	30020071
							TC

GL Galvanski pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Konzola sa navarenom pločom velike nosivosti / Large capacity cantilever with welded plate


Tip Typ	Dužina L Length L	Visina Height H	Debljina Thickness	Nosivost Load	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
KZPN PNK 40 GL	400	175	3	556	4	6	34310001
KZPN PNK 50 GL	500	175	3	578	4	6	34310002
KZPN PNK 60 GL	600	175	3	612	4	6	34310003
KZPN PNK 70 GL	700	175	3	563	4	4	34310004
KZPN PNK 80 GL	800	175	3	569	4	4	34310005
KZPN PNK 90 GL	900	175	3	523	4	4	34310006
KZPN PNK 100 GL	1000	175	3	446	4	4	34310007
KZPN PNK 110 GL	1100	175	3	418	4	4	34310008
KZPN PNK 120 GL	1200	175	3	405	4	4	34310009
							GL
KZPN PNK 40 TC	400	175	3	556	4	6	34320001
KZPN PNK 50 TC	500	175	3	578	4	6	34320002
KZPN PNK 60 TC	600	175	3	612	4	6	34320003
KZPN PNK 70 TC	700	175	3	563	4	4	34320004
KZPN PNK 80 TC	800	175	3	569	4	4	34320005
KZPN PNK 90 TC	900	175	3	523	4	4	34320006
KZPN PNK 100 TC	1000	175	3	446	4	4	34320007
KZPN PNK 110 TC	1100	175	3	418	4	4	34320008
KZPN PNK 120 TC	1200	175	3	405	4	4	34320009
							TC

GL Galvanski pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Konzola stubna obostrana / Bothsided pillow cantilever


Tip Typ	Dužina L Length L	Visina Height H	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
KZO PNK 50 PL	170	60	2	157	10	33312500
KZO PNK 100 PL	270	60	2	158	10	33312100
KZO PNK 160 PL	390	60	2	159	10	33312160
KZO PNK 200 PL	470	60	2	159	10	33312200
KZO PNK 300 PL	670	60	2	157	10	33312300
						PL
KZO PNK 50 TC	170	60	2	157	10	33322500
KZO PNK 100 TC	270	60	2	158	10	33322100
KZO PNK 160 TC	390	60	2	159	10	33322160
KZO PNK 200 TC	470	60	2	159	10	33322200
KZO PNK 300 TC	670	60	2	157	10	33322300
						TC


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Konzola za MNK / Cantilever for Mesh cable trays




Tip Typ	Dužina L Length L	Visina Height	Debljina Thickness	Nosivost Load		Pakovanje Pack	Šifra artikla Article
	L mm	H mm	D mm	kg		kom piece	PL
KZ MNK 50 PL	50	60	1.5	80		10	5003001
KZ MNK 100 PL	100	60	1.5	86		10	5003002
KZ MNK 200 PL	200	60	1.5	91		10	5003003
KZ MNK 300 PL	300	60	1.5	98		10	5003004
							TC
KZ MNK 50 TC	50	60	1.5	80		10	5002001
KZ MNK 100 TC	100	60	1.5	86		10	5002002
KZ MNK 200 TC	200	60	1.5	91		10	5002003
KZ MNK 300 TC	300	60	1.5	98		10	5002004



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Odstojnik za U stub / Spacer for U pillar




Tip Typ		Debljina Thickness		Pakovanje Pack kom piece	Šifra artikla Article
OD U5 PL		mm	2	10	PL 30010014
OD U5 TC		mm	2	10	TC 30020014



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Plafonski UD nosač velike nosivosti / Large capacity UD carrier for ceiling




Tip Typ		Debljina Thickness	Nosivost Load		Pakovanje Pack kom piece	Šifra artikla Article
UD U7 PL		mm 3	kg 774		10	PL 30010033
UD U7 TC		mm 3	kg 774		10	TC 30020033




PI Reciprocating lim / Galvanized sheet

TG Topło pocinkowane metaniem / Hot-dip galvanized

U profil velike nosivosti / Large capacity U profile




Tip Typ	Dužina L Length L	Dimenzijske Dimensions	Debljina Thickness		Pakovanje	Šifra artikla Article
					Pack kom piece	PL
U 7 50 PL	500	50x30	3		10	30010028
U 7 100 PL	1000	50x30	3		4	30010029
U 7 150 PL	1500	50x30	3		4	30010030
U 7 200 PL	2000	50x30	3		4	30010031
U 7 300 PL	3000	50x30	3		4	30010062
						TC
U 7 50 TC	500	50x30	3		10	30020028
U 7 100 TC	1000	50x30	3		4	30020029
U 7 150 TC	1500	50x30	3		4	30020030
U 7 200 TC	2000	50x30	3		4	30020031
U 7 300 TC	3000	50x30	3		4	30023131



PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapaniem / Hot - dip galvanized


Spojnica U stuba velike nosivosti 50x30 / Coupling for large capacity U pillar 50x30


Tip Typ	Dužina L Length L	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
S U7 PL	mm 200	mm 3	10	PL 30010032
S U7 TC	mm 200	mm 3	10	TC 30020032

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


U profil velike nosivosti / Large capacity U profile


Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
U 7 50 PL	mm 500	mm 70x50	mm 3	10	PL 37510020
U 7 100 PL	mm 1000	mm 70x50	mm 3	4	37510021
U 7 150 PL	mm 1500	mm 70x50	mm 3	4	37510022
U 7 200 PL	mm 2000	mm 70x50	mm 3	4	37510023
U 7 300 PL	mm 3000	mm 70x50	mm 3	4	37510024
U 7 50 TC	mm 500	mm 70x50	mm 3	10	TC 37520020
U 7 100 TC	mm 1000	mm 70x50	mm 3	4	37520021
U 7 150 TC	mm 1500	mm 70x50	mm 3	4	37520022
U 7 200 TC	mm 2000	mm 70x50	mm 3	4	37520023
U 7 300 TC	mm 3000	mm 70x50	mm 3	4	37520024

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Spojnica U stuba velike nosivosti 70x50 / Coupling U pillar large capacity 70x50


Tip Typ	Dužina L Length L	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
S U7 PL	mm 200	mm 3	10	PL 377510020
S U7 TC	mm 200	mm 3	10	TC 377520020

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Postolje za U profil / Stand for U profile


Tip Typ	Debljina Thickness	Namenjeno za U profil 50x30 Meant for U profile 50x30	Pakovanje Pack kom piece	Šifra artikla Article
PUS 53 PL	mm 2	U profil 50x30	2	PL 35310008
PUS 55 PL	mm 2	U profil 50x50		35510048
PUS 75 PL	mm 2	U profil 70x50		377510015
PUS 53 TC	mm 2	U profil 50x30	2	TC 35320008
PUS 55 TC	mm 2	U profil 50x50		35520048
PUS 75 TC	mm 2	U profil 70x50		377520015

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Nosač za trapezni lim / Carrier for trapezoidal sheet
MS


Tip Typ		Debljina Thickness		Centralni otvor Hole	Pakovanje Pack kom piece	Šifra artikla Article
TL 8 PL		2	mm	M8	10	PL 30010034
TL 10 PL		2	mm	M10	10	30010027
TL 8 TC		2	mm	M8	10	TC 30020034
TL 10 TC		2	mm	M10	10	30020027

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


MS
Plafonski G nosač 40 / G carrier for ceilings 40


Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
G PNK 50 PL/GL	50	10	5	92	10	PL/GL 301140023
G PNK 100 PL/GL	100	10	5	85	10	300140023
G PNK 160 PL/GL	160	10	5	73	10	300140024
G PNK 200 PL/GL	200	10	5	69	10	300140025
G PNK 300 PL/GL	300	13	5	44	10	300140026
G PNK 400 PL/GL	400	13	8	52	10	300100271
G PNK 500 PL/GL	500	13	8	48	10	300100281
G PNK 600 PL/GL	600	13	8	43	10	300100291
						TC
G PNK 50 TC	50	10	5	92	10	302240023
G PNK 100 TC	100	10	5	85	10	300240023
G PNK 160 TC	160	10	5	73	10	300240024
G PNK 200 TC	200	10	5	69	10	300240025
G PNK 300 TC	300	10	5	44	10	300240026
G PNK 400 TC	400	13	8	52	10	300200277
G PNK 500 TC	500	13	8	48	10	300200288
G PNK 600 TC	600	13	8	43	10	300200299

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

GL Galvanski pocinkovani lim / Galvanized sheet

MS
Dupli G nosač / Double G carrier for side mounting


Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
DG PNK 100/100 PL/GL	100	10	5	93	10	PL/GL 31001001
DG PNK 100/160 PL/GL	160	10	5	80	10	31001601
DG PNK 100/200 PL/GL	200	10	5	76	10	31002001
DG PNK 100/300 PL/GL	300	10	5	48	10	31003001
						TC
DG PNK 100/100 TC	100	10	5	93	10	31001002
DG PNK 100/160 TC	160	10	5	80	10	31001602
DG PNK 100/200 TC	200	10	5	76	10	31002002
DG PNK 100/300 TC	300	10	5	48	10	31003002

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

GL Galvanski pocinkovani lim / Galvanized sheet


MS



CE

G+L Nosač / G+L carrier


MS



Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
G+L PNK 100/100 PL/GL	100-100	10	5	93	10	33012524
G+L PNK 200/200 PL/GL	200-200	10	5	75	10	33012525
G+L PNK 300/300 PL/GL	300-300	10	5	48	10	33012526
G+L PNK 100/200 PL/GL	100-200	10	5	75	10	33012527
G+L PNK 100/300 PL/GL	100-300	10	5	48	10	33012528
G+L PNK 200/300 PL/GL	200-300	10	5	48	10	33012529
TC						
G+L PNK 100/100 TC	100-100	10	5	93	10	33212524
G+L PNK 200/200 TC	200-200	10	5	75	10	33212525
G+L PNK 300/300 TC	300-300	10	5	48	10	33212526
G+L PNK 100/200 TC	100-200	10	5	75	10	33212527
G+L PNK 100/300 TC	100-300	10	5	48	10	33212528
G+L PNK 200/300 TC	200-300	10	5	48	10	33212529

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

GL Galvanski pocinkovani lim / Galvanized sheet
**L Konzola / L Cantilever**

Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
L PNK 50 PL/GL	50	10	5	97	10	301100231
L PNK 100 PL/GL	100	10	5	89	10	301100241
L PNK 160 PL/GL	160	10	5	77	10	3011002511
L PNK 200 PL/GL	200	10	5	72	10	301100251
L PNK 300 PL/GL	300	10	5	46	10	301100261
L PNK 400 PL/GL	400	13	8	57	10	301100271
L PNK 500 PL/GL	500	13	8	50	10	301100281
L PNK 600 PL/GL	600	13	8	47	10	301100291
TC						
L PNK 50 TC	50	10	5	97	10	302200232
L PNK 100 TC	100	10	5	89	10	302200242
L PNK 160 TC	160	10	5	77	10	302216242
L PNK 200 TC	200	10	5	72	10	302200252
L PNK 300 TC	300	10	5	46	10	302200262
L PNK 400 TC	400	13	8	57	10	302200272
L PNK 500 TC	500	13	8	50	10	302200282
L PNK 600 TC	600	13	8	47	10	302200292

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

GL Galvanski pocinkovani lim / Galvanized sheet
**G Plus Modul / G Plus Module**


Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
GPM PNK 100/100 PL	100	10	1.5	57	10	300100231
GPM PNK 200/100 PL	200	10	1.5	60	10	300100251
GPM PNK 300/100 PL	300	10	2	64	10	300100261
TC						
GPM PNK 100/100 TC	100	10	1.5	57	10	300200231
GPM PNK 200/100 TC	200	10	1.5	60	10	300200251
GPM PNK 300/100 TC	300	10	2	64	10	300200261

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





CE

L Modul / L Module
MS


Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
LM PNK 100 PL	100	10	1.5	48	10	3001102311
LM PNK 200 PL	200	10	1.5	50	10	3001002311
LM PNK 300 PL	300	10	2	52	10	3001002511
LM PNK 100 TC	100	10	1.5	48	10	3022002311
LM PNK 200 TC	200	10	1.5	50	10	3002002311
LM PNK 300 TC	300	10	2	52	10	3002002511


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Bočni držač / Side holder


Tip Typ	Dužina L Length L	Debljina Thickness	Namenjeno za MNK Meant for MNK	Pakovanje Pack kom piece	Šifra artikla Article
BD 05 PL	50	1	50	10	30011119
BD 10 PL	100	1	100	10	30011120


PL Pocinkovani lim / Galvanized sheet


L nosač 50x50 / L carrier 50x50


Tip Typ	Dužina L Length L	Dimenzije Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
L 50 GL	500	50x50	5	4	35510042
L 60 GL	600	50x50	5	4	35510043
L 70 GL	700	50x50	5	4	35510044
L 80 GL	800	50x50	5	4	35510045
L 90 GL	900	50x50	5	4	35510046
L 100 GL	1000	50x50	5	4	35510047
L 50 TC	500	50x50	5	4	35520042
L 60 TC	600	50x50	5	4	35520043
L 70 TC	700	50x50	5	4	35520044
L 80 TC	800	50x50	5	4	35520045
L 90 TC	900	50x50	5	4	35520046
L 100 TC	1000	50x50	5	4	35520047

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


C nosač / C carrier


Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
CN PL	3	10	30010057
CN TC	3	10	30020057

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized



23



Zglobni C nosač / Articulated C carrier



Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
ZCN PL	mm 2	10	PL 30010058
ZCN TC	mm 2	10	TC 30020058


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



MS


Odstojnik / Spacer




Tip Typ	Dužina L Length L	Pakovanje Pack kom piece	Šifra artikla Article
OD 10 PL	100	10	30010035
OD 16 PL	160	10	30010036
OD 20 PL	200	10	30010037
OD 30 PL	300	10	30010038
OD 40 PL	400	10	30010039
OD 50 PL	500	10	30010040
OD 60 PL	600	10	30010041
TC			
OD 10 TC	100	10	30020035
OD 16 TC	160	10	30020036
OD 20 TC	200	10	30020037
OD 30 TC	300	10	30020038
OD 40 TC	400	10	30020039
OD 50 TC	500	10	30020040
OD 60 TC	600	10	30020041

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Središnji nosač / Central carrier




Tip Typ	Dužina L Length L	Debljina Thickness	Centralni otvor Hole	Pakovanje Pack kom piece	Šifra artikla Article
SN 10 M8 PL	94	mm 3	M8	10	30010042
SN 16 M8 PL	154	mm 3	M8	10	30010043
SN 20 M8 PL	195	mm 3	M8	10	30010044
SN 30 M8 PL	295	mm 3	M8	10	30010045
SN 10 M10 PL	94	mm 3	M10	10	30010078
SN 16 M10 PL	154	mm 3	M10	10	30010079
SN 20 M10 PL	195	mm 3	M10	10	30010080
SN 30 M10 PL	295	mm 3	M10	10	30010081
TC					
SN 10 M8 TC	94	mm 3	M8	10	30020042
SN 16 M8 TC	154	mm 3	M8	10	30020043
SN 20 M8 TC	195	mm 3	M8	10	30020044
SN 30 M8 TC	295	mm 3	M8	10	30020045
SN 10 M10 TC	94	mm 3	M10	10	30020078
SN 16 M10 TC	154	mm 3	M10	10	30020079
SN 20 M10 TC	195	mm 3	M10	10	30020080
SN 30 M10 TC	295	mm 3	M10	10	30020081

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Perforirana šina sa jednom navojnom šipkom / Perforated track with one threaded rod
MS


Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Namenjeno za PNK Meant for PNK	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		PL	
PS L 05 PL	50	30x15	2	50	10	30010072
PS L 10 PL	100	30x15	2	100	10	30010073
PS L 16 PL	160	30x15	2	160	10	30010074
PS L 20 PL	200	30x15	2	200	10	30010075
PS L 30 PL	300	30x15	2	300	10	30010076
					TC	
PS L 05 TC	50	30x15	2	50	10	30020072
PS L 10 TC	100	30x15	2	100	10	30020073
PS L 16 TC	160	30x15	2	160	10	30020074
PS L 20 TC	200	30x15	2	200	10	30020075
PS L 30 TC	300	30x15	2	300	10	30020076

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

MS
Perforirana šina sa dve navojne šipke / Perforated track with two threaded rods


Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Namenjeno za PNK Meant for PNK	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		PL	
PS L 2M 15 10 PL	2000	30x15	1.5		10	30010089
PS L 2M 20 10 PL	2000	30x15	2		10	30010090
PS L 2M 15 8 PL	2000	30x15	1.5		10	30010046
PS L 2M 20 8 PL	2000	30x15	2		10	30011091
PS L 13 PL	130	30x15	2	50	10	30010077
PS L 18 PL	180	30x15	2	100	10	30010047
PS L 24 PL	240	30x15	2	160	10	30010048
PS L 28 PL	280	30x15	2	200	10	30010049
PS L 38 PL	380	30x15	2	300	10	30010050
PS L 48 PL	480	30x15	2	400	10	30010051
PS L 58 PL	580	30x15	2	500	10	30010052
PS L 68 PL	680	30x15	2	600	10	30010053
					TC	
PS L 2M 15 10 TC	2000	30x15	1.5		10	30020089
PS L 2M 20 10 TC	2000	30x15	2		10	30020090
PS L 2M 15 8 TC	2000	30x15	1.5		10	30020046
PS L 2M 20 8 TC	2000	30x15	2		10	30021096
PS L 13 TC	130	30x15	2	50	10	30020077
PS L 18 TC	180	30x15	2	100	10	30020047
PS L 24 TC	240	30x15	2	160	10	30020048
PS L 28 TC	280	30x15	2	200	10	30020049
PS L 38 TC	380	30x15	2	300	10	30020050
PS L 48 TC	480	30x15	2	400	10	30020051
PS L 58 TC	580	30x15	2	500	10	30020052
PS L 68 TC	680	30x15	2	600	10	30020053

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

MS
Perforirani L profil / Perforated L Profile


Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm	PL	
UP L 2M PL	2000	30x30	2	10	30010055
UP L 2M TC	2000	30x30	2	10	30020055

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

MS



Perforirana traka / Perforated strip

MS




Tip Typ	Dužina L Length L	Širina Width	Otvor Diametar	Pakovanje Pack kom piece	Šifra artikla Article
PTR PL 6.2	10000	18	6.2	10	PL 30010056
PTR PL 8.2	10000	18	8.2	10	30010060

PL Pocinkovani lim / Galvanized sheet




Perforirana traka velike nosivosti / Large capacity perforated strip




Tip Typ	Dužina L Length L	Širina Width	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
PTR L 2M PL	2000	25	2	10	PL 30010062

PL Pocinkovani lim / Galvanized sheet




Poklopac U stuba / Cover for U pillar



Tip Typ	Dužina L Length L	Širina Width	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
Poklopac stuba	50	30	10	100	PL 30010100



Grip obujmica / Grip clamp




Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
G obujmica 15 PL	35	65	1	10	PL 20330195
G obujmica 30 PL	55	85	1	10	20330196

PL Pocinkovani lim / Galvanized sheet




Dupla obujmica / Double clamp



Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
D Obujmica 6 PL	6	1.5	10	PL 33312420
D Obujmica 10 PL	10	1.5	10	33312421
D Obujmica 14 PL	14	1.5	10	33312422
D Obujmica 18 PL	18	1.5	10	33312423
D Obujmica 22 PL	22	1.5	10	33312424
D Obujmica 26 PL	26	1.5	10	33312425
D Obujmica 30 PL	30	1.5	10	33312426
D Obujmica 34 PL	34	1.5	10	33312427
D Obujmica 38 PL	38	1.5	10	33312428
D Obujmica 42 PL	42	1.5	10	33312429

PL Pocinkovani lim / Galvanized sheet





Obujmica 1A / Clamp 1A


Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		PL
Obujmice 1A 6 PL	6	1.5	10	33312400
Obujmice 1A 10 PL	10	1.5	10	33312401
Obujmice 1A 14 PL	14	1.5	10	33312402
Obujmice 1A 18 PL	18	1.5	10	33312403
Obujmice 1A 22 PL	22	1.5	10	33312404
Obujmice 1A 26 PL	26	1.5	10	33312405
Obujmice 1A 30 PL	30	1.5	10	33312406
Obujmice 1A 34 PL	34	1.5	10	33312407
Obujmice 1A 38 PL	38	1.5	10	33312408
Obujmice 1A 42 PL	42	1.5	10	33312409




PL Pocinkovani lim / Galvanized sheet

Obujmica 2A / Clamp 2A



Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		PL
Obujmica 2A 6 PL	6	1.5	10	33312410
Obujmica 2A 10 PL	10	1.5	10	33312411
Obujmica 2A 14 PL	14	1.5	10	33312412
Obujmica 2A 18 PL	18	1.5	10	33312413
Obujmica 2A 22 PL	22	1.5	10	33312414
Obujmica 2A 26 PL	26	1.5	10	33312415
Obujmica 2A 30 PL	30	1.5	10	33312416
Obujmica 2A 34 PL	34	1.5	10	33312417
Obujmica 2A 38 PL	38	1.5	10	33312418
Obujmica 2A 42 PL	42	1.5	10	33312419



PL Pocinkovani lim / Galvanized sheet


Višenamenski nosač / Multipurpose carrier


Tip Typ	Dužina L Length L	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		PL
VN 40 PL	400	2	4	34510001
VN 50 PL	500	2	4	34510002
				TC
VN 40 TC	400	2	4	34520001
VN 50 TC	500	2	4	34520002



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Višenamenski nosač sa navarenom pločom / Multipurpose carrier with welded plate


Tip Typ	Dužina L Length L	Debljina Thickness	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		GL
VN 40 WP 2 GL	400	2	2	4	34510003
VN 50 WP 2 GL	500	2	2	4	34510004
					TC
VN 40 WP 2 TC	400	2	2	4	34520003
VN 50 WP 2 TC	500	2	2	4	34520004



GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



PRINCIP MONTAŽE NA U PROFIL / THE PRINCIPLE OF THE MOUNTING CABLE TRAYS AGAINST THE U PROFILE

- 1**: U profil sa navarenom pločom 4A / U profile with welded plate 4A
- 2**: U profil sa navarenom pločom 2A / U profile with welded plate 2A
- 3**: U profil sa perima / U profile with 3 quills
- 4**: L Modul / L Module
- 5**: G Plus Modul / G Plus Module
- 6**: Dupli G nosač / Double G carrier for side mounting
- 7**: L Konzola / L Cantilever
- 8**: Konzola za MNK / Cantilever for Mesh cable trays
- 9**: Konzola stubna obostrana / Bothsided pillow cantilever

**1****2****3****4**

DODATNI ELEMENTI / ADDITIONAL ELEMENTS

- 1**: Grip obujmica / Grip clamp
- 2**: Obujmica 1A / Clamp 1A
- 3**: Obujmica 2A / Clamp 2A
- 4**: Dupla obujmica / Double clamp



Pomoc pri montaži / Assistance in assembly



**PRINCIP MONTAŽE NA U PROFIL / THE PRINCIPLE OF
THE MOUNTING CABLE TRAYS AGAINST THE U PROFILE**

- 1** Plafonski U nosač / U carrier for ceilings
- 2** Odstojnik / The spacer
- 3** Zidna konzola nosača / Wall cantilever
- 4** UD nosač za plafon / Ceiling UD carrier for mounting
- 5** Spojnica U profila / U profile coupling
- 6** Poklopac U profila / Cover for U profile



**PRINCIP MONTAŽE NA NAVOJNU ŠIPKU / THE PRINCIPLE OF
THE MOUNTING CABLE TRAYS AGAINST THE THREADED ROD**

- 1** Plafonski C nosač / C carrier for ceilings
- 2** Nosač trapeznog lima / Carrier for trapezoidal sheet
- 3** Navojna šipka / Threaded rod
- 4** Središnji nosač / Central carrier
- 5** G nosač / Ceiling G carrier
- 6** Odstojnik / The spacer



H30

H50


H60

H75

H85

H110


POK



PNK



2



PERFORIRANI NOSAČI KABLOVA

PERFORATED CABLE TRAY SYSTEMS





1

Plafonska montaža regala u više nivoa vrši se pomoću UD nosača, U profila i konzola.

We use UD carrier, U channel and cantilever for mounting cable trays on different levels to the ceiling.



2

Spoj regala podno-rotirajućom spojnicom za premošćavanje visinske razlike.

Joint of the cable trays with floor-rotating coupling for bridging the height difference.



3

Montaža regala za trapezni plafon ostvaruje se pomoću nosača za trapezni lim, navojne šipke i nosača regala.


We use brackets for trapezoidal sheet metal, threaded rod and cable tray for mounting cable trays to the trapezoidal ceiling.



4

Zalamajuća spojница koristi se za izradu ugaonih krivina na licu mesta, a ugao se formira sečenjem krajeva regala.

Angle connector is used for making angle curves when mounting, and we make an angle by cutting the ends of the cable carriers.



5

Za montažu regala na plafon pomoću dve navojne šipke, koristi se profilna perforirana šina.

We use a profiled perforated rail for mounting cable tray against the ceiling by two threaded rods.



6

Pričvršćivanje nosača kablova za konzolu vrši se torban vijcima PEKOM M6x12.

Attachment of the cable trays to the cantilever is done by PEKOM M6 x 12 torch screw.



7

Montaža regala na odstojnik vrši se pomoću torban vijaka tipa PEKOM M6x12.


We use PEKOM M 6 x 12 torch screws for mounting cable tray to the spacer.



8

Keder guma se koristi kao zaštita od oštih ivica prilikom sečenja regala brusilicom na licu mesta.

Keder rubber is used as a protection against the sharp edges made when cable trays are cut by grinder on the spot.



9

Zglobna spojnica koristi se kod premoščavanja razlike u visinama. Zglobna spojnica se može fiksirati pod određenim uglovima.

Angle connector is used for bridging the difference in heights. Angle connector can be fixed at certain angles.



10

Spoj regala podno-rotirajućom spojnicom za premoščavanje visinske razlike.

Joint of the cable trays with floor-rotating coupling for bridging the height difference.



11

Montaža regala za trapezni plafon ostvaruje se pomoću nosača za trapezni lim, navojne šipke i nosača regala.

We use brackets for trapezoidal sheet metal, threaded rod and cable tray for mounting cable trays against the trapezoidal ceiling.



12

Montaža krivine vrši se na licu mesta. Regali se ubacuju (uvlače) u krivine, a spoj regala i krivina ostvaren je vijcima tipa PEKOM M6x12.

Mounting the bend is done on the spot. Cable trays are pulled into the bands, and the connection is made by PEKOM M 6 x 12 torch screws.



Pričvršćivanje nosača kablova za konzolu vrši se torban vijcima PEKOM M6 x 12 i nazubljenim maticama M6.

Attachment of the cable trays to the cantilever is done by the PEKOM torch bolt, type M6 x 12, without additional couplings.

13



Montaža krivine 90° i regala nosača kablova ostvaruje se putem vijaka tipa PEKOM M6 x 12, bez dodatnih spojnika.

Mounting of the 90 ° curve and the cable tray is done by the PEKOM M6 x 12 type screws.

14



Zglobna krivina za premoščavanje razlike u visinama.

Angle curve for bridging the difference in heights.

15



Montaža nosača kablova na jednu navojnu šipku pomoću središnjeg nosača.

Mounting cable trays on a threaded rod by a midway carrier.

16



Montaža + račve i regala nosača kablova ostvarena je direktnom vezom pomoću torban vijaka tipa PEKOM M6 x 12 bez dodatnih spojnika.

Installation of the cross-section twitch and cable tray carrier was achieved by direct connection with the PEKOM torch bolt, type M6 x 12, without additional couplings.

17



PNK poklopac montira se bez dodatnih vijaka i stezaljki jednostavnim klik sistemom. Vrlo je jednostavna i brza demontaža poklopca.

Lid for perforated cable trays is mounted without additional screws and clamps by a simple CLICK system. Disassembly of the lid is very simple and fast.

18


19

Montaža T račve i regala nosača kablova ostvarena je pomoću torban vijaka tipa PEKOM M6 x 12, bez dodatnih spojnica.

Mounting of the T twitch and the cable tray is done by using the PEKOM M6 x 12 torch screw.


20

Montažom vertikalne ugradne račve postiže se efekat odlivnog levka po visini.

By mounting vertical embedded twitch we have the effect of leakage funnel.


21

Princip spoja dva PNK regala sa klik sistemom bez dodatnih vijaka.

The principle of connecting two PNK cable trays by click system, without additional bolts.


22

Jedan klik... i gotovo...

Just a click... and done...


23

Bočno usecanje regala i montaža ugradne račve vrši se na licu mesta. Ugradna račva na usečeni deo regala pričvršćuje se torban vijcima tipa PEKOM M6 x 12 bez dodatnih spojnica.


Side cutting of the cable trays and mounting of the built-in twitch is done on the spot. Built-in twitch is attached to the cut side of the cable tray by the PEKOM torch bolt, type M6 x 12, without additional couplings.


24

Bočno usecanje regala i montaža ugradne račve vrši se na licu mesta. Ugradna račva na usečeni deo regala pričvršćuje se torban vijcima tipa PEKOM M6 x 12 bez dodatnih spojnica.


Side cutting of the cable trays and mounting of the built-in twitch is done on the spot. Built-in twitch is attached to the cut side of the cable tray by the PEKOM torch bolt, type M6 x 12, without additional couplings.

Connecting PNK Cable Tray







CE


Nosač kablova PNK / PNK cable trays
H30


Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dovoljeno opterećenje Allowed load			Šifra artikla Article PL	
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m		
PNK 3 5 200 PL	50	30	0.75	2000	13	115	60	40	10010001	
PNK 3 10 200 PL	100	30	0.75	2000	35	112	58	38	10010003	
PNK 3 16 200 PL	160	30	0.75	2000	45	111	57	36	10010008	
PNK 3 20 200 PL	200	30	0.75	2000	70	110	55	32	10010013	
PNK 3 30 200 PL	300	30	0.75	2000	105	101	58	39	10010018	
						PL				
PNK 3 5 300 PL	50	30	0.75	3000	13	115	60	40	10010016	
PNK 3 10 300 PL	100	30	0.75	3000	35	112	58	38	10010017	
PNK 3 16 300 PL	160	30	0.75	3000	45	111	57	36	10010021	
PNK 3 20 300 PL	200	30	0.75	3000	70	110	55	32	10010022	
PNK 3 30 300 PL	300	30	0.75	3000	105	101	58	39	10010026	


PL Pocinkovani lim / Galvanized sheet

Pregrada / Divider


Tip Typ	Visina Height mm	Dužina Length mm			Pakovanje Pack kom piece	Šifra artikla Article PL
			10	10		
P PNK 30 2M PL	30	2000				10030001
P PNK 30 3M PL	30	3000				10030002

PL Pocinkovani lim / Galvanized sheet


Bočna spojnica / Straight connector


Tip Typ	Visina Height mm			Pakovanje Pack kom piece	Šifra artikla Article PL
		50	50		
S PNK 30 PL	30				10030003

PL Pocinkovani lim / Galvanized sheet




Lomljiva spojnica / Angle connector




Tip Typ	Širina Height	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm	50	PL 10030004
LS PNK 30 PL	30		

PL Pocinkovani lim / Galvanized sheet



H30

Zglobna spojnica / Adjustable connector




Tip Typ	Širina Height	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm	50	PL 10030005
ZS PNK 30 PL	30		

PL Pocinkovani lim / Galvanized sheet



Ugradna račva / Add-one tee




Tip Typ	Širina Width	Visina Height	Dебљина Thickness	Šifra artikla Article
mm	mm	mm	mm	PL
UR PNK 3 5 PL	50	30	1	10030006
UR PNK 3 10 PL	100	30	1	10030007
UR PNK 3 16 PL	160	30	1	10030008
UR PNK 3 20 PL	200	30	1	10030009
UR PNK 3 30 PL	300	30	1	10030010

PL Pocinkovani lim / Galvanized sheet




Krivina 45° / Bend 45°



Tip Typ	Širina Width	Visina Height	Dебљина Thickness	Šifra artikla Article
mm	mm	mm	mm	PL
K45 PNK 3 5 PL	50	30	1	10030011
K45 PNK 3 10 PL	100	30	1	10030012
K45 PNK 3 16 PL	160	30	1	10030013
K45 PNK 3 20 PL	200	30	1	10030014
K45 PNK 3 30 PL	300	30	1	10030015

PL Pocinkovani lim / Galvanized sheet





Krivina 90° / Bend 90°
H30


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
	mm	mm	mm		PL
L PNK 3 5 PL	50	30	1		10030016
L PNK 3 10 PL	100	30	1		10030017
L PNK 3 16 PL	160	30	1		10030018
L PNK 3 20 PL	200	30	1		10030019
L PNK 3 30 PL	300	30	1		10030020


PL Pocinkovani lim / Galvanized sheet

PNK

Ugaona spojnica / Corner connector



Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
	mm	mm	mm		PL
US PNK 3 5 PL	50	30	1		10030021
US PNK 3 10 PL	100	30	1		10030022
US PNK 3 16 PL	160	30	1		10030023
US PNK 3 20 PL	200	30	1		10030024
US PNK 3 30 PL	300	30	1		10030025

PL Pocinkovani lim / Galvanized sheet


T račva / T Module


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
	mm	mm	mm		PL
T PNK 3 5 PL	50	30	1		10030026
T PNK 3 10 PL	100	30	1		10030027
T PNK 3 16 PL	160	30	1		10030028
T PNK 3 20 PL	200	30	1		10030029
T PNK 3 30 PL	300	30	1		10030030

PL Pocinkovani lim / Galvanized sheet


Račva plus / + Connection module


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
	mm	mm	mm		PL
X PNK 3 5 PL	50	30	1		10030031
X PNK 3 10 PL	100	30	1		10030032
X PNK 3 16 PL	160	30	1		10030033
X PNK 3 20 PL	200	30	1		10030034
X PNK 3 30 PL	300	30	1		10030035

PL Pocinkovani lim / Galvanized sheet





Elementi zglobno vertiklane krivine / Adjustable vertical bend element


H30

Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					PL
EZK PNK 3 10 PL	100	30	1		10030036
EZK PNK 3 16 PL	160	30	1		10030037
EZK PNK 3 20 PL	200	30	1		10030038
EZK PNK 3 30 PL	300	30	1		10030039
EZK PNK 3 40 PL	400	30	1		10030040

PL Pocinkovani lim / Galvanized sheet




Zglobno vertiklana krivina / Adjustable vertical bend



Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					PL
ZK PNK 3 10 PL	100	30	1		10030041
ZK PNK 3 16 PL	160	30	1		10030042
ZK PNK 3 20 PL	200	30	1		10030043
ZK PNK 3 30 PL	300	30	1		10030044
ZK PNK 3 40 PL	400	30	1		10030045

PL Pocinkovani lim / Galvanized sheet





Nosač kablova PNK / PNK cable trays


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNK 5 5 300 PL	50	50	0.75	3000	23	123	78	44	10010002
PNK 5 10 300 PL	100	50	0.75	3000	48	121	80	50	10010004
PNK 5 16 300 PL	160	50	0.75	3000	78	128	81	48	10010009
PNK 5 20 300 PL	200	50	0.75	3000	98	132	77	47	10010014
PNK 5 30 300 PL	300	50	0.75	3000	148	112	78	42	10010019
PNK 5 40 300 PL	400	50	0.75	3000	198	153	123	69	10010023
PNK 5 50 300 PL	500	50	1	3000	248	156	125	62	10010027
PNK 5 60 300 PL	600	50	1	3000	298	158	128	62	10010030
PL									
PNK 5 5 200 PL	50	50	0.75	2000	23	123	78	44	10010275
PNK 5 10 200 PL	100	50	0.75	2000	48	121	80	50	10010276
PNK 5 16 200 PL	160	50	0.75	2000	78	128	81	48	10010277
PNK 5 20 200 PL	200	50	0.75	2000	98	132	77	47	10010278
PNK 5 30 200 PL	300	50	0.75	2000	148	112	78	42	10012079
PNK 5 40 200 PL	400	50	0.75	2000	198	153	123	69	10012080
PNK 5 50 200 PL	500	50	1	2000	248	156	125	62	10012081
PNK 5 60 200 PL	600	50	1	2000	298	158	128	62	10012082
TC									
PNK 5 5 300 TC	50	50	0.8	3000	23	123	78	44	10810000
PNK 5 10 300 TC	100	50	0.8	3000	48	121	80	50	10810001
PNK 5 16 300 TC	160	50	0.8	3000	78	128	81	48	10810002
PNK 5 20 300 TC	200	50	0.8	3000	98	132	77	47	10810003
PNK 5 30 300 TC	300	50	0.8	3000	148	112	78	42	10810004
PNK 5 40 300 TC	400	60	0.8	3000	198	153	123	69	10810005
PNK 5 50 300 TC	500	60	1	3000	248	156	125	62	10810006
PNK 5 60 300 TC	600	60	1	3000	298	158	128	62	10810007

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

H50

PNK
Nosač kablova PNK / PNK cable trays


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNK 5 10 600 PL	100	50	0.75	6000	48	121	80	50	10610008
PNK 5 16 600 PL	160	50	0.75	6000	78	128	81	48	10610009
PNK 5 20 600 PL	200	50	0.75	6000	98	132	77	47	10610010
PNK 5 30 600 PL	300	50	0.75	6000	148	112	78	42	10610011


PL Pocinkovani lim / Galvanized sheet

H50


NEW
by
Pekom



Nosač kablova SNK / SNK cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
SNK 5 5 300 PL	50	50	1	3000	23	152	102	60	10070000
SNK 5 10 300 PL	100	50	1	3000	48	150	98	55	10070001
SNK 5 16 300 PL	160	50	1	3000	78	148	100	58	10070002
SNK 5 20 300 PL	200	50	1	3000	98	142	99	52	10070003
SNK 5 30 300 PL	300	50	1	3000	148	138	88	48	10070004
SNK 5 40 300 PL	400	50	1	3000	198	153	123	69	10070005
SNK 5 50 300 PL	500	50	1	3000	248	156	125	62	10070006
SNK 5 60 300 PL	600	50	1	3000	298	158	128	62	10070007
PL									
SNK 5 5 200 PL	50	50	1	2000	23	152	102	60	10070008
SNK 5 10 200 PL	100	50	1	2000	48	150	98	55	10070009
SNK 5 16 200 PL	160	50	1	2000	78	148	100	58	10070010
SNK 5 20 200 PL	200	50	1	2000	98	142	99	52	10070011
SNK 5 30 200 PL	300	50	1	2000	148	138	88	48	10070012
SNK 5 40 200 PL	400	50	1	2000	198	125	80	47	10070013
SNK 5 50 200 PL	500	50	1	2000	248	122	75	45	10070014
SNK 5 60 200 PL	600	50	1	2000	298	121	74	41	10070015
TC									
SNK 5 5 300 TC	50	50	1	3000	23	152	102	60	10020000
SNK 5 10 300 TC	100	50	1	3000	48	150	98	55	10020001
SNK 5 16 300 TC	160	50	1	3000	78	148	100	58	10020002
SNK 5 20 300 TC	200	50	1	3000	98	142	99	52	10020003
SNK 5 30 300 TC	300	50	1	3000	148	138	88	48	10020004
SNK 5 40 300 TC	400	50	1	3000	198	125	80	47	10020005

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Nosač kablova VNK / VNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
VNK 5 5 300 PL	50	50	1.5	3000	23	253	201	120	10080000
VNK 5 10 300 PL	100	50	1.5	3000	48	251	198	118	10080001
VNK 5 16 300 PL	160	50	1.5	3000	78	250	199	119	10080002
VNK 5 20 300 PL	200	50	1.5	3000	98	249	196	105	10080003
VNK 5 30 300 PL	300	50	1.5	3000	148	248	195	100	10080004
VNK 5 40 300 PL	400	50	1.5	3000	198	240	180	95	10080005
VNK 5 50 300 PL	500	50	1.5	3000	198	236	182	92	10080006
VNK 5 60 300 PL	600	50	1.5	3000	198	230	178	86	10080007
PL									
VNK 5 5 300 TC	50	50	1.5	3000	23	253	201	120	10020006
VNK 5 10 300 TC	100	50	1.5	3000	48	251	198	118	10020007
VNK 5 16 300 TC	160	50	1.5	3000	78	250	199	119	10020008
VNK 5 20 300 TC	200	50	1.5	3000	98	249	196	105	10020009
VNK 5 30 300 TC	300	50	1.5	3000	148	248	195	100	10020010
VNK 5 40 300 TC	400	50	1.5	3000	198	240	180	95	10020011
VNK 5 50 300 TC	500	50	1.5	3000	198	236	182	92	10020012
VNK 5 60 300 TC	600	50	1.5	3000	198	230	178	86	10020013

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Nosač kablova PNKP / PNKP cable trays


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
PNKP 5 5 300 PL	50	50	0.75	3000	23	112	80	52	10040001
PNKP 5 10 300 PL	100	50	0.75	3000	48	110	78	46	10040002
PNKP 5 20 300 PL	200	50	0.75	3000	98	102	75	48	10040003
PNKP 5 30 300 PL	300	50	0.75	3000	148	100	74	44	10040004

PL Pocinkovani lim / Galvanized sheet



PNK

Nosač kablova SNKP / SNKP cable trays


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
SNKP 5 5 300 PL	50	50	1	3000	23	156	104	56	10040005
SNKP 5 10 300 PL	100	50	1	3000	48	152	101	55	10040006
SNKP 5 16 300 PL	160	50	1	3000	78	150	99	50	10040007
SNKP 5 20 300 PL	200	50	1	3000	98	146	98	47	10040008
SNKP 5 30 300 PL	300	50	1	3000	148	144	97	45	10040009
SNKP 5 40 300 PL	400	50	1	3000	198	138	89	42	10040010
SNKP 5 50 300 PL	500	50	1	3000	248	136	87	38	10040011
SNKP 5 60 300 PL	600	50	1	3000	298	132	81	36	10040012

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


STRONG
Pregrada / Divider


Tip Typ	Visina Height	Dužina Length			Pakovanje Pack kom piece	Šifra artikla Article
			mm	mm		
P PNK 50 PL	50	3000			10	10030046
P PNK 50 TC	50	3000			10	10020022

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





CE

Bočna spojnica / Straight connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 50 PL	50 mm	50	PL 10030047
S PNK 50 TC	50	50	TC 10020023

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 50 PL	50	50	PL 10030048
LS PNK 50 TC	50	50	TC 10020024

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 50 PL	50	50	PL 10030049
ZS PNK 50 TC	50	50	TC 10020025

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Ugradna račva / Add-one tee
H50


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
UR PNK 5 5 PL	50	50	1	10030050
UR PNK 5 10 PL	100	50	1	10030051
UR PNK 5 16 PL	160	50	1	10030052
UR PNK 5 20 PL	200	50	1	10030053
UR PNK 5 30 PL	300	50	1	10030054
UR PNK 5 40 PL	400	50	1	10030055
UR PNK 5 50 PL	500	50	1	10030056
UR PNK 5 60 PL	600	50	1	10030057
				TC
UR PNK 5 5 TC	50	50	1	10020026
UR PNK 5 10 TC	100	50	1	10020027
UR PNK 5 16 TC	160	50	1	10020028
UR PNK 5 20 TC	200	50	1	10020029
UR PNK 5 30 TC	300	50	1	10020030
UR PNK 5 40 TC	400	50	1	10020031
UR PNK 5 50 TC	500	50	1	10020032
UR PNK 5 60 TC	600	50	1	10020033

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

PNK

Krivina 45° / Bend 45°


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
K45 PNK 5 5 PL	50	50	1	10030058
K45 PNK 5 10 PL	100	50	1	10030059
K45 PNK 5 16 PL	160	50	1	10030060
K45 PNK 5 20 PL	200	50	1	10030061
K45 PNK 5 30 PL	300	50	1	10030062
K45 PNK 5 40 PL	400	50	1	10030063
K45 PNK 5 50 PL	500	50	1	10030064
K45 PNK 5 60 PL	600	50	1	10030065
				TC
K45 PNK 5 5 TC	50	50	1	10020034
K45 PNK 5 10 TC	100	50	1	10020035
K45 PNK 5 16 TC	160	50	1	10020036
K45 PNK 5 20 TC	200	50	1	10020037
K45 PNK 5 30 TC	300	50	1	10020038
K45 PNK 5 40 TC	400	50	1	10020039
K45 PNK 5 50 TC	500	50	1	10020040
K45 PNK 5 60 TC	600	50	1	10020041

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized




CE

Krivina 90° / Bend 90°


H50




Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article		
					PL		
L PNK 5 5 PL	50	50	1		10030066		
L PNK 5 10 PL	100	50	1		10030067		
L PNK 5 16 PL	160	50	1		10030068		
L PNK 5 20 PL	200	50	1		10030069		
L PNK 5 30 PL	300	50	1		10030070		
L PNK 5 40 PL	400	50	1		10030071		
L PNK 5 50 PL	500	50	1		10030072		
L PNK 5 60 PL	600	50	1		10030073		
TC							
L PNK 5 5 TC	50	50	1		10020042		
L PNK 5 10 TC	100	50	1		10020043		
L PNK 5 16 TC	160	50	1		10020044		
L PNK 5 20 TC	200	50	1		10020045		
L PNK 5 30 TC	300	50	1		10020046		
L PNK 5 40 TC	400	50	1		10020047		
L PNK 5 50 TC	500	50	1		10020048		
L PNK 5 60 TC	600	50	1		10020049		

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Ugaona spojnica / Corner connector




Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article		
					PL		
US PNK 5 5 PL	50	50	1		10030074		
US PNK 5 10 PL	100	50	1		10030075		
US PNK 5 16 PL	160	50	1		10030076		
US PNK 5 20 PL	200	50	1		10030077		
US PNK 5 30 PL	300	50	1		10030078		
US PNK 5 40 PL	400	50	1		10030079		
US PNK 5 50 PL	500	50	1		10030080		
US PNK 5 60 PL	600	50	1		10030081		
TC							
US PNK 5 5 TC	50	50	1		10020050		
US PNK 5 10 TC	100	50	1		10020051		
US PNK 5 16 TC	160	50	1		10020052		
US PNK 5 20 TC	200	50	1		10020053		
US PNK 5 30 TC	300	50	1		10020054		
US PNK 5 40 TC	400	50	1		10020055		
US PNK 5 50 TC	500	50	1		10020056		
US PNK 5 60 TC	600	50	1		10020057		


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





T račva / T Module
H50


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T PNK 5 5 PL	50	50	1	10030082
T PNK 5 10 PL	100	50	1	10030083
T PNK 5 16 PL	160	50	1	10030084
T PNK 5 20 PL	200	50	1	10030085
T PNK 5 30 PL	300	50	1	10030086
T PNK 5 40 PL	400	50	1	10030087
T PNK 5 50 PL	500	50	1	10030088
T PNK 5 60 PL	600	50	1	10030089
				TC
T PNK 5 5 TC	50	50	1	10020058
T PNK 5 10 TC	100	50	1	10020059
T PNK 5 16 TC	160	50	1	10020060
T PNK 5 20 TC	200	50	1	10020061
T PNK 5 30 TC	300	50	1	10020062
T PNK 5 40 TC	400	50	1	10020063
T PNK 5 50 TC	500	50	1	10020064
T PNK 5 60 TC	600	50	1	10020065



PNK

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Račva plus / + Connection module


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
X PNK 5 5 PL	50	50	1	10030090
X PNK 5 10 PL	100	50	1	10030091
X PNK 5 16 PL	160	50	1	10030092
X PNK 5 20 PL	200	50	1	10030093
X PNK 5 30 PL	300	50	1	10030094
X PNK 5 40 PL	400	50	1	10030095
X PNK 5 50 PL	500	50	1	10030096
X PNK 5 60 PL	600	50	1	10030097
				TC
X PNK 5 5 TC	50	50	1	10020066
X PNK 5 10 TC	100	50	1	10020067
X PNK 5 16 TC	160	50	1	10020068
X PNK 5 20 TC	200	50	1	10020069
X PNK 5 30 TC	300	50	1	10020070
X PNK 5 40 TC	400	50	1	10020071
X PNK 5 50 TC	500	50	1	10020072
X PNK 5 60 TC	600	50	1	10020073


PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized




CE

Univerzalna vertikalna krivina / Universal vertical curve

H50




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
UVK PNK 5 5 PL	50	50	1	10030098
UVK PNK 5 10 PL	100	50	1	10030099
UVK PNK 5 16 PL	160	50	1	10030100
UVK PNK 5 20 PL	200	50	1	10030101
UVK PNK 5 30 PL	300	50	1	10030102
UVK PNK 5 40 PL	400	50	1	10030103
UVK PNK 5 50 PL	500	50	1	10030104
UVK PNK 5 60 PL	600	50	1	10030105
				TC
UVK PNK 5 5 TC	50	50	1	10020074
UVK PNK 5 10 TC	100	50	1	10020075
UVK PNK 5 16 TC	160	50	1	10020076
UVK PNK 5 20 TC	200	50	1	10020077
UVK PNK 5 30 TC	300	50	1	10020078
UVK PNK 5 40 TC	400	50	1	10020079
UVK PNK 5 50 TC	500	50	1	10020080
UVK PNK 5 60 TC	600	50	1	10020081



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Elementi zglobno vertikalne krivine / Adjustable vertical bend element




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
EZK PNK 5 10 PL	100	50	1	10030106
EZK PNK 5 16 PL	160	50	1	10030107
EZK PNK 5 20 PL	200	50	1	10030108
EZK PNK 5 30 PL	300	50	1	10030109
EZK PNK 5 40 PL	400	50	1	10030110
EZK PNK 5 50 PL	500	50	1	10030111
EZK PNK 5 60 PL	600	50	1	10030112
				TC
EZK PNK 5 10 TC	100	50	1	10020082
EZK PNK 5 16 TC	160	50	1	10020083
EZK PNK 5 20 TC	200	50	1	10020084
EZK PNK 5 30 TC	300	50	1	10020085
EZK PNK 5 40 TC	400	50	1	10020086
EZK PNK 5 50 TC	500	50	1	10020087
EZK PNK 5 60 TC	600	50	1	10020088



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Zglobno vertiklana krivina / Adjustable vertical bend
H50


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					PL
ZK PNK 5 10 PL	100	50	1		10030113
ZK PNK 5 16 PL	160	50	1		10030114
ZK PNK 5 20 PL	200	50	1		10030115
ZK PNK 5 30 PL	300	50	1		10030116
ZK PNK 5 40 PL	400	50	1		10030117
ZK PNK 5 50 PL	500	50	1		10030118
ZK PNK 5 60 PL	600	50	1		10030119
				TC	
ZK PNK 5 10 TC	100	50	1		10020089
ZK PNK 5 16 TC	160	50	1		10020090
ZK PNK 5 20 TC	200	50	1		10020091
ZK PNK 5 30 TC	300	50	1		10020092
ZK PNK 5 40 TC	400	50	1		10020093
ZK PNK 5 50 TC	500	50	1		10020094
ZK PNK 5 60 TC	600	50	1		10020095


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

PNK



Nosač kablova PNK / PNK cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNK 6 5 300 PL	50	60	0.75	3000	28	121	80	50	10010300
PNK 6 10 300 PL	100	60	0.75	3000	58	120	78	49	10010005
PNK 6 16 300 PL	160	60	0.75	3000	78	123	79	48	10010010
PNK 6 20 300 PL	200	60	0.75	3000	118	132	77	47	10010015
PNK 6 30 300 PL	300	60	0.75	3000	178	112	78	42	10010020
PNK 6 40 300 PL	400	60	0.75	3000	238	153	123	69	10010024
PNK 6 50 300 PL	500	60	1	3000	298	156	125	62	10010028
PNK 6 60 300 PL	600	60	1	3000	358	158	128	62	10010029
TC									
PNK 6 5 200 PL	50	60	0.75	2000	28	121	80	50	10010283
PNK 6 10 200 PL	100	60	0.75	2000	58	121	80	50	10010284
PNK 6 16 200 PL	160	60	0.75	2000	78	123	79	48	10010285
PNK 6 20 200 PL	200	60	0.75	2000	118	132	77	47	10010286
PNK 6 30 200 PL	300	60	0.75	2000	178	112	78	42	10010287
PNK 6 40 200 PL	400	60	0.75	2000	238	153	123	69	10010288
PNK 6 50 200 PL	500	60	1	2000	298	156	125	62	10010289
PNK 6 60 200 PL	600	60	1	2000	358	158	128	62	10010290

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovanje potapanjem / Hot - dip galvanized


Nosač kablova PNK / PNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNK 6 10 600 PL	100	60	0.75	6000	58	120	78	49	10610012
PNK 6 16 600 PL	160	60	0.75	6000	78	123	79	48	10610013
PNK 6 20 600 PL	200	60	0.75	6000	118	132	77	47	10610013
PNK 6 30 600 PL	300	60	0.75	6000	178	112	78	42	10610014

PL Pocinkovani lim / Galvanized sheet


NEW
by
Pekom


Nosač kablova SNK / SNK cable trays
H60


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
SNK 6 5 300 PL	50	60	1	3000	28	119	80	49	10070016
SNK 6 10 300 PL	100	60	1	3000	58	121	80	50	10070017
SNK 6 16 300 PL	160	60	1	3000	78	122	79	48	10070018
SNK 6 20 300 PL	200	60	1	3000	118	132	77	47	10070019
SNK 6 30 300 PL	300	60	1	3000	178	112	78	42	10070020
SNK 6 40 300 PL	400	60	1	3000	238	153	123	69	10070021
SNK 6 50 300 PL	500	60	1	3000	298	156	125	62	10070022
SNK 6 60 300 PL	600	60	1	3000	358	158	128	62	10070023
PL									
SNK 6 5 200 PL	50	60	1	2000	28	119	80	49	10070024
SNK 6 10 200 PL	100	60	1	2000	58	121	80	50	10070025
SNK 6 16 200 PL	160	60	1	2000	78	122	79	48	10070026
SNK 6 20 200 PL	200	60	1	2000	118	132	77	47	10070027
SNK 6 30 200 PL	300	60	1	2000	178	112	78	42	10070028
SNK 6 40 200 PL	400	60	1	2000	238	153	123	69	10070029
SNK 6 50 200 PL	500	60	1	2000	298	156	125	62	10070030
SNK 6 60 200 PL	600	60	1	2000	358	158	128	62	10070031
TC									
SNK 6 5 300 TC	50	60	1	3000	28	119	80	49	10020096
SNK 6 10 300 TC	100	60	1	3000	58	121	80	50	10020097
SNK 6 16 300 TC	160	60	1	3000	78	122	79	48	10020098
SNK 6 20 300 TC	200	60	1	3000	118	132	77	47	10020099
SNK 6 30 300 TC	300	60	1	3000	178	112	78	42	10020100
SNK 6 40 300 TC	400	60	1	3000	238	153	123	69	10020101

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Nosač kablova VNK / VNK cable trays


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
VNK 6 5 300 PL	50	60	1.5	3000	28	152	103	53	10080008
VNK 6 10 300 PL	100	60	1.5	3000	58	150	101	51	10080009
VNK 6 16 300 PL	160	60	1.5	3000	78	153	100	48	10080010
VNK 6 20 300 PL	200	60	1.5	3000	118	148	96	49	10080011
VNK 6 30 300 PL	300	60	1.5	3000	178	144	94	47	10080012
VNK 6 40 300 PL	400	60	1.5	3000	238	146	95	48	10080013
VNK 6 50 300 PL	500	60	1.5	3000	298	144	93	50	10080014
VNK 6 60 300 PL	600	60	1.5	3000	358	147	96	52	10080015
PL									
VNK 6 5 300 TC	50	60	1.5	3000	28	152	103	53	10020102
VNK 6 10 300 TC	100	60	1.5	3000	58	150	101	51	10020103
VNK 6 16 300 TC	160	60	1.5	3000	78	153	100	48	10020104
VNK 6 20 300 TC	200	60	1.5	3000	118	148	96	49	10020105
VNK 6 30 300 TC	300	60	1.5	3000	178	144	94	47	10020106
VNK 6 40 300 TC	400	60	1.5	3000	238	146	95	48	10020107
VNK 6 50 300 TC	500	60	1.5	3000	298	144	93	50	10020108
VNK 6 60 300 TC	600	60	1.5	3000	358	147	96	52	10020109



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


**H60****Nosač kablova PNKP / PNKP cable trays**

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNKP 6 10 300 PL	100	60	0.75	3000	58	110	78	46	10040013
PNKP 6 20 300 PL	200	60	0.75	3000	118	102	75	48	10040014
PNKP 6 30 300 PL	300	60	0.75	3000	178	100	74	44	10040015


PL Pocinkovani lim / Galvanized sheet

**Nosač kablova SNKP / SNKP cable trays**

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
SNKP 6 5 300 PL	50	60	1	3000	28	156	104	56	10040016
SNKP 6 10 300 PL	100	60	1	3000	58	152	101	55	10040017
SNKP 6 16 300 PL	160	60	1	3000	78	150	99	53	10040018
SNKP 6 20 300 PL	200	60	1	3000	118	146	98	47	10040019
SNKP 6 30 300 PL	300	60	1	3000	178	144	97	45	10040020
SNKP 6 40 300 PL	400	60	1	3000	238	138	89	42	10040021
SNKP 6 50 300 PL	500	60	1	3000	298	136	87	38	10040022
SNKP 6 60 300 PL	600	60	1	3000	358	132	81	32	10040023
SNKP 6 5 300 TC	50	60	1	3000	28	156	104	56	10020110
SNKP 6 10 300 TC	100	60	1	3000	58	152	101	55	10020111
SNKP 6 16 300 TC	160	60	1	3000	78	150	99	53	10020112
SNKP 6 20 300 TC	200	60	1	3000	118	146	98	47	10020113
SNKP 6 30 300 TC	300	60	1	3000	178	144	97	45	10020114
SNKP 6 40 300 TC	400	60	1	3000	238	138	89	42	10020115
SNKP 6 50 300 TC	500	60	1	3000	298	136	87	38	10020116
SNKP 6 60 300 TC	600	60	1	3000	358	132	81	32	10020117

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


**Pregrada / Divider**

Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
PPNK 60 PL	60	3000	10	10030120
PPNK 60 TC	60	3000	10	10020118

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Bočna spojnica / Straight connector
H60


Tip Typ	Visina Height		Pakovanje Pack kom piece	Šifra artikla Article
S PNK 60 PL	60		50	PL 10030121
S PNK 60 TC	60		50	TC 10020119



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

PNK

Lomljiva spojnica / Angle connector


Tip Typ	Visina Height		Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 60 PL	60		50	PL 10030122
LS PNK 60 TC	60		50	TC 10020120

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Zglobna spojnica / Adjustable connector


Tip Typ	Visina Height		Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 60 PL	60		50	PL 10030123
ZS PNK 60 TC	60		50	TC 10020121

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized




CE

Ugradna račva / Add-one tee


H60



Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					PL
UR PNK 6 5 PL	50	60	1		10030124
UR PNK 6 10 PL	100	60	1		10030125
UR PNK 6 16 PL	160	60	1		10030126
UR PNK 6 20 PL	200	60	1		10030127
UR PNK 6 30 PL	300	60	1		10030128
UR PNK 6 40 PL	400	60	1		10030129
UR PNK 6 50 PL	500	60	1		10030130
UR PNK 6 60 PL	600	60	1		10030131
					TC
UR PNK 6 5 TC	50	60	1		10020122
UR PNK 6 10 TC	100	60	1		10020123
UR PNK 6 16 TC	160	60	1		10020124
UR PNK 6 20 TC	200	60	1		10020125
UR PNK 6 30 TC	300	60	1		10020126
UR PNK 6 40 TC	400	60	1		10020127
UR PNK 6 50 TC	500	60	1		10020128
UR PNK 6 60 TC	600	60	1		10020129

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Krivina 45° / Bend 45°

Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					PL
K45 PNK 6 5 PL	50	60	1		10030132
K45 PNK 6 10 PL	100	60	1		10030133
K45 PNK 6 16 PL	160	60	1		10030134
K45 PNK 6 20 PL	200	60	1		10030135
K45 PNK 6 30 PL	300	60	1		10030136
K45 PNK 6 40 PL	400	60	1		10030137
K45 PNK 6 50 PL	500	60	1		10030138
K45 PNK 6 60 PL	600	60	1		10030139
					TC
K45 PNK 6 5 TC	50	60	1		10020130
K45 PNK 6 10 TC	100	60	1		10020131
K45 PNK 6 16 TC	160	60	1		10020132
K45 PNK 6 20 TC	200	60	1		10020133
K45 PNK 6 30 TC	300	60	1		10020134
K45 PNK 6 40 TC	400	60	1		10020135
K45 PNK 6 50 TC	500	60	1		10020136
K45 PNK 6 60 TC	600	60	1		10020137

PL Pocinkovani lim / Galvanized sheet



TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Krivina 90° / Bend 90°
H60


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article		
					mm	mm	mm
L PNK 6 5 PL	50	60	1		10030140		
L PNK 6 10 PL	100	60	1		10030141		
L PNK 6 16 PL	160	60	1		10030142		
L PNK 6 20 PL	200	60	1		10030143		
L PNK 6 30 PL	300	60	1		10030144		
L PNK 6 40 PL	400	60	1		10030145		
L PNK 6 50 PL	500	60	1		10030146		
L PNK 6 60 PL	600	60	1		10030147		
PL							
TC							
L PNK 6 5 TC	50	60	1		10020138		
L PNK 6 10 TC	100	60	1		10020139		
L PNK 6 16 TC	160	60	1		10020140		
L PNK 6 20 TC	200	60	1		10020141		
L PNK 6 30 TC	300	60	1		10020142		
L PNK 6 40 TC	400	60	1		10020143		
L PNK 6 50 TC	500	60	1		10020144		
L PNK 6 60 TC	600	60	1		10020145		

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Ugaona spojnica / Corner connector


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article		
					mm	mm	mm
US PNK 6 5 PL	50	60	1		10030148		
US PNK 6 10 PL	100	60	1		10030149		
US PNK 6 16 PL	160	60	1		10030150		
US PNK 6 20 PL	200	60	1		10030151		
US PNK 6 30 PL	300	60	1		10030152		
US PNK 6 40 PL	400	60	1		10030153		
US PNK 6 50 PL	500	60	1		10030154		
US PNK 6 60 PL	600	60	1		10030155		
PL							
TC							
US PNK 6 5 TC	50	60	1		10020146		
US PNK 6 10 TC	100	60	1		10020147		
US PNK 6 16 TC	160	60	1		10020148		
US PNK 6 20 TC	200	60	1		10020149		
US PNK 6 30 TC	300	60	1		10020150		
US PNK 6 40 TC	400	60	1		10020151		
US PNK 6 50 TC	500	60	1		10020152		
US PNK 6 60 TC	600	60	1		10020153		


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




T račva / T Module

H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
T PNK 6 5 PL	50	60	1	10030156
T PNK 6 10 PL	100	60	1	10030157
T PNK 6 16 PL	160	60	1	10030158
T PNK 6 20 PL	200	60	1	10030159
T PNK 6 30 PL	300	60	1	10030160
T PNK 6 40 PL	400	60	1	10030161
T PNK 6 50 PL	500	60	1	10030162
T PNK 6 60 PL	600	60	1	10030163
PL				
T PNK 6 5 TC	50	60	1	10020154
T PNK 6 10 TC	100	60	1	10020155
T PNK 6 16 TC	160	60	1	10020156
T PNK 6 20 TC	200	60	1	10020157
T PNK 6 30 TC	300	60	1	10020158
T PNK 6 40 TC	400	60	1	10020159
T PNK 6 50 TC	500	60	1	10020160
T PNK 6 60 TC	600	60	1	10020161
TC				



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Račva plus / + Connection module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
X PNK 6 5 PL	50	60	1	10030164
X PNK 6 10 PL	100	60	1	10030165
X PNK 6 16 PL	160	60	1	10030166
X PNK 6 20 PL	200	60	1	10030167
X PNK 6 30 PL	300	60	1	10030168
X PNK 6 40 PL	400	60	1	10030169
X PNK 6 50 PL	500	60	1	10030170
X PNK 6 60 PL	600	60	1	10030171
PL				
X PNK 6 5 TC	50	60	1	10020162
X PNK 6 10 TC	100	60	1	10020163
X PNK 6 16 TC	160	60	1	10020164
X PNK 6 20 TC	200	60	1	10020165
X PNK 6 30 TC	300	60	1	10020166
X PNK 6 40 TC	400	60	1	10020167
X PNK 6 50 TC	500	60	1	10020168
X PNK 6 60 TC	600	60	1	10020169
TC				





PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Univerzalna vertikalna krivina / Universal vertical curve
H60


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					mm
UVK PNK 6 5 PL	50	60	1		10030172
UVK PNK 6 10 PL	100	60	1		10030173
UVK PNK 6 16 PL	160	60	1		10030174
UVK PNK 6 20 PL	200	60	1		10030175
UVK PNK 6 30 PL	300	60	1		10030176
UVK PNK 6 40 PL	400	60	1		10030177
UVK PNK 6 50 PL	500	60	1		10030178
UVK PNK 6 60 PL	600	60	1		10030179
					TC
UVK PNK 6 5 TC	50	60	1		10020170
UVK PNK 6 10 TC	100	60	1		10020171
UVK PNK 6 16 TC	160	60	1		10020172
UVK PNK 6 20 TC	200	60	1		10020173
UVK PNK 6 30 TC	300	60	1		10020174
UVK PNK 6 40 TC	400	60	1		10020175
UVK PNK 6 50 TC	500	60	1		10020176
UVK PNK 6 60 TC	600	60	1		10020177

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

PNK
Elementi zglobno vertikalne krivine / Adjustable vertical bend element


Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					mm
EZK PNK 6 5 PL	50	60	1		10030180
EZK PNK 6 10 PL	100	60	1		10030181
EZK PNK 6 16 PL	160	60	1		10030182
EZK PNK 6 20 PL	200	60	1		10030183
EZK PNK 6 30 PL	300	60	1		10030184
EZK PNK 6 40 PL	400	60	1		10030185
EZK PNK 6 50 PL	500	60	1		10030186
EZK PNK 6 60 PL	600	60	1		10030187
					TC
EZK PNK 6 5 TC	50	60	1		10020178
EZK PNK 6 10 TC	100	60	1		10020179
EZK PNK 6 16 TC	160	60	1		10020180
EZK PNK 6 20 TC	200	60	1		10020181
EZK PNK 6 30 TC	300	60	1		10020182
EZK PNK 6 40 TC	400	60	1		10020183
EZK PNK 6 50 TC	500	60	1		10020184
EZK PNK 6 60 TC	600	60	1		10020185


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Zglobno vertiklana krivina / Adjustable vertical bend

H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 6 10 PL	100	60	1	10030188
ZK PNK 6 16 PL	160	60	1	10030189
ZK PNK 6 20 PL	200	60	1	10030190
ZK PNK 6 30 PL	300	60	1	10030191
ZK PNK 6 40 PL	400	60	1	10030192
ZK PNK 6 50 PL	500	60	1	10030193
ZK PNK 6 60 PL	600	60	1	10030194
				TC
ZK PNK 6 10 TC	100	60	1	10020186
ZK PNK 6 16 TC	160	60	1	10020187
ZK PNK 6 20 TC	200	60	1	10020188
ZK PNK 6 30 TC	300	60	1	10020189
ZK PNK 6 40 TC	400	60	1	10020190
ZK PNK 6 50 TC	500	60	1	10020191
ZK PNK 6 60 TC	600	60	1	10020192

PL Pocinkovani lim / Galvanized sheet



TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Nosač kablova PNK / PNK cable trays
H75


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNK 7 10 300 PL	100	75	0.75	3000	70	175	118	56	17530315
PNK 7 16 300 PL	160	75	0.75	3000	110	176	120	50	17530316
PNK 7 20 300 PL	200	75	0.75	3000	140	177	121	53	17530317
PNK 7 30 300 PL	300	75	0.75	3000	210	175	109	49	17530318
PNK 7 40 300 PL	400	75	0.75	3000	280	182	108	49	17530319
PNK 7 50 300 PL	500	75	1	3000	350	181	112	52	17530320
PNK 7 60 300 PL	600	75	1	3000	420	178	111	52	17530321
TC									
PNK 7 10 300 TC	100	75	0.8	3000	70	175	118	56	175230315
PNK 7 16 300 TC	160	75	0.8	3000	110	176	120	50	175230316
PNK 7 20 300 TC	200	75	0.8	3000	140	177	121	53	175230317
PNK 7 30 300 TC	300	75	0.8	3000	210	175	109	49	175230318
PNK 7 40 300 TC	400	75	0.8	3000	280	182	108	49	175230319
PNK 7 50 300 TC	500	75	1	3000	350	181	112	52	175230320
PNK 7 60 300 TC	600	75	1	3000	420	178	111	52	175230321


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Nosač kablova SNK / SNK cable trays
STRONG


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
SNK 7 10 300 PL	100	75	1	3000	70	183	124	58	10030315
SNK 7 16 300 PL	160	75	1	3000	110	184	126	52	10030316
SNK 7 20 300 PL	200	75	1	3000	140	185	127	55	10030317
SNK 7 30 300 PL	300	75	1	3000	210	183	114	51	10030318
SNK 7 40 300 PL	400	75	1	3000	280	191	113	51	10030319
SNK 7 50 300 PL	500	75	1	3000	350	181	112	52	10030320
SNK 7 60 300 PL	600	75	1	3000	420	178	111	52	10030321
TC									
SNK 7 10 300 TC	100	75	1	3000	70	183	124	58	10020415
SNK 7 16 300 TC	160	75	1	3000	110	184	126	52	10020416
SNK 7 20 300 TC	200	75	1	3000	140	185	127	55	10020417
SNK 7 30 300 TC	300	75	1	3000	210	183	114	51	10020418
SNK 7 40 300 TC	400	75	1	3000	280	191	113	51	10020419
SNK 7 50 300 TC	500	75	1	3000	350	181	112	52	10020420
SNK 7 60 300 TC	600	75	1	3000	420	178	111	52	10020421


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Nosač kablova VNK / VNK cable trays
STRONG



Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
VNK 7 10 300 PL	100	75	1.5	3000	70	280	225	152	10030322
VNK 7 16 300 PL	160	75	1.5	3000	110	277	222	150	10030323
VNK 7 20 300 PL	200	75	1.5	3000	140	274	223	148	10030324
VNK 7 30 300 PL	300	75	1.5	3000	210	270	228	144	10030325
VNK 7 40 300 PL	400	75	1.5	3000	280	272	230	145	10030326
VNK 7 50 300 PL	500	75	1.5	3000	350	275	224	147	10030327
VNK 7 60 300 PL	600	75	1.5	3000	420	273	221	140	10030328
TC									
VNK 7 10 300 TC	100	75	1.5	3000	70	280	225	152	10020341
VNK 7 16 300 TC	160	75	1.5	3000	110	277	222	150	10020342
VNK 7 20 300 TC	200	75	1.5	3000	140	274	223	148	10020343
VNK 7 30 300 TC	300	75	1.5	3000	210	270	228	144	10020344
VNK 7 40 300 TC	400	75	1.5	3000	280	272	230	145	10020345
VNK 7 50 300 TC	500	75	1.5	3000	350	275	224	147	10020346
VNK 7 60 300 TC	600	75	1.5	3000	420	273	221	140	10020347

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Nosač kablova SNKP / SNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
SNKP 7 10 300 PL	100	75	1	3000	70	175	118	56	10030329
SNKP 7 16 300 PL	160	75	1	3000	110	177	121	53	10030330
SNKP 7 20 300 PL	200	75	1	3000	140	177	121	53	10030331
SNKP 7 30 300 PL	300	75	1	3000	210	175	109	49	10030332
SNKP 7 40 300 PL	400	75	1	3000	280	182	108	49	10030333
SNKP 7 50 300 PL	500	75	1	3000	350	181	112	52	10030334
SNKP 7 60 300 PL	600	75	1	3000	420	178	111	52	10030335

PL Pocinkovani lim / Galvanized sheet




Nosač kablova VNKP / VNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
VNKP 7 10 300 PL	100	75	1.5	3000	70	280	225	152	10030336
VNKP 7 16 300 PL	160	75	1.5	3000	110	277	222	150	10030337
VNKP 7 20 300 PL	200	75	1.5	3000	140	274	223	148	10030338
VNKP 7 30 300 PL	300	75	1.5	3000	210	270	228	144	10030339
VNKP 7 40 300 PL	400	75	1.5	3000	280	272	230	145	10030340
VNKP 7 50 300 PL	500	75	1.5	3000	350	275	224	147	10030341
VNKP 7 60 300 PL	600	75	1.5	3000	420	273	221	140	10030342
TC									
VNKP 7 10 300 TC	100	75	1.5	3000	70	280	225	152	10020348
VNKP 7 16 300 TC	160	75	1.5	3000	110	277	222	150	10020349
VNKP 7 20 300 TC	200	75	1.5	3000	140	274	223	148	10020350
VNKP 7 30 300 TC	300	75	1.5	3000	210	270	228	144	10020351
VNKP 7 40 300 TC	400	75	1.5	3000	280	272	230	145	10020352
VNKP 7 50 300 TC	500	75	1.5	3000	350	275	224	147	10020353
VNKP 7 60 300 TC	600	75	1.5	3000	420	273	221	140	10020354

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider




Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNKP 75 PL	75	3000	10	10030343
P PNKP 75 TC	75	3000	10	10020355

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Bočna spojnica / Straight connector
H75


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 75 PL	75	50	PL 10030344
S PNK 75 TC	75	50	TC 10020356



PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized


PNK

Lomljiva spojnica / Angle connector



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 75 PL	75	50	PL 10030345
LS PNK 75 TC	75	50	TC 10020357

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Zglobna spojnica / Adjustable connector



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 75 PL	75	50	PL 10030346
ZS PNK 75 TC	75	50	TC 10020358

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Ugradna račva / Add-one tee




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
UR PNK 7 10 PL	100	75	1	PL 10030347
UR PNK 7 16 PL	160	75	1	10030348
UR PNK 7 20 PL	200	75	1	10030349
UR PNK 7 30 PL	300	75	1	10030350
UR PNK 7 40 PL	400	75	1	10030351
UR PNK 7 50 PL	500	75	1	10030352
UR PNK 7 60 PL	600	75	1	10030353
				TC
UR PNK 7 10 TC	100	75	1	10020359
UR PNK 7 16 TC	160	75	1	10020360
UR PNK 7 20 TC	200	75	1	10020361
UR PNK 7 30 TC	300	75	1	10020362
UR PNK 7 40 TC	400	75	1	10020363
UR PNK 7 50 TC	500	75	1	10020364
UR PNK 7 60 TC	600	75	1	10020365

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Krivina 45° / Bend 45°




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
K45 PNK 7 10 PL	100	75	1	PL 10030354
K45 PNK 7 16 PL	160	75	1	10030355
K45 PNK 7 20 PL	200	75	1	10030356
K45 PNK 7 30 PL	300	75	1	10030357
K45 PNK 7 40 PL	400	75	1	10030358
K45 PNK 7 50 PL	500	75	1	10030359
K45 PNK 7 60 PL	600	75	1	10030360
				TC
K45 PNK 7 10 TC	100	75	1	10020366
K45 PNK 7 16 TC	160	75	1	10020367
K45 PNK 7 20 TC	200	75	1	10020368
K45 PNK 7 30 TC	300	75	1	10020369
K45 PNK 7 40 TC	400	75	1	10020370
K45 PNK 7 50 TC	500	75	1	10020371
K45 PNK 7 60 TC	600	75	1	10020372




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 90° / Bend 90°




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
L PNK 7 10 PL	100	75	1	PL 10030361
L PNK 7 16 PL	160	75	1	10030362
L PNK 7 20 PL	200	75	1	10030363
L PNK 7 30 PL	300	75	1	10030364
L PNK 7 40 PL	400	75	1	10030365
L PNK 7 50 PL	500	75	1	10030366
L PNK 7 60 PL	600	75	1	10030367
				TC
L PNK 7 10 TC	100	75	1	10020373
L PNK 7 16 TC	160	75	1	10020374
L PNK 7 20 TC	200	75	1	10020375
L PNK 7 30 TC	300	75	1	10020376
L PNK 7 40 TC	400	75	1	10020377
L PNK 7 50 TC	500	75	1	10020378
L PNK 7 60 TC	600	75	1	10020379




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Ugaona spojnica / Corner connector




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
US PNK 7 10 PL	100	75	1	PL 10030368
US PNK 7 16 PL	160	75	1	10030369
US PNK 7 20 PL	200	75	1	10030370
US PNK 7 30 PL	300	75	1	10030371
US PNK 7 40 PL	400	75	1	10030372
US PNK 7 50 PL	500	75	1	10030373
US PNK 7 60 PL	600	75	1	10030374
				TC
US PNK 7 10 TC	100	75	1	10020380
US PNK 7 16 TC	160	75	1	10020381
US PNK 7 20 TC	200	75	1	10020382
US PNK 7 30 TC	300	75	1	10020383
US PNK 7 40 TC	400	75	1	10020384
US PNK 7 50 TC	500	75	1	10020385
US PNK 7 60 TC	600	75	1	10020386



PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


T račva / T Module
H75


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
T PNK 7 10 PL	100	75	1	PL 10030375
T PNK 7 16 PL	160	75	1	10030376
T PNK 7 20 PL	200	75	1	10030377
T PNK 7 30 PL	300	75	1	10030378
T PNK 7 40 PL	400	75	1	10030379
T PNK 7 50 PL	500	75	1	10030380
T PNK 7 60 PL	600	75	1	10030381
				TC
T PNK 7 10 TC	100	75	1	10020387
T PNK 7 16 TC	160	75	1	10020388
T PNK 7 20 TC	200	75	1	10020389
T PNK 7 30 TC	300	75	1	10020390
T PNK 7 40 TC	400	75	1	10020391
T PNK 7 50 TC	500	75	1	10020392
T PNK 7 60 TC	600	75	1	10020393


PNK
PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Račva plus / + Connection module



Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
X PNK 7 10 PL	100	75	1	PL 10030382
X PNK 7 16 PL	160	75	1	10030383
X PNK 7 20 PL	200	75	1	10030384
X PNK 7 30 PL	300	75	1	10030385
X PNK 7 40 PL	400	75	1	10030386
X PNK 7 50 PL	500	75	1	10030387
X PNK 7 60 PL	600	75	1	10030388
				TC
X PNK 7 10 TC	100	75	1	10020394
X PNK 7 16 TC	160	75	1	10020395
X PNK 7 20 TC	200	75	1	10020396
X PNK 7 30 TC	300	75	1	10020397
X PNK 7 40 TC	400	75	1	10020398
X PNK 7 50 TC	500	75	1	10020399
X PNK 7 60 TC	600	75	1	10020400


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Elementi zglobno vertikalne krivine / Adjustable vertical bend element


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
EZK PNK 7 10 PL	100	75	1	PL 10030389
EZK PNK 7 16 PL	160	75	1	10030390
EZK PNK 7 20 PL	200	75	1	10030391
EZK PNK 7 30 PL	300	75	1	10030392
EZK PNK 7 40 PL	400	75	1	10030393
EZK PNK 7 50 PL	500	75	1	10030394
EZK PNK 7 60 PL	600	75	1	10030395
				TC
EZK PNK 7 10 TC	100	75	1	10020401
EZK PNK 7 16 TC	160	75	1	10020402
EZK PNK 7 20 TC	200	75	1	10020403
EZK PNK 7 30 TC	300	75	1	10020404
EZK PNK 7 40 TC	400	75	1	10020405
EZK PNK 7 50 TC	500	75	1	10020406
EZK PNK 7 60 TC	600	75	1	10020407



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobno vertiklana krivina / Adjustable vertical bend

H75




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 7 10 PL	100	75	1	10030396
ZK PNK 7 16 PL	160	75	1	10030397
ZK PNK 7 20 PL	200	75	1	10030398
ZK PNK 7 30 PL	300	75	1	10030399
ZK PNK 7 40 PL	400	75	1	10030400
ZK PNK 7 50 PL	500	75	1	10030401
ZK PNK 7 60 PL	600	75	1	10030402
				TC
ZK PNK 7 10 TC	100	75	1	10020408
ZK PNK 7 16 TC	160	75	1	10020409
ZK PNK 7 20 TC	200	75	1	10020410
ZK PNK 7 30 TC	300	75	1	10020411
ZK PNK 7 40 TC	400	75	1	10020412
ZK PNK 7 50 TC	500	75	1	10020413
ZK PNK 7 60 TC	600	75	1	10020414

PL Pocinkovani lim / Galvanized sheet



TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Nosač kablova PNK / PNK cable trays
H85


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNK 8 10 300 PL	100	85	0.75	3000	80	175	118	56	17570032
PNK 8 16 300 PL	160	85	0.75	3000	130	176	120	50	17570033
PNK 8 20 300 PL	200	85	0.75	3000	160	177	121	53	17570034
PNK 8 30 300 PL	300	85	0.75	3000	240	175	109	49	17570035
PNK 8 40 300 PL	400	85	0.75	3000	320	182	108	49	17570036
PNK 8 50 300 PL	500	85	1	3000	400	181	112	52	17570037
PNK 8 60 300 PL	600	85	1	3000	480	178	111	52	17570038
TC									
PNK 8 10 300 TC	100	85	0.8	3000	80	175	118	56	10270032
PNK 8 16 300 TC	160	85	0.8	3000	130	176	120	50	10270033
PNK 8 20 300 TC	200	85	0.8	3000	160	177	121	53	10270034
PNK 8 30 300 TC	300	85	0.8	3000	240	175	109	49	10270035
PNK 8 40 300 TC	400	85	0.8	3000	320	182	108	49	10270036
PNK 8 50 300 TC	500	85	1	3000	400	181	112	52	10270037
PNK 8 60 300 TC	600	85	1	3000	480	178	111	52	10270038


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Nosač kablova SNK / SNK cable trays
STRONG


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
SNK 8 10 300 PL	100	85	1	3000	80	183	124	58	10070032
SNK 8 16 300 PL	160	85	1	3000	130	184	126	52	10070033
SNK 8 20 300 PL	200	85	1	3000	160	185	127	55	10070034
SNK 8 30 300 PL	300	85	1	3000	240	183	114	51	10070035
SNK 8 40 300 PL	400	85	1	3000	320	191	113	51	10070036
SNK 8 50 300 PL	500	85	1	3000	400	181	112	52	10070037
SNK 8 60 300 PL	600	85	1	3000	480	178	111	52	10070038
TC									
SNK 8 10 300 TC	100	85	1	3000	80	183	124	58	12270032
SNK 8 16 300 TC	160	85	1	3000	130	184	126	52	12270033
SNK 8 20 300 TC	200	85	1	3000	160	185	127	55	12270034
SNK 8 30 300 TC	300	85	1	3000	240	183	114	51	12270035
SNK 8 40 300 TC	400	85	1	3000	320	191	113	51	12270036
SNK 8 50 300 TC	500	85	1	3000	400	181	112	52	12270037
SNK 8 60 300 TC	600	85	1	3000	480	178	111	52	12270038

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Nosač kablova VNK / VNK cable trays
STRONG



Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
VNK 8 10 300 PL	100	85	1.5	3000	80	280	225	152	10080016
VNK 8 16 300 PL	160	85	1.5	3000	130	277	222	150	10080017
VNK 8 20 300 PL	200	85	1.5	3000	160	274	223	148	10080018
VNK 8 30 300 PL	300	85	1.5	3000	240	270	228	144	10080019
VNK 8 40 300 PL	400	85	1.5	3000	320	272	230	145	10080020
VNK 8 50 300 PL	500	85	1.5	3000	400	275	224	147	10080021
VNK 8 60 300 PL	600	85	1.5	3000	480	273	221	140	10080022
TC									
VNK 8 10 200 PL	100	85	1.5	3000	80	280	225	152	10020193
VNK 8 16 200 PL	160	85	1.5	3000	130	277	222	150	10020194
VNK 8 20 200 PL	200	85	1.5	3000	160	274	223	148	10020195
VNK 8 30 200 PL	300	85	1.5	3000	240	270	228	144	10020196
VNK 8 40 200 PL	400	85	1.5	3000	320	272	230	145	10020197
VNK 8 50 200 PL	500	85	1.5	3000	400	275	224	147	10020198
VNK 8 60 200 PL	600	85	1.5	3000	480	273	221	140	10020199

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Nosač kablova SNKP / SNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
SNKP 8 10 300 PL	100	85	1	3000	80	175	118	56	10040024
SNKP 8 16 300 PL	160	85	1	3000	130	177	121	53	10040025
SNKP 8 20 300 PL	200	85	1	3000	160	177	121	53	10040026
SNKP 8 30 300 PL	300	85	1	3000	240	175	109	49	10040027
SNKP 8 40 300 PL	400	85	1	3000	320	182	108	49	10040028
SNKP 8 50 300 PL	500	85	1	3000	400	181	112	52	10040029
SNKP 8 60 300 PL	600	85	1	3000	480	178	111	52	10040030

PL Pocinkovani lim / Galvanized sheet



Nosač kablova VNKP / VNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
VNKP 8 10 300 PL	100	85	1.5	3000	80	280	225	152	10040031
VNKP 8 16 300 PL	160	85	1.5	3000	130	277	222	150	10040032
VNKP 8 20 300 PL	200	85	1.5	3000	160	274	223	148	10040033
VNKP 8 30 300 PL	300	85	1.5	3000	240	270	228	144	10040034
VNKP 8 40 300 PL	400	85	1.5	3000	320	272	230	145	10040035
VNKP 8 50 300 PL	500	85	1.5	3000	400	275	224	147	10040036
VNKP 8 60 300 PL	600	85	1.5	3000	480	273	221	140	10040037
 TC									
VNKP 8 10 300 TC	100	85	1.5	3000	80	280	225	152	10020200
VNKP 8 16 300 TC	160	85	1.5	3000	130	277	222	150	10020201
VNKP 8 20 300 TC	200	85	1.5	3000	160	274	223	148	10020202
VNKP 8 30 300 TC	300	85	1.5	3000	240	270	228	144	10020203
VNKP 8 40 300 TC	400	85	1.5	3000	320	272	230	145	10020204
VNKP 8 50 300 TC	500	85	1.5	3000	400	275	224	147	10020205
VNKP 8 60 300 TC	600	85	1.5	3000	480	273	221	140	10020206

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider




Tip Typ	Visina Height	Duzina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 85 PL	85	3000	10	10030195
P PNK 85 TC	85	3000	10	10020207

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Bočna spojnica / Straight connector
H85


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 85 PL	85 mm	50	PL 10030196
S PNK 85 TC	85	50	TC 10020208



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

PNK

Lomljiva spojnica / Angle connector


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 85 PL	85	50	PL 10030197
LS PNK 85 TC	85	50	TC 10020209


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Zglobna spojnica / Adjustable connector


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 85 PL	85	50	PL 10030198
ZS PNK 85 TC	85	50	TC 10020210

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Ugradna račva / Add-one tee



Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
UR PNK 8 10 PL	100	85	1	PL 10030199
UR PNK 8 16 PL	160	85	1	10030200
UR PNK 8 20 PL	200	85	1	10030201
UR PNK 8 30 PL	300	85	1	10030202
UR PNK 8 40 PL	400	85	1	10030203
UR PNK 8 50 PL	500	85	1	10030204
UR PNK 8 60 PL	600	85	1	10030205
				PL
UR PNK 8 10 TC	100	85	1	10020211
UR PNK 8 16 TC	160	85	1	10020212
UR PNK 8 20 TC	200	85	1	10020213
UR PNK 8 30 TC	300	85	1	10020214
UR PNK 8 40 TC	400	85	1	10020215
UR PNK 8 50 TC	500	85	1	10020216
UR PNK 8 60 TC	600	85	1	10020217
				TC

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Krivina 45° / Bend 45°




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
K45 PNK 8 10 PL	100	85	1	PL 10030206
K45 PNK 8 16 PL	160	85	1	10030207
K45 PNK 8 20 PL	200	85	1	10030208
K45 PNK 8 30 PL	300	85	1	10030209
K45 PNK 8 40 PL	400	85	1	10030210
K45 PNK 8 50 PL	500	85	1	10030211
K45 PNK 8 60 PL	600	85	1	10030212
				TC
K45 PNK 8 10 TC	100	85	1	10020218
K45 PNK 8 16 TC	160	85	1	10020219
K45 PNK 8 20 TC	200	85	1	10020220
K45 PNK 8 30 TC	300	85	1	10020221
K45 PNK 8 40 TC	400	85	1	10020222
K45 PNK 8 50 TC	500	85	1	10020223
K45 PNK 8 60 TC	600	85	1	10020224



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 90° / Bend 90°




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
L PNK 8 10 PL	100	85	1	PL 10030213
L PNK 8 16 PL	160	85	1	10030214
L PNK 8 20 PL	200	85	1	10030215
L PNK 8 30 PL	300	85	1	10030216
L PNK 8 40 PL	400	85	1	10030217
L PNK 8 50 PL	500	85	1	10030218
L PNK 8 60 PL	600	85	1	10030219
				TC
L PNK 8 10 TC	100	85	1	10020225
L PNK 8 16 TC	160	85	1	10020226
L PNK 8 20 TC	200	85	1	10020227
L PNK 8 30 TC	300	85	1	10020228
L PNK 8 40 TC	400	85	1	10020229
L PNK 8 50 TC	500	85	1	10020230
L PNK 8 60 TC	600	85	1	10020231



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Ugaona spojnica / Corner connector




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
US PNK 8 10 PL	100	85	1	PL 10030220
US PNK 8 16 PL	160	85	1	10030221
US PNK 8 20 PL	200	85	1	10030222
US PNK 8 30 PL	300	85	1	10030223
US PNK 8 40 PL	400	85	1	10030224
US PNK 8 50 PL	500	85	1	10030225
US PNK 8 60 PL	600	85	1	10030226
				TC
US PNK 8 10 TC	100	85	1	10020232
US PNK 8 16 TC	160	85	1	10020233
US PNK 8 20 TC	200	85	1	10020234
US PNK 8 30 TC	300	85	1	10020235
US PNK 8 40 TC	400	85	1	10020236
US PNK 8 50 TC	500	85	1	10020237
US PNK 8 60 TC	600	85	1	10020238




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



T račva / T Module
H85


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm		Šifra artikla Article
T PNK 8 10 PL	100	85	1		10030227
T PNK 8 16 PL	160	85	1		10030228
T PNK 8 20 PL	200	85	1		10030229
T PNK 8 30 PL	300	85	1		10030230
T PNK 8 40 PL	400	85	1		10030231
T PNK 8 50 PL	500	85	1		10030232
T PNK 8 60 PL	600	85	1		10030233
TC					
T PNK 8 10 TC	100	85	1		10020239
T PNK 8 16 TC	160	85	1		10020240
T PNK 8 20 TC	200	85	1		10020241
T PNK 8 30 TC	300	85	1		10020242
T PNK 8 40 TC	400	85	1		10020243
T PNK 8 50 TC	500	85	1		10020244
T PNK 8 60 TC	600	85	1		10020245


PNK

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Račva plus / + Connection module


Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm		Šifra artikla Article
X PNK 8 10 PL	100	85	1		10030234
X PNK 8 16 PL	160	85	1		10030235
X PNK 8 20 PL	200	85	1		10030236
X PNK 8 30 PL	300	85	1		10030237
X PNK 8 40 PL	400	85	1		10030238
X PNK 8 50 PL	500	85	1		10030239
X PNK 8 60 PL	600	85	1		10030240
TC					
X PNK 8 10 TC	100	85	1		10020246
X PNK 8 16 TC	160	85	1		10020247
X PNK 8 20 TC	200	85	1		10020248
X PNK 8 30 TC	300	85	1		10020249
X PNK 8 40 TC	400	85	1		10020250
X PNK 8 50 TC	500	85	1		10020251
X PNK 8 60 TC	600	85	1		10020252




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Elementi zglobno vertiklane krivine / Adjustable vertical bend element


Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm		Šifra artikla Article
EZK PNK 8 10 PL	100	85	1		10030241
EZK PNK 8 16 PL	160	85	1		10030242
EZK PNK 8 20 PL	200	85	1		10030243
EZK PNK 8 30 PL	300	85	1		10030244
EZK PNK 8 40 PL	400	85	1		10030245
EZK PNK 8 50 PL	500	85	1		10030246
EZK PNK 8 60 PL	600	85	1		10030247
TC					
EZK PNK 8 10 TC	100	85	1		10020260
EZK PNK 8 16 TC	160	85	1		10020261
EZK PNK 8 20 TC	200	85	1		10020262
EZK PNK 8 30 TC	300	85	1		10020263
EZK PNK 8 40 TC	400	85	1		10020264
EZK PNK 8 50 TC	500	85	1		10020265
EZK PNK 8 60 TC	600	85	1		10020266




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobno vertiklana krivina / Adjustable vertical bend

H85




Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					PL
ZK PNK 8 10 PL	100	85	1		10030248
ZK PNK 8 16 PL	160	85	1		10030249
ZK PNK 8 20 PL	200	85	1		10030250
ZK PNK 8 30 PL	300	85	1		10030251
ZK PNK 8 40 PL	400	85	1		10030252
ZK PNK 8 50 PL	500	85	1		10030253
ZK PNK 8 60 PL	600	85	1		10030254
				TC	
ZK PNK 8 10 TC	100	85	1		10020253
ZK PNK 8 16 TC	160	85	1		10020254
ZK PNK 8 20 TC	200	85	1		10020255
ZK PNK 8 30 TC	300	85	1		10020256
ZK PNK 8 40 TC	400	85	1		10020257
ZK PNK 8 50 TC	500	85	1		10020258
ZK PNK 8 60 TC	600	85	1		10020259

PL Pocinkovani lim / Galvanized sheet



TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Nosač kablova PNK / PNK cable trays
H110


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNK 11 10 300 PL	100	110	0.75	3000	100	191	135	80	110070039
PNK 11 16 300 PL	160	110	0.75	3000	160	190	132	81	110070040
PNK 11 20 300 PL	200	110	0.75	3000	200	188	129	82	110070041
PNK 11 30 300 PL	300	110	1	3000	300	183	131	78	110070042
PNK 11 40 300 PL	400	110	1	3000	400	185	130	75	110070043
PNK 11 50 300 PL	500	110	1	3000	500	188	141	75	110070044
PNK 11 60 300 PL	600	110	1	3000	600	182	130	74	110070045
TC									
PNK 11 10 300 TC	100	110	0.8	3000	100	191	135	80	102270039
PNK 11 16 300 TC	160	110	0.8	3000	160	190	132	81	102270040
PNK 11 20 300 TC	200	110	0.8	3000	200	188	129	82	102270041
PNK 11 30 300 TC	300	110	1	3000	300	183	131	78	102270042
PNK 11 40 300 TC	400	110	1	3000	400	185	130	75	102270043
PNK 11 50 300 TC	500	110	1	3000	500	188	141	75	102270044
PNK 11 60 300 TC	600	110	1	3000	600	182	130	74	102270045


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Nosač kablova SNK / SNK cable trays
STRONG


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
SNK 11 10 300 PL	100	110	1	3000	100	200	141	84	10070039
SNK 11 16 300 PL	160	110	1	3000	160	199	138	85	10070040
SNK 11 20 300 PL	200	110	1	3000	200	197	135	86	10070041
SNK 11 30 300 PL	300	110	1	3000	300	183	131	78	10070042
SNK 11 40 300 PL	400	110	1	3000	400	185	130	75	10070043
SNK 11 50 300 PL	500	110	1	3000	500	188	141	75	10070044
SNK 11 60 300 PL	600	110	1	3000	600	182	130	74	10070045
TC									
SNK 11 10 300 TC	100	110	1	3000	100	200	141	84	10270039
SNK 11 16 300 TC	160	110	1	3000	160	199	138	85	10270040
SNK 11 20 300 TC	200	110	1	3000	200	197	135	86	10270041
SNK 11 30 300 TC	300	110	1	3000	300	183	131	78	10270042
SNK 11 40 300 TC	400	110	1	3000	400	185	130	75	10270043
SNK 11 50 300 TC	500	110	1	3000	500	188	141	75	10270044
SNK 11 60 300 TC	600	110	1	3000	600	182	130	74	10270045

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

STRONG
Nosač kablova VNK / VNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
VNK 11 10 300 PL	100	110	1.5	3000	100	300	124	85	10080023
VNK 11 16 300 PL	160	110	1.5	3000	160	297	122	82	10080024
VNK 11 20 300 PL	200	110	1.5	3000	200	294	120	80	10080025
VNK 11 30 300 PL	300	110	1.5	3000	300	293	117	78	10080026
VNK 11 40 300 PL	400	110	1.5	3000	400	295	113	75	10080027
VNK 11 50 300 PL	500	110	1.5	3000	500	292	112	75	10080028
VNK 11 60 300 PL	600	110	1.5	3000	600	290	110	74	10080029
TC									
VNK 11 10 300 TC	100	110	1.5	3000	100	300	124	85	10020267
VNK 11 16 300 TC	160	110	1.5	3000	160	297	122	82	10020268
VNK 11 20 300 TC	200	110	1.5	3000	200	294	120	80	10020269
VNK 11 30 300 TC	300	110	1.5	3000	300	293	117	78	10020270
VNK 11 40 300 TC	400	110	1.5	3000	400	295	113	75	10020271
VNK 11 50 300 TC	500	110	1.5	3000	500	292	112	75	10020272
VNK 11 60 300 TC	600	110	1.5	3000	600	290	110	74	10020273

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Nosač kablova SNKP / SNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
PNKP 11 10 300 PL	100	110	1	3000	100	191	135	80	10040038
PNKP 11 16 300 PL	160	110	1	3000	160	190	132	81	10040039
PNKP 11 20 300 PL	200	110	1	3000	200	188	129	82	10040040
PNKP 11 30 300 PL	300	110	1	3000	300	183	131	78	10040041
PNKP 11 40 300 PL	400	110	1	3000	400	185	130	75	10040042
PNKP 11 50 300 PL	500	110	1	3000	500	188	141	75	10040043
PNKP 11 60 300 PL	600	110	1	3000	600	182	130	74	10040044

PL Pocinkovani lim / Galvanized sheet



Nosač kablova VNKP / VNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
VNKP 11 10 300 PL	100	110	1.5	3000	100	300	124	85	10040045
VNKP 11 16 300 PL	160	110	1.5	3000	160	297	122	82	10040046
VNKP 11 20 300 PL	200	110	1.5	3000	200	294	120	80	10040047
VNKP 11 30 300 PL	300	110	1.5	3000	300	293	117	78	10040048
VNKP 11 40 300 PL	400	110	1.5	3000	400	295	113	75	10040049
VNKP 11 50 300 PL	500	110	1.5	3000	500	292	112	75	10040050
VNKP 11 60 300 PL	600	110	1.5	3000	600	290	110	74	10040051
TC Toplo pocinkovano potapanjem / Hot - dip galvanized									
VNKP 11 10 300 TC	100	110	1.5	3000	80	300	124	85	10020274
VNKP 11 16 300 TC	160	110	1.5	3000	130	297	122	82	10020275
VNKP 11 20 300 TC	200	110	1.5	3000	160	294	120	80	10020276
VNKP 11 30 300 TC	300	110	1.5	3000	240	293	117	78	10020277
VNKP 11 40 300 TC	400	110	1.5	3000	320	295	113	75	10020278
VNKP 11 50 300 TC	500	110	1.5	3000	400	292	112	75	10020279
VNKP 11 60 300 TC	600	110	1.5	3000	480	290	110	74	10020280

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider




Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 110 PL	110	3000	50	10030255
P PNK 110 TC	110	3000	50	10020281

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Bočna spojnica / Straight connector
H110


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 110 PL	mm 110	50	PL 10030256
S PNK 110 TC	110	50	TC 10020282



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

PNK

Lomljiva spojnica / Angle connector


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 110 PL	mm 110	50	PL 10030257
LS PNK 110 TC	110	50	TC 10020283


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Zglobna spojnica / Adjustable connector


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 110 PL	mm 110	50	PL 10030258
ZS PNK 110 TC	110	50	TC 10020284

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Ugradna račva / Add-one tee



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
UR PNK 11 10 PL	100	110	1	PL 10030259
UR PNK 11 16 PL	160	110	1	10030260
UR PNK 11 20 PL	200	110	1	10030261
UR PNK 11 30 PL	300	110	1	10030262
UR PNK 11 40 PL	400	110	1	10030263
UR PNK 11 50 PL	500	110	1	10030264
UR PNK 11 60 PL	600	110	1	10030265
UR PNK 11 10 TC	100	110	1	TC 10020285
UR PNK 11 16 TC	160	110	1	10020286
UR PNK 11 20 TC	200	110	1	10020287
UR PNK 11 30 TC	300	110	1	10020288
UR PNK 11 40 TC	400	110	1	10020289
UR PNK 11 50 TC	500	110	1	10020290
UR PNK 11 60 TC	600	110	1	10020291

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Krivina 45° / Bend 45°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
K45 PNK 11 10 PL	100	110	1	10030266
K45 PNK 11 16 PL	160	110	1	10030267
K45 PNK 11 20 PL	200	110	1	10030268
K45 PNK 11 30 PL	300	110	1	10030269
K45 PNK 11 40 PL	400	110	1	10030270
K45 PNK 11 50 PL	500	110	1	10030271
K45 PNK 11 60 PL	600	110	1	10030272
				TC
K45 PNK 11 10 TC	100	110	1	10020292
K45 PNK 11 16 TC	160	110	1	10020293
K45 PNK 11 20 TC	200	110	1	10020294
K45 PNK 11 30 TC	300	110	1	10020295
K45 PNK 11 40 TC	400	110	1	10020296
K45 PNK 11 50 TC	500	110	1	10020297
K45 PNK 11 60 TC	600	110	1	10020298



PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 90° / Bend 90°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L PNK 11 10 PL	100	110	1	10030273
L PNK 11 16 PL	160	110	1	10030274
L PNK 11 20 PL	200	110	1	10030275
L PNK 11 30 PL	300	110	1	10030276
L PNK 11 40 PL	400	110	1	10030277
L PNK 11 50 PL	500	110	1	10030278
L PNK 11 60 PL	600	110	1	10030279
				TC
L PNK 11 10 TC	100	110	1	10020299
L PNK 11 16 TC	160	110	1	10020300
L PNK 11 20 TC	200	110	1	10020301
L PNK 11 30 TC	300	110	1	10020302
L PNK 11 40 TC	400	110	1	10020303
L PNK 11 50 TC	500	110	1	10020304
L PNK 11 60 TC	600	110	1	10020305




PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Ugaona spojnica / Corner connector



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
US PNK 11 10 PL	100	110	1	10030280
US PNK 11 16 PL	160	110	1	10030281
US PNK 11 20 PL	200	110	1	10030282
US PNK 11 30 PL	300	110	1	10030283
US PNK 11 40 PL	400	110	1	10030284
US PNK 11 50 PL	500	110	1	10030285
US PNK 11 60 PL	600	110	1	10030286
				TC
US PNK 11 10 TC	100	110	1	10020306
US PNK 11 16 TC	160	110	1	10020307
US PNK 11 20 TC	200	110	1	10020308
US PNK 11 30 TC	300	110	1	10020309
US PNK 11 40 TC	400	110	1	10020310
US PNK 11 50 TC	500	110	1	10020311
US PNK 11 60 TC	600	110	1	10020312




PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



T račva / T Module

H110



Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
	mm	mm	mm		PL
T PNK 11 10 PL	100	110	1		10030287
T PNK 11 16 PL	160	110	1		10030288
T PNK 11 20 PL	200	110	1		10030289
T PNK 11 30 PL	300	110	1		10030290
T PNK 11 40 PL	400	110	1		10030291
T PNK 11 50 PL	500	110	1		10030292
T PNK 11 60 PL	600	110	1		10030293
					TC
T PNK 11 10 TC	100	110	1		10020313
T PNK 11 16 TC	160	110	1		10020314
T PNK 11 20 TC	200	110	1		10020315
T PNK 11 30 TC	300	110	1		10020316
T PNK 11 40 TC	400	110	1		10020317
T PNK 11 50 TC	500	110	1		10020318
T PNK 11 60 TC	600	110	1		10020319


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



PNK

Račva plus / + Connection module




Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
	mm	mm	mm		PL
X PNK 11 10 PL	100	110	1		10030294
X PNK 11 16 PL	160	110	1		10030295
X PNK 11 20 PL	200	110	1		10030296
X PNK 11 30 PL	300	110	1		10030297
X PNK 11 40 PL	400	110	1		10030298
X PNK 11 50 PL	500	110	1		10030299
X PNK 11 60 PL	600	110	1		10030300
					TC
X PNK 11 10 TC	100	110	1		10020320
X PNK 11 16 TC	160	110	1		10020321
X PNK 11 20 TC	200	110	1		10020322
X PNK 11 30 TC	300	110	1		10020323
X PNK 11 40 TC	400	110	1		10020324
X PNK 11 50 TC	500	110	1		10020325
X PNK 11 60 TC	600	110	1		10020326

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Elementi zglobno vertiklane krivine / Adjustable vertical bend element



Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
	mm	mm	mm		PL
EZK PNK 11 10 PL	100	110	1		10030301
EZK PNK 11 16 PL	160	110	1		10030302
EZK PNK 11 20 PL	200	110	1		10030303
EZK PNK 11 30 PL	300	110	1		10030304
EZK PNK 11 40 PL	400	110	1		10030305
EZK PNK 11 50 PL	500	110	1		10030306
EZK PNK 11 60 PL	600	110	1		10030307
					TC
EZK PNK 11 10 TC	100	110	1		10020327
EZK PNK 11 16 TC	160	110	1		10020328
EZK PNK 11 20 TC	200	110	1		10020329
EZK PNK 11 30 TC	300	110	1		10020330
EZK PNK 11 40 TC	400	110	1		10020331
EZK PNK 11 50 TC	500	110	1		10020332
EZK PNK 11 60 TC	600	110	1		10020333

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Zglobno vertiklana krivina / Adjustable vertical bend

H110




Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
					PL
ZK PNK 11 10 PL	100	110	1		10030308
ZK PNK 11 16 PL	160	110	1		10030309
ZK PNK 11 20 PL	200	110	1		10030310
ZK PNK 11 30 PL	300	110	1		10030311
ZK PNK 11 40 PL	400	110	1		10030312
ZK PNK 11 50 PL	500	110	1		10030313
ZK PNK 11 60 PL	600	110	1		10030314
				TC	
ZK PNK 11 10 TC	100	110	1		10020334
ZK PNK 11 16 TC	160	110	1		10020335
ZK PNK 11 20 TC	200	110	1		10020336
ZK PNK 11 30 TC	300	110	1		10020337
ZK PNK 11 40 TC	400	110	1		10020338
ZK PNK 11 50 TC	500	110	1		10020339
ZK PNK 11 60 TC	600	110	1		10020340

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Klik poklopac 2000mm / Click cover 2000mm

POK


Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	PL
KPC PNK 50/2000 PL	50	0.75	2000	080010000
KPC PNK 100/2000 PL	100	0.75	2000	080010001
KPC PNK 160/2000 PL	160	0.75	2000	080010002
KPC PNK 200/2000 PL	200	0.75	2000	080010003
KPC PNK 300/2000 PL	300	0.75	2000	080010004
KPC PNK 400/2000 PL	400	1	2000	080010005
KPC PNK 500/2000 PL	500	1	2000	080010006
KPC PNK 600/2000 PL	600	1	2000	080010007



PL Pocinkovani lim / Galvanized sheet


PNK

Klik poklopac 3000mm / Click cover 3000mm


Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	PL
KPC PNK 50/3000 PL	50	0.75	3000	080010008
KPC PNK 100/3000 PL	100	0.75	3000	080010009
KPC PNK 160/3000 PL	160	0.75	3000	080010010
KPC PNK 200/3000 PL	200	0.75	3000	080010011
KPC PNK 300/3000 PL	300	0.75	3000	080010012
KPC PNK 400/3000 PL	400	1	3000	080010013
KPC PNK 500/3000 PL	500	1	3000	080010014
KPC PNK 600/3000 PL	600	1	3000	080010015


PL Pocinkovani lim / Galvanized sheet


Poklopac regala 2000mm / Cable tray cover 2000mm


Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	PL
PC PNK 50/2000 PL	50	0.75	2000	080010016
PC PNK 100/2000 PL	100	0.75	2000	080010017
PC PNK 160/2000 PL	160	0.75	2000	080010018
PC PNK 200/2000 PL	200	0.75	2000	080010019
PC PNK 300/2000 PL	300	0.75	2000	080010020
PC PNK 400/2000 PL	400	1	2000	080010021
PC PNK 500/2000 PL	500	1	2000	080010022
PC PNK 600/2000 PL	600	1	2000	080010023
				TC
PC PNK 50/2000 TC	50	1	2000	080020001
PC PNK 100/2000 TC	100	1	2000	080020002
PC PNK 160/2000 TC	160	1	2000	080020003
PC PNK 200/2000 TC	200	1	2000	080020004
PC PNK 300/2000 TC	300	1	2000	080020005
PC PNK 400/2000 TC	400	1	2000	080020006
PC PNK 500/2000 TC	500	1	2000	080020007
PC PNK 600/2000 TC	600	1	2000	080020008


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized







Poklopac regala 3000mm / Cable tray cover 3000mm




Tip Typ	Širina Width	Dебљина Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	
PC PNK 50/3000 PL	50	0.75	3000	080010024
PC PNK 100/3000 PL	100	0.75	3000	080010025
PC PNK 160/3000 PL	160	0.75	3000	080010026
PC PNK 200/3000 PL	200	0.75	3000	080010027
PC PNK 300/3000 PL	300	0.75	3000	080010028
PC PNK 400/3000 PL	400	1	3000	080010029
PC PNK 500/3000 PL	500	1	3000	080010030
PC PNK 600/3000 PL	600	1	3000	080010031
				PL
PC PNK 50/3000 TC	50	1	3000	080020009
PC PNK 100/3000 TC	100	1	3000	080020010
PC PNK 160/3000 TC	160	1	3000	080020011
PC PNK 200/3000 TC	200	1	3000	080020012
PC PNK 300/3000 TC	300	1	3000	080020013
PC PNK 400/3000 TC	400	1	3000	080020014
PC PNK 500/3000 TC	500	1	3000	080020015
PC PNK 600/3000 TC	600	1	3000	080020016
				TC

PL Pocinkovani lim / Galvanized sheet**TC** Toplo pocinkovano potapanjem / Hot - dip galvanized


Poklopac L krivine / 90° Bend cover



Tip Typ	Širina Width	Šifra artikla Article
	mm	
PL PNK 50 PL	50	080010032
PL PNK 100 PL	100	080010033
PL PNK 160 PL	160	080010034
PL PNK 200 PL	200	080010035
PL PNK 300 PL	300	080010036
PL PNK 400 PL	400	080010037
PL PNK 500 PL	500	080010038
PL PNK 600 PL	600	080010039
		PL
PL PNK 50 TC	50	080020017
PL PNK 100 TC	100	080020018
PL PNK 160 TC	160	080020019
PL PNK 200 TC	200	080020020
PL PNK 300 TC	300	080020021
PL PNK 400 TC	400	080020022
PL PNK 500 TC	500	080020023
PL PNK 600 TC	600	080020024
		TC

PL Pocinkovani lim / Galvanized sheet**TC** Toplo pocinkovano potapanjem / Hot - dip galvanized


Poklopac racve plus / Cover + Connection module

POK




Tip Typ	Širina Width		Šifra artikla Article
	mm		PL
PR PNK 50 PL	50		080010040
PR PNK 100 PL	100		080010041
PR PNK 160 PL	160		080010042
PR PNK 200 PL	200		080010043
PR PNK 300 PL	300		080010044
PR PNK 400 PL	400		080010045
PR PNK 500 PL	500		080010046
PR PNK 600 PL	600		080010047
			TC
PR PNK 50 TC	50		080020025
PR PNK 100 TC	100		080020026
PR PNK 160 TC	160		080020027
PR PNK 200 TC	200		080020028
PR PNK 300 TC	300		080020029
PR PNK 400 TC	400		080020030
PR PNK 500 TC	500		080020031
PR PNK 600 TC	600		080020032

PL

Pocinkovani lim / Galvanized sheet

TC

Toplo pocinkovano potapanjem / Hot - dip galvanized


Poklopac krivine 45°/ 45° Bend cover



Tip Typ	Širina Width		Šifra artikla Article
	mm		PL
PK PNK 50 PL	50		080010048
PK PNK 100 PL	100		080010049
PK PNK 160 PL	160		080010050
PK PNK 200 PL	200		080010051
PK PNK 300 PL	300		080010052
PK PNK 400 PL	400		080010053
PK PNK 500 PL	500		080010054
PK PNK 600 PL	600		080010055
			TC
PK PNK 50 TC	50		080020033
PK PNK 100 TC	100		080020034
PK PNK 160 TC	160		080020035
PK PNK 200 TC	200		080020036
PK PNK 300 TC	300		080020037
PK PNK 400 TC	400		080020038
PK PNK 500 TC	500		080020039
PK PNK 600 TC	600		080020040


PL

Pocinkovani lim / Galvanized sheet

TC

Toplo pocinkovano potapanjem / Hot - dip galvanized




**Poklopac T račve/ Cover T Module**

Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PT PNK 50 PL	50	080010056
PT PNK 100 PL	100	080010057
PT PNK 160 PL	160	080010058
PT PNK 200 PL	200	080010059
PT PNK 300 PL	300	080010060
PT PNK 400 PL	400	080010061
PT PNK 500 PL	500	080010062
PT PNK 600 PL	600	080010063
		TC
PT PNK 50 TC	50	080020041
PT PNK 100 TC	100	080020042
PT PNK 160 TC	160	080020043
PT PNK 200 TC	200	080020044
PT PNK 300 TC	300	080020045
PT PNK 400 TC	400	080020046
PT PNK 500 TC	500	080020047
PT PNK 600 TC	600	080020048

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

**Poklopac vertikalne krivine na dole / Cover for the down vertical curve**


Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PD PNK 50 PL	50	080010064
PD PNK 100 PL	100	080010065
PD PNK 160 PL	160	080010066
PD PNK 200 PL	200	080010067
PD PNK 300 PL	300	080010068
PD PNK 400 PL	400	080010069
PD PNK 500 PL	500	080010070
PD PNK 600 PL	600	080010071
		TC
PD PNK 50 TC	50	080020049
PD PNK 100 TC	100	080020050
PD PNK 160 TC	160	080020051
PD PNK 200 TC	200	080020052
PD PNK 300 TC	300	080020053
PD PNK 400 TC	400	080020054
PD PNK 500 TC	500	080020055
PD PNK 600 TC	600	080020056

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Poklopac vertikalne krivine na gore / Cover for the mounting vertical curve

POK



Tip Typ	Širina Width		Šifra artikla Article
PG PNK 50 PL	50	mm	PL 80010072
PG PNK 100 PL	100		80010073
PG PNK 160 PL	160		80010074
PG PNK 200 PL	200		80010075
PG PNK 300 PL	300		80010076
PG PNK 400 PL	400		80010077
PG PNK 500 PL	500		80010078
PG PNK 600 PL	600		80010079
TC			
PG PNK 50 TC	50		80020057
PG PNK 100 TC	100		80020058
PG PNK 160 TC	160		80020059
PG PNK 200 TC	200		80020060
PG PNK 300 TC	300		80020061
PG PNK 400 TC	400		80020062
PG PNK 500 TC	500		80020063
PG PNK 600 TC	600		80020064

PL

Pocinkovani lim / Galvanized sheet

TC


Toplo pocinkovano potapanjem / Hot - dip galvanized


Stezaljka poklopca/ Cover clip


Tip Typ	Visina Height	Debljina Thickness	Šifra artikla Article
SP 30 PL	30	1.5	PL 30011113
SP 50 PL	50	1.5	30011114
SP 60 PL	60	1.5	30011115
SP 75 PL	75	1.5	30011116
SP 85 PL	85	1.5	30011117
SP 110 PL	110	1.5	30011118

PL


Pocinkovani lim / Galvanized sheet



H50


H60

H110



LNK

3



LNK

LESTVIČASTI NOSAČI KABLOVA

LADDER CABLE TRAY SYSTEMS



STRONG



FAST ...



NO TOOLS



1

Montaža regala na odstojnik vrši se pomoću torban vijaka tipa PEKOM M6 x12.

We use PEKOM torch bolt, type M6x12 for mounting the cable tray against the spacer.



2

Spoj regala podno-rotirajućom spojnicom za premošćavanje visinske razlike.

Joint of the cable trays with floor-rotating coupling for bridging the height difference.



3

Montaža + račve i regala nosača kablova ostvarena je direktnom vezom pomoću torban vijaka tipa PEKOM M6 x12.


Installation of the cross-section twitch and cable tray carrier was achieved by direct connection with the PEKOM torch bolt, type M6 x12.



4

Pričvršćivanje UD nosača na kosi betonski plafon pomoću anker vijaka tipa PEKOM FAZ II.

Fastening the UD carrier to the concrete ceiling under the slope with PEKOM anchor bolts, type FAZ II.



5

Montaža T račve i nosača kablova ostvarena je pomoću torban vijaka tipa PEKOM M6 x12.

Installation of the T twitch and the cable tray was achieved using the PEKOM M6 x12 torch screw.



6

Princip montaže lestvičastog regala na zid pomoću odstojnika vrši se pomoću torban vijaka tipa PEKOM M6 x12.

The principle of mounting ladder cable tray to the wall by spacer is done by PEKOM M6 x 12 torch screw.


7

Pričvršćivanje nosača kablova za konzolu vrši se torban vijcima PEKOM M6 x 12 i nazubljenim maticama M6.

Attachment of the cable trays to the console is carried out with torch bolts PEKOM M6 x 12 and knotted nut M6.


8

Princip izrade plafonske podkonstrukcije pomoću U profila U5 tipa PEKOM.


The principle of the construction of the ceiling substructure with the U profile PEKOM U5-type.

LINK

9


Montaža krivine 90° i nosača kablova ostvaruje se putem vijaka tipa PEKOM M6 x 12.

The installation of the 90 ° curve and the cable tray is achieved through the PEKOM M6 x 12 type screws.


10


Za montažu leštičastog regala na plafon pomoću dve navojne šipke, koristi se profilna perforirana šina za dve navojne šipke.

We use a profiled perforated rail with two threaded rods, for mounting ladder cable tray against the ceiling by two threaded rods.


11

Plafonska montaža regala vrši se pomoću UD nosača, U profila i konzola.

We use UD carrier, U profile and cantilever for the mounting the cable tray to the ceiling.


12

Prikaz montaže leštičastog nosača kablova na jednu navojnu šipku pomoću perforirane profilne šine.

Display of the mounting ladder cable tray on a threaded rod by perforated profile ray.



Pričvršćivanje nosača kablova za konzolu vrši se torban vijcima PEKOM M6 x 12.

Attachment of the cable tray to the cantilever is done by PEKOM M6 x 12 torch screw.

13



Princip montaže lestvičastog regala po podu na odstojniku sa poklopcom.

The principle of the mounting ladder cable tray with lid to the spacer on the floor.


14



Zglobna spojница koristi se kod premoščavanja razlike u visinama. Zglobna spojница se može fiksirati pod određenim uglovima.

Angle connector is used for bridging the difference in heights. Angle connector can be fixed at the certain angles.

15



Princip montaže poklopca na lestvičasti regal.

The principle of mounting the lid on a ladder cable tray.

16



Zglobna krivina za premoščavanje razlike u visinama.

Angle curve for bridging the difference in heights.

17




Princip montaže lestvičastog regala na zid sa poklopcom.

The principle of the mounting ladder cable tray with lid to the wall.

18




CE

Nosač kablova LNK / Ladder cable trays
H50


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Dovoljeno opterećenje Allowed load			Šifra artikla Article
					1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
LNK 5 10 300 PL	100	50	1.5	3000	240	190	140	20010001
LNK 5 20 300 PL	200	50	1.5	3000	210	160	130	20010003
LNK 5 30 300 PL	300	50	1.5	3000	208	170	135	20010006
LNK 5 40 300 PL	400	50	1.5	3000	190	148	112	20010009
LNK 5 50 300 PL	500	50	1.5	3000	197	150	120	20010012
LNK 5 60 300 PL	600	50	1.5	3000	210	160	120	20010015
TC								
LNK 5 10 300 TC	100	50	1.5	3000	240	190	140	20020001
LNK 5 20 300 TC	200	50	1.5	3000	210	160	130	20020002
LNK 5 30 300 TC	300	50	1.5	3000	208	170	135	20020003
LNK 5 40 300 TC	400	50	1.5	3000	190	148	112	20020004
LNK 5 50 300 TC	500	50	1.5	3000	197	150	120	20020005
LNK 5 60 300 TC	600	50	1.5	3000	210	160	120	20020006

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


LNK
Nosač kablova VLNK / VLNK cable trays
STRONG


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length				Šifra artikla Article
					PL	TC	TC	
VLNK 5 10 300 PL	100	50	2	3000				20040001
VLNK 5 20 300 PL	200	50	2	3000				20040002
VLNK 5 30 300 PL	300	50	2	3000				20040003
VLNK 5 40 300 PL	400	50	2	3000				20040004
VLNK 5 50 300 PL	500	50	2	3000				20040005
VLNK 5 60 300 PL	600	50	2	3000				20040006
TC								
VLNK 5 10 300 TC	100	50	2	3000				20020007
VLNK 5 20 300 TC	200	50	2	3000				20020008
VLNK 5 30 300 TC	300	50	2	3000				20020009
VLNK 5 40 300 TC	400	50	2	3000				20020010
VLNK 5 50 300 TC	500	50	2	3000				20020011
VLNK 5 60 300 TC	600	50	2	3000				20020012

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





CE


Bočna spojnica / Straight connector



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
S LNK 50 PL	100	50	1.5	PL 20030000
S LNK 50 TC	100	50	1.5	TC 20020013

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Bočna spojnica VLNK / VLNK Straight connector




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
S VLNK 50 PL	100	50	2	PL 20030001
S VLNK 50 TC	100	50	2	TC 20020014

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Pregrada / Divider




Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 50 PL	50	3000	10	PL 10030046
P PNK 50 TC	50	3000	10	TC 10020022

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Lomljiva spojnica / Angle connector



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 50 PL	50	50	PL 10030048
LS PNK 50 TC	50	50	TC 10020024

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 50 PL	50	50	PL 10030049
ZS PNK 50 TC	50	50	TC 10020025

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Ugaona spojnica / Corner connector


H50


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
US PNK 5 5 PL	50	50	1	10030074
US PNK 5 10 PL	100	50	1	10030075
US PNK 5 20 PL	200	50	1	10030077
US PNK 5 30 PL	300	50	1	10030078
US PNK 5 40 PL	400	50	1	10030079
US PNK 5 50 PL	500	50	1	10030080
US PNK 5 60 PL	600	50	1	10030081
				TC
US PNK 5 5 TC	50	50	1	10020050
US PNK 5 10 TC	100	50	1	10020051
US PNK 5 20 TC	200	50	1	10020053
US PNK 5 30 TC	300	50	1	10020054
US PNK 5 40 TC	400	50	1	10020055
US PNK 5 50 TC	500	50	1	10020056
US PNK 5 60 TC	600	50	1	10020057

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Krivina 90° / Bend 90°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L LNK 5 10 PL	100	50	1.5	20030002
L LNK 5 20 PL	200	50	1.5	20030003
L LNK 5 30 PL	300	50	1.5	20030004
L LNK 5 40 PL	400	50	1.5	20030005
L LNK 5 50 PL	500	50	1.5	20030006
L LNK 5 60 PL	600	50	1.5	20030007
				TC
L LNK 5 10 TC	100	50	1.5	20020015
L LNK 5 20 TC	200	50	1.5	20020016
L LNK 5 30 TC	300	50	1.5	20020017
L LNK 5 40 TC	400	50	1.5	20020018
L LNK 5 50 TC	500	50	1.5	20020019
L LNK 5 60 TC	600	50	1.5	20020020

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Krivina 90° VLNK / VLNK Bend 90°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L VLNK 5 10 PL	100	50	2	20030008
L VLNK 5 20 PL	200	50	2	20030009
L VLNK 5 30 PL	300	50	2	20030010
L VLNK 5 40 PL	400	50	2	20030011
L VLNK 5 50 PL	500	50	2	20030012
L VLNK 5 60 PL	600	50	2	20030013
				TC
L VLNK 5 10 TC	100	50	2	20020021
L VLNK 5 20 TC	200	50	2	20020022
L VLNK 5 30 TC	300	50	2	20020023
L VLNK 5 40 TC	400	50	2	20020024
L VLNK 5 50 TC	500	50	2	20020025
L VLNK 5 60 TC	600	50	2	20020026

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




T račva / T Module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
T LNK 5 10 PL	100	50	1.5	PL 20030014
T LNK 5 20 PL	200	50	1.5	20030015
T LNK 5 30 PL	300	50	1.5	20030016
T LNK 5 40 PL	400	50	1.5	20030017
T LNK 5 50 PL	500	50	1.5	20030018
T LNK 5 60 PL	600	50	1.5	20030019
				TC
T LNK 5 10 TC	100	50	1.5	20020027
T LNK 5 20 TC	200	50	1.5	20020028
T LNK 5 30 TC	300	50	1.5	20020029
T LNK 5 40 TC	400	50	1.5	20020030
T LNK 5 50 TC	500	50	1.5	20020031
T LNK 5 60 TC	600	50	1.5	20020032



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

T račva VLNK / VLNK T Module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
T VLNK 5 10 PL	100	50	2	PL 20030020
T VLNK 5 20 PL	200	50	2	20030021
T VLNK 5 30 PL	300	50	2	20030022
T VLNK 5 40 PL	400	50	2	20030023
T VLNK 5 50 PL	500	50	2	20030024
T VLNK 5 60 PL	600	50	2	20030025
				TC
T VLNK 5 10 TC	100	50	2	20020033
T VLNK 5 20 TC	200	50	2	20020034
T VLNK 5 30 TC	300	50	2	20020035
T VLNK 5 40 TC	400	50	2	20020036
T VLNK 5 50 TC	500	50	2	20020037
T VLNK 5 60 TC	600	50	2	20020038




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Račva plus / + Connection module



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
X LNK 5 10 PL	100	50	1.5	PL 20030026
X LNK 5 20 PL	200	50	1.5	20030027
X LNK 5 30 PL	300	50	1.5	20030028
X LNK 5 40 PL	400	50	1.5	20030029
X LNK 5 50 PL	500	50	1.5	20030030
X LNK 5 60 PL	600	50	1.5	20030031
				TC
X LNK 5 10 TC	100	50	1.5	20020039
X LNK 5 20 TC	200	50	1.5	20020040
X LNK 5 30 TC	300	50	1.5	20020041
X LNK 5 40 TC	400	50	1.5	20020042
X LNK 5 50 TC	500	50	1.5	20020043
X LNK 5 60 TC	600	50	1.5	20020044




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Račva plus VLNK / VLNK + Connection module

H50



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
X VLNK 5 10 PL	100	50	2	PL 20030032
X VLNK 5 20 PL	200	50	2	20030033
X VLNK 5 30 PL	300	50	2	20030034
X VLNK 5 40 PL	400	50	2	20030035
X VLNK 5 50 PL	500	50	2	20030036
X VLNK 5 60 PL	600	50	2	20030037
				TC
X VLNK 5 10 TC	100	50	2	20020045
X VLNK 5 20 TC	200	50	2	20020046
X VLNK 5 30 TC	300	50	2	20020047
X VLNK 5 40 TC	400	50	2	20020048
X VLNK 5 50 TC	500	50	2	20020049
X VLNK 5 60 TC	600	50	2	20020050

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


LNK

Elementi zglobno vertiklane krivine / Adjustable vertical bend element




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
EZK LNK 5 10 PL	100	50	1.5	PL 20030038
EZK LNK 5 20 PL	200	50	1.5	20030039
EZK LNK 5 30 PL	300	50	1.5	20030040
EZK LNK 5 40 PL	400	50	1.5	20030041
EZK LNK 5 50 PL	500	50	1.5	20030042
EZK LNK 5 60 PL	600	50	1.5	20030043
				TC
EZK LNK 5 10 TC	100	50	1.5	20020051
EZK LNK 5 20 TC	200	50	1.5	20020052
EZK LNK 5 30 TC	300	50	1.5	20020053
EZK LNK 5 40 TC	400	50	1.5	20020054
EZK LNK 5 50 TC	500	50	1.5	20020055
EZK LNK 5 60 TC	600	50	1.5	20020056

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Elementi zglobno vertiklane krivine VLNK / VLNK Adjustable vertical bend element



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
EZK VLNK 5 10 PL	100	50	2	PL 20030044
EZK VLNK 5 20 PL	200	50	2	20030045
EZK VLNK 5 30 PL	300	50	2	20030046
EZK VLNK 5 40 PL	400	50	2	20030047
EZK VLNK 5 50 PL	500	50	2	20030048
EZK VLNK 5 60 PL	600	50	2	20030049
				TC
EZK VLNK 5 10 TC	100	50	2	20020057
EZK VLNK 5 20 TC	200	50	2	20020058
EZK VLNK 5 30 TC	300	50	2	20020059
EZK VLNK 5 40 TC	400	50	2	20020060
EZK VLNK 5 50 TC	500	50	2	20020061
EZK VLNK 5 60 TC	600	50	2	20020062


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Zglobno vertiklana krivina / Adjustable vertical bend

H50


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
ZK LNK 5 10 PL	100	50	1.5	PL 20030050
ZK LNK 5 20 PL	200	50	1.5	20030051
ZK LNK 5 30 PL	300	50	1.5	20030052
ZK LNK 5 40 PL	400	50	1.5	20030053
ZK LNK 5 50 PL	500	50	1.5	20030054
ZK LNK 5 60 PL	600	50	1.5	20030055
				TC
ZK LNK 5 10 TC	100	50	1.5	20020063
ZK LNK 5 20 TC	200	50	1.5	20020064
ZK LNK 5 30 TC	300	50	1.5	20020065
ZK LNK 5 40 TC	400	50	1.5	20020066
ZK LNK 5 50 TC	500	50	1.5	20020067
ZK LNK 5 60 TC	600	50	1.5	20020068

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobno vertiklana krivina VLNK / VLNK Adjustable vertical bend



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
ZK VLNK 5 10 PL	100	50	2	PL 20030056
ZK VLNK 5 20 PL	200	50	2	20030057
ZK VLNK 5 30 PL	300	50	2	20030058
ZK VLNK 5 40 PL	400	50	2	20030059
ZK VLNK 5 50 PL	500	50	2	20030060
ZK VLNK 5 60 PL	600	50	2	20030061
				TC
ZK VLNK 5 10 TC	100	50	2	20020069
ZK VLNK 5 20 TC	200	50	2	20020070
ZK VLNK 5 30 TC	300	50	2	20020071
ZK VLNK 5 40 TC	400	50	2	20020072
ZK VLNK 5 50 TC	500	50	2	20020073
ZK VLNK 5 60 TC	600	50	2	20020074

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






CE

Lučna obujmica LNK E90 / LNK E90 cable clamp

H50



Tip Typ	Širina b Width b mm	Visina H Height H mm	Debljina Thickness mm	Dužina navoja L Thread lenght mm		
						PL
LNK obujmica 16 PL	16	45	1.5	50		20330188
LNK obujmica 22 PL	22	45	1.5	50		20330192
LNK obujmica 28 PL	28	50	1.5	50		20330189
LNK obujmica 34 PL	34	50	1.5	50		20330186
LNK obujmica 40 PL	40	50	1.5	50		20030186
LNK obujmica 46 PL	46	76	1.5	50		20330187
LNK obujmica 56 PL	56	86	1.5	50		20030187
LNK obujmica 70 PL	70	96	1.5	80		20330190
						V2A
LNK obujmica 16 V2A	16	45	1.5	50		20360188
LNK obujmica 22 V2A	22	45	1.5	50		20360192
LNK obujmica 28 V2A	28	50	1.5	50		20360189
LNK obujmica 34 V2A	34	50	1.5	50		20360186
LNK obujmica 40 V2A	40	50	1.5	50		20060186
LNK obujmica 46 V2A	46	76	1.5	50		20360187
LNK obujmica 56 V2A	56	86	1.5	50		20060187
LNK obujmica 70 V2A	70	96	1.5	80		20360190
						V4A
LNK obujmica 16 V4A	16	45	1.5	50		20390188
LNK obujmica 22 V4A	22	45	1.5	50		20390192
LNK obujmica 28 V4A	28	50	1.5	50		20390189
LNK obujmica 34 V4A	34	50	1.5	50		20390186
LNK obujmica 40 V4A	40	50	1.5	50		20090186
LNK obujmica 46 V4A	46	76	1.5	50		20390187
LNK obujmica 56 V4A	56	86	1.5	50		20090187
LNK obujmica 70 V4A	70	96	1.5	80		20390190

V2A INOX 1.4301


V4A INOX 1.4571

PL Pocinkovani lim / Galvanized sheet




Nosač kablova LNK / Ladder cable trays

H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
					1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
LNK 6 10 300 PL	100	60	1.5	3000	250	200	125	20010002
LNK 6 20 300 PL	200	60	1.5	3000	247	197	120	20010004
LNK 6 30 300 PL	300	60	1.5	3000	245	195	120	20010007
LNK 6 40 300 PL	400	60	1.5	3000	235	190	115	20010010
LNK 6 50 300 PL	500	60	1.5	3000	230	185	112	20010013
LNK 6 60 300 PL	600	60	1.5	3000	232	190	115	20010016
TC								
LNK 6 10 300 TC	100	60	1.5	3000	250	200	125	20020075
LNK 6 20 300 TC	200	60	1.5	3000	247	197	120	20020076
LNK 6 30 300 TC	300	60	1.5	3000	245	195	120	20020077
LNK 6 40 300 TC	400	60	1.5	3000	235	190	115	20020078
LNK 6 50 300 TC	500	60	1.5	3000	230	185	112	20020079
LNK 6 60 300 TC	600	60	1.5	3000	232	190	115	20020080

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova VLNK / VLNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length				Šifra artikla Article
					PL	TC	PL	
VLNK 6 10 300 PL	100	60	2	3000				20040007
VLNK 6 20 300 PL	200	60	2	3000				20040008
VLNK 6 30 300 PL	300	60	2	3000				20040009
VLNK 6 40 300 PL	400	60	2	3000				20040010
VLNK 6 50 300 PL	500	60	2	3000				20040011
VLNK 6 60 300 PL	600	60	2	3000				20040012
TC								
VLNK 6 10 300 TC	100	60	2	3000				20020081
VLNK 6 20 300 TC	200	60	2	3000				20020082
VLNK 6 30 300 TC	300	60	2	3000				20020083
VLNK 6 40 300 TC	400	60	2	3000				20020084
VLNK 6 50 300 TC	500	60	2	3000				20020085
VLNK 6 60 300 TC	600	60	2	3000				20020086


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Bočna spojnica / Straight connector

H60



Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
S LNK 100 PL	100	60	1.5		PL 20030062
S LNK 100 TC	100	60	1.5		TC 20020087

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Bočna spojnica VLNK / VLNK Straight connector




Tip Typ	Širina Width	Visina Height	Debljina Thickness		Šifra artikla Article
S VLNK 100 PL	100	60	2		PL 20030063
S VLNK 100 TC	100	60	2		TC 20020088

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Pregrada / Divider




Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 60 PL	60	3000	10	PL 10030120
P PNK 60 TC	60	3000	10	TC 10020118

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 60 PL	60	50	PL 10030122
LS PNK 60 TC	60	50	TC 10020120

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Zglobna spojnica / Adjustable connector



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 60 PL	60	50	PL 10030123
ZS PNK 60 TC	60	50	TC 10020121

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






CE

Ugaona spojnica / Corner connector

H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
US PNK 6 5 PL	50	60	1	10030148
US PNK 6 10 PL	100	60	1	10030149
US PNK 6 20 PL	200	60	1	10030151
US PNK 6 30 PL	300	60	1	10030152
US PNK 6 40 PL	400	60	1	10030153
US PNK 6 50 PL	500	60	1	10030154
US PNK 6 60 PL	600	60	1	10030155
				TC
US PNK 6 5 TC	50	60	1	10020146
US PNK 6 10 TC	100	60	1	10020147
US PNK 6 20 TC	200	60	1	10020149
US PNK 6 30 TC	300	60	1	10020150
US PNK 6 40 TC	400	60	1	10020151
US PNK 6 50 TC	500	60	1	10020152
US PNK 6 60 TC	600	60	1	10020153



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 90° / Bend 90°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L LNK 6 10 PL	100	60	1.5	20030064
L LNK 6 20 PL	200	60	1.5	20030065
L LNK 6 30 PL	300	60	1.5	20030066
L LNK 6 40 PL	400	60	1.5	20030067
L LNK 6 50 PL	500	60	1.5	20030068
L LNK 6 60 PL	600	60	1.5	20030069
				TC
L LNK 6 10 TC	100	60	1.5	20020089
L LNK 6 20 TC	200	60	1.5	20020090
L LNK 6 30 TC	300	60	1.5	20020091
L LNK 6 40 TC	400	60	1.5	20020092
L LNK 6 50 TC	500	60	1.5	20020093
L LNK 6 60 TC	600	60	1.5	20020094



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 90° VLNK / VLNK Bend 90°



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L VLNK 6 10 PL	100	60	2	20030070
L VLNK 6 20 PL	200	60	2	20030071
L VLNK 6 30 PL	300	60	2	20030072
L VLNK 6 40 PL	400	60	2	20030073
L VLNK 6 50 PL	500	60	2	20030074
L VLNK 6 60 PL	600	60	2	20030075
				TC
L VLNK 6 10 TC	100	60	2	20020095
L VLNK 6 20 TC	200	60	2	20020096
L VLNK 6 30 TC	300	60	2	20020097
L VLNK 6 40 TC	400	60	2	20020098
L VLNK 6 50 TC	500	60	2	20020099
L VLNK 6 60 TC	600	60	2	20020100




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



T račva / T Module

H60


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T LNk 6 10 PL	100	60	1.5	20030076
T LNk 6 20 PL	200	60	1.5	20030077
T LNk 6 30 PL	300	60	1.5	20030078
T LNk 6 40 PL	400	60	1.5	20030079
T LNk 6 50 PL	500	60	1.5	20030080
T LNk 6 60 PL	600	60	1.5	20030081
				TC
T LNk 6 10 TC	100	60	1.5	20020101
T LNk 6 20 TC	200	60	1.5	20020102
T LNk 6 30 TC	300	60	1.5	20020103
T LNk 6 40 TC	400	60	1.5	20020104
T LNk 6 50 TC	500	60	1.5	20020105
T LNk 6 60 TC	600	60	1.5	20020106




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

LNK

T račva VLNK / VLNK T Module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T VLNK 6 10 PL	100	60	2	20030082
T VLNK 6 20 PL	200	60	2	20030083
T VLNK 6 30 PL	300	60	2	20030084
T VLNK 6 40 PL	400	60	2	20030085
T VLNK 6 50 PL	500	60	2	20030086
T VLNK 6 60 PL	600	60	2	20030087
				TC
T VLNK 6 10 TC	100	60	2	20020107
T VLNK 6 20 TC	200	60	2	20020108
T VLNK 6 30 TC	300	60	2	20020109
T VLNK 6 40 TC	400	60	2	20020110
T VLNK 6 50 TC	500	60	2	20020111
T VLNK 6 60 TC	600	60	2	20020112



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Račva plus / + Connection module



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
X LNk 6 10 PL	100	60	1.5	20030088
X LNk 6 20 PL	200	60	1.5	20030089
X LNk 6 30 PL	300	60	1.5	20030090
X LNk 6 40 PL	400	60	1.5	20030091
X LNk 6 50 PL	500	60	1.5	20030092
X LNk 6 60 PL	600	60	1.5	20030093
				TC
X LNk 6 10 TC	100	60	1.5	20020113
X LNk 6 20 TC	200	60	1.5	20020114
X LNk 6 30 TC	300	60	1.5	20020115
X LNk 6 40 TC	400	60	1.5	20020116
X LNk 6 50 TC	500	60	1.5	20020117
X LNk 6 60 TC	600	60	1.5	20020118




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Račva plus VLNK / VLNK + Connection module

H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
X VLNK 6 10 PL	100	60	2	PL 20030094
X VLNK 6 20 PL	200	60	2	20030095
X VLNK 6 30 PL	300	60	2	20030096
X VLNK 6 40 PL	400	60	2	20030097
X VLNK 6 50 PL	500	60	2	20030098
X VLNK 6 60 PL	600	60	2	20030099
				TC
X VLNK 6 10 TC	100	60	2	20020119
X VLNK 6 20 TC	200	60	2	20020120
X VLNK 6 30 TC	300	60	2	20020121
X VLNK 6 40 TC	400	60	2	20020122
X VLNK 6 50 TC	500	60	2	20020123
X VLNK 6 60 TC	600	60	2	20020124



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Elementi zglobno vertikalne krivine / Adjustable vertical bend element




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
EZK LNK 6 10 PL	100	60	1.5	PL 20030100
EZK LNK 6 20 PL	200	60	1.5	20030101
EZK LNK 6 30 PL	300	60	1.5	20030102
EZK LNK 6 40 PL	400	60	1.5	20030103
EZK LNK 6 50 PL	500	60	1.5	20030104
EZK LNK 6 60 PL	600	60	1.5	20030105
				TC
EZK LNK 6 10 TC	100	60	1.5	20020125
EZK LNK 6 20 TC	200	60	1.5	20020126
EZK LNK 6 30 TC	300	60	1.5	20020127
EZK LNK 6 40 TC	400	60	1.5	20020128
EZK LNK 6 50 TC	500	60	1.5	20020129
EZK LNK 6 60 TC	600	60	1.5	20020130



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Elementi zglobno vertikalne krivine VLNK / VLNK Adjustable vertical bend element



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
EZK VLNK 6 10 PL	100	60	2	PL 20030106
EZK VLNK 6 20 PL	200	60	2	20030107
EZK VLNK 6 30 PL	300	60	2	20030108
EZK VLNK 6 40 PL	400	60	2	20030109
EZK VLNK 6 50 PL	500	60	2	20030110
EZK VLNK 6 60 PL	600	60	2	20030111
				TC
EZK VLNK 6 10 TC	100	60	2	20020131
EZK VLNK 6 20 TC	200	60	2	20020132
EZK VLNK 6 30 TC	300	60	2	20020133
EZK VLNK 6 40 TC	400	60	2	20020134
EZK VLNK 6 50 TC	500	60	2	20020135
EZK VLNK 6 60 TC	600	60	2	20020136




PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




CE

Zglobno vertiklana krivina / Adjustable vertical bend
H60


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
ZK LNK 6 10 PL	100	60	1.5	PL 20030112
ZK LNK 6 20 PL	200	60	1.5	20030113
ZK LNK 6 30 PL	300	60	1.5	20030114
ZK LNK 6 40 PL	400	60	1.5	20030115
ZK LNK 6 50 PL	500	60	1.5	20030116
ZK LNK 6 60 PL	600	60	1.5	20030117
				TC
ZK LNK 6 10 TC	100	60	1.5	20020137
ZK LNK 6 20 TC	200	60	1.5	20020138
ZK LNK 6 30 TC	300	60	1.5	20020139
ZK LNK 6 40 TC	400	60	1.5	20020140
ZK LNK 6 50 TC	500	60	1.5	20020141
ZK LNK 6 60 TC	600	60	1.5	20020142

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Zglobno vertiklana krivina VLNK / VLNK Adjustable vertical bend


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
ZK VLNK 6 10 PL	100	60	2	PL 20030118
ZK VLNK 6 20 PL	200	60	2	20030119
ZK VLNK 6 30 PL	300	60	2	20030120
ZK VLNK 6 40 PL	400	60	2	20030121
ZK VLNK 6 50 PL	500	60	2	20030122
ZK VLNK 6 60 PL	600	60	2	20030123
				TC
ZK VLNK 6 10 TC	100	60	2	20020143
ZK VLNK 6 20 TC	200	60	2	20020144
ZK VLNK 6 30 TC	300	60	2	20020145
ZK VLNK 6 40 TC	400	60	2	20020146
ZK VLNK 6 50 TC	500	60	2	20020147
ZK VLNK 6 60 TC	600	60	2	20020148


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Lučna obujmica LNK E90 / LNK E90 cable clamp

H60



Tip Typ	Širina b Width b mm	Visina H Height H mm	Debljina Thickness mm	Dužina navoja L Thread lenght mm		PL 20330188 20330192 20330189 20330186 20030186 20330187 20030187 20330190
LNK obujmica 16 PL	16	45	1.5	50		20330188
LNK obujmica 22 PL	22	45	1.5	50		20330192
LNK obujmica 28 PL	28	50	1.5	50		20330189
LNK obujmica 34 PL	34	50	1.5	50		20330186
LNK obujmica 40 PL	40	50	1.5	50		20030186
LNK obujmica 46 PL	46	76	1.5	50		20330187
LNK obujmica 56 PL	56	86	1.5	50		20030187
LNK obujmica 70 PL	70	96	1.5	80		20330190
						V2A
LNK obujmica 16 V2A	16	45	1.5	50		20360188
LNK obujmica 22 V2A	22	45	1.5	50		20360192
LNK obujmica 28 V2A	28	50	1.5	50		20360189
LNK obujmica 34 V2A	34	50	1.5	50		20360186
LNK obujmica 40 V2A	40	50	1.5	50		20060186
LNK obujmica 46 V2A	46	76	1.5	50		20360187
LNK obujmica 56 V2A	56	86	1.5	50		20060187
LNK obujmica 70 V2A	70	96	1.5	80		20360190
						V4A
LNK obujmica 16 V4A	16	45	1.5	50		20390188
LNK obujmica 22 V4A	22	45	1.5	50		20390192
LNK obujmica 28 V4A	28	50	1.5	50		20390189
LNK obujmica 34 V4A	34	50	1.5	50		20390186
LNK obujmica 40 V4A	40	50	1.5	50		20090186
LNK obujmica 46 V4A	46	76	1.5	50		20390187
LNK obujmica 56 V4A	56	86	1.5	50		20090187
LNK obujmica 70 V4A	70	96	1.5	80		20390190

V2A INOX 1.4301


V4A INOX 1.4571

PL Pocinkovani lim / Galvanized sheet





CE


Nosač kablova LNK / Ladder cable trays
H110


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Dovoljeno opterećenje Allowed load			Šifra artikla Article
					1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
LNK 11 10 300 PL	100	110	1.5	3000	355	275	205	20010000
LNK 11 20 300 PL	200	110	1.5	3000	350	270	200	20010005
LNK 11 30 300 PL	300	110	1.5	3000	350	265	180	20010008
LNK 11 40 300 PL	400	110	1.5	3000	332	255	180	20010011
LNK 11 50 300 PL	500	110	1.5	3000	324	240	180	20010014
LNK 11 60 300 PL	600	110	1.5	3000	318	230	160	20010017

TC								
LNK 11 10 300 TC	100	110	1.5	3000	355	275	205	20020149
LNK 11 20 300 TC	200	110	1.5	3000	350	270	200	20020150
LNK 11 30 300 TC	300	110	1.5	3000	350	265	180	20020151
LNK 11 40 300 TC	400	110	1.5	3000	332	255	180	20020152
LNK 11 50 300 TC	500	110	1.5	3000	324	240	180	20020153
LNK 11 60 300 TC	600	110	1.5	3000	318	230	160	20020154

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Nosač kablova VLNK / VLNK cable trays


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length				Šifra artikla Article
					PL	TC	STRONG	
VLNK 11 10 300 PL	100	110	2	3000				20040013
VLNK 11 20 300 PL	200	110	2	3000				20040014
VLNK 11 30 300 PL	300	110	2	3000				20040015
VLNK 11 40 300 PL	400	110	2	3000				20040016
VLNK 11 50 300 PL	500	110	2	3000				20040017
VLNK 11 60 300 PL	600	110	2	3000				20040018

TC								
VLNK 11 10 300 TC	100	110	2	3000				20020155
VLNK 11 20 300 TC	200	110	2	3000				20020156
VLNK 11 30 300 TC	300	110	2	3000				20020157
VLNK 11 40 300 TC	400	110	2	3000				20020158
VLNK 11 50 300 TC	500	110	2	3000				20020159
VLNK 11 60 300 TC	600	110	2	3000				20020160


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Bočna spojnica / Straight connector



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
S LNK 110 PL	100	110	1.5	PL 20030124
S LNK 110 TC	100	110	1.5	TC 20020161


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

H110



Bočna spojnica VLNK / VLNK Straight connector




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
S VLNK 110 PL	100	110	2	PL 20030125
S VLNK 110 TC	100	110	2	TC 20020162

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider




Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 110 PL	110	3000	50	PL 10030255
P PNK 110 TC	110	3000	50	TC 10020281

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 110 PL	110	50	PL 10030257
LS PNK 110 TC	110	50	TC 10020283

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 110 PL	110	50	PL 10030258
ZS PNK 110 TC	110	50	TC 10020284

PL Pocinkovani lim / Galvanized sheet



TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Ugaona spojnica / Corner connector
H110


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
US PNK 11 10 PL	100	110	1.5	10030280
US PNK 11 20 PL	200	110	1.5	10030282
US PNK 11 30 PL	300	110	1.5	10030283
US PNK 11 40 PL	400	110	1.5	10030284
US PNK 11 50 PL	500	110	1.5	10030285
US PNK 11 60 PL	600	110	1.5	10030286
TC				
US PNK 11 10 TC	100	110	1.5	10020306
US PNK 11 20 TC	200	110	1.5	10020308
US PNK 11 30 TC	300	110	1.5	10020309
US PNK 11 40 TC	400	110	1.5	10020310
US PNK 11 50 TC	500	110	1.5	10020311
US PNK 11 60 TC	600	110	1.5	10020312


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

LNK
Krivina 90° / Bend 90°


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
L LNK 11 10 PL	100	110	1.5	20030126
L LNK 11 20 PL	200	110	1.5	20030127
L LNK 11 30 PL	300	110	1.5	20030128
L LNK 11 40 PL	400	110	1.5	20030129
L LNK 11 50 PL	500	110	1.5	20030130
L LNK 11 60 PL	600	110	1.5	20030131
TC				
L LNK 11 10 TC	100	110	1.5	20020163
L LNK 11 20 TC	200	110	1.5	20020164
L LNK 11 30 TC	300	110	1.5	20020165
L LNK 11 40 TC	400	110	1.5	20020166
L LNK 11 50 TC	500	110	1.5	20020167
L LNK 11 60 TC	600	110	1.5	20020168

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 90° VLNK / VLNK Bend 90°


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
L VLNK 11 10 PL	100	110	2	20030132
L VLNK 11 20 PL	200	110	2	20030133
L VLNK 11 30 PL	300	110	2	20030134
L VLNK 11 40 PL	400	110	2	20030135
L VLNK 11 50 PL	500	110	2	20030136
L VLNK 11 60 PL	600	110	2	20030137
TC				
L VLNK 11 10 TC	100	110	2	20020169
L VLNK 11 20 TC	200	110	2	20020170
L VLNK 11 30 TC	300	110	2	20020171
L VLNK 11 40 TC	400	110	2	20020172
L VLNK 11 50 TC	500	110	2	20020173
L VLNK 11 60 TC	600	110	2	20020174


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




T račva / T Module

H110




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
T LNK 11 10 PL	100	110	1.5	PL 20030138
T LNK 11 20 PL	200	110	1.5	20030139
T LNK 11 30 PL	300	110	1.5	20030140
T LNK 11 40 PL	400	110	1.5	20030141
T LNK 11 50 PL	500	110	1.5	20030142
T LNK 11 60 PL	600	110	1.5	20030143
				TC
T LNK 11 10 TC	100	110	1.5	20020175
T LNK 11 20 TC	200	110	1.5	20020176
T LNK 11 30 TC	300	110	1.5	20020177
T LNK 11 40 TC	400	110	1.5	20020178
T LNK 11 50 TC	500	110	1.5	20020179
T LNK 11 60 TC	600	110	1.5	20020180



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

T račva VLNK / VLNK T Module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
T VLNK 11 10 PL	100	110	2	PL 20030144
T VLNK 11 20 PL	200	110	2	20030145
T VLNK 11 30 PL	300	110	2	20030146
T VLNK 11 40 PL	400	110	2	20030147
T VLNK 11 50 PL	500	110	2	20030148
T VLNK 11 60 PL	600	110	2	20030149
				TC
T VLNK 11 10 TC	100	110	2	20020181
T VLNK 11 20 TC	200	110	2	20020182
T VLNK 11 30 TC	300	110	2	20020183
T VLNK 11 40 TC	400	110	2	20020184
T VLNK 11 50 TC	500	110	2	20020185
T VLNK 11 60 TC	600	110	2	20020186



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Račva plus / + Connection module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
X LNK 11 10 PL	100	110	1.5	PL 20030150
X LNK 11 20 PL	200	110	1.5	20030151
X LNK 11 30 PL	300	110	1.5	20030152
X LNK 11 40 PL	400	110	1.5	20030153
X LNK 11 50 PL	500	110	1.5	20030154
X LNK 11 60 PL	600	110	1.5	20030155
				TC
X LNK 11 10 TC	100	110	1.5	20020187
X LNK 11 20 TC	200	110	1.5	20020188
X LNK 11 30 TC	300	110	1.5	20020189
X LNK 11 40 TC	400	110	1.5	20020190
X LNK 11 50 TC	500	110	1.5	20020191
X LNK 11 60 TC	600	110	1.5	20020192



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Račva plus VLNK / VLNK + Connection module
H110


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
X VLNK 11 10 PL	100	110	2	PL 20030156
X VLNK 11 20 PL	200	110	2	20030157
X VLNK 11 30 PL	300	110	2	20030158
X VLNK 11 40 PL	400	110	2	20030159
X VLNK 11 50 PL	500	110	2	20030160
X VLNK 11 60 PL	600	110	2	20030161

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
X VLNK 11 10 TC	100	110	2	TC 20020193
X VLNK 11 20 TC	200	110	2	20020194
X VLNK 11 30 TC	300	110	2	20020195
X VLNK 11 40 TC	400	110	2	20020196
X VLNK 11 50 TC	500	110	2	20020197
X VLNK 11 60 TC	600	110	2	20020198

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



VLNK
Elementi zglobno vertiklane krivine / Adjustable vertical bend element


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
EZK LNK 11 10 PL	100	110	1.5	PL 20030162
EZK LNK 11 20 PL	200	110	1.5	20030163
EZK LNK 11 30 PL	300	110	1.5	20030164
EZK LNK 11 40 PL	400	110	1.5	20030165
EZK LNK 11 50 PL	500	110	1.5	20030166
EZK LNK 11 60 PL	600	110	1.5	20030167

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
EZK LNK 11 10 TC	100	110	1.5	TC 20020199
EZK LNK 11 20 TC	200	110	1.5	20020200
EZK LNK 11 30 TC	300	110	1.5	20020201
EZK LNK 11 40 TC	400	110	1.5	20020202
EZK LNK 11 50 TC	500	110	1.5	20020203
EZK LNK 11 60 TC	600	110	1.5	20020204

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Elementi zglobno vertiklane krivine VLNK / VLNK Adjustable vertical bend element


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
EZK VLNK 11 10 PL	100	110	2	PL 20030168
EZK VLNK 11 20 PL	200	110	2	20030169
EZK VLNK 11 30 PL	300	110	2	20030170
EZK VLNK 11 40 PL	400	110	2	20030171
EZK VLNK 11 50 PL	500	110	2	20030172
EZK VLNK 11 60 PL	600	110	2	20030173

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
EZK VLNK 11 10 TC	100	110	2	TC 20020205
EZK VLNK 11 20 TC	200	110	2	20020206
EZK VLNK 11 30 TC	300	110	2	20020207
EZK VLNK 11 40 TC	400	110	2	20020208
EZK VLNK 11 50 TC	500	110	2	20020209
EZK VLNK 11 60 TC	600	110	2	20020210

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






CE

Zglobno vertiklana krivina / Adjustable vertical bend

H110




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
				PL
ZK LNK 11 10 PL	100	110	1.5	20030174
ZK LNK 11 20 PL	200	110	1.5	20030175
ZK LNK 11 30 PL	300	110	1.5	20030176
ZK LNK 11 40 PL	400	110	1.5	20030177
ZK LNK 11 50 PL	500	110	1.5	20030178
ZK LNK 11 60 PL	600	110	1.5	20030179
				TC
ZK LNK 11 10 TC	100	110	1.5	20020211
ZK LNK 11 20 TC	200	110	1.5	20020212
ZK LNK 11 30 TC	300	110	1.5	20020213
ZK LNK 11 40 TC	400	110	1.5	20020214
ZK LNK 11 50 TC	500	110	1.5	20020215
ZK LNK 11 60 TC	600	110	1.5	20020216



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Zglobno vertiklana krivina VLNK / VLNK Adjustable vertical bend



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
				PL
ZK VLNK 11 10 PL	100	110	2	20030180
ZK VLNK 11 20 PL	200	110	2	20030181
ZK VLNK 11 30 PL	300	110	2	20030182
ZK VLNK 11 40 PL	400	110	2	20030183
ZK VLNK 11 50 PL	500	110	2	20030184
ZK VLNK 11 60 PL	600	110	2	20030185
				TC
ZK VLNK 11 10 TC	100	110	2	20020217
ZK VLNK 11 20 TC	200	110	2	20020218
ZK VLNK 11 30 TC	300	110	2	20020219
ZK VLNK 11 40 TC	400	110	2	20020220
ZK VLNK 11 50 TC	500	110	2	20020221
ZK VLNK 11 60 TC	600	110	2	20020222



PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized



CE

Lučna obujmica LNK E90 / LNK E90 cable clamp


H110



Tip Typ	Širina b Width b mm	Visina H Height H mm	Debljina Thickness mm	Dužina navoja L Thread lenght mm		
					PL	V2A
LNK obujmica 16 PL	16	45	1.5	50	20330188	
LNK obujmica 22 PL	22	45	1.5	50	20330192	
LNK obujmica 28 PL	28	50	1.5	50	20330189	
LNK obujmica 34 PL	34	50	1.5	50	20330186	
LNK obujmica 40 PL	40	50	1.5	50	20030186	
LNK obujmica 46 PL	46	76	1.5	50	20330187	
LNK obujmica 56 PL	56	86	1.5	50	20030187	
LNK obujmica 70 PL	70	96	1.5	80	20330190	
LNK obujmica 16 V2A	16	45	1.5	50	20360188	
LNK obujmica 22 V2A	22	45	1.5	50	20360192	
LNK obujmica 28 V2A	28	50	1.5	50	20360189	
LNK obujmica 34 V2A	34	50	1.5	50	20360186	
LNK obujmica 40 V2A	40	50	1.5	50	20060186	
LNK obujmica 46 V2A	46	76	1.5	50	20360187	
LNK obujmica 56 V2A	56	86	1.5	50	20060187	
LNK obujmica 70 V2A	70	96	1.5	80	20360190	
LNK obujmica 16 V4A	16	45	1.5	50	20390188	
LNK obujmica 22 V4A	22	45	1.5	50	20390192	
LNK obujmica 28 V4A	28	50	1.5	50	20390189	
LNK obujmica 34 V4A	34	50	1.5	50	20390186	
LNK obujmica 40 V4A	40	50	1.5	50	20090186	
LNK obujmica 46 V4A	46	76	1.5	50	20390187	
LNK obujmica 56 V4A	56	86	1.5	50	20090187	
LNK obujmica 70 V4A	70	96	1.5	80	20390190	


V2A INOX 1.4301

V4A INOX 1.4571


PL Pocinkovani lim / Galvanized sheet


H110


H160



NKRV



4





NKVR

NOSAČI KABLOVA ZA VELIKI RASPON

LONG DISTANCE CABLE TRAY






Nosač kablova PNK VR / PNK VR cable trays long distance
PNK H110/160


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Dovoljeno operećenje				Šifra artikla Article
					4 m	5 m	6 m	8 m	
PNKVR 11 20 600 PL	200	110	2	6000	161	113	79	21	520010008
PNKVR 11 30 600 PL	300	110	2	6000	159	109	76	20	520010009
PNKVR 11 40 600 PL	400	110	2	6000	203	145	100	40	520010010
PNKVR 11 50 600 PL	500	110	2	6000	206	147	102	41	520010011
PNKVR 11 60 600 PL	600	110	2	6000	205	146	101	40	520010012
PNKVR 16 20 600 PL	200	160	2	6000	169	118	83	22	520010013
PNKVR 16 30 600 PL	300	160	2	6000	166	114	80	21	520010014
PNKVR 16 40 600 PL	400	160	2	6000	213	152	105	42	520010015
PNKVR 16 50 600 PL	500	160	2	6000	216	154	107	43	520010016
PNKVR 16 60 600 PL	600	160	2	6000	215	153	106	42	520010017
TC									
PNKVR 11 20 600 TC	200	110	2	6000	161	113	79	21	520020008
PNKVR 11 30 600 TC	300	110	2	6000	159	109	76	20	520020009
PNKVR 11 40 600 TC	400	110	2	6000	203	145	100	40	520020010
PNKVR 11 50 600 TC	500	110	2	6000	206	147	102	41	520020011
PNKVR 11 60 600 TC	600	110	2	6000	205	146	101	40	520020012
PNKVR 16 20 600 TC	200	160	2	6000	169	118	83	22	520020013
PNKVR 16 30 600 TC	300	160	2	6000	166	114	80	21	520020014
PNKVR 16 40 600 TC	400	160	2	6000	213	152	105	42	520020015
PNKVR 16 50 600 TC	500	160	2	6000	216	154	107	43	520020016
PNKVR 16 60 600 TC	600	160	2	6000	215	153	106	42	520020017

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

NKVR
Pregrada / Divider


Tip Typ	Visina Height	Dužina Length							Šifra artikla Article
									PL
P PNKVR 110 PL	110	6000							520010003
P PNKVR 160 PL	160	6000							520010004
P PNKVR 110 TC	110	6000							520020003
P PNKVR 160 TC	160	6000							520020004

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

STRONG
Bočna spojnica / Straight connector


Tip Typ	Visina Height								Šifra artikla Article
									PL
S PNKVR 110 PL	110								520010000
S PNKVR 160 PL	160								520010001
S PNKVR 110 TC	110								520020000
S PNKVR 160 TC	160								520020002


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



CE

Lomljiva spojnica / Angle connector



Tip Typ	Visina Height	Šifra artikla Article
LS PNKVR 110 PL LS PNKVR 160 PL	mm 110 160	PL 520010005 520010006
LS PNKVR 110 TC LS PNKVR 160 TC	mm 110 160	TC 520020005 520020006


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

PNK H110/160



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Šifra artikla Article
ZS PNKVR 110 PL ZS PNKVR 160 PL	mm 110 160	PL 520010018 520010019
ZS PNKVR 110 TC ZS PNKVR 160 TC	mm 110 160	TC 520020018 520020019

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Krivina 90° / Bend 90°



Tip Typ	Sirina Width	Visina Height	Dебљина Thickness	Šifra artikla Article
L PNKVR 11 20 PL L PNKVR 11 30 PL L PNKVR 11 40 PL L PNKVR 11 50 PL L PNKVR 11 60 PL	mm 200 300 400 500 600	mm 110 110 110 110 110	mm 2 2 2 2 2	PL 520010020 520010021 520010022 520010023 520010024
L PNKVR 16 20 PL L PNKVR 16 30 PL L PNKVR 16 40 PL L PNKVR 16 50 PL L PNKVR 16 60 PL	mm 200 300 400 500 600	mm 160 160 160 160 160	mm 2 2 2 2 2	PL 520010025 520010026 520010027 520010028 520010029
L PNKVR 11 20 TC L PNKVR 11 30 TC L PNKVR 11 40 TC L PNKVR 11 50 TC L PNKVR 11 60 TC	mm 200 300 400 500 600	mm 110 110 110 110 110	mm 2 2 2 2 2	TC 520020020 520020021 520020022 520020023 520020024
L PNKVR 16 20 TC L PNKVR 16 30 TC L PNKVR 16 40 TC L PNKVR 16 50 TC L PNKVR 16 60 TC	mm 200 300 400 500 600	mm 160 160 160 160 160	mm 2 2 2 2 2	TC 520020025 520020026 520020027 520020028 520020029

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Krivina 45° / Bend 45°

PNK H110/160

Tip Typ	Širina Width	Visina Height	Debljina Thickness	
	mm	mm	mm	
K45 PNKVR 11 20 PL	200	110	2	
K45 PNKVR 11 30 PL	300	110	2	
K45 PNKVR 11 40 PL	400	110	2	
K45 PNKVR 11 50 PL	500	110	2	
K45 PNKVR 11 60 PL	600	110	2	
K45 PNKVR 16 20 PL	200	160	2	
K45 PNKVR 16 30 PL	300	160	2	
K45 PNKVR 16 40 PL	400	160	2	
K45 PNKVR 16 50 PL	500	160	2	
K45 PNKVR 16 60 PL	600	160	2	
K45 PNKVR 11 20 TC	200	110	2	
K45 PNKVR 11 30 TC	300	110	2	
K45 PNKVR 11 40 TC	400	110	2	
K45 PNKVR 11 50 TC	500	110	2	
K45 PNKVR 11 60 TC	600	110	2	
K45 PNKVR 16 20 TC	200	160	2	
K45 PNKVR 16 30 TC	300	160	2	
K45 PNKVR 16 40 TC	400	160	2	
K45 PNKVR 16 50 TC	500	160	2	
K45 PNKVR 16 60 TC	600	160	2	


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

NKVR
T račva / T Module


Tip Typ	Širina Width	Visina Height	Debljina Thickness	
	mm	mm	mm	
T PNKVR 11 20 PL	200	110	2	
T PNKVR 11 30 PL	300	110	2	
T PNKVR 11 40 PL	400	110	2	
T PNKVR 11 50 PL	500	110	2	
T PNKVR 11 60 PL	600	110	2	
T PNKVR 16 20 PL	200	160	2	
T PNKVR 16 30 PL	300	160	2	
T PNKVR 16 40 PL	400	160	2	
T PNKVR 16 50 PL	500	160	2	
T PNKVR 16 60 PL	600	160	2	
T PNKVR 11 20 TC	200	110	2	
T PNKVR 11 30 TC	300	110	2	
T PNKVR 11 40 TC	400	110	2	
T PNKVR 11 50 TC	500	110	2	
T PNKVR 11 60 TC	600	110	2	
T PNKVR 16 20 TC	200	160	2	
T PNKVR 16 30 TC	300	160	2	
T PNKVR 16 40 TC	400	160	2	
T PNKVR 16 50 TC	500	160	2	
T PNKVR 16 60 TC	600	160	2	


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Račva plus / + Connection module


PNK H110/160




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
X PNKVR 11 20 PL	200	110	2	520010050
X PNKVR 11 30 PL	300	110	2	520010051
X PNKVR 11 40 PL	400	110	2	520010052
X PNKVR 11 50 PL	500	110	2	520010053
X PNKVR 11 60 PL	600	110	2	520010054
X PNKVR 16 20 PL	200	160	2	520010055
X PNKVR 16 30 PL	300	160	2	520010056
X PNKVR 16 40 PL	400	160	2	520010057
X PNKVR 16 50 PL	500	160	2	520010058
X PNKVR 16 60 PL	600	160	2	520010059
X PNKVR 11 20 TC	200	110	2	520020050
X PNKVR 11 30 TC	300	110	2	520020051
X PNKVR 11 40 TC	400	110	2	520020052
X PNKVR 11 50 TC	500	110	2	520020053
X PNKVR 11 60 TC	600	110	2	520020054
X PNKVR 16 20 TC	200	160	2	520020055
X PNKVR 16 30 TC	300	160	2	520020056
X PNKVR 16 40 TC	400	160	2	520020057
X PNKVR 16 50 TC	500	160	2	520020058
X PNKVR 16 60 TC	600	160	2	520020059

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Reducir / Straight Reducer



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
RS PNKVR 11 30/20 PL	300/200	110	2	520010060
RS PNKVR 11 40/30 PL	400/300	110	2	520010061
RS PNKVR 11 50/40 PL	500/400	110	2	520010062
RS PNKVR 11 60/50 PL	600/500	110	2	520010063
RS PNKVR 16 30/20 PL	300/200	160	2	520010064
RS PNKVR 16 40/30 PL	400/300	160	2	520010065
RS PNKVR 16 50/40 PL	500/400	160	2	520010066
RS PNKVR 16 60/50 PL	600/500	160	2	520010067
RS PNKVR 11 30/20 TC	300/200	110	2	520020060
RS PNKVR 11 40/30 TC	400/300	110	2	520020061
RS PNKVR 11 50/40 TC	500/400	110	2	520020062
RS PNKVR 11 60/50 TC	600/500	110	2	520020063
RS PNKVR 16 30/20 TC	300/200	160	2	520020064
RS PNKVR 16 40/30 TC	400/300	160	2	520020065
RS PNKVR 16 50/40 TC	500/400	160	2	520020066
RS PNKVR 16 60/50 TC	600/500	160	2	520020067



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Reducir u desno / Right Reducer


PNK H110/160



Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
RR PNKVR 11 30/20 PL	300/200	110	2	PL 520010068
RR PNKVR 11 40/30 PL	400/300	110	2	520010069
RR PNKVR 11 50/40 PL	500/400	110	2	520010070
RR PNKVR 11 60/50 PL	600/500	110	2	520010071
RR PNKVR 16 30/20 PL	300/200	160	2	520010072
RR PNKVR 16 40/30 PL	400/300	160	2	520010073
RR PNKVR 16 50/40 PL	500/400	160	2	520010074
RR PNKVR 16 60/50 PL	600/500	160	2	520010075
RR PNKVR 11 30/20 TC	300/200	110	2	TC 520020068
RR PNKVR 11 40/30 TC	400/300	110	2	520020069
RR PNKVR 11 50/40 TC	500/400	110	2	520020070
RR PNKVR 11 60/50 TC	600/500	110	2	520020071
RR PNKVR 16 30/20 TC	300/200	160	2	520020072
RR PNKVR 16 40/30 TC	400/300	160	2	520020073
RR PNKVR 16 50/40 TC	500/400	160	2	520020074
RR PNKVR 16 60/50 TC	600/500	160	2	520020075

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


NKVR

Reducir u levo / Left Reducer



Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
RL PNKVR 11 30/20 PL	300/200	110	2	PL 520010076
RL PNKVR 11 40/30 PL	400/300	110	2	520010077
RL PNKVR 11 50/40 PL	500/400	110	2	520010078
RL PNKVR 11 60/50 PL	600/500	110	2	520010079
RL PNKVR 16 30/20 PL	300/200	160	2	520010080
RL PNKVR 16 40/30 PL	400/300	160	2	520010081
RL PNKVR 16 50/40 PL	500/400	160	2	520010082
RL PNKVR 16 60/50 PL	600/500	160	2	520010083
RL PNKVR 11 30/20 TC	300/200	110	2	TC 520020076
RL PNKVR 11 40/30 TC	400/300	110	2	520020077
RL PNKVR 11 50/40 TC	500/400	110	2	520020078
RL PNKVR 11 60/50 TC	600/500	110	2	520020079
RL PNKVR 16 30/20 TC	300/200	160	2	520020080
RL PNKVR 16 40/30 TC	400/300	160	2	520020081
RL PNKVR 16 50/40 TC	500/400	160	2	520020082
RL PNKVR 16 60/50 TC	600/500	160	2	520020083


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Elementi zglobno vertiklana krivine / Adjustable vertical bend element

PNK H110/160


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
EZK PNKVR 11 20 PL	200	110	2	520010084
EZK PNKVR 11 30 PL	300	110	2	520010085
EZK PNKVR 11 40 PL	400	110	2	520010086
EZK PNKVR 11 50 PL	500	110	2	520010087
EZK PNKVR 11 60 PL	600	110	2	520010088
EZK PNKVR 16 20 PL	200	160	2	520010089
EZK PNKVR 16 30 PL	300	160	2	520010090
EZK PNKVR 16 40 PL	400	160	2	520010091
EZK PNKVR 16 50 PL	500	160	2	520010092
EZK PNKVR 16 60 PL	600	160	2	820010093
EZK PNKVR 11 20 TC	200	110	2	520020084
EZK PNKVR 11 30 TC	300	110	2	520020085
EZK PNKVR 11 40 TC	400	110	2	520020086
EZK PNKVR 11 50 TC	500	110	2	520020087
EZK PNKVR 11 60 TC	600	110	2	520020088
EZK PNKVR 16 20 TC	200	160	2	520020089
EZK PNKVR 16 30 TC	300	160	2	520020090
EZK PNKVR 16 40 TC	400	160	2	520020091
EZK PNKVR 16 50 TC	500	160	2	520020092
EZK PNKVR 16 60 TC	600	160	2	520020093

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

**PNK H110/160**

Zglobno vertiklana krivina / Adjustable vertical bend




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNKVR 11 20 PL	200	110	2	520010094
ZK PNKVR 11 30 PL	300	110	2	520010095
ZK PNKVR 11 40 PL	400	110	2	520010096
ZK PNKVR 11 50 PL	500	110	2	520010097
ZK PNKVR 11 60 PL	600	110	2	520010098
ZK PNKVR 16 20 PL	200	160	2	520010099
ZK PNKVR 16 30 PL	300	160	2	520010100
ZK PNKVR 16 40 PL	400	160	2	520010101
ZK PNKVR 16 50 PL	500	160	2	520010102
ZK PNKVR 16 60 PL	600	160	2	520010103
ZK PNKVR 11 20 TC	200	110	2	520020094
ZK PNKVR 11 30 TC	300	110	2	520020095
ZK PNKVR 11 40 TC	400	110	2	520020096
ZK PNKVR 11 50 TC	500	110	2	520020097
ZK PNKVR 11 60 TC	600	110	2	520020098
ZK PNKVR 16 20 TC	200	160	2	520020099
ZK PNKVR 16 30 TC	300	160	2	520020100
ZK PNKVR 16 40 TC	400	160	2	520020101
ZK PNKVR 16 50 TC	500	160	2	520020102
ZK PNKVR 16 60 TC	600	160	2	520020103

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Nosač kablova LNK VR / LNK VR cable trays long distance
LNK H110/160




Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Dovoljeno oprećenje kg/m				Šifra artikla Article PL
					4 m	5 m	6 m	8 m	
LNKVR 11 20 600 PL	200	110	2	6000	161	113	79	21	550010008
LNKVR 11 30 600 PL	300	110	2	6000	159	109	76	20	550010009
LNKVR 11 40 600 PL	400	110	2	6000	203	145	100	40	550010010
LNKVR 11 50 600 PL	500	110	2	6000	206	147	102	41	550010011
LNKVR 11 60 600 PL	600	110	2	6000	205	146	101	40	550010012
LNKVR 16 20 600 PL	200	160	2	6000	169	118	83	22	550010013
LNKVR 16 30 600 PL	300	160	2	6000	166	114	80	21	550010014
LNKVR 16 40 600 PL	400	160	2	6000	213	152	105	42	550010015
LNKVR 16 50 600 PL	500	160	2	6000	216	154	107	43	550010016
LNKVR 16 60 600 PL	600	160	2	6000	215	153	106	42	550010017
LNKVR 11 20 600 TC	200	110	2	6000	161	113	79	21	550020008
LNKVR 11 30 600 TC	300	110	2	6000	159	109	76	20	550020009
LNKVR 11 40 600 TC	400	110	2	6000	203	145	100	40	550020010
LNKVR 11 50 600 TC	500	110	2	6000	206	147	102	41	550020011
LNKVR 11 60 600 TC	600	110	2	6000	205	146	101	40	550020012
LNKVR 16 20 600 TC	200	160	2	6000	169	118	83	22	550020013
LNKVR 16 30 600 TC	300	160	2	6000	166	114	80	21	550020014
LNKVR 16 40 600 TC	400	160	2	6000	213	152	105	42	550020015
LNKVR 16 50 600 TC	500	160	2	6000	216	154	107	43	550020016
LNKVR 16 60 600 TC	600	160	2	6000	215	153	106	42	550020017

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

NKVR
Pregrada / Divider


Tip Typ	Visina Height mm	Dužina Length mm	Šifra artikla Article PL
P LNKVR 110 PL	110	6000	550010000
P LNKVR 160 PL	160	6000	550010001
P LNKVR 110 TC	110	6000	550020000
P LNKVR 160 TC	160	6000	550020001

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Bočna spojnica / Straight connector



Tip Typ	Visina Height mm	Šifra artikla Article PL
S LNKVR 110 PL	110	550010002
S LNKVR 160 PL	160	550010003
S LNKVR 110 TC	110	550020002
S LNKVR 160 TC	160	550020003

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Lomljiva spojnica / Angle connector



Tip Typ	Visina Height mm	Šifra artikla Article
LS LNKVR 110 PL LS LNKVR 160 PL	110 160	PL 550010004 550010005
LS LNKVR 110 TC LS LNKVR 160 TC	110 160	TC 550020004 550020005


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

LNK H110/160



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height mm	Šifra artikla Article
ZS LNKVR 110 PL ZS LNKVR 160 PL	110 160	PL 550010006 550010007
ZS LNKVR 110 TC ZS LNKVR 160 TC	110 160	TC 550020006 550020007

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Krivina 90° / Bend 90°



Tip Typ	Širina Width mm	Visina Height mm	Dебљина Thickness mm	Šifra artikla Article
L LNKVR 11 20 PL L LNKVR 11 30 PL L LNKVR 11 40 PL L LNKVR 11 50 PL L LNKVR 11 60 PL	200 300 400 500 600	110 110 110 110 110	2 2 2 2 2	PL 550010018 550010019 550010020 550010021 550010022
L LNKVR 16 20 PL L LNKVR 16 30 PL L LNKVR 16 40 PL L LNKVR 16 50 PL L LNKVR 16 60 PL	200 300 400 500 600	160 160 160 160 160	2 2 2 2 2	PL 550010023 550010024 550010025 550010026 550010027
L LNKVR 11 20 TC L LNKVR 11 30 TC L LNKVR 11 40 TC L LNKVR 11 50 TC L LNKVR 11 60 TC	200 300 400 500 600	110 110 110 110 110	2 2 2 2 2	TC 550020018 550020019 550020020 550020021 550020022
L LNKVR 16 20 TC L LNKVR 16 30 TC L LNKVR 16 40 TC L LNKVR 16 50 TC L LNKVR 16 60 TC	200 300 400 500 600	160 160 160 160 160	2 2 2 2 2	TC 550020023 550020024 550020025 550020026 550020027


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized







CE

Krivina 45° / Bend 45°
LNK H110/160


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
K45 LNKVR 11 20 PL	200	110	2	550010028
K45 LNKVR 11 30 PL	300	110	2	550010029
K45 LNKVR 11 40 PL	400	110	2	550010030
K45 LNKVR 11 50 PL	500	110	2	550010031
K45 LNKVR 11 60 PL	600	110	2	550010032
K45 LNKVR 16 20 PL	200	160	2	550010033
K45 LNKVR 16 30 PL	300	160	2	550010034
K45 LNKVR 16 40 PL	400	160	2	550010035
K45 LNKVR 16 50 PL	500	160	2	550010036
K45 LNKVR 16 60 PL	600	160	2	550010037
				TC
K45 LNKVR 11 20 TC	200	110	2	550020028
K45 LNKVR 11 30 TC	300	110	2	550020029
K45 LNKVR 11 40 TC	400	110	2	550020030
K45 LNKVR 11 50 TC	500	110	2	550020031
K45 LNKVR 11 60 TC	600	110	2	550020032
K45 LNKVR 16 20 TC	200	160	2	550020033
K45 LNKVR 16 30 TC	300	160	2	550020034
K45 LNKVR 16 40 TC	400	160	2	550020035
K45 LNKVR 16 50 TC	500	160	2	550020036
K45 LNKVR 16 60 TC	600	160	2	550020037

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


NKVR
T račva / T Module


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T LNKVR 11 20 PL	200	110	2	550010038
T LNKVR 11 30 PL	300	110	2	550010039
T LNKVR 11 40 PL	400	110	2	550010040
T LNKVR 11 50 PL	500	110	2	550010041
T LNKVR 11 60 PL	600	110	2	550010042
T LNKVR 16 20 PL	200	160	2	550010043
T LNKVR 16 30 PL	300	160	2	550010044
T LNKVR 16 40 PL	400	160	2	550010045
T LNKVR 16 50 PL	500	160	2	550010046
T LNKVR 16 60 PL	600	160	2	550010047
				TC
T LNKVR 11 20 TC	200	110	2	550020038
T LNKVR 11 30 TC	300	110	2	550020039
T LNKVR 11 40 TC	400	110	2	550020040
T LNKVR 11 50 TC	500	110	2	550020041
T LNKVR 11 60 TC	600	110	2	550020042
T LNKVR 16 20 TC	200	160	2	550020043
T LNKVR 16 30 TC	300	160	2	550020044
T LNKVR 16 40 TC	400	160	2	550020045
T LNKVR 16 50 TC	500	160	2	550020046
T LNKVR 16 60 TC	600	160	2	550020047

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






CE

Račva plus / + Connection module


LNK H110/160




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
X LNKVR 11 20 PL	200	110	2	550010048
X LNKVR 11 30 PL	300	110	2	550010049
X LNKVR 11 40 PL	400	110	2	550010050
X LNKVR 11 50 PL	500	110	2	550010051
X LNKVR 11 60 PL	600	110	2	550010052
X LNKVR 16 20 PL	200	160	2	550010053
X LNKVR 16 30 PL	300	160	2	550010054
X LNKVR 16 40 PL	400	160	2	550010055
X LNKVR 16 50 PL	500	160	2	550010056
X LNKVR 16 60 PL	600	160	2	550010057
				TC
X LNKVR 11 20 TC	200	110	2	550020048
X LNKVR 11 30 TC	300	110	2	550020049
X LNKVR 11 40 TC	400	110	2	550020050
X LNKVR 11 50 TC	500	110	2	550020051
X LNKVR 11 60 TC	600	110	2	550020052
X LNKVR 16 20 TC	200	160	2	550020053
X LNKVR 16 30 TC	300	160	2	550020054
X LNKVR 16 40 TC	400	160	2	550020055
X LNKVR 16 50 TC	500	160	2	550020056
X LNKVR 16 60 TC	600	160	2	550020057

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Reducir / Straight Reducer



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
RS LNKVR 11 30/20 PL	300/200	110	2	550010058
RS LNKVR 11 40/30 PL	400/300	110	2	550010059
RS LNKVR 11 50/40 PL	500/400	110	2	550010060
RS LNKVR 11 60/50 PL	600/500	110	2	550010061
RS LNKVR 16 30/20 PL	300/200	160	2	550010062
RS LNKVR 16 40/30 PL	400/300	160	2	550010063
RS LNKVR 16 50/40 PL	500/400	160	2	550010064
RS LNKVR 16 60/50 PL	600/500	160	2	550010065
				TC
RS LNKVR 11 30/20 TC	300/200	110	2	550020058
RS LNKVR 11 40/30 TC	400/300	110	2	550020059
RS LNKVR 11 50/40 TC	500/400	110	2	550020060
RS LNKVR 11 60/50 TC	600/500	110	2	550020061
RS LNKVR 16 30/20 TC	300/200	160	2	550020062
RS LNKVR 16 40/30 TC	400/300	160	2	550020063
RS LNKVR 16 50/40 TC	500/400	160	2	550020064
RS LNKVR 16 60/50 TC	600/500	160	2	550020065



PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Reducir u desno / Right Reducer

LNK H110/160



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
RR LNKVR 11 30/20 PL	300/200	110	2	550010066
RR LNKVR 11 40/30 PL	400/300	110	2	550010067
RR LNKVR 11 50/40 PL	500/400	110	2	550010068
RR LNKVR 11 60/50 PL	600/500	110	2	550010069
RR LNKVR 16 30/20 PL	300/200	160	2	550010070
RR LNKVR 16 40/30 PL	400/300	160	2	550010071
RR LNKVR 16 50/40 PL	500/400	160	2	550010072
RR LNKVR 16 60/50 PL	600/500	160	2	550010073
				TC
RR LNKVR 11 30/20 TC	300/200	110	2	550020066
RR LNKVR 11 40/30 TC	400/300	110	2	550020067
RR LNKVR 11 50/40 TC	500/400	110	2	550020068
RR LNKVR 11 60/50 TC	600/500	110	2	550020069
RR LNKVR 16 30/20 TC	300/200	160	2	550020070
RR LNKVR 16 40/30 TC	400/300	160	2	550020071
RR LNKVR 16 50/40 TC	500/400	160	2	550020072
RR LNKVR 16 60/50 TC	600/500	160	2	550020073

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

NKVR

Reducir u levo / Left Reducer



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
RL LNKVR 11 30/20 PL	300/200	110	2	550010074
RL LNKVR 11 40/30 PL	400/300	110	2	550010075
RL LNKVR 11 50/40 PL	500/400	110	2	550010076
RL LNKVR 11 60/50 PL	600/500	110	2	550010077
RL LNKVR 16 30/20 PL	300/200	160	2	550010078
RL LNKVR 16 40/30 PL	400/300	160	2	550010079
RL LNKVR 16 50/40 PL	500/400	160	2	550010080
RL LNKVR 16 60/50 PL	600/500	160	2	550010081
				TC
RL LNKVR 11 30/20 TC	300/200	110	2	550020074
RL LNKVR 11 40/30 TC	400/300	110	2	550020075
RL LNKVR 11 50/40 TC	500/400	110	2	550020076
RL LNKVR 11 60/50 TC	600/500	110	2	550020077
RL LNKVR 16 30/20 TC	300/200	160	2	550020078
RL LNKVR 16 40/30 TC	400/300	160	2	550020079
RL LNKVR 16 50/40 TC	500/400	160	2	550020080
RL LNKVR 16 60/50 TC	600/500	160	2	550020081


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



CE

Elementi zglobno vertiklane krivine / Adjustable vertical bend element

LNK H110/160


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
EZK LNKVR 11 20 PL	200	110	2	550010082
EZK LNKVR 11 30 PL	300	110	2	550010083
EZK LNKVR 11 40 PL	400	110	2	550010084
EZK LNKVR 11 50 PL	500	110	2	550010085
EZK LNKVR 11 60 PL	600	110	2	550010086
EZK LNKVR 16 20 PL	200	160	2	550010087
EZK LNKVR 16 30 PL	300	160	2	550010088
EZK LNKVR 16 40 PL	400	160	2	550010089
EZK LNKVR 16 50 PL	500	160	2	550010090
EZK LNKVR 16 60 PL	600	160	2	550010091
				TC
EZK LNKVR 11 20 TC	200	110	2	550020082
EZK LNKVR 11 30 TC	300	110	2	550020083
EZK LNKVR 11 40 TC	400	110	2	550020084
EZK LNKVR 11 50 TC	500	110	2	550020085
EZK LNKVR 11 60 TC	600	110	2	550020086
EZK LNKVR 16 20 TC	200	160	2	550020087
EZK LNKVR 16 30 TC	300	160	2	550020088
EZK LNKVR 16 40 TC	400	160	2	550020089
EZK LNKVR 16 50 TC	500	160	2	550020090
EZK LNKVR 16 60 TC	600	160	2	550020091

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobno vertiklana krivina / Adjustable vertical bend




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
ZK LNKVR 11 20 PL	200	110	2	550010092
ZK LNKVR 11 30 PL	300	110	2	550010093
ZK LNKVR 11 40 PL	400	110	2	550010094
ZK LNKVR 11 50 PL	500	110	2	550010095
ZK LNKVR 11 60 PL	600	110	2	550010096
ZK LNKVR 16 20 PL	200	160	2	550010097
ZK LNKVR 16 30 PL	300	160	2	550010098
ZK LNKVR 16 40 PL	400	160	2	550010099
ZK LNKVR 16 50 PL	500	160	2	550010100
ZK LNKVR 16 60 PL	600	160	2	550010101
				TC
ZK LNKVR 11 20 TC	200	110	2	550020092
ZK LNKVR 11 30 TC	300	110	2	550020093
ZK LNKVR 11 40 TC	400	110	2	550020094
ZK LNKVR 11 50 TC	500	110	2	550020095
ZK LNKVR 11 60 TC	600	110	2	550020096
ZK LNKVR 16 20 TC	200	160	2	550020097
ZK LNKVR 16 30 TC	300	160	2	550020098
ZK LNKVR 16 40 TC	400	160	2	550020099
ZK LNKVR 16 50 TC	500	160	2	550020100
ZK LNKVR 16 60 TC	600	160	2	550020101

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



**NKVR** **Pekom**


H55


H105



MNK

5





MREŽASTI NOSAČI KABLOVA


MESH CABLE TRAY SYSTEMS



FAST ...




NO TOOLS



1

Za montažu mrežastog regala na plafon pomoću dve navojne šipke, koristi se standardna profilna šina za dve navojne šipke, kao dodatak za pričvršćivanje regala na šinu koriste se žabice PEKOM ŽMNK.


To montage MESH cable tray on the ceiling with two threaded rods, we use standard profile ray for two threaded rods, and PEKOM toggles ŽMNK, as an attachment to fasten cable tray to the ray.



2

Za montažu mrežastog regala na plafon pomoću jedne navojne šipke koristi se standardna profilna šina za jednu navojnu šipku, kao dodatak za pričvršćivanje regala na šinu koriste se žabice PEKOM ŽMNK.


To montage MESH cable tray on the ceiling with one threaded rod, we use standard profile ray for one threaded rod, and PEKOM toggles ŽMNK, as an attachment to fasten cable tray to the ray.



3

Za montažu pregrade na mrežasti regal koristi se standardna pregrada za PNK regale, kao dodatak za pričvršćivanje pregrade na regal koriste se žabice PEKOM ŽMNK.

To montage barrier to the MESH cable tray, we use standard barrier for perforated cable carrier, and PEKOM toggles ŽMNK, as an attachment to fasten barrier to the cable tray.



4

Princip montaže regala pomoću U stuba i konzole. Za montažu regala na konzolu koriste se žabice PEKOM ŽMNK.

The principle of the construction of the cable trays by using U profile pillar and cantilever. To montage MESH cable tray to the cantilever, we use PEKOM toggles ŽMNK.



5

Princip formiranja T raskrsnice pomoću žabica i torban vijaka tipa PEKOM M6 x 12.


The principle of forming T cross by using PEKOM toggles ŽMNK and PEKOM carriage bolts, type M6x12.



6

Spoj mrežastog regala tipa PEKOM.


The binding of the PEKOM mesh cable tray system.



7

Za montažu mrežastog regala na pod pomoću odstojnika, koristi se standardni odstojnik, kao dodatak za pričvršćivanje regala na odstojnik koriste se žabice PEKOM ŽMNK.


To montage MESH cable tray to the floor with the spacer, we use standard spacer, and PEKOM toggles ŽMNK, as an attachment to fasten cable tray to the spacer.



8

Za montažu mrežastog regala na plafon pomoću standardnog G nosača koristi se standardni G nosač, kao dodatak za pričvršćivanje regala na G nosač koriste se žabice PEKOM ŽMNK.


To montage MESH cable tray on the ceiling by standard G carrier, we use standard G carrier, and PEKOM toggles ŽMNK, as an attachment to fasten cable tray to the G carrier.



9

Princip izrade plafonske podkonstrukcije pomoću US 5 i US 7 profila koji se kače na I profil (bez bušenja I profila).

The principle of the construction of the ceiling substructure by using US 5 and US 7 profiles, that are attached to the I profile (without perforating the I profile).



10

Princip montaže regala pomoću U stuba i konzole. Za montažu regala na konzolu koriste se žabice PEKOM ŽMNK.

The principle of the construction of the cable trays by using U profile pillar and cantilever. To montage cable tray to the cantilever, we use PEKOM toggles ŽMNK.



11

Preparacija mrežastog regala za spajanje jednostavnim klik sistemom.

Preparing MESH cable trays for binding by using simple click system.









12


MNK na konzolama.

MNK cable trays against the cantilevers.

Šema sečenja regala / Cutting scheme






Mrežasti nosač kablova MNK L 2000mm H 55mm / Mesh cable trays MNK L 2000mm H 55mm

MNK


Tip Typ	Širina Width	Visina Height	Debljina žice Wire thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	
MNK 50/55/2000 GL	50	55	3.9	2000	25	50010001
MNK 100/55/2000 GL	100	55	3.9	2000	50	50010002
MNK 200/55/2000 GL	200	55	3.9	2000	100	50010003
MNK 300/55/2000 GL	300	55	3.9	2000	150	50010004
MNK 400/55/2000 GL	400	55	3.9	2000	200	50010005
MNK 500/55/2000 GL	500	55	4.9	2000	250	50010006
MNK 600/55/2000 GL	600	55	4.9	2000	300	50010007
GL						
MNK 50/55/2000 TC	50	55	3.9	2000	25	50020001
MNK 100/55/2000 TC	100	55	3.9	2000	50	50020002
MNK 200/55/2000 TC	200	55	3.9	2000	100	50020003
MNK 300/55/2000 TC	300	55	3.9	2000	150	50020004
MNK 400/55/2000 TC	400	55	3.9	2000	200	50020005
MNK 500/55/2000 TC	500	55	4.9	2000	250	50020006
MNK 600/55/2000 TC	600	55	4.9	2000	300	50020007
TC						


GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Mrežasti nosač kablova MNK L 3000mm H 55mm / Mesh cable trays MNK L 3000mm H 55mm

MNK


Tip Typ	Širina Width	Visina Height	Debljina žice Wire thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	
MNK 50/55/3000 GL	50	55	3.9	3000	25	50010008
MNK 100/55/3000 GL	100	55	3.9	3000	50	50010009
MNK 200/55/3000 GL	200	55	3.9	3000	100	50010010
MNK 300/55/3000 GL	300	55	3.9	3000	150	50010011
MNK 400/55/3000 GL	400	55	3.9	3000	200	50010012
MNK 500/55/3000 GL	500	55	4.9	3000	250	50010013
MNK 600/55/3000 GL	600	55	4.9	3000	300	50010014
GL						
MNK 50/55/3000 TC	50	55	3.9	3000	25	50020008
MNK 100/55/3000 TC	100	55	3.9	3000	50	50020009
MNK 200/55/3000 TC	200	55	3.9	3000	100	50020010
MNK 300/55/3000 TC	300	55	3.9	3000	150	50020011
MNK 400/55/3000 TC	400	55	3.9	3000	200	50020012
MNK 500/55/3000 TC	500	55	4.9	3000	250	50020013
MNK 600/55/3000 TC	600	55	4.9	3000	300	50020014
TC						

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





CE

Mrežasti nosač kablova MNK L 3000mm H 105mm / Mesh cable trays L 3000mm H 105mm



MNK




Tip Typ	Širina Width mm	Visina Height mm	Debljina žice Wire thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Šifra artikla Article
MNK 50/105/3000 GL	50	105	3.9	3000	50	GL 50010020
MNK 100/105/3000 GL	100	105	3.9	3000	100	50010021
MNK 200/105/3000 GL	200	105	3.9	3000	200	50010022
MNK 300/105/3000 GL	300	105	3.9	3000	300	50010023
MNK 400/105/3000 GL	400	105	3.9	3000	400	50010024
TC						
MNK 50/105/3000 TC	50	105	3.9	3000	50	50020020
MNK 100/105/3000 TC	100	105	3.9	3000	100	50020021
MNK 200/105/3000 TC	200	105	3.9	3000	200	50020022
MNK 300/105/3000 TC	300	105	3.9	3000	300	50020023
MNK 400/105/3000 TC	400	105	3.9	3000	400	50020024

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Žabica MNK regala / Toogle Mesh cable trays




Tip Typ	Širina Width mm	Visina Height mm	Debljina lima Sheet thickness mm	Šifra artikla Article
ŽMNK 1 PL	20	5	2	PL 50010025
ŽMNK 1 TC	20	5	2	TC 50020025

GL Galvanski pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Dupla žabica MNK regala/ Double toogle mesh cable trays




Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
DŽMNK 1 PL	20	5	2	PL 50012525
DŽMNK 1 TC	20	5	2	TC 50022525

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada H 50mm / Divider H 50mm




Tip Typ	Visina Height mm	Dužina Length mm	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 50 PL	50	3000	10	PL 10030046
P PNK 50 TC	50	3000	10	TC 10020022

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Pregrada H 110mm / Divider H 110mm
MNK



Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 110 PL	110 mm	3000 mm	50	PL 10030255
P PNK 110 TC	110	3000	50	TC 10020281

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Kuka regala za MNK / Mesh cable trays hook



Tip Typ	Visina Height	Šifra artikla Article
K LCT 50	150 mm	60010016
K LCT 100	150	60010066


Konzola za MNK / Cantilever for Mesh cable trays


Tip Typ	Dužina L Length L	Visina Height	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
KZ MNK 50 PL	50	60	1.5	80	10	PL 5003001
KZ MNK 100 PL	100	60	1.5	86	10	5003002
KZ MNK 200 PL	200	60	1.5	91	10	5003003
KZ MNK 300 PL	300	60	1.5	98	10	5003004
					TC	
KZ MNK 50 TC	50	60	1.5	80	10	5002001
KZ MNK 100 TC	100	60	1.5	86	10	5002002
KZ MNK 200 TC	200	60	1.5	91	10	5002003
KZ MNK 300 TC	300	60	1.5	98	10	5002004

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


MNK
Nosač razvodne kutije / Distribution box carrier


Tip Typ	Širina Width	Debljina Thickness	Šifra artikla Article
NRK PL	75 mm	2	PL 30011112
NRK TC	75	2	TC 30021112


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Connecting Mesh Cable Tray




**MNK** **Pekom**

H50


H60



6



E90



E90 - VATROOTPORNÍ NOSAČI KABLOVÁ

E90 - FIREPROOF CABLE TRAY SYSTEMS



STRONG




FAST ...



NO TOOLS



E90



1

Princip montaže na dve navojne šipke. Za primenu ove montaže koristi se profilna šina tipa E90, dve navojne šipke.

The principle of installation the rack on two threaded rods. We use profile ray type E90 and two threaded rods to apply this type of assembly.



2

Princip kačenja regala E 90 na zid i na plafon. Za primenu ove montaže koristi se konzola tipa E90, i navojna šipka.


The principle of hanging the rack on the wall and the ceilings. We use the E90 type of the cantilever and the threaded rod to apply this type of assembly.



3

Princip montaže na zid konzolom i ugaonim nosačem. Za primenu ovog načina montaže koristi se konzola tipa E90, dva kosa nosača tipa E90, navojna šipka.

The principle of installation the rack on the wall by using the cantilever and the angular carrier. We use the E90 type of the cantilever, two carriers under the slope and a threaded rod to apply this type of assembly.



4

Princip kačenja regala E 90 na plafon U nosačem i navojnom šipkom. Za primenu ove montaže koristi se UD nosač tipa E90, U nosač tipa E90, konzola tipa E90, navojna šipka.

The principle of installation the rack E90 on the ceilings by U shape carrier and a threaded rod. We use the UD carrier, type E90, U shape carrier, E90 type of the cantilever and a threaded rod to apply this type of assembly.





Montaža PNK E90 regala na zid pomoću konzole E90.

Mounting of PNK E90 cable tray on the wall by E90 cantilever.

5



Montaža PNK E90 regala na plafon pomoću U stuba sa navarenom pločom.

Mounting of PNK E90 cable tray against the ceiling by U profile E90 with the welded plate.


6



Montaža PNK E90 regala na plafon pomoću G nosača E90.

Mounting of PNK E90 cable tray against the ceiling by G carrier E90.


7



Montaža PNK E90 regala na plafon pomoću U stuba E90, konzole E90 i UD nosača E90.

Mounting of PNK E90 cable tray against the ceiling by U profile E90, E90 cantilever and UD carrier.

8



Montaža PNK E90 regala na plafon pomoću profilne šine sa dve navojne šipke.

Mounting of PNK E90 cable tray against the ceiling by perforated track with two threaded roots.

9



Montaža PNK E90 regala na plafon pomoću P nosača E90.

Mounting of PNK E90 cable tray against the ceiling by P carrier E90.

10






Montaža LNK E90 regala na zid pomoću konzole E90.

Mounting of LNK E90 cable tray on the wall by cantilever E90.

11



Montaža MNK E90 regala na plafon pomoću profilne šine E90 sa dve navojne šipke.

Mounting of MNK E90 cable tray against the ceiling by perforated track with two threaded roots.

12



Montaža LNK E90 regala na plafon pomoću profilne šine E90 sa dve navojne šipke.

Mounting of LNK E90 cable tray against the ceiling by perforated track with two threaded roots.

13



Montaža MNK E90 regala na zid pomoću konzole E90.

Mounting of MNK E90 cable tray on the wall by E90 cantilever.

14



Montaža LNK E90 regala na zid pomoću odstojnika E90.

Mounting of LNK E90 cable tray against the ceiling by E90 spacer.


15



Montaža PNK E90 regala na zid pomoću odstojnika E90.


Mounting of PNK E90 cable tray on the wall by E90 spacer.

16


Nosač kablova PNK / PNK E90 H-60 cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	
PNK 6 5 300 PL E90	50	60	0.8	3000	50	40810015
PNK 6 10 300 PL E90	100	60	0.8	3000	100	40810016
PNK 6 16 300 PL E90	160	60	0.8	3000	160	40810014
PNK 6 20 300 PL E90	200	60	0.8	3000	200	40810017
PNK 6 30 300 PL E90	300	60	0.8	3000	300	40810018
PNK 6 40 300 PL E90	400	60	0.8	3000	400	40810019
PNK 6 50 300 PL E90	500	60	1	3000	500	40810020
PNK 6 60 300 PL E90	600	60	1	3000	600	40810021


E90

Nosač kablova PNK INOX E90 / PNK cable trays INOX E90


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	
PNK 6 5 300 V2A E90	50	60	0.8	3000	50	410060027
PNK 6 10 300 V2A E90	100	60	0.8	3000	100	410060028
PNK 6 16 300 V2A E90	160	60	0.8	3000	160	410060029
PNK 6 20 300 V2A E90	200	60	0.8	3000	200	410060030
PNK 6 30 300 V2A E90	300	60	0.8	3000	300	410060031
PNK 6 40 300 V2A E90	400	60	0.8	3000	400	410060032
PNK 6 50 300 V2A E90	500	60	1	3000	500	410060033
PNK 6 60 300 V2A E90	600	60	1	3000	600	410060034


E90

Perforirani nosač kablova tipa E90 H 50mm / Perforated cable trays, type E90 H 50mm



Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	
PNK 5 10 200 E90	100	50	1.5	2000	48	40010000
PNK 5 20 200 E90	200	50	1.5	2000	98	40010001
PNK 5 30 200 E90	300	50	1.5	2000	148	40010002
PNK 5 40 200 E90	400	50	1.5	2000	198	40010003

Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	
PNK 5 5 300 E90	50	50	1.5	3000	23	40010004
PNK 5 10 300 E90	100	50	1.5	3000	48	40010005
PNK 5 20 300 E90	200	50	1.5	3000	98	40010006
PNK 5 30 300 E90	300	50	1.5	3000	148	40010007
PNK 5 40 300 E90	400	50	1.5	3000	198	40010008


STRONG
E90





Lestvičasti nosač kablova tipa E90 H 50mm / Ladder cable trays, type E90 H 50mm



Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Dužina Length	Korisni presek Useful section		Šifra artikla Article
	mm	mm	mm	mm	cm ²		PL
LNK 5 10 200 E90	100	50	1.5	2000	48		40020000
LNK 5 20 200 E90	200	50	1.5	2000	98		40020001
LNK 5 30 200 E90	300	50	1.5	2000	148		40020002
LNK 5 40 200 E90	400	50	1.5	2000	198		40020003
LNK 5 10 300 E90	100	50	1.5	3000	48		40020004
LNK 5 20 300 E90	200	50	1.5	3000	98		40020005
LNK 5 30 300 E90	300	50	1.5	3000	148		40020006
LNK 5 40 300 E90	400	50	1.5	3000	198		40020007




Lestvičasti nosač kablova tipa E90 H 60mm / Ladder cable trays, type E90 H 60mm




Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Dužina Length	Korisni presek Useful section		Šifra artikla Article
	mm	mm	mm	mm	cm ²		PL
LNK 6 10 200 E90	100	60	1.5	2000	58		40020009
LNK 6 20 200 E90	200	60	1.5	2000	118		40020010
LNK 6 30 200 E90	300	60	1.5	2000	178		40020011
LNK 6 40 200 E90	400	60	1.5	2000	238		40020012
LNK 6 50 200 E90	500	60	1.5	2000	298		40020013
LNK 6 60 200 E90	600	60	1.5	2000	358		40020014
LNK 6 10 300 E90	100	60	1.5	3000	58		40020015
LNK 6 20 300 E90	200	60	1.5	3000	118		40020016
LNK 6 30 300 E90	300	60	1.5	3000	178		40020017
LNK 6 40 300 E90	400	60	1.5	3000	238		40020018
LNK 6 50 300 E90	500	60	1.5	3000	298		40020019
LNK 6 60 300 E90	600	60	1.5	3000	358		40020020



Perforirani nosač kablova tipa E90 H 60mm / Perforated cable trays, type E90 H 60mm




Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Dužina Length	Korisni presek Useful section		Šifra artikla Article
	mm	mm	mm	mm	cm ²		PL
PNK 6 10 200 E90	100	60	1.5	2000	58		40010009
PNK 6 20 200 E90	200	60	1.5	2000	118		40010010
PNK 6 30 200 E90	300	60	1.5	2000	178		40010011
PNK 6 40 200 E90	400	60	1.5	2000	238		40010012
PNK 6 50 200 E90	500	60	1.5	2000	298		40010013
PNK 6 60 200 E90	600	60	1.5	2000	358		40010014
PNK 6 5 300 E90	60	50	1.5	3000	28		42010015
PNK 6 10 300 E90	100	60	1.5	3000	58		42010016
PNK 6 20 300 E90	200	60	1.5	3000	118		42010017
PNK 6 30 300 E90	300	60	1.5	3000	178		42010018
PNK 6 40 300 E90	400	60	1.5	3000	238		42010019
PNK 6 50 300 E90	500	60	1.5	3000	298		42010020
PNK 6 60 300 E90	600	60	1.5	3000	358		42010021





CE
Mrežasti nosači kablova MNK E90 / Mesh cable trays MNK E90

E90




Tip Typ	Sirina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	PL
MNK 6 5 300 PL E90	50	55	3.9	3000	25	450010001
MNK 6 10 300 PL E90	100	55	3.9	3000	50	450010002
MNK 6 20 300 PL E90	200	55	3.9	3000	100	450010003
MNK 6 30 300 PL E90	300	55	3.9	3000	150	450010004
MNK 6 40 300 PL E90	400	55	3.9	3000	200	450010005


Mrežasti nosači kablova MNK INOX E90 / Mesh cable trays MNK INOX E90


E90


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	V2A
MNK 6 5 300 V2A E90	50	55	3.9	3000	25	410060065
MNK 6 10 300 V2A E90	100	55	3.9	3000	50	410060066
MNK 6 20 300 V2A E90	200	55	3.9	3000	100	410060067
MNK 6 30 300 V2A E90	300	55	3.9	3000	150	410060068
MNK 6 40 300 V2A E90	400	55	3.9	3000	200	410060069

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	V4A
MNK 6 5 300 V4A E90	50	55	3.9	3000	25	410090065
MNK 6 10 300 V4A E90	100	55	3.9	3000	50	410090066
MNK 6 20 300 V4A E90	200	55	3.9	3000	100	410090067
MNK 6 30 300 V4A E90	300	55	3.9	3000	150	410090068
MNK 6 40 300 V4A E90	400	55	3.9	3000	200	410090069


Spojnica lestvičastog nosača kablova tipa E90 H 50mm / Coupling ladder cable trays, type E90 H 50mm
E90


Tip Typ	Širina Width	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	10	PL
S LNK 50 E90		50		40020008


Spojnica lestvičastog nosača kablova tipa E90 H 60mm / Coupling ladder cable trays, type E90 H 60mm
E90



Tip Typ	Širina Width	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	10	PL
S LNK 60 E90		60		40020021






CE


Kosi nosač tipa E90 / Bevel carrier, type E90

 E90


Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
KS E90	mm 2	10	PL 40030000




Zidna i konzola nosača tipa E90 / Wall cantilever carrier, type E90

 E90


Tip Typ	Debljina Thickness	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 E90	mm 2	mm 80	10	PL 40030001
KZ PNK 100 E90	2	130	10	40030002
KZ PNK 160 E90	2	190	10	40030003
KZ PNK 200 E90	2	230	10	40030004
KZ PNK 300 E90	2	330	10	40030005
KZ PNK 400 E90	2	430	10	40030006
KZ PNK 500 E90	2	530	10	40030007
KZ PNK 600 E90	2	630	10	40030008




Konzola INOX tipa E90 / Cantilever INOX type E90

 E90


Tip Typ	Dužina Length L mm	Visina Height H mm	Debljina Thickness D mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 V4A E90	50	60	2	129	10	V4A 100910101
KZ PNK 100 V4A E90	100	60	2	130	10	100910102
KZ PNK 160 V4A E90	160	60	2	131	10	100910103
KZ PNK 200 V4A E90	200	60	2	132	10	100910104
KZ PNK 300 V4A E90	300	60	2	128	10	100910105
KZ PNK 400 V4A E90	400	60	2	126	10	100910106
KZ PNK 500 V4A E90	500	93	2	121	10	100910107
KZ PNK 600 V4A E90	600	93	2	118	10	100910108




UD nosač tipa E90 / UD carrier, type E90

 E90


Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 E90	mm 2	10	PL 42030009




Plafonski UD nosač INOX tipa E90 / Ceiling UD carrier INOX type E90

 E90




Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 V4A E90	mm 2	kg 611	10	V4A 10091086






Plafonski U nosač tipa E90 / Ceiling U carrier, type E90

E90



Tip Typ		Debljina Thickness	Dužina Length		Pakovanje	Šifra artikla
					mm	mm
U 5 20 E90		2	200		1	40030010
U 5 30 E90		2	300		1	40030011
U 5 40 E90		2	400		1	40030012
U 5 50 E90		2	500		1	40030013
U 5 60 E90		2	600		1	40030014
U 5 70 E90		2	700		1	40030015
U 5 80 E90		2	800		1	40030016
U 5 90 E90		2	900		1	40030017
U 5 100 E90		2	1000		1	40030018
U 5 150 E90		2	1500		1	40030019
U 5 200 E90		2	2000		1	40030020


U profil INOX tipa E90 / U profile INOX type E90


Tip Typ	Dužina L Length L	Dimenzije Dimensions	Debljina Thickness		Pakovanje	Šifra artikla
					mm	mm
U 5 20 V4A E90	200	50x30	2		10	10091077
U 5 30 V4A E90	300	50x30	2		10	10091078
U 5 40 V4A E90	400	50x30	2		10	10091079
U 5 50 V4A E90	500	50x30	2		10	10091080
U 5 60 V4A E90	600	50x30	2		6	10091081
U 5 70 V4A E90	700	50x30	2		6	10091082
U 5 80 V4A E90	800	50x30	2		6	10091083
U 5 90 V4A E90	900	50x30	2		6	10091084
U 5 100 V4A E90	1000	50x30	2		4	10091085
U 5 130 V4A E90	1300	50x30	2		4	10090351
U 5 150 V4A E90	1500	50x30	2		4	10091186


E90
Odstojnik tipa E90 / Spacer, type E90


Tip Typ		Debljina Thickness			Pakovanje	Šifra artikla
					mm	mm
OD U 5 E90		2			10	40030021



Profilna perforirana šina tipa E90 / Profile perforated track, type E90


Tip Typ	Dimenzije Dimensions	Debljina Thickness	Dužina Length		Pakovanje	Šifra artikla
					mm	mm
PS L 2M E90	30x15	2	2000		10	40030022
PS L 14 E90	30x15	2	140		10	40030023
PS L 20 E90	30x15	2	200		10	40030024
PS L 24 E90	30x15	2	240		10	40030025
PS L 34 E90	30x15	2	340		10	40030026
PS L 44 E90	30x15	2	440		10	40030027
PS L 54 E90	30x15	2	540		10	40030028
PS L 64 E90	30x15	2	640		10	40030029






Spojnica PNK nosača E90 / Connector PNK cable tray E90

Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 50 E90	50	1.5	10	40030030
S PNK 100 E90	100	1.5	10	40030031
S PNK 200 E90	200	1.5	10	40030032
S PNK 300 E90	300	1.5	10	40030033
S PNK 400 E90	400	1.5	10	40030034
S PNK 500 E90	500	1.5	10	40030035
S PNK 600 E90	600	1.5	10	40030036




Grip obujmica E90 / Grip clamp E90

Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
G obujmica 15 PL E90	35	65	1	10	420330195
G obujmica 30 PL E90	55	85	1	10	420330196




Grip obujmica INOX E90 / Grip clamp INOX E90

Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
G obujmica 15 V2A E90	35	65	1	10	410060195
G obujmica 30 V2A E90	55	85	1	10	410060196
V4A					
G obujmica 15 V4A E90	35	65	1	10	410090195
G obujmica 30 V4A E90	55	85	1	10	410090196



Dupla obujmica E90 / Double clamp E90





Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
D Obujmica PL E90	6	1.5	10	433312420
D Obujmica PL E90	10	1.5	10	433312421
D Obujmica PL E90	14	1.5	10	433312422
D Obujmica PL E90	18	1.5	10	433312423
D Obujmica PL E90	22	1.5	10	433312424
D Obujmica PL E90	26	1.5	10	433312425
D Obujmica PL E90	30	1.5	10	433312426
D Obujmica PL E90	34	1.5	10	433312427
D Obujmica PL E90	38	1.5	10	433312428
D Obujmica PL E90	42	1.5	10	433312429




Dupla obujmica INOX E90 / Double clamp INOX E90


		Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
			mm	mm		V2A
D Obujmica V2A E90	6		1.5		10	433362421
D Obujmica V2A E90	10		1.5		10	433362422
D Obujmica V2A E90	14		1.5		10	433362423
D Obujmica V2A E90	18		1.5		10	433362424
D Obujmica V2A E90	22		1.5		10	433362425
D Obujmica V2A E90	26		1.5		10	433362426
D Obujmica V2A E90	30		1.5		10	433362427
D Obujmica V2A E90	34		1.5		10	433362428
D Obujmica V2A E90	38		1.5		10	433362429
D Obujmica V2A E90	42		1.5		10	433362430


Obujmica 1A E90 / Clamp 1A E90


		Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
			mm	mm		PL
Obujmice 1A PL E90	6		1.5		10	433312400
Obujmice 1A PL E90	10		1.5		10	433312401
Obujmice 1A PL E90	14		1.5		10	433312402
Obujmice 1A PL E90	18		1.5		10	433312403
Obujmice 1A PL E90	22		1.5		10	433312404
Obujmice 1A PL E90	26		1.5		10	433312405
Obujmice 1A PL E90	30		1.5		10	433312406
Obujmice 1A PL E90	34		1.5		10	433312407
Obujmice 1A PL E90	38		1.5		10	433312408
Obujmice 1A PL E90	42		1.5		10	433312409


Obujmica 1A INOX E90 / Clamp 1A INOX E90



		Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
			mm	mm		V2A
Obujmice 1A V2A E90	6		1.5		10	433362401
Obujmice 1A V2A E90	10		1.5		10	433362402
Obujmice 1A V2A E90	14		1.5		10	433362403
Obujmice 1A V2A E90	18		1.5		10	433362404
Obujmice 1A V2A E90	22		1.5		10	433362405
Obujmice 1A V2A E90	26		1.5		10	433362406
Obujmice 1A V2A E90	30		1.5		10	433362407
Obujmice 1A V2A E90	34		1.5		10	433362408
Obujmice 1A V2A E90	38		1.5		10	433362409
Obujmice 1A V2A E90	42		1.5		10	433362410





Obujmica 2A E90 / Clamp 2A E90




E90


Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		PL
Obujmica 2A PL E90	6	1.5	10	433312410
Obujmica 2A PL E90	10	1.5	10	433312411
Obujmica 2A PL E90	14	1.5	10	433312412
Obujmica 2A PL E90	18	1.5	10	433312413
Obujmica 2A PL E90	22	1.5	10	433312414
Obujmica 2A PL E90	26	1.5	10	433312415
Obujmica 2A PL E90	30	1.5	10	433312416
Obujmica 2A PL E90	34	1.5	10	433312417
Obujmica 2A PL E90	38	1.5	10	433312418
Obujmica 2A PL E90	42	1.5	10	433312419



Obujmica 2A INOX E90 / Clamp 2A INOX E90



E90



Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		V2A
Obujmica 2A V2A E90	6	1.5	10	433362411
Obujmica 2A V2A E90	10	1.5	10	433362412
Obujmica 2A V2A E90	14	1.5	10	433362413
Obujmica 2A V2A E90	18	1.5	10	433362414
Obujmica 2A V2A E90	22	1.5	10	433362415
Obujmica 2A V2A E90	26	1.5	10	433362416
Obujmica 2A V2A E90	30	1.5	10	433362417
Obujmica 2A V2A E90	34	1.5	10	433362418
Obujmica 2A V2A E90	38	1.5	10	433362419
Obujmica 2A V2A E90	42	1.5	10	433362420

Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		V4A
Obujmica 2A V4A E90	6	1.5	10	433392411
Obujmica 2A V4A E90	10	1.5	10	433392412
Obujmica 2A V4A E90	14	1.5	10	433392413
Obujmica 2A V4A E90	18	1.5	10	433392414
Obujmica 2A V4A E90	22	1.5	10	433392415
Obujmica 2A V4A E90	26	1.5	10	433392416
Obujmica 2A V4A E90	30	1.5	10	433392417
Obujmica 2A V4A E90	34	1.5	10	433392418
Obujmica 2A V4A E90	38	1.5	10	433392419
Obujmica 2A V4A E90	42	1.5	10	433392420






Lučna obujmica LNK E90 / LNK E90 cable clamp


E90


Tip Typ	Širina b Width b mm	Visina H Height H mm	Debljina Thickness	Dužina navoja L Thread lenght mm		
					PL	V2A
LNK obujmica 16 PL	16	45	1.5	50	20330188	
LNK obujmica 22 PL	22	45	1.5	50	20330192	
LNK obujmica 28 PL	28	50	1.5	50	20330189	
LNK obujmica 34 PL	34	50	1.5	50	20330186	
LNK obujmica 40 PL	40	50	1.5	50	20030186	
LNK obujmica 46 PL	46	76	1.5	50	20330187	
LNK obujmica 56 PL	56	86	1.5	50	20330187	
LNK obujmica 70 PL	70	96	1.5	80	20330190	
LNK obujmica 16 V2A	16	45	1.5	50	20360188	
LNK obujmica 22 V2A	22	45	1.5	50	20360192	
LNK obujmica 28 V2A	28	50	1.5	50	20360189	
LNK obujmica 34 V2A	34	50	1.5	50	20360186	
LNK obujmica 40 V2A	40	50	1.5	50	20060186	
LNK obujmica 46 V2A	46	76	1.5	50	20360187	
LNK obujmica 56 V2A	56	86	1.5	50	20060187	
LNK obujmica 70 V2A	70	96	1.5	80	20360190	
LNK obujmica 16 V4A	16	45	1.5	50	20390188	
LNK obujmica 22 V4A	22	45	1.5	50	20390192	
LNK obujmica 28 V4A	28	50	1.5	50	20390189	
LNK obujmica 34 V4A	34	50	1.5	50	20390186	
LNK obujmica 40 V4A	40	50	1.5	50	20090186	
LNK obujmica 46 V4A	46	76	1.5	50	20390187	
LNK obujmica 56 V4A	56	86	1.5	50	20090187	
LNK obujmica 70 V4A	70	96	1.5	80	20390190	

Plafonski UD nosač tipa E90 / UD carrier for ceilings type E90


E90


Tip Typ	Debljina Thickness mm	Nosivost Load kg	Pakovanje Pack kom piece 10	Šifra artikla Article TC 42030009
UD U5 TC E90	2	611		





U profil tipa E90 / U profile type E90





Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
U 5 20 TC E90	200	50x30	2	10	42030010
U 5 30 TC E90	300	50x30	2	10	42030011
U 5 40 TC E90	400	50x30	2	10	42030012
U 5 50 TC E90	500	50x30	2	10	42030013
U 5 60 TC E90	600	50x30	2	6	42030014
U 5 70 TC E90	700	50x30	2	6	42030015
U 5 80 TC E90	800	50x30	2	6	42030016
U 5 90 TC E90	900	50x30	2	6	42030017
U 5 100 TC E90	1000	50x30	2	4	42030018
U 5 150 TC E90	1500	50x30	2	4	42030019
U 5 200 TC E90	2000	50x30	2	4	42030020

 Toplo pocinkovano potapanjem / Hot - dip galvanized



Konzola tipa E90 / Cantilevert type E90


Tip Typ	Dužina L Length L	Visina Height H	Debljina Thickness D	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 TC E90	50	60	2	129	10	42030001
KZ PNK 100 TC E90	100	60	2	130	10	42030002
KZ PNK 160 TC E90	160	60	2	131	10	42030003
KZ PNK 200 TC E90	200	60	2	132	10	42030004
KZ PNK 300 TC E90	300	60	2	128	10	42030005
KZ PNK 400 TC E90	400	60	2	126	10	42030006
KZ PNK 500 TC E90	500	93	2	121	10	42030007
KZ PNK 600 TC E90	600	93	2	118	10	42030008

 Toplo pocinkovano potapanjem / Hot - dip galvanized



Konzola sa navarenom pločom tipa E90 / Cantilever with welded plate type E90







Tip Typ	Dužina L Length L	Visina Height H	Debljina Thickness	Nosivost Load	Debljina ploče Plate thickness	Pakovanje Pack kom piece	Šifra artikla Article
KZP PNK 50 TC E90	50	80	2	345	4	10	30420064
KZP PNK 100 TC E90	100	80	2	350	4	10	30420065
KZP PNK 160 TC E90	160	80	2	330	4	10	30420066
KZP PNK 200 TC E90	200	80	2	330	4	10	30420067
KZP PNK 300 TC E90	300	80	2	320	4	10	30420068
KZP PNK 400 TC E90	400	110	2	320	4	10	30420069
KZP PNK 500 TC E90	500	110	2	320	4	10	30420070
KZP PNK 600 TC E90	600	110	2	320	4	10	30420071

 Toplo pocinkovano potapanjem / Hot - dip galvanized





Perforirani nosač kablova tipa E90 H 60mm / Perforated cable trays, type E90 H 60mm


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	TC
PNK 6 5 300 TC E90	50	60	1.5	3000	28	42010015
PNK 6 10 300 TC E90	100	60	1.5	3000	58	42010016
PNK 6 20 300 TC E90	200	60	1.5	3000	118	42010017
PNK 6 30 300 TC E90	300	60	1.5	3000	178	42010018
PNK 6 40 300 TC E90	400	60	1.5	3000	238	42010019
PNK 6 50 300 TC E90	500	60	1.5	3000	298	42010020
PNK 6 60 300 TC E90	600	60	1.5	3000	358	42010021




TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 45° TC E90 / Bend 45° HD E90


Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	TC
K45 PNK 6 5 TC	50	60	10021130
K45 PNK 6 10 TC	100	60	10021131
K45 PNK 6 16 TC	160	60	10021132
K45 PNK 6 20 TC	200	60	10021133
K45 PNK 6 30 TC	300	60	10021134
K45 PNK 6 40 TC	400	60	10021135
K45 PNK 6 50 TC	500	60	10021136
K45 PNK 6 60 TC	600	60	10021137




TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Krivina 90° TC E90 / Bend 90° HD E90


Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	TC
L PNK 6 5 TC	50	60	10021138
L PNK 6 10 TC	100	60	10021139
L PNK 6 16 TC	160	60	10021140
L PNK 6 20 TC	200	60	10021141
L PNK 6 30 TC	300	60	10021142
L PNK 6 40 TC	400	60	10021143
L PNK 6 50 TC	500	60	10021144
L PNK 6 60 TC	600	60	10021145



TC Toplo pocinkovano potapanjem / Hot - dip galvanized

T račva TC E90 / T Module HD E90



Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	TC
T PNK 6 5 TC	50	60	10021154
T PNK 6 10 TC	100	60	10021155
T PNK 6 16 TC	160	60	10021156
T PNK 6 20 TC	200	60	10021157
T PNK 6 30 TC	300	60	10021158
T PNK 6 40 TC	400	60	10021159
T PNK 6 50 TC	500	60	10021160
T PNK 6 60 TC	600	60	10021161



TC Toplo pocinkovano potapanjem / Hot - dip galvanized



NZR





NZR



NOSAČI KABLOVA ZA RASVETU

CABLE TRAY SYSTEMS FOR LIGHTING



FAST ...



NO TOOLS



Zalamajuća spojnica koristi se za izradu ugaonih krivina na licu mesta, a veza između spojnika i regala za rasvetu ostvarena je torban vijcima tipa PEKOM M6 x12.

Angle connector is used for making angle curves when montage, and the connection between connectors and cable carriers for the lightening is formed by PEKOM carriage bolts M6x12.

1



Za montažu regala za rasvetu na plafon gde je predviđena veća visina spuštanja koristi se lanac ili sajla koja se za regal kači žičanom kukom tipa PEKOM.

We use chain or cable, hooked to the cable carrier by wired hook, for mounting cable carriers for the lightening on the ceilings, where a higher level of descent is foreseen.


2



Montaža regala za rasvetu na trapezni plafon ostvaruje se pomoću nosača za trapezni lim, navojne šipke i nosača regala.

We use brackets for trapezoidal sheet metal, threaded root and cable carrier for mounting cable carriers for the lightening against the trapezoidal ceiling.

3




Zalamajuća spojnica koristi se za izradu ugaonih krivina na licu mesta, a ugao se formira sečenjem krajeva regala.

4

Angle connector is used for making angle curves when montage, and we make an angle by cutting the ends of the cable carriers.





CE

Regal za rasvetu b 50mm / Lighting carrier systems b 50mm
NZR




Tip Typ	Širina b Width b	Visina Height	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	mm	PL
LCT 5 5 300 PL	50	50	1.5	3000	60010001

PL Pocinkovani lim / Galvanized sheet


Regal za rasvetu b 100mm / Lighting carrier systems b 100mm




Tip Typ	Širina b Width b	Visina Height	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	mm	PL
LCT 5 10 300 PL	100	50	1.5	3000	60010002

PL Pocinkovani lim / Galvanized sheet


Spojnica regala za rasvetu b 50 / Coupling for lighting carrier systems b 50



Tip Typ	Debljina Thickness	Šifra artikla Article
	mm	PL
S LCT 5 5 PL	1.5	60010003

PL Pocinkovani lim / Galvanized sheet


NZR
Spojnica regala za rasvetu b 100 / Coupling for lighting carrier systems b 100


Tip Typ	Debljina Thickness	Šifra artikla Article
	mm	PL
S LCT 5 10 PL	1.5	60010004


PL Pocinkovani lim / Galvanized sheet





Nosac - Poklopac / Carrier - Lid

NZR




Tip Typ	Širina b Width b	Visina Height	Šifra artikla Article
	mm	mm	
N-P LCT 50	50	40	60010005
N-P LCT 100	100	40	60010006

PL Pocinkovani lim / Galvanized sheet



Regal za rasvetu debljine 0.75mm / Lighting carrier system thickness 0.75mm



Tip Typ	Debljina Thickness	Šifra artikla Article
	mm	
P PNK LCT	0.75	PL 60010007

PL Pocinkovani lim / Galvanized sheet



Lomljiva spojnica regala za rasvetu / Angle connector for lighting carrier system




Tip Typ	Debljina Thickness	Šifra artikla Article
	mm	
LS LCT	1.5	PL 60010008

PL Pocinkovani lim / Galvanized sheet



Zglobno rotirajuća spojnica regala za rasvetu / Adjustable connector for lighting carrier system




Tip Typ	Debljina Thickness	Šifra artikla Article
	mm	
ZS LCT	1.5	PL 60010009

PL Pocinkovani lim / Galvanized sheet



Nosac za trapezni lim / Carrier for trapezoidal sheet



Tip Typ	Debljina Thickness	Centralni otvor Hole	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		
TL 8 PL	2	M8	10	30010034
TL 10 PL	2	M10	10	30010027
TL 8 TC	2	M8	10	30020034
TL 10 TC	2	M10	10	30020027


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Navojna šipka / Threaded rod
NZR



Tip Typ	Dužina Length	Prečnik Diametar	Pakovanje Pack kom piece	Šifra artikla Article
Navojna šipka M8	3000 mm	8 mm	10	60010010
Navojna šipka M10	3000 mm	10 mm	10	60010011


MUF / Muff with transverse inner thread


Tip Typ	Prečnik Diametar	Pakovanje Pack kom piece	Šifra artikla Article
Muf M8	8 mm	10	60010012
Muf M10	10 mm	10	60010013



Vijak za trapezni lim / Screw for trapezoidal sheet


Tip Typ	Dužina Length	Prečnik Diametar	Pakovanje Pack kom piece	Šifra artikla Article
Vijak za TR lim M10	110 mm	10 mm	10	60010014


Stezaljka čeličnog užeta / Steel clamp squiser



Tip Typ	Pakovanje Pack kom piece	Šifra artikla Article
Stezaljka užeta	10	60010015


NZR

Perforirana traka / Perforated strip



Tip Typ	Dužina L Length L	Širina Width	Otvor Diametar	Pakovanje Pack kom piece	Šifra artikla Article
PTR PL 6.2	10000 mm	18 mm	6.2 mm	10	30010056
PTR PL 8.2	10000 mm	18 mm	8.2 mm	10	30010060

PL Pocinkovani lim / Galvanized sheet






Kuka regala za rasvetu / Hook for lighting carrier system



Tip Typ	Visina Height	Šifra artikla Article
LCT 50	mm 150	60010016
LCT 100	mm 150	60010066




Lanac regala za rasvetu / Chain for lighting carrier system



Tip Typ	Pakovanje Pack kom piece	Šifra artikla Article
Lanac LCT	10	PL 60010017



Naprstak / Stainless steel thimble





Tip Typ	Pakovanje Pack kom piece	Šifra artikla Article
Naprstak LCT	10	PL 60010018



Čelično uže / Steel cable

Tip Typ	Pakovanje Pack kom piece	Šifra artikla Article
Čelično uže	10	PL 60010019



**NZR** **Pekom**

V2A

V4A



INOX


8




NOSAČI KABLOVA OD INOX-A

STAINLESS STEEL CABLE TRAY SYSTEMS






 Pekom


Plafonski UD nosač INOX / Ceiling UD carrier INOX
INOX


Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 V2A	mm 2	kg 611	10	V2A 10060086
UD U5 V4A	2	611	10	V4A 10090086

V2A INOX 1.4301


V4A INOX 1.4571


Plafonski UT INOX / Ceiling UT carrier INOX


Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
UT U5 V2A	mm 2	kg 305	10	V2A 30061119
UT U5 V4A	2	305	10	V4A 30091119

V2A INOX 1.4301



V4A INOX 1.4571


U profil INOX / U profile INOX


Tip Typ	Dužina L Length L	Dimenzijs Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
U 5 20 V2A	200	50x30	2	10	V2A 10060087
U 5 30 V2A	300	50x30	2	10	10060088
U 5 40 V2A	400	50x30	2	10	10060089
U 5 50 V2A	500	50x30	2	10	10060090
U 5 60 V2A	600	50x30	2	6	10060091
U 5 70 V2A	700	50x30	2	6	10060092
U 5 80 V2A	800	50x30	2	6	10060093
U 5 90 V2A	900	50x30	2	6	10060094
U 5 100 V2A	1000	50x30	2	4	10060095
U 5 150 V2A	1500	50x30	2	4	10060096
U 5 200 V2A	2000	50x30	2	4	10060097
U 5 300 V2A	3000	50x30	2	4	10060098
<hr/>					
U 5 20 V4A	200	50x30	2	10	V4A 10090087
U 5 30 V4A	300	50x30	2	10	10090088
U 5 40 V4A	400	50x30	2	10	10090089
U 5 50 V4A	500	50x30	2	10	10090090
U 5 60 V4A	600	50x30	2	6	10090091
U 5 70 V4A	700	50x30	2	6	10090092
U 5 80 V4A	800	50x30	2	6	10090093
U 5 90 V4A	900	50x30	2	6	10090094
U 5 100 V4A	1000	50x30	2	4	10090095
U 5 150 V4A	1500	50x30	2	4	10090096
U 5 200 V4A	2000	50x30	2	4	10090097
U 5 300 V4A	3000	50x30	2	4	10090098

V2A INOX 1.4301

V4A INOX 1.4571


INOX
Spojnica U stuba INOX / Clip U pillar INOX


Tip Typ	Dužina L Length L	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
S U5 V2A	mm 200	mm 2	10	V2A 10060099
S U5 V4A	200	2	10	V4A 10090099


V2A INOX 1.4301

V4A INOX 1.4571





Odstojnik za U stub INOX / Spacer for U pillar INOX




Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
OD U5 V2A	mm 2	10	V2A 10060100
OD U5 V4A	2	10	V4A 10090100

V2A INOX 1.4301

V4A INOX 1.4571



Konzola INOX / Cantilever INOX




Tip Typ	Dužina L Length L mm	Visina H Height mm	Debljina D Thickness mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 V2A	50	60	2	129	10	10060101
KZ PNK 100 V2A	100	60	2	130	10	10060102
KZ PNK 160 V2A	160	60	2	131	10	10060103
KZ PNK 200 V2A	200	60	2	132	10	10060104
KZ PNK 300 V2A	300	60	2	128	10	10060105
KZ PNK 400 V2A	400	60	2	126	10	10060106
KZ PNK 500 V2A	500	93	2	121	10	10060107
KZ PNK 600 V2A	600	93	2	118	10	10060108
<hr/>						
KZ PNK 50 V4A	50	60	2	129	10	10090101
KZ PNK 100 V4A	100	60	2	130	10	10090102
KZ PNK 160 V4A	160	60	2	131	10	10090103
KZ PNK 200 V4A	200	60	2	132	10	10090104
KZ PNK 300 V4A	300	60	2	128	10	10090105
KZ PNK 400 V4A	400	60	2	126	10	10090106
KZ PNK 500 V4A	500	93	2	121	10	10090107
KZ PNK 600 V4A	600	93	2	118	10	10090108

V2A INOX 1.4301

V4A INOX 1.4571




Konzola stubna obostrana INOX / Bothsided pillow cantilever INOX




Tip Typ	Dužina L Length L mm	Visina H Height mm	Debljina D Thickness mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
KZO PNK 50 V2A	170	60	2	157	10	33362500
KZO PNK 100 V2A	270	60	2	158	10	33362100
KZO PNK 160 V2A	390	60	2	159	10	33362160
KZO PNK 200 V2A	470	60	2	159	10	33362200
KZO PNK 300 V2A	670	60	2	157	10	33362300
<hr/>						
KZO PNK 50 V4A	170	60	2	157	10	33392500
KZO PNK 100 V4A	270	60	2	158	10	33392100
KZO PNK 160 V4A	390	60	2	159	10	33392160
KZO PNK 200 V4A	470	60	2	159	10	33392200
KZO PNK 300 V4A	670	60	2	157	10	33392300

V2A INOX 1.4301

V4A INOX 1.4571



Nosač za trapezni lim INOX / Carrier for trapezoidal sheet INOX



Tip Typ	Debljina Thickness	Centralni otvor Hole	Pakovanje Pack kom piece	Šifra artikla Article
TL 8 V2A	mm 2	M8	10	V2A 10060109
TL 10 V2A	2	M10	10	10060110
<hr/>				
TL 8 V4A	2	M8	10	V4A 10090109
TL 10 V4A	2	M10	10	10090110


V2A INOX 1.4301

V4A INOX 1.4571





Plafonski G nosač INOX / Ceiling G carrier INOX

INOX



Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
G PNK 100 V2A	100	10	6	78	10	10060111
G PNK 160 V2A	160	10	6	67	10	10060112
G PNK 200 V2A	200	10	6	63	10	10060113
G PNK 300 V2A	300	10	6	40	10	10060114
						V2A
G PNK 100 V4A	100	10	6	78	10	10090111
G PNK 160 V4A	160	10	6	67	10	10090112
G PNK 200 V4A	200	10	6	63	10	10090113
G PNK 300 V4A	300	10	6	40	10	10090114
						V4A

V2A INOX 1.4301

V4A INOX 1.4571



G Plus Modul INOX / G Plus Module INOX




Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
GPM PNK 100/100 V2A	100	10	1.5	57	10	3006100231
GPM PNK 200/100 V2A	200	10	1.5	60	10	3006100251
GPM PNK 300/100 V2A	300	10	2	64	10	3006100261
						V2A
GPM PNK 100/100 V4A	100	10	1.5	57	10	3009100231
GPM PNK 200/100 V4A	200	10	1.5	60	10	3009100251
GPM PNK 300/100 V4A	300	10	2	64	10	3009100261
						V4A

V2A INOX 1.4301

V4A INOX 1.4571



L Modul INOX / L Module INOX




Tip Typ	Dužina L Length L	Otvor Hole	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
LM PNK 100 V2A	100	10	1.5	48	10	3006100231
LM PNK 200 V2A	200	10	1.5	50	10	3006100251
LM PNK 300 V2A	300	10	2	52	10	3006100261
						V2A
LM PNK 100 V4A	100	10	1.5	48	10	3009100231
LM PNK 200 V4A	200	10	1.5	50	10	3009100251
LM PNK 300 V4A	300	10	2	52	10	3009100261
						V4A

V2A INOX 1.4301

V4A INOX 1.4571



C nosač INOX / C carrier INOX



Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
CN V2A	2	10	10060115
CN V4A	2	10	10090115


V2A INOX 1.4301

V4A INOX 1.4571


INOX



Odstojnik INOX / Spacer INOX




Tip Typ	Dužina L Length L		Pakovanje Pack kom piece	Šifra artikla Article
mm	mm		V2A	
OD 10 V2A	100		10	10060116
OD 16 V2A	160		10	10060117
OD 20 V2A	200		10	10060118
OD 30 V2A	300		10	10060119
OD 40 V2A	400		10	10060120
OD 50 V2A	500		10	10060121
OD 60 V2A	600		10	10060122
			V4A	
OD 10 V4A	100		10	10090116
OD 16 V4A	160		10	10090117
OD 20 V4A	200		10	10090118
OD 30 V4A	300		10	10090119
OD 40 V4A	400		10	10090120
OD 50 V4A	500		10	10090121
OD 60 V4A	600		10	10090122



V2A INOX 1.4301

V4A INOX 1.4571

Središnji nosač INOX / Central carrier INOX




Tip Typ	Dužina L Length L	Debljina Thickness	Centralni otvor Hole	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm	mm	mm	V2A	
SN 10 M8 V2A	94	3	M8	10	10060123
SN 16 M8 V2A	154	3	M8	10	10060124
SN 20 M8 V2A	195	3	M8	10	10060125
SN 30 M8 V2A	295	3	M8	10	10060126
SN 10 M10 V2A	94	3	M10	10	10060127
SN 16 M10 V2A	154	3	M10	10	10060128
SN 20 M10 V2A	195	3	M10	10	10060129
SN 30 M10 V2A	295	3	M10	10	10060130
				V4A	
SN 10 M8 V4A	94	3	M8	10	10090123
SN 16 M8 V4A	154	3	M8	10	10090124
SN 20 M8 V4A	195	3	M8	10	10090125
SN 30 M8 V4A	295	3	M8	10	10090126
SN 10 M10 V4A	94	3	M10	10	10090127
SN 16 M10 V4A	154	3	M10	10	10090128
SN 20 M10 V4A	195	3	M10	10	10090129
SN 30 M10 V4A	295	3	M10	10	10090130



V2A INOX 1.4301

V4A INOX 1.4571

Perforirana šina sa jednom navojnom šipkom INOX / Perforated track with one threaded rod INOX



Tip Typ	Dužina L Length L	Dimenzijske Dimensions	Debljina Thickness	Namjenjeno za PNK Meant for PNK	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm	mm	mm		V2A	
PS L 05 V2A	50	30x15	2	50	10	10060131
PS L 10 V2A	100	30x15	2	100	10	10060132
PS L 16 V2A	160	30x15	2	160	10	10060133
PS L 20 V2A	200	30x15	2	200	10	10060134
PS L 30 V2A	300	30x15	2	300	10	10060135
					V4A	
PS L 05 V4A	50	30x15	2	50	10	10090131
PS L 10 V4A	100	30x15	2	100	10	10090132
PS L 16 V4A	160	30x15	2	160	10	10090133
PS L 20 V4A	200	30x15	2	200	10	10090134
PS L 30 V4A	300	30x15	2	300	10	10090135




V2A INOX 1.4301

V4A INOX 1.4571



Perforirana šina sa dve navojne šipke INOX / Perforated track with two threaded rod INOX

INOX



Tip Typ	Dužina L Length L	Dimenzije Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
PS L 2M 15 V2A	2000	30x15	1.5	10	10060136
PS L 2M 20 V2A	2000	30x15	2	10	10060137
PS L 13 V2A	130	30x15	2	10	10060138
PS L 18 V2A	180	30x15	2	10	10060139
PS L 24 V2A	240	30x15	2	10	10060140
PS L 28 V2A	280	30x15	2	10	10060141
PS L 38 V2A	380	30x15	2	10	10060142
PS L 48 V2A	480	30x15	2	10	10060143
PS L 58 V2A	580	30x15	2	10	10060144
PS L 68 V2A	680	30x15	2	10	10060145
					V4A
PS L 2M 15 V4A	2000	30x15	1.5	10	10090136
PS L 2M 20 V4A	2000	30x15	2	10	10090137
PS L 13 V4A	130	30x15	2	10	10090138
PS L 18 V4A	180	30x15	2	10	10090139
PS L 24 V4A	240	30x15	2	10	10090140
PS L 28 V4A	280	30x15	2	10	10090141
PS L 38 V4A	380	30x15	2	10	10090142
PS L 48 V4A	480	30x15	2	10	10090143
PS L 58 V4A	580	30x15	2	10	10090144
PS L 68 V4A	680	30x15	2	10	10090145

V2A INOX 1.4301

V4A INOX 1.4571




Perforirani L profil INOX / Perforated L Profile INOX




Tip Typ	Dužina L Length L	Dimenzije Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
UP L 2M V2A	2000	30x30	2	10	10060146
UP L 2M V4A	2000	30x30	2	10	10090146

V2A INOX 1.4301

V4A INOX 1.4571



Perforirana traka INOX / Perforated strip INOX




Tip Typ	Dužina L Length L	Širina Width	Otvor Diameter	Pakovanje Pack kom piece	Šifra artikla Article
PTR L 3M 6.2 V2A	3000	18	6.2	10	10060147
PTR L 3M 8.2 V2A	3000	18	8.2	10	10060148
					V4A
PTR L 3M 6.2 V4A	3000	18	6.2	10	10090147
PTR L 3M 8.2 V4A	3000	18	8.2	10	10090148

V2A INOX 1.4301

V4A INOX 1.4571


INOX


Perforirana traka velike nosivosti INOX / Perforated strip large capacity INOX



Tip Typ	Dužina L Length L	Širina Width	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
PTR L 2M V2A	2000	25	2	10	10060149
PTR L 2M V4A	2000	25	2	10	10090149


V2A INOX 1.4301

V4A INOX 1.4571





Nosač kablova PNK H 50mm INOX / PNK cable trays H 50mm INOX




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
PNK 5 5 300 V2A	50	50	0.8	3000	23	123	78	44	10060001
PNK 5 10 300 V2A	100	50	0.8	3000	48	121	80	50	10060002
PNK 5 16 300 V2A	160	50	0.8	3000	78	128	81	48	10060003
PNK 5 20 300 V2A	200	50	0.8	3000	98	132	77	47	10060004
PNK 5 30 300 V2A	300	50	0.8	3000	148	112	78	42	10060005
PNK 5 40 300 V2A	400	50	1	3000	198	153	123	69	10060006
PNK 5 50 300 V2A	500	50	1	3000	248	156	125	62	10060007
PNK 5 60 300 V2A	600	50	1	3000	298	158	128	62	10060008
V2A									
V4A									




INOX 1.4301

INOX 1.4571

Nosač kablova PNK H 50mm L=2500mm INOX / PNK cable trays H 50mm L=2500mm INOX



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
PNK 5 5 250 V2A	50	50	0.8	2500	23	123	78	44	10060243
PNK 5 10 250 V2A	100	50	0.8	2500	48	121	80	50	10060244
PNK 5 16 250 V2A	160	50	0.8	2500	78	128	81	48	10060245
PNK 5 20 250 V2A	200	50	0.8	2500	98	132	77	47	10060246
PNK 5 30 250 V2A	300	50	0.8	2500	148	112	78	42	10060247
PNK 5 40 250 V2A	400	50	1	2500	198	153	123	69	10060248
PNK 5 50 250 V2A	500	50	1	2500	248	156	125	62	10060249
PNK 5 60 250 V2A	600	50	1	2500	298	158	128	62	10060250
V2A									
V4A									




INOX 1.4301

INOX 1.4571

Poklopac regala PNK L=2500mm INOX / Cable tray cover L=2500mm INOX




Tip Typ	Širina Width		Debljina Thickness	Dužina Length		Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
PC PNK 50/2500 V2A	50		0.8	2500					V2A
PC PNK 100/2500 V2A	100		0.8	2500					10060259
PC PNK 160/2500 V2A	160		0.8	2500					10060260
PC PNK 200/2500 V2A	200		0.8	2500					10060261
PC PNK 300/2500 V2A	300		0.8	2500					10060262
PC PNK 400/2500 V2A	400		1	2500					10060263
PC PNK 500/2500 V2A	500		1	2500					10060264
PC PNK 600/2500 V2A	600		1	2500					10060265
V2A									
V4A									
PC PNK 50/2500 V4A	50		1	2500					10060259
PC PNK 100/2500 V4A	100		1	2500					10060260
PC PNK 160/2500 V4A	160		1	2500					10060261
PC PNK 200/2500 V4A	200		1	2500					10060262
PC PNK 300/2500 V4A	300		1	2500					10060263
PC PNK 400/2500 V4A	400		1	2500					10060264
PC PNK 500/2500 V4A	500		1	2500					10060265
PC PNK 600/2500 V4A	600		1	2500					10060266





INOX 1.4301


INOX 1.4571


Krivina 45° H 50mm INOX / Bend 45° H 50mm INOX
INOX


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
K45 PNK 5 5 V2A	50	50	1	10060009
K45 PNK 5 10 V2A	100	50	1	10060010
K45 PNK 5 16 V2A	160	50	1	10060011
K45 PNK 5 20 V2A	200	50	1	10060012
K45 PNK 5 30 V2A	300	50	1	10060013
K45 PNK 5 40 V2A	400	50	1	10060014
K45 PNK 5 50 V2A	500	50	1	10060015
K45 PNK 5 60 V2A	600	50	1	10060016
V2A				
K45 PNK 5 5 V4A	50	50	1	10090009
K45 PNK 5 10 V4A	100	50	1	10090010
K45 PNK 5 16 V4A	160	50	1	10090011
K45 PNK 5 20 V4A	200	50	1	10090012
K45 PNK 5 30 V4A	300	50	1	10090013
K45 PNK 5 40 V4A	400	50	1	10090014
K45 PNK 5 50 V4A	500	50	1	10090015
K45 PNK 5 60 V4A	600	50	1	10090016
V4A				


V2A INOX 1.4301
V4A INOX 1.4571
Krivina 90° H 50mm INOX / Bend 90° H 50mm INOX


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
L PNK 5 5 V2A	50	50	1	10060017
L PNK 5 10 V2A	100	50	1	10060018
L PNK 5 16 V2A	160	50	1	10060019
L PNK 5 20 V2A	200	50	1	10060020
L PNK 5 30 V2A	300	50	1	10060021
L PNK 5 40 V2A	400	50	1	10060022
L PNK 5 50 V2A	500	50	1	10060023
L PNK 5 60 V2A	600	50	1	10060024
V2A				
L PNK 5 5 V4A	50	50	1	10090017
L PNK 5 10 V4A	100	50	1	10090018
L PNK 5 16 V4A	160	50	1	10090019
L PNK 5 20 V4A	200	50	1	10090020
L PNK 5 30 V4A	300	50	1	10090021
L PNK 5 40 V4A	400	50	1	10090022
L PNK 5 50 V4A	500	50	1	10090023
L PNK 5 60 V4A	600	50	1	10090024
V4A				


V2A INOX 1.4301
V4A INOX 1.4571
PNK T račva H 50mm INOX / T Module PNK H 50mm INOX



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
T PNK 5 5 V2A	50	50	1	10060204
T PNK 5 10 V2A	100	50	1	10060205
T PNK 5 16 V2A	160	50	1	10060206
T PNK 5 20 V2A	200	50	1	10060207
T PNK 5 30 V2A	300	50	1	10060208
T PNK 5 40 V2A	400	50	1	10060209
T PNK 5 50 V2A	500	50	1	10060210
T PNK 5 60 V2A	600	50	1	10060211
V2A				
T PNK 5 5 V4A	50	50	1	10090204
T PNK 5 10 V4A	100	50	1	10090205
T PNK 5 16 V4A	160	50	1	10090206
T PNK 5 20 V4A	200	50	1	10090207
T PNK 5 30 V4A	300	50	1	10090208
T PNK 5 40 V4A	400	50	1	10090209
T PNK 5 50 V4A	500	50	1	10090210
T PNK 5 60 V4A	600	50	1	10090211
V4A				


V2A INOX 1.4301
V4A INOX 1.4571
INOX



Lomljiva spojnica PNK H 50mm INOX / Angle connector PNK H 50mm INOX

INOX




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 50 V2A	50	50	V2A 10060025
LS PNK 50 V4A	50	50	V4A 10090025

V2A INOX 1.4301

V4A INOX 1.4571



Zglobna spojnica PNK H 50mm INOX / Adjustable connector PNK H 50mm INOX




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 50 V2A	50	50	V2A 10060026
ZS PNK 50 V4A	50	50	V4A 10090026

V2A INOX 1.4301

V4A INOX 1.4571



Nosač kablova PNK H 60mm INOX / PNK cable trays H 60mm INOX




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1,5 m kg/m	2,0 m kg/m	2,5 m kg/m	
PNK 6 5 300 V2A	50	60	0.8	3000	28	121	80	50	10060027
PNK 6 10 300 V2A	100	60	0.8	3000	58	120	78	49	10060028
PNK 6 16 300 V2A	160	60	0.8	3000	78	123	79	48	10060029
PNK 6 20 300 V2A	200	60	0.8	3000	118	132	77	47	10060030
PNK 6 30 300 V2A	300	60	0.8	3000	178	112	78	42	10060031
PNK 6 40 300 V2A	400	60	1	3000	238	153	123	69	10060032
PNK 6 50 300 V2A	500	60	1	3000	298	156	125	62	10060033
PNK 6 60 300 V2A	600	60	1	3000	358	158	128	62	10060034
<hr/>									
PNK 6 5 300 V4A	50	60	0.8	3000	28	121	80	50	10090027
PNK 6 10 300 V4A	100	60	0.8	3000	58	121	80	50	10090028
PNK 6 16 300 V4A	160	60	0.8	3000	78	123	79	48	10090029
PNK 6 20 300 V4A	200	60	0.8	3000	118	132	77	47	10090030
PNK 6 30 300 V4A	300	60	0.8	3000	178	112	78	42	10090031
PNK 6 40 300 V4A	400	60	1	3000	238	153	123	69	10090032
PNK 6 50 300 V4A	500	60	1	3000	298	156	125	62	10090033
PNK 6 60 300 V4A	600	60	1	3000	358	158	128	62	10090034

V2A INOX 1.4301

V4A INOX 1.4571



Nosač kablova PNK H 60mm L=2500mm INOX / PNK cable trays H 60mm L=2500mm INOX




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1,5 m kg/m	2,0 m kg/m	2,5 m kg/m	
PNK 6 5 250 V2A	50	60	0.8	2500	23	123	78	44	10060251
PNK 6 10 250 V2A	100	60	0.8	2500	48	121	80	50	10060252
PNK 6 16 250 V2A	160	60	0.8	2500	78	128	81	48	10060253
PNK 6 20 250 V2A	200	60	0.8	2500	98	132	77	47	10060254
PNK 6 30 250 V2A	300	60	0.8	2500	148	112	78	42	10060255
PNK 6 40 250 V2A	400	60	1	2500	198	153	123	69	10060256
PNK 6 50 250 V2A	500	60	1	2500	248	156	125	62	10060257
PNK 6 60 250 V2A	600	60	1	2500	298	158	128	62	10060258
<hr/>									
PNK 6 5 250 V4A	50	60	0.8	2500	23	123	78	44	10090251
PNK 6 10 250 V4A	100	60	0.8	2500	48	121	80	50	10090252
PNK 6 16 250 V4A	160	60	0.8	2500	78	128	81	48	10090253
PNK 6 20 250 V4A	200	60	0.8	2500	98	132	77	47	10090254
PNK 6 30 250 V4A	300	60	0.8	2500	148	112	78	42	10090255
PNK 6 40 250 V4A	400	60	1	2500	198	153	123	69	10090256
PNK 6 50 250 V4A	500	60	1	2500	248	156	125	62	10090257
PNK 6 60 250 V4A	600	60	1	2500	298	158	128	62	10090258

V2A INOX 1.4301

V4A INOX 1.4571






Poklopac regala PNK L=3000mm INOX / Cable tray cover L=3000mm INOX
INOX


Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
PC PNK 50/3000 V2A	50	0,8	3000	10060267
PC PNK 100/3000 V2A	100	0,8	3000	10060268
PC PNK 160/3000 V2A	160	0,8	3000	10060269
PC PNK 200/3000 V2A	200	0,8	3000	10060270
PC PNK 300/3000 V2A	300	0,8	3000	10060271
PC PNK 400/3000 V2A	400	1	3000	10060272
PC PNK 500/3000 V2A	500	1	3000	10060273
PC PNK 600/3000 V2A	600	1	3000	10060274
V2A				
PC PNK 50/3000 V4A	50	1	3000	10090267
PC PNK 100/3000 V4A	100	1	3000	10090268
PC PNK 160/3000 V4A	160	1	3000	10090269
PC PNK 200/3000 V4A	200	1	3000	10090270
PC PNK 300/3000 V4A	300	1	3000	10090271
PC PNK 400/3000 V4A	400	1	3000	10090272
PC PNK 500/3000 V4A	500	1	3000	10090273
PC PNK 600/3000 V4A	600	1	3000	10090274
V4A				

V2A INOX 1.4301


V4A INOX 1.4571


Krivina 45° PNK H 60mm INOX / Bend 45° PNK H 60mm INOX


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
K45 PNK 6 5 V2A	50	60	1	10060035
K45 PNK 6 10 V2A	100	60	1	10060036
K45 PNK 6 16 V2A	160	60	1	10060037
K45 PNK 6 20 V2A	200	60	1	10060038
K45 PNK 6 30 V2A	300	60	1	10060039
K45 PNK 6 40 V2A	400	60	1	10060040
K45 PNK 6 50 V2A	500	60	1	10060041
K45 PNK 6 60 V2A	600	60	1	10060042
V2A				
K45 PNK 6 5 V4A	50	60	1	10090035
K45 PNK 6 10 V4A	100	60	1	10090036
K45 PNK 6 16 V4A	160	60	1	10090037
K45 PNK 6 20 V4A	200	60	1	10090038
K45 PNK 6 30 V4A	300	60	1	10090039
K45 PNK 6 40 V4A	400	60	1	10090040
K45 PNK 6 50 V4A	500	60	1	10090041
K45 PNK 6 60 V4A	600	60	1	10090042
V4A				

V2A INOX 1.4301

V4A INOX 1.4571


Krivina PNK 90° H60mm INOX / Bend 90° PNK H60mm INOX


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
L PNK 6 5 V2A	50	60	1	10060043
L PNK 6 10 V2A	100	60	1	10060044
L PNK 6 16 V2A	160	60	1	10060045
L PNK 6 20 V2A	200	60	1	10060046
L PNK 6 30 V2A	300	60	1	10060047
L PNK 6 40 V2A	400	60	1	10060048
L PNK 6 50 V2A	500	60	1	10060049
L PNK 6 60 V2A	600	60	1	10060050
V2A				
L PNK 6 5 V4A	50	60	1	10090043
L PNK 6 10 V4A	100	60	1	10090044
L PNK 6 16 V4A	160	60	1	10090045
L PNK 6 20 V4A	200	60	1	10090046
L PNK 6 30 V4A	300	60	1	10090047
L PNK 6 40 V4A	400	60	1	10090048
L PNK 6 50 V4A	500	60	1	10090049
L PNK 6 60 V4A	600	60	1	10090050
V4A				

V2A INOX 1.4301


V4A INOX 1.4571


INOX




PNK T račva H 60mm INOX / T Module PNK H 60mm INOX

INOX




Tip Typ	Širina Width	Visina Height	Dебљина Thickness		Šifra artikla Article
	mm	mm	mm		
T PNK 6 5 V2A	50	60	1		V2A
T PNK 6 10 V2A	100	60	1		10060212
T PNK 6 16 V2A	160	60	1		10060213
T PNK 6 20 V2A	200	60	1		10060214
T PNK 6 30 V2A	300	60	1		10060215
T PNK 6 40 V2A	400	60	1		10060216
T PNK 6 50 V2A	500	60	1		10060217
T PNK 6 60 V2A	600	60	1		10060218
					10060219
T PNK 6 5 V4A	50	60	1		V4A
T PNK 6 10 V4A	100	60	1		10090212
T PNK 6 16 V4A	160	60	1		10090213
T PNK 6 20 V4A	200	60	1		10090214
T PNK 6 30 V4A	300	60	1		10090215
T PNK 6 40 V4A	400	60	1		10090216
T PNK 6 50 V4A	500	60	1		10090217
T PNK 6 60 V4A	600	60	1		10090218
					10090219



V2A INOX 1.4301

V4A INOX 1.4571

Lomljiva spojnica PNK H 60mm INOX / Angle connector PNK H 60mm INOX




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
	mm		
LS PNK 60 V2A	60	50	V2A 10060051
LS PNK 60 V4A	60	50	V4A 10090051



V2A INOX 1.4301

V4A INOX 1.4571

Zglobna spojnica PNK H 60mm INOX / Adjustable connector PNK H 60mm INOX




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
	mm		
ZS PNK 60 V2A	60	50	V2A 10060052
ZS PNK 60 V4A	60	50	V4A 10090052



V2A INOX 1.4301

V4A INOX 1.4571

LNK Nosač kablova H 60mm INOX / Ladder cable trays H 60mm INOX




Tip Typ	Širina Width	Visina Height	Dебљина Thickness	Dužina Length	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
					1,5 m kg/m	2,0 m kg/m	2,5 m kg/m	
LNK 6 10 300 V2A	100	60	1,5	3000	250	200	125	V2A 10060053
LNK 6 20 300 V2A	200	60	1,5	3000	247	197	120	10060054
LNK 6 30 300 V2A	300	60	1,5	3000	245	195	120	10060055
LNK 6 40 300 V2A	400	60	1,5	3000	235	190	115	10060056
LNK 6 50 300 V2A	500	60	1,5	3000	230	185	112	10060057
LNK 6 60 300 V2A	600	60	1,5	3000	232	190	115	10060058
LNK 6 10 300 V4A	100	60	1,5	3000	250	200	125	V4A 10090053
LNK 6 20 300 V4A	200	60	1,5	3000	247	197	120	10090054
LNK 6 30 300 V4A	300	60	1,5	3000	245	195	120	10090055
LNK 6 40 300 V4A	400	60	1,5	3000	235	190	115	10090056
LNK 6 50 300 V4A	500	60	1,5	3000	230	185	112	10090057
LNK 6 60 300 V4A	600	60	1,5	3000	232	190	115	10090058



V2A INOX 1.4301



V4A INOX 1.4571


LNK Krivina 90° H 60mm INOX / Ladder cable trays Bend 90° H 60mm INOX
INOX


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
L LNK 6 10 V2A	100	60	1.5	10060059
L LNK 6 20 V2A	200	60	1.5	10060060
L LNK 6 30 V2A	300	60	1.5	10060061
L LNK 6 40 V2A	400	60	1.5	10060062
L LNK 6 50 V2A	500	60	1.5	10060063
L LNK 6 60 V2A	600	60	1.5	10060064
				V2A
L LNK 6 10 V4A	100	60	1.5	10090059
L LNK 6 20 V4A	200	60	1.5	10090060
L LNK 6 30 V4A	300	60	1.5	10090061
L LNK 6 40 V4A	400	60	1.5	10090062
L LNK 6 50 V4A	500	60	1.5	10090063
L LNK 6 60 V4A	600	60	1.5	10090064
				V4A

V2A INOX 1.4301


V4A INOX 1.4571


LNK T račva H 60mm INOX / T Module LNK H 60mm INOX


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
T LNK 6 10 V2A	100	60	1.5	10060198
T LNK 6 20 V2A	200	60	1.5	10060199
T LNK 6 30 V2A	300	60	1.5	10060200
T LNK 6 40 V2A	400	60	1.5	10060201
T LNK 6 50 V2A	500	60	1.5	10060202
T LNK 6 60 V2A	600	60	1.5	10060203
				V2A
T LNK 6 10 V4A	100	60	1.5	10090198
T LNK 6 20 V4A	200	60	1.5	10090199
T LNK 6 30 V4A	300	60	1.5	10090200
T LNK 6 40 V4A	400	60	1.5	10090201
T LNK 6 50 V4A	500	60	1.5	10090202
T LNK 6 60 V4A	600	60	1.5	10090203
				V4A

V2A INOX 1.4301


V4A INOX 1.4571


LNK Bočna spojnica H 60mm INOX / Ladder cable trays straight connector H60mm INOX


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	
S LNK 100 V2A	100	60	1.5	10060082
S LNK 100 V4A	100	60	1.5	10090083

V2A INOX 1.4301

V4A INOX 1.4571


Mrežasti nosač kablova MNK L 3000mm INOX / Mesh cable trays MNK L 3000mm INOX


Tip Typ	Širina Width	Visina Height	Debljina žice Wire thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm²	
MNK 50/55/3000 V2A	50	55	3.9	3000	25	10060065
MNK 100/55/3000 V2A	100	55	3.9	3000	50	10060066
MNK 200/55/3000 V2A	200	55	3.9	3000	100	10060067
MNK 300/55/3000 V2A	300	55	3.9	3000	150	10060068
MNK 400/55/3000 V2A	400	55	3.9	3000	200	10060069
MNK 50/55/3000 V4A	50	55	3.9	3000	25	10090065
MNK 100/55/3000 V4A	100	55	3.9	3000	50	10090066
MNK 200/55/3000 V4A	200	55	3.9	3000	100	10090067
MNK 300/55/3000 V4A	300	55	3.9	3000	150	10090068
MNK 400/55/3000 V4A	400	55	3.9	3000	200	10090069

V2A INOX 1.4301

V4A INOX 1.4571






CE



Konzola za MNK INOX / Cantilever for Mesh cable trays INOX




Tip Typ	Dužina L Length L L mm	Visina Height H mm	Debljina Thickness D mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
KZ MNK 50 V2A	50	60	1.5	80	10	V2A 5006001
KZ MNK 100 V2A	100	60	1.5	86	10	5006002
KZ MNK 200 V2A	200	60	1.5	91	10	5006003
KZ MNK 300 V2A	300	60	1.5	98	10	5006004
<hr/>						
KZ MNK 50 V4A	50	60	1.5	80	10	V4A 5009001
KZ MNK 100 V4A	100	60	1.5	86	10	5009002
KZ MNK 200 V4A	200	60	1.5	91	10	5009003
KZ MNK 300 V4A	300	60	1.5	98	10	5009004

V2A INOX 1.4301

V4A INOX 1.4571



Nosač razvodne kutije INOX / Distribution box carrier INOX




Tip Typ	Širina Width mm	Debljina Thickness mm	Šifra artikla Article
NRK V2A	75	2	V2A 30061120
NRK V4A	75	2	V4A 30061120

V2A INOX 1.4301

V4A INOX 1.4571



Dupla žabica MNK regala INOX / Double toogle mesh cable trays INOX




Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
DŽMNK 1 V2A	20	5	2	V2A 30061121
DŽMNK 1 V4A	20	5	2	V4A 30091121

V2A INOX 1.4301

V4A INOX 1.4571




Žabica MNK regala INOX / Toogle Mesh cable trays MNK INOX




Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
ŽMNK 1 V2A	20	5	2	V2A 10060083
ŽMNK 1 V4A	20	5	2	V4A 10090084

V2A INOX 1.4301

V4A INOX 1.4571





Grip obujmica INOX / Grip clamp INOX


Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness		Pakovanje Pack kom piece	Šifra artikla Article
mm					V2A	V4A
G obujmica 15 V2A	35	65	1		10	10060195
G obujmica 30 V2A	55	85	1		10	10060196
G obujmica 15 V4A	35	65	1		10	10090195
G obujmica 30 V4A	55	85	1		10	10090196

V2A INOX 1.4301



V4A INOX 1.4571


Obujmica 1A INOX / Clamp 1A INOX


Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
mm			V2A	V4A
Obujmice 1A V2A	6	1.5	10	33362401
Obujmice 1A V2A	10	1.5	10	33362402
Obujmice 1A V2A	14	1.5	10	33362403
Obujmice 1A V2A	18	1.5	10	33362404
Obujmice 1A V2A	22	1.5	10	33362405
Obujmice 1A V2A	26	1.5	10	33362406
Obujmice 1A V2A	30	1.5	10	33362407
Obujmice 1A V2A	34	1.5	10	33362408
Obujmice 1A V2A	38	1.5	10	33362409
Obujmice 1A V2A	42	1.5	10	33362410
Obujmice 1A V4A	6	1.5	10	33392401
Obujmice 1A V4A	10	1.5	10	33392402
Obujmice 1A V4A	14	1.5	10	33392403
Obujmice 1A V4A	18	1.5	10	33392404
Obujmice 1A V4A	22	1.5	10	33392405
Obujmice 1A V4A	26	1.5	10	33392406
Obujmice 1A V4A	30	1.5	10	33392407
Obujmice 1A V4A	34	1.5	10	33392408
Obujmice 1A V4A	38	1.5	10	33392409
Obujmice 1A V4A	42	1.5	10	33392410

V2A INOX 1.4301


V4A INOX 1.4571


Obujmica 2A INOX / Clamp 2A INOX


Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
mm			V2A	V4A
Obujmica 2A V2A	6	1.5	10	33362411
Obujmica 2A V2A	10	1.5	10	33362412
Obujmica 2A V2A	14	1.5	10	33362413
Obujmica 2A V2A	18	1.5	10	33362414
Obujmica 2A V2A	22	1.5	10	33362415
Obujmica 2A V2A	26	1.5	10	33362416
Obujmica 2A V2A	30	1.5	10	33362417
Obujmica 2A V2A	34	1.5	10	33362418
Obujmica 2A V2A	38	1.5	10	33362419
Obujmica 2A V2A	42	1.5	10	33362420
Obujmica 2A V4A	6	1.5	10	33392411
Obujmica 2A V4A	10	1.5	10	33392412
Obujmica 2A V4A	14	1.5	10	33392413
Obujmica 2A V4A	18	1.5	10	33392414
Obujmica 2A V4A	22	1.5	10	33392415
Obujmica 2A V4A	26	1.5	10	33392416
Obujmica 2A V4A	30	1.5	10	33392417
Obujmica 2A V4A	34	1.5	10	33392418
Obujmica 2A V4A	38	1.5	10	33392419
Obujmica 2A V4A	42	1.5	10	33392420


V2A INOX 1.4301

V4A INOX 1.4571






Dupla obujmica INOX / Double clamp INOX




Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
D Obujmica V2A	6	1.5	10	33362421
D Obujmica V2A	10	1.5	10	33362422
D Obujmica V2A	14	1.5	10	33362423
D Obujmica V2A	18	1.5	10	33362424
D Obujmica V2A	22	1.5	10	33362425
D Obujmica V2A	26	1.5	10	33362426
D Obujmica V2A	30	1.5	10	33362427
D Obujmica V2A	34	1.5	10	33362428
D Obujmica V2A	38	1.5	10	33362429
D Obujmica V2A	42	1.5	10	33362430
V2A				
D Obujmica V4A	6	1.5	10	33392421
D Obujmica V4A	10	1.5	10	33392422
D Obujmica V4A	14	1.5	10	33392423
D Obujmica V4A	18	1.5	10	33392424
D Obujmica V4A	22	1.5	10	33392425
D Obujmica V4A	26	1.5	10	33392426
D Obujmica V4A	30	1.5	10	33392427
D Obujmica V4A	34	1.5	10	33392428
D Obujmica V4A	38	1.5	10	33392429
D Obujmica V4A	42	1.5	10	33392430
V4A				

V2A INOX 1.4301

V4A INOX 1.4571




Stezaljka poklopca INOX / Cover clip INOX




Tip Typ	Visina Height	Debljina Thickness	Šifra artikla Article
SP 30 V2A	30	1.5	30061113
SP 50 V2A	50	1.5	30061114
SP 60 V2A	60	1.5	30061115
SP 75 V2A	75	1.5	30061116
SP 85 V2A	85	1.5	30061117
SP 110 V2A	110	1.5	30061118
V2A			
SP 30 V4A	30	1.5	30091113
SP 50 V4A	50	1.5	30091114
SP 60 V4A	60	1.5	30091115
SP 75 V4A	75	1.5	30091116
SP 85 V4A	85	1.5	30091117
SP 110 V4A	110	1.5	30091118
V4A			

V2A INOX 1.4301

V4A INOX 1.4571



Perforirani nosač kablova tipa E90 H 60mm INOX / Perforated cable trays E90 H 60mm INOX




Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
PNK 6 10 300 E90 V2A	100	60	1.5	3000	58	10060070
PNK 6 20 300 E90 V2A	200	60	1.5	3000	118	10060071
PNK 6 30 300 E90 V2A	300	60	1.5	3000	178	10060072
PNK 6 40 300 E90 V2A	400	60	1.5	3000	238	10060073
PNK 6 50 300 E90 V2A	500	60	1.5	3000	298	10060074
PNK 6 60 300 E90 V2A	600	60	1.5	3000	358	10060075
V2A						
PNK 6 5 300 E90 V4A	50	60	1.5	3000	28	10090070
PNK 6 10 300 E90 V4A	100	60	1.5	3000	58	10090071
PNK 6 20 300 E90 V4A	200	60	1.5	3000	118	10090072
PNK 6 30 300 E90 V4A	300	60	1.5	3000	178	10090073
PNK 6 40 300 E90 V4A	400	60	1.5	3000	238	10090074
PNK 6 50 300 E90 V4A	500	60	1.5	3000	298	10090075
PNK 6 60 300 E90 V4A	600	60	1.5	3000	358	10090076
V4A						

V2A INOX 1.4301

V4A INOX 1.4571





Lestvičasti nosač kablova tipa E90 H 60mm INOX / Ladder cable trays E90 H 60mm INOX


Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Dužina Length	Korisni presek Useful section		Šifra artikla Article
LNK 6 10 300 E90 V2A	100	60	1.5	3000	58		V2A
LNK 6 20 300 E90 V2A	200	60	1.5	3000	118		10060076
LNK 6 30 300 E90 V2A	300	60	1.5	3000	178		10060077
LNK 6 40 300 E90 V2A	400	60	1.5	3000	238		10060078
LNK 6 50 300 E90 V2A	500	60	1.5	3000	298		10060079
LNK 6 60 300 E90 V2A	600	60	1.5	3000	358		10060080
							10060081
							V4A
LNK 6 10 300 E90 V4A	100	60	1.5	3000	58		10090077
LNK 6 20 300 E90 V4A	200	60	1.5	3000	118		10090078
LNK 6 30 300 E90 V4A	300	60	1.5	3000	178		10090079
LNK 6 40 300 E90 V4A	400	60	1.5	3000	238		10090080
LNK 6 50 300 E90 V4A	500	60	1.5	3000	298		10090081
LNK 6 60 300 E90 V4A	600	60	1.5	3000	358		10090082

V2A INOX 1.4301


V4A INOX 1.4571


Spojnica lestvičastog nosača kablova tipa E90 H 60mm INOX / Coupling ladder cable trays E90 H 60mm INOX


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S LNK 60 E90 V2A	60	10	10060084
S LNK 60 E90 V4A	60	10	10090085

V2A INOX 1.4301



V4A INOX 1.4571


Plafonski U nosač tipa E90 INOX / Ceiling U carrier type E90 INOX


Tip Typ	Debljina Thickness	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
U 5 20 E90 V2A	2	200	1	10060150
U 5 30 E90 V2A	2	300	1	10060151
U 5 40 E90 V2A	2	400	1	10060152
U 5 50 E90 V2A	2	500	1	10060153
U 5 60 E90 V2A	2	600	1	10060154
U 5 70 E90 V2A	2	700	1	10060155
U 5 80 E90 V2A	2	800	1	10060156
U 5 90 E90 V2A	2	900	1	10060157
U 5 100 E90 V2A	2	1000	1	10060158
U 5 150 E90 V2A	2	1500	1	10060159
U 5 200 E90 V2A	2	2000	1	10060160
				V4A
U 5 20 E90 V4A	2	200	1	10091077
U 5 30 E90 V4A	2	300	1	10091078
U 5 40 E90 V4A	2	400	1	10091079
U 5 50 E90 V4A	2	500	1	10091080
U 5 60 E90 V4A	2	600	1	10091081
U 5 70 E90 V4A	2	700	1	10091082
U 5 80 E90 V4A	2	800	1	10091083
U 5 90 E90 V4A	2	900	1	10091084
U 5 100 E90 V4A	2	1000	1	10091085
U 5 150 E90 V4A	2	1500	1	10091166
U 5 200 E90 V4A	2	2000	1	10090160

V2A INOX 1.4301


V4A INOX 1.4571


INOX
Kosi nosač tipa E90 INOX / Bevel carrier, type E90 INOX


Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
KS E90 V2A	2	10	10060161
KS E90 V4A	2	10	10090161


V2A INOX 1.4301

V4A INOX 1.4571





Zidna i konzola nosača tipa E90 INOX / Wall cantilever carrier, type E90 INOX




Tip Type	Dебљина Thickness	Dужина Length	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 E90 V2A	2	80	10	10060162
KZ PNK 100 E90 V2A	2	130	10	10060163
KZ PNK 160 E90 V2A	2	190	10	10060164
KZ PNK 200 E90 V2A	2	230	10	10060165
KZ PNK 300 E90 V2A	2	330	10	10060166
KZ PNK 400 E90 V2A	2	430	10	10060167
KZ PNK 500 E90 V2A	2	530	10	10060168
KZ PNK 600 E90 V2A	2	630	10	10060169
V2A				
KZ PNK 50 E90 V4A	2	80	10	10090162
KZ PNK 100 E90 V4A	2	130	10	10090163
KZ PNK 160 E90 V4A	2	190	10	10090164
KZ PNK 200 E90 V4A	2	230	10	10090165
KZ PNK 300 E90 V4A	2	330	10	10090166
KZ PNK 400 E90 V4A	2	430	10	10090167
KZ PNK 500 E90 V4A	2	530	10	10090168
KZ PNK 600 E90 V4A	2	630	10	10090169
V4A				

V2A INOX 1.4301

V4A INOX 1.4571



UD nosač tipa E90 INOX / UD carrier, type E90 INOX




Tip Type	Dебљина Thickness	Pakovanje Pack kom piece	Šifra artikla Article
UD U5 E90 V2A	2	10	10060170
UD U5 E90 V4A	2	10	100901086

V2A INOX 1.4301

V4A INOX 1.4571



Odstojnik tipa E90 INOX / Spacer, type E90 INOX




Tip Type	Dебљина Thickness	Pakovanje Pack kom piece	Šifra artikla Article
OD U5 E90 V2A	2	10	10060182
OD U5 E90 V4A	2	10	10090182

V2A INOX 1.4301

V4A INOX 1.4571



Profilna perforirana sina tipa E90 INOX / Profile perforated track, type E90 INOX



Tip Type	Dimenzije Dimensions	Dебљина Thickness	Dужина Length	Pakovanje Pack kom piece	Šifra artikla Article
PS L 2M E90 V2A	30x15	2	2000	10	10060183
PS L 14 E90 V2A	30x15	2	140	10	10060184
PS L 20 E90 V2A	30x15	2	200	10	10060185
PS L 24 E90 V2A	30x15	2	240	10	10060186
PS L 34 E90 V2A	30x15	2	340	10	10060187
PS L 44 E90 V2A	30x15	2	440	10	10060188
PS L 54 E90 V2A	30x15	2	540	10	10060189
PS L 64 E90 V2A	30x15	2	640	10	10060190
V2A					
PS L 2M E90 V4A	30x15	2	2000	10	10090183
PS L 14 E90 V4A	30x15	2	140	10	10090184
PS L 20 E90 V4A	30x15	2	200	10	10090185
PS L 24 E90 V4A	30x15	2	240	10	10090186
PS L 34 E90 V4A	30x15	2	340	10	10090187
PS L 44 E90 V4A	30x15	2	440	10	10090188
PS L 54 E90 V4A	30x15	2	540	10	10090189
PS L 64 E90 V4A	30x15	2	640	10	10090190
V4A					


V2A INOX 1.4301

V4A INOX 1.4571





Spojnica PNK nosača E90 INOX / Connector PNK cable tray E90 INOX



Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 50 E90 V2A	50	1.5	10	10060191
S PNK 100 E90 V2A	100	1.5	10	10060192
S PNK 200 E90 V2A	200	1.5	10	10060193
S PNK 300 E90 V2A	300	1.5	10	10060194
S PNK 400 E90 V2A	400	1.5	10	10060195
S PNK 500 E90 V2A	500	1.5	10	10060196
S PNK 600 E90 V2A	600	1.5	10	10060197
V2A				
S PNK 50 E90 V4A	50	1.5	10	10090191
S PNK 100 E90 V4A	100	1.5	10	10090192
S PNK 200 E90 V4A	200	1.5	10	10090193
S PNK 300 E90 V4A	300	1.5	10	10090194
S PNK 400 E90 V4A	400	1.5	10	10090195
S PNK 500 E90 V4A	500	1.5	10	10090196
S PNK 600 E90 V4A	600	1.5	10	10090197
V4A				

V2A INOX 1.4301


V4A INOX 1.4571





Čelični tipli INOX / Steel anchor INOX

INOX




Tip Typ	Prečnik burgije Diameter of the drill	Min. dubina vijka Minimum drill depth	Maks. dubina vijka Maximum drill depth	Pakovanje Pack kom piece	Šifra artikla Article
EA II M8 x 30 V2A	mm 10 / M8	mm 8	mm 13	50	V2A 10060220
EA II M10 x 40 V2A	mm 12 / M10	mm 10	mm 17	50	10060221
EA II M8 x 30 V4A	mm 10 / M8	mm 8	mm 13	50	V4A 10090220
EA II M10 x 40 V4A	mm 12 / M10	mm 10	mm 17	50	10090221

V2A INOX 1.4301

V4A INOX 1.4571



Anker vijak INOX / Anchor screw INOX




Tip Typ	Efektivna dubina bušenja Effective drilling length	Dužina anksra Length anchor	Maks. korisna dužina Maximum useful length	Pakovanje Pack kom piece	Šifra artikla Article
FAZ II 8/10 V2A	mm 10 / M8	mm 75	mm 10	50	V2A 10060223
FAZ II 8/30 V2A	mm 12 / M10	mm 95	mm 30	50	10060224
FAZ II 10/10 V2A	mm 12 / M10	mm 95	mm 10	50	10060225
FAZ II 10/20 V2A	mm 10 / M8	mm 105	mm 20	25	10060226
FAZ II 8/10 V4A	mm 10 / M8	mm 75	mm 10	50	V4A 10090223
FAZ II 8/30 V4A	mm 12 / M10	mm 95	mm 30	50	10090224
FAZ II 10/10 V4A	mm 12 / M10	mm 95	mm 10	50	10090225
FAZ II 10/20 V4A	mm 10 / M8	mm 105	mm 20	25	10090226

V2A INOX 1.4301

V4A INOX 1.4571



Navojna šipka INOX / Threaded rod INOX




Tip Typ	Dužina Length	Prečnik Diameter	Pakovanje Pack kom piece	Šifra artikla Article
Navojna šipka M8 V2A	mm 1000	mm 8	10	V2A 10060233
Navojna šipka M10 V2A	mm 1000	mm 10	10	10060234
Navojna šipka M8 V4A	mm 1000	mm 8	10	V4A 10090233
Navojna šipka M10 V4A	mm 1000	mm 10	10	10090234

V2A INOX 1.4301

V4A INOX 1.4571



Torban vijak INOX / Carriage bolt INOX




Tip Typ	Dužina Length	Prečnik Diameter	Pakovanje Pack kom piece	Šifra artikla Article
Torban vijak M6 V2A	mm 12	mm 6	250	V2A 10060235
Torban vijak M8 V2A	mm 16	mm 8	250	10060236
Torban vijak M6 V4A	mm 12	mm 6	250	V4A 10090235
Torban vijak M8 V4A	mm 16	mm 8	250	10090236

V2A INOX 1.4301

V4A INOX 1.4571



Nazubljena matica INOX / Hex flange nut INOX




Tip Typ	Prečnik otvora Diameter hole	Pakovanje Pack kom piece	Šifra artikla Article
Nazubljena matica M6 V2A	mm 6	400	V2A 10060237
Nazubljena matica M8 V2A	mm 8	400	10060238
Nazubljena matica M6 V4A	mm 6	400	V4A 10090237
Nazubljena matica M8 V4A	mm 8	400	10090238

V2A INOX 1.4301

V4A INOX 1.4571





Podloška INOX / Washer INOX
INOX


Tip Typ		Prečnik otvora Hole diameter		Pakovanje Pack	Šifra artikla Article
		mm		kom piece	
Podloška M8 V2A		8		400	V2A 10060239
Podloška M10 V2A		10		400	10060240
Podloška M8 V4A		8		400	V4A 10090239
Podloška M10 V4A		10		400	10090240

V2A INOX 1.4301

V4A INOX 1.4571



Matica INOX / Nut INOX


Tip Typ		Prečnik otvora Diameter hole		Pakovanje Pack	Šifra artikla Article
		mm		kom piece	
Matica M8 V2A		8		400	V2A 10060241
Matica M10 V2A		10		400	10060242
Matica M8 V4A		8		400	V4A 10090241
Matica M10 V4A		10		400	10090242

V2A INOX 1.4301


V4A INOX 1.4571





9

CR



PLASTIFICIRANI NOSAČI KABLOVA

PLASTIFICIZED CABLE TRAY SYSTEMS

CR




STRONG




FAST ...



NO TOOLS




 Pekom


Plafonski UD nosač PLASTIFICIRAN / Ceiling UD carrier PLASTIFICIZED
CR




Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
	mm	kg		
UD U5 CR	2	611	10	CR 10110001

CR RAL boje / RAL colours


U profil PLASTIFICIRAN / U profile PLASTIFICIZED



Tip Typ	Dužina L Length L	Dimenziije Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		
U 5 20 CR	200	50x30	2	10	10110002
U 5 30 CR	300	50x30	2	10	10110003
U 5 40 CR	400	50x30	2	10	10110004
U 5 50 CR	500	50x30	2	10	10110005
U 5 60 CR	600	50x30	2	6	10110006
U 5 70 CR	700	50x30	2	6	10110007
U 5 80 CR	800	50x30	2	6	10110008
U 5 90 CR	900	50x30	2	6	10110009
U 5 100 CR	1000	50x30	2	4	10110010
U 5 150 CR	1500	50x30	2	4	10110011
U 5 200 CR	2000	50x30	2	4	10110012
U 5 300 CR	3000	50x30	2	4	10110013

CR RAL boje / RAL colours


Spojnica U stuba PLASTIFICIRAN / Clip U pillar PLASTIFICIZED


Tip Typ	Dužina L Length L	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		
S U5 CR	200	2	10	CR 10110014

CR RAL boje / RAL colours


Odstojnik za U stub INOX PLASTIFICIRAN / Spacer for U pillar PLASTIFICIZED


Tip Typ	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm		
OD U5 CR	2	10	CR 10110015


CR RAL boje / RAL colours





Konzola PLASTIFICIRAN / Cantilever PLASTIFICIZED

CR




Tip Typ	Dužina L Length L mm	Visina H Height mm	Debljina D Thickness mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 CR	50	60	2	129	10	10110016
KZ PNK 100 CR	100	60	2	130	10	10110017
KZ PNK 160 CR	160	60	2	131	10	10110018
KZ PNK 200 CR	200	60	2	132	10	10110019
KZ PNK 300 CR	300	60	2	128	10	10110020
KZ PNK 400 CR	400	60	2	126	10	10110021
KZ PNK 500 CR	500	93	2	121	10	10110022
KZ PNK 600 CR	600	93	2	118	10	10110023



CR RAL boje / RAL colours

Nosač za trapezni lim PLASTIFICIRAN / Carrier for trapezoidal sheet PLASTIFICIZED




Tip Typ	Debljina Thickness mm	Centralni otvor Hole mm	Pakovanje Pack kom piece	Šifra artikla Article
TL 8 CR	2	M8	10	10110024
TL 10 CR	2	M10	10	10110025




CR RAL boje / RAL colours

Plafonski G nosač PLASTIFICIRAN / Ceiling G carrier PLASTIFICIZED




Tip Typ	Dužina L Length L mm	Otvor Hole mm	Debljina Thickness mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
G PNK 100 CR	100	10	6	78	10	10110026
G PNK 160 CR	160	10	6	67	10	10110027
G PNK 200 CR	200	10	6	63	10	10110028
G PNK 300 CR	300	10	6	40	10	10110029



CR RAL boje / RAL colours


C nosač PLASTIFICIRAN / C carrier PLASTIFICIZED



Tip Typ	Debljina Thickness mm	Pakovanje Pack kom piece	Šifra artikla Article
CN CR	2	10	10110030




CR RAL boje / RAL colours


Odstojnik PLASTIFICIRAN / Spacer PLASTIFICIZED
CR


Tip Typ	Dužina L Length L			Pakovanje Pack kom piece	Šifra artikla Article
	mm				
OD 10 CR	100			10	10110031
OD 16 CR	160			10	10110032
OD 20 CR	200			10	10110033
OD 30 CR	300			10	10110034
OD 40 CR	400			10	10110035
OD 50 CR	500			10	10110036
OD 60 CR	600			10	10110037




CR RAL boje / RAL colours

Središnji nosač PLASTIFICIRAN / Central carrier PLASTIFICIZED


Tip Typ	Dužina L Length L	Debljina Thickness	Centralni otvor Hole	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		
SN 10 M8 CR	94	3	M8	10	10110038
SN 16 M8 CR	154	3	M8	10	10110039
SN 20 M8 CR	195	3	M8	10	10110040
SN 30 M8 CR	295	3	M8	10	10110041
SN 10 M10 CR	94	3	M10	10	10110042
SN 16 M10 CR	154	3	M10	10	10110043
SN 20 M10 CR	195	3	M10	10	10110044
SN 30 M10 CR	295	3	M10	10	10110045




CR RAL boje / RAL colours

Perforirana šina sa jednom navojnom šipkom PLASTIFICIRAN / Perforated track with one threaded rod PLASTIFICIZED


Tip Typ	Dužina L Length L	Dimenzijske Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		
PS L 05 CR	50	30x15	2	10	10110046
PS L 10 CR	100	30x15	2	10	10110047
PS L 16 CR	160	30x15	2	10	10110048
PS L 20 CR	200	30x15	2	10	10110049
PS L 30 CR	300	30x15	2	10	10110050



CR RAL boje / RAL colours

Perforirana šina sa dve navojne šipke PLASTIFICIRAN / Perforated track with two threaded rod PLASTIFICIZED


Tip Typ	Dužina L Length L	Dimenzijske Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm	mm		
PS L 2M 15 CR	2000	30x15	1.5	10	10110051
PS L 2M 20 CR	2000	30x15	2	10	10110052
PS L 13 CR	130	30x15	2	10	10110053
PS L 18 CR	180	30x15	2	10	10110054
PS L 24 CR	240	30x15	2	10	10110055
PS L 28 CR	280	30x15	2	10	10110056
PS L 38 CR	380	30x15	2	10	10110057
PS L 48 CR	480	30x15	2	10	10110058
PS L 58 CR	580	30x15	2	10	10110059
PS L 68 CR	680	30x15	2	10	10110060




CR RAL boje / RAL colours



Perforirani L profil PLASTIFICIRAN / Perforated L Profile PLASTIFICIZED

CR




Tip Typ	Dužina L Length L	Dimenzije Dimensions	Debljina Thickness		Pakovanje Pack kom piece	Šifra artikla Article
UP L 2M CR	mm 2000	mm 30x30	mm 2		10	CR 10110061

CR RAL boje / RAL colours




Perforirana traka PLASTIFICIRAN / Perforated strip PLASTIFICIZED




Tip Typ	Dužina L Length L	Širina Width	Otvor Diameter		Pakovanje Pack kom piece	Šifra artikla Article
PTR L 3M 6.2 CR	mm 3000	mm 18	mm 6.2		10	CR 10110062
PTR L 3M 8.2 CR	mm 3000	mm 18	mm 8.2		10	CR 10110063

CR RAL boje / RAL colours




Perforirana traka velike nosivosti PLASTIFICIRAN / Perforated strip large capacity PLASTIFICIZED




Tip Typ	Dužina L Length L	Širina Width	Debljina Thickness		Pakovanje Pack kom piece	Šifra artikla Article
PTR L 2M CR	mm 2000	mm 25	mm 2		10	CR 10110064

CR RAL boje / RAL colours



Nosač kablova PNK H 50mm PLASTIFICIRAN / PNK cable trays H 50mm PLASTIFICIZED



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						cm ²	1.5 m kg/m	2.0 m kg/m	
PNK 5 5 300 CR	50	50	0.75	3000	23	123	78	44	CR 10110065
PNK 5 10 300 CR	100	50	0.75	3000	48	121	80	50	CR 10110066
PNK 5 16 300 CR	160	50	0.75	3000	78	128	81	48	CR 10110067
PNK 5 20 300 CR	200	50	0.75	3000	98	132	77	47	CR 10110068
PNK 5 30 300 CR	300	50	0.75	3000	148	112	78	42	CR 10110069
PNK 5 40 300 CR	400	50	1	3000	198	153	123	69	CR 10110070
PNK 5 50 300 CR	500	50	1	3000	248	156	125	62	CR 10110071
PNK 5 60 300 CR	600	50	1	3000	298	158	128	62	CR 10110072


CR RAL boje / RAL colours





Krivina 45° H 50mm PLASTIFICIRAN / Bend 45° H 50mm PLASTIFICIZED

CR




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	CR
K45 PNK 5 5 CR	50	50	1	10110073
K45 PNK 5 10 CR	100	50	1	10110074
K45 PNK 5 16 CR	160	50	1	10110075
K45 PNK 5 20 CR	200	50	1	10110076
K45 PNK 5 30 CR	300	50	1	10110077
K45 PNK 5 40 CR	400	50	1	10110078
K45 PNK 5 50 CR	500	50	1	10110079
K45 PNK 5 60 CR	600	50	1	10110080



CR RAL boje / RAL colours

Krivina 90° H 50mm PLASTIFICIRAN / Bend 90° H 50mm PLASTIFICIZED




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	CR
L PNK 5 5 CR	50	50	1	10110081
L PNK 5 10 CR	100	50	1	10110082
L PNK 5 16 CR	160	50	1	10110083
L PNK 5 20 CR	200	50	1	10110084
L PNK 5 30 CR	300	50	1	10110085
L PNK 5 40 CR	400	50	1	10110086
L PNK 5 50 CR	500	50	1	10110087
L PNK 5 60 CR	600	50	1	10110088



CR RAL boje / RAL colours

PNK T račva H 50mm PLASTIFICIRAN / T Module PNK H 50mm PLASTIFICIZED




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	CR
T PNK 5 5 CR	50	50	1	10110089
T PNK 5 10 CR	100	50	1	10110090
T PNK 5 16 CR	160	50	1	10110091
T PNK 5 20 CR	200	50	1	10110092
T PNK 5 30 CR	300	50	1	10110093
T PNK 5 40 CR	400	50	1	10110094
T PNK 5 50 CR	500	50	1	10110095
T PNK 5 60 CR	600	50	1	10110096




CR RAL boje / RAL colours

Lomljiva spojnica PNK H 50mm PLASTIFICIRAN / Angle connector PNK H 50mm PLASTIFICIZED



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
	mm	50	CR
LS PNK 50 CR	50	50	10110097




CR RAL boje / RAL colours

CR



Zglobna spojnica PNK H 50mm PLASTIFICIRAN / Adjustable connector PNK H 50mm PLASTIFICIZED

CR




Tip Typ	Širina Width	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 50 CR	50	50	CR 10110098

CR RAL boje / RAL colours



Nosač kablova PNK H 60mm PLASTIFICIRAN / PNK cable trays H 60mm PLASTIFICIZED




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
PNK 6 5 300 CR	50	60	0.75	3000	28	121	80	50	10110099
PNK 6 10 300 CR	100	60	0.75	3000	58	120	78	49	10110100
PNK 6 16 300 CR	160	60	0.75	3000	78	123	79	48	10110101
PNK 6 20 300 CR	200	60	0.75	3000	118	132	77	47	10110102
PNK 6 30 300 CR	300	60	0.75	3000	178	112	78	42	10110103
PNK 6 40 300 CR	400	60	1	3000	238	153	123	69	10110104
PNK 6 50 300 CR	500	60	1	3000	298	156	125	62	10110105
PNK 6 60 300 CR	600	60	1	3000	358	158	128	62	10110106

CR RAL boje / RAL colours



Krivina 45° PNK H 60mm PLASTIFICIRAN / Bend 45° PNK H 60mm PLASTIFICIZED




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
K45 PNK 6 5 CR	50	60	1	CR 10110107
K45 PNK 6 10 CR	100	60	1	10110108
K45 PNK 6 16 CR	160	60	1	10110109
K45 PNK 6 20 CR	200	60	1	10110110
K45 PNK 6 30 CR	300	60	1	10110111
K45 PNK 6 40 CR	400	60	1	10110112
K45 PNK 6 50 CR	500	60	1	10110113
K45 PNK 6 60 CR	600	60	1	10110114

CR RAL boje / RAL colours




Krivina PNK 90° H60mm PLASTIFICIRAN / Bend 90° PNK H60mm PLASTIFICIZED



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
L PNK 6 5 CR	50	60	1	CR 10110115
L PNK 6 10 CR	100	60	1	10110116
L PNK 6 16 CR	160	60	1	10110117
L PNK 6 20 CR	200	60	1	10110118
L PNK 6 30 CR	300	60	1	10110119
L PNK 6 40 CR	400	60	1	10110120
L PNK 6 50 CR	500	60	1	10110121
L PNK 6 60 CR	600	60	1	10110122

CR RAL boje / RAL colours





PNK T račva H 60mm PLASTIFICIRAN / T Module PNK H 60mm PLASTIFICIZED
CR



Tip Typ	Širina Width	Visina Height	Dебљина Thickness	Šifra artikla Article
T PNK 6 5 CR	50	60	1	CR 10110123
T PNK 6 10 CR	100	60	1	10110124
T PNK 6 16 CR	160	60	1	10110125
T PNK 6 20 CR	200	60	1	10110126
T PNK 6 30 CR	300	60	1	10110127
T PNK 6 40 CR	400	60	1	10110128
T PNK 6 50 CR	500	60	1	10110129
T PNK 6 60 CR	600	60	1	10110130




CR RAL boje / RAL colours

Lomljiva spojnica PNK H 60mm PLASTIFICIRAN / Angle connector PNK H 60mm PLASTIFICIZED



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 60 CR	60	50	CR 10110131




CR RAL boje / RAL colours

Zglobna spojnica PNK H 60mm PLASTIFICIRAN / Adjustable connector PNK H 60mm PLASTIFICIZED


Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 60 CR	60	50	CR 10110132



CR RAL boje / RAL colours

LNK Nosač kablova H 60mm PLASTIFICIRAN / Ladder cable trays H 60mm PLASTIFICIZED


Tip Typ	Širina Width	Visina Height	Dебљина Thickness	Dužina Length	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
					1,5 m kg/m	2,0 m kg/m	2,5 m kg/m	
LNK 6 10 300 CR	100	60	1,5	3000	250	200	125	CR 10110133
LNK 6 20 300 CR	200	60	1,5	3000	247	197	120	10110134
LNK 6 30 300 CR	300	60	1,5	3000	245	195	120	10110135
LNK 6 40 300 CR	400	60	1,5	3000	235	190	115	10110136
LNK 6 50 300 CR	500	60	1,5	3000	230	185	112	10110137
LNK 6 60 300 CR	600	60	1,5	3000	232	190	115	10110138




CR RAL boje / RAL colours

CR



LNK Krivina 90° H 60mm PLASTIFICIRAN / Ladder cable trays Bend 90° H 60mm PLASTIFICIZED

CR




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	CR
L LNK 6 10 CR	100	60	1.5	10110139
L LNK 6 20 CR	200	60	1.5	10110140
L LNK 6 30 CR	300	60	1.5	10110141
L LNK 6 40 CR	400	60	1.5	10110142
L LNK 6 50 CR	500	60	1.5	10110143
L LNK 6 60 CR	600	60	1.5	10110144



CR RAL boje / RAL colours

LNK T račva H 60mm PLASTIFICIRAN / T Module LNK H 60mm PLASTIFICIZED




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	CR
T LNK 6 10 CR	100	60	1.5	10110145
T LNK 6 20 CR	200	60	1.5	10110146
T LNK 6 30 CR	300	60	1.5	10110147
T LNK 6 40 CR	400	60	1.5	10110148
T LNK 6 50 CR	500	60	1.5	10110149
T LNK 6 60 CR	600	60	1.5	10110150



CR RAL boje / RAL colours

LNK Bočna spojnica H 60mm PLASTIFICIRAN / Ladder cable trays straight connector H60mm PLASTIFICIZED




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	CR
S LNK 100 CR	100	60	1.5	10110151




CR RAL boje / RAL colours

Mrežasti nosač kablova MNK L 3000mm PLASTIFICIRAN / Mesh cable trays MNK L 3000mm PLASTIFICIZED




Tip Typ	Širina Width	Visina Height	Debljina žice Wire thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm²	CR
MNK 50/55/3000 CR	50	55	3.9	3000	25	10110152
MNK 100/55/3000 CR	100	55	3.9	3000	50	10110153
MNK 200/55/3000 CR	200	55	3.9	3000	100	10110154
MNK 300/55/3000 CR	300	55	3.9	3000	150	10110155
MNK 400/55/3000 CR	400	55	3.9	3000	200	10110156



CR RAL boje / RAL colours


Žabica MNK regala PLASTIFICIRAN / Toogle Mesh cable trays MNK PLASTIFICIZED



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	CR
ŽMNK 1 CR	20	5	2	10110157



CR RAL boje / RAL colours

 **Pekom****CR**

10



TUNN



TUNELSKI SISTEMI NOSAČA KABLOVA

TUNNEL CABLE SUPPORT SYSTEMS



STRONG




FAST ...




E90






 Pekom


Nosač kablova PNK d=0,8/1 mm / PNK cable trays d=0,8/1 mm
TUNN E90



Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Dovoljeno opterećenje Allowed load			Šifra artikla Article TC
						1.5 m kg/m	2.0 m kg/m	2.5 m kg/m	
PNK 6 5 300 TC	50	60	0,8	3000	28	119	80	49	10021096
PNK 6 10 300 TC	100	60	0,8	3000	58	121	80	50	10021097
PNK 6 16 300 TC	160	60	0,8	3000	78	122	79	48	10021098
PNK 6 20 300 TC	200	60	0,8	3000	118	132	77	47	10021099
PNK 6 30 300 TC	300	60	0,8	3000	178	112	78	42	10021100
PNK 6 40 300 TC	400	60	1	3000	238	153	123	69	10021101

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Plafonski UD nosač tipa E90 / UD carrier for ceilings type E90
E90



Tip Typ		Debljina Thickness mm	Nosivost Load kg			Pakovanje Pack kom piece	Šifra artikla Article TC
UD U5 TC E90		2	611			10	42030009

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


U profil tipa E90 / U profile type E90
E90


Tip Typ	Dužina L Length L mm	Dimenzije Dimensions mm	Debljina Thickness mm			Pakovanje Pack kom piece	Šifra artikla Article TC
U 5 20 TC E90	200	50x30	2			10	42030010
U 5 30 TC E90	300	50x30	2			10	42030011
U 5 40 TC E90	400	50x30	2			10	42030012
U 5 50 TC E90	500	50x30	2			10	42030013
U 5 60 TC E90	600	50x30	2			6	42030014
U 5 70 TC E90	700	50x30	2			6	42030015
U 5 80 TC E90	800	50x30	2			6	42030016
U 5 90 TC E90	900	50x30	2			6	42030017
U 5 100 TC E90	1000	50x30	2			4	42030018
U 5 150 TC E90	1500	50x30	2			4	42030019
U 5 200 TC E90	2000	50x30	2			4	42030020


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


TUNN



CE

Konzola tipa E90 / Cantilevert type E90




Tip Typ	Dužina L Length L mm	Visina H Height mm	Debljina D Thickness mm	Nosivost Load kg	Pakovanje Pack kom piece	Šifra artikla Article
KZ PNK 50 TC E90	50	60	2	129	10	42030001
KZ PNK 100 TC E90	100	60	2	130	10	42030002
KZ PNK 160 TC E90	160	60	2	131	10	42030003
KZ PNK 200 TC E90	200	60	2	132	10	42030004
KZ PNK 300 TC E90	300	60	2	128	10	42030005
KZ PNK 400 TC E90	400	60	2	126	10	42030006
KZ PNK 500 TC E90	500	93	2	121	10	42030007
KZ PNK 600 TC E90	600	93	2	118	10	42030008



TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Konzola sa navarenom pločom tipa E90 / Cantilever with welded plate type E90




Tip Typ	Dužina L Length L mm	Visina H Height mm	Debljina Thickness mm	Nosivost Load kg	Debljina ploče Plate thickness mm	Pakovanje Pack kom piece	Šifra artikla Article
KZP PNK 50 TC E90	50	80	2	345	4	10	30420064
KZP PNK 100 TC E90	100	80	2	350	4	10	30420065
KZP PNK 160 TC E90	160	80	2	330	4	10	30420066
KZP PNK 200 TC E90	200	80	2	330	4	10	30420067
KZP PNK 300 TC E90	300	80	2	320	4	10	30420068
KZP PNK 400 TC E90	400	110	2	320	4	10	30420069
KZP PNK 500 TC E90	500	110	2	320	4	10	30420070
KZP PNK 600 TC E90	600	110	2	320	4	10	30420071



TC Toplo pocinkovano potapanjem / Hot - dip galvanized

Perforirani nosač kablova tipa E90 H 60mm / Perforated cable trays, type E90 H 60mm




Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Dužina Length mm	Korisni presek Useful section cm²	Šifra artikla Article
PNK 6 5 300 TC E90	50	60	1.5	3000	28	42010015
PNK 6 10 300 TC E90	100	60	1.5	3000	58	42010016
PNK 6 20 300 TC E90	200	60	1.5	3000	118	42010017
PNK 6 30 300 TC E90	300	60	1.5	3000	178	42010018
PNK 6 40 300 TC E90	400	60	1.5	3000	238	42010019
PNK 6 50 300 TC E90	500	60	1.5	3000	298	42010020
PNK 6 60 300 TC E90	600	60	1.5	3000	358	42010021



TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Krivina 45° TC E90 / Bend 45° HD E90




Tip Typ	Širina Width mm	Visina Height mm	Šifra artikla Article
K45 PNK 6 5 TC	50	60	10021130
K45 PNK 6 10 TC	100	60	10021131
K45 PNK 6 16 TC	160	60	10021132
K45 PNK 6 20 TC	200	60	10021133
K45 PNK 6 30 TC	300	60	10021134
K45 PNK 6 40 TC	400	60	10021135
K45 PNK 6 50 TC	500	60	10021136
K45 PNK 6 60 TC	600	60	10021137




TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Krivina 90° TC E90 / Bend 90° HD E90
TUNN E90


Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	TC
L PNK 6 5 TC	50	60	10021138
L PNK 6 10 TC	100	60	10021139
L PNK 6 16 TC	160	60	10021140
L PNK 6 20 TC	200	60	10021141
L PNK 6 30 TC	300	60	10021142
L PNK 6 40 TC	400	60	10021143
L PNK 6 50 TC	500	60	10021144
L PNK 6 60 TC	600	60	10021145


TC Toplo pocinkovano potapanjem / Hot - dip galvanized

T račva TC E90 / T Module HD E90
E90



Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	TC
T PNK 6 5 TC	50	60	10021154
T PNK 6 10 TC	100	60	10021155
T PNK 6 16 TC	160	60	10021156
T PNK 6 20 TC	200	60	10021157
T PNK 6 30 TC	300	60	10021158
T PNK 6 40 TC	400	60	10021159
T PNK 6 50 TC	500	60	10021160
T PNK 6 60 TC	600	60	10021161


TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova PNK H 60mm INOX / PNK cable trays H 60mm INOX E90

TUNN E90




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Šifra artikla Article
	mm	mm	mm	mm	cm ²	
PNK 6 5 300 V4A	50	60	0.8	3000	23	V4A
PNK 6 10 300 V4A	100	60	0.8	3000	48	10091027
PNK 6 16 300 V4A	160	60	0.8	3000	78	10091028
PNK 6 20 300 V4A	200	60	0.8	3000	98	10091029
PNK 6 30 300 V4A	300	60	0.8	3000	148	10091030
PNK 6 40 300 V4A	400	60	1	3000	198	10091031
PNK 6 50 300 V4A	500	60	1	3000	248	10091032
PNK 6 60 300 V4A	600	60	1	3000	298	10091033
						10091034

V4A INOX 1.4571



Krivina 45° PNK H 60mm INOX E90 / Bend 45° PNK H 60mm INOX E90

E90




Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	
K45 PNK 6 5 V4A	50	60	V4A
K45 PNK 6 10 V4A	100	60	10091035
K45 PNK 6 16 V4A	160	60	10091036
K45 PNK 6 20 V4A	200	60	10091037
K45 PNK 6 30 V4A	300	60	10091038
K45 PNK 6 40 V4A	400	60	10091039
K45 PNK 6 50 V4A	500	60	10091040
K45 PNK 6 60 V4A	600	60	10091041
			10091042

V4A INOX 1.4571



Krivina 90° H60mm INOX E90 / Bend 90° PNK H60mm INOX E90

E90




Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	
L PNK 6 5 V4A	50	60	V4A
L PNK 6 10 V4A	100	60	10091043
L PNK 6 16 V4A	160	60	10091044
L PNK 6 20 V4A	200	60	10091045
L PNK 6 30 V4A	300	60	10091046
L PNK 6 40 V4A	400	60	10091047
L PNK 6 50 V4A	500	60	10091048
L PNK 6 60 V4A	600	60	10091049
			10091050

V4A INOX 1.4571



PNK T račva H 60mm INOX E90 / T Module PNK H 60mm INOX E90

E90




Tip Typ	Širina Width	Visina Height	Šifra artikla Article
	mm	mm	
T PNK 6 5 V4A	50	60	V4A
T PNK 6 10 V4A	100	60	10091212
T PNK 6 16 V4A	160	60	10091213
T PNK 6 20 V4A	200	60	10091214
T PNK 6 30 V4A	300	60	10091215
T PNK 6 40 V4A	400	60	10091216
T PNK 6 50 V4A	500	60	10091217
T PNK 6 60 V4A	600	60	10091218
			10091219

V4A INOX 1.4571





Plafonski UD nosač INOX tipa E90 / Ceiling UD carrier INOX type E90


TUNN E90


Tip Typ	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
mm	kg		10	V4A 10091086
UD U5 V4A E90	2	611		

V4A INOX 1.4571




U profil INOX tipa E90 / U profile INOX type E90


E90


Tip Typ	Dužina L Length L	Dimenzijsne Dimensions	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm	mm		10	V4A 10091077
U 5 20 V4A E90	200	50x30	2	10	10091077
U 5 30 V4A E90	300	50x30	2	10	10091078
U 5 40 V4A E90	400	50x30	2	10	10091079
U 5 50 V4A E90	500	50x30	2	10	10091080
U 5 60 V4A E90	600	50x30	2	6	10091081
U 5 70 V4A E90	700	50x30	2	6	10091082
U 5 80 V4A E90	800	50x30	2	6	10091083
U 5 90 V4A E90	900	50x30	2	6	10091084
U 5 100 V4A E90	1000	50x30	2	4	10091085
U 5 130 V4A E90	1300	50x30	2	4	10090351
U 5 150 V4A E90	1500	50x30	2	4	10091186

V4A INOX 1.4571



Konzola INOX tipa E90 / Cantilever INOX type E90


E90


Tip Typ	Dužina L Length L	Visina H Height H	Debljina Thickness	Nosivost Load	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm	mm	mm	kg	10	V4A 100910101
KZ PNK 50 V4A E90	50	60	2	129	10	100910101
KZ PNK 100 V4A E90	100	60	2	130	10	100910102
KZ PNK 160 V4A E90	160	60	2	131	10	100910103
KZ PNK 200 V4A E90	200	60	2	132	10	100910104
KZ PNK 300 V4A E90	300	60	2	128	10	100910105
KZ PNK 400 V4A E90	400	60	2	126	10	100910106
KZ PNK 500 V4A E90	500	93	2	121	10	100910107
KZ PNK 600 V4A E90	600	93	2	118	10	100910108

V4A INOX 1.4571



Grip obujmica INOX E90 / Grip clamp INOX E90


FAST --- E90


Tip Typ	Širina b Width b	Visina H Height H	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
			mm	10	V2A 410060195
G obujmica 15 V2A E90	35	65	1	10	410060196
G obujmica 30 V2A E90	55	85	1	10	410060196
G obujmica 15 V4A E90	35	65	1	10	V4A 410090195
G obujmica 30 V4A E90	55	85	1	10	410090196






Dupla obujmica INOX E90 / Double clamp INOX E90

 FAST ...  E90 **TUNN E90**


Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
D Obujmica V2A E90	6	1.5	10	433362421
D Obujmica V2A E90	10	1.5	10	433362422
D Obujmica V2A E90	14	1.5	10	433362423
D Obujmica V2A E90	18	1.5	10	433362424
D Obujmica V2A E90	22	1.5	10	433362425
D Obujmica V2A E90	26	1.5	10	433362426
D Obujmica V2A E90	30	1.5	10	433362427
D Obujmica V2A E90	34	1.5	10	433362428
D Obujmica V2A E90	38	1.5	10	433362429
D Obujmica V2A E90	42	1.5	10	433362430
V4A				
D Obujmica V4A E90	6	1.5	10	433392421
D Obujmica V4A E90	10	1.5	10	433392422
D Obujmica V4A E90	14	1.5	10	433392423
D Obujmica V4A E90	18	1.5	10	433392424
D Obujmica V4A E90	22	1.5	10	433392425
D Obujmica V4A E90	26	1.5	10	433392426
D Obujmica V4A E90	30	1.5	10	433392427
D Obujmica V4A E90	34	1.5	10	433392428
D Obujmica V4A E90	38	1.5	10	433392429
D Obujmica V4A E90	42	1.5	10	433392430



Obujmica 2A INOX E90 / Clamp 2A INOX E90

 FAST ...  E90


Tip Typ	Širina b Width b	Debljina Thickness	Pakovanje Pack kom piece	Šifra artikla Article
Obujmica 2A V2A E90	6	1.5	10	433362411
Obujmica 2A V2A E90	10	1.5	10	433362412
Obujmica 2A V2A E90	14	1.5	10	433362413
Obujmica 2A V2A E90	18	1.5	10	433362414
Obujmica 2A V2A E90	22	1.5	10	433362415
Obujmica 2A V2A E90	26	1.5	10	433362416
Obujmica 2A V2A E90	30	1.5	10	433362417
Obujmica 2A V2A E90	34	1.5	10	433362418
Obujmica 2A V2A E90	38	1.5	10	433362419
Obujmica 2A V2A E90	42	1.5	10	433362420
V4A				
Obujmica 2A V4A E90	6	1.5	10	433392411
Obujmica 2A V4A E90	10	1.5	10	433392412
Obujmica 2A V4A E90	14	1.5	10	433392413
Obujmica 2A V4A E90	18	1.5	10	433392414
Obujmica 2A V4A E90	22	1.5	10	433392415
Obujmica 2A V4A E90	26	1.5	10	433392416
Obujmica 2A V4A E90	30	1.5	10	433392417
Obujmica 2A V4A E90	34	1.5	10	433392418
Obujmica 2A V4A E90	38	1.5	10	433392419
Obujmica 2A V4A E90	42	1.5	10	433392420





Obujmica 1A INOX E90 / Clamp 1A INOX E90


TUNN E90

Tip Typ	Širina b Width b mm	Debljina Thickness mm	Pakovanje Pack kom piece	Šifra artikla Article
Obujmice 1A V2A E90	6	1.5	10	433362401
Obujmice 1A V2A E90	10	1.5	10	433362402
Obujmice 1A V2A E90	14	1.5	10	433362403
Obujmice 1A V2A E90	18	1.5	10	433362404
Obujmice 1A V2A E90	22	1.5	10	433362405
Obujmice 1A V2A E90	26	1.5	10	433362406
Obujmice 1A V2A E90	30	1.5	10	433362407
Obujmice 1A V2A E90	34	1.5	10	433362408
Obujmice 1A V2A E90	38	1.5	10	433362409
Obujmice 1A V2A E90	42	1.5	10	433362410

Tip Typ	Širina b Width b mm	Debljina Thickness mm	Pakovanje Pack kom piece	Šifra artikla Article
Obujmice 1A V4A E90	6	1.5	10	433392401
Obujmice 1A V4A E90	10	1.5	10	433392402
Obujmice 1A V4A E90	14	1.5	10	433392403
Obujmice 1A V4A E90	18	1.5	10	433392404
Obujmice 1A V4A E90	22	1.5	10	433392405
Obujmice 1A V4A E90	26	1.5	10	433392406
Obujmice 1A V4A E90	30	1.5	10	433392407
Obujmice 1A V4A E90	34	1.5	10	433392408
Obujmice 1A V4A E90	38	1.5	10	433392409
Obujmice 1A V4A E90	42	1.5	10	433392410




Lučna obujmica LNK E90 / LNK E90 cable clamp



Tip Typ	Širina b Width b mm	Visina H Height H mm	Debljina Thickness mm	Dužina navoja L Thread lenght mm	PL
LNK obujmica 16 PL	16	45	1.5	50	20330188
LNK obujmica 22 PL	22	45	1.5	50	20330192
LNK obujmica 28 PL	28	50	1.5	50	20330189
LNK obujmica 34 PL	34	50	1.5	50	20330186
LNK obujmica 40 PL	40	50	1.5	50	20030186
LNK obujmica 46 PL	46	76	1.5	50	20330187
LNK obujmica 56 PL	56	86	1.5	50	20030187
LNK obujmica 70 PL	70	96	1.5	80	20330190

Tip Typ	Širina b Width b mm	Visina H Height H mm	Debljina Thickness mm	Dužina navoja L Thread lenght mm	V2A
LNK obujmica 16 V2A	16	45	1.5	50	20360188
LNK obujmica 22 V2A	22	45	1.5	50	20360192
LNK obujmica 28 V2A	28	50	1.5	50	20360189
LNK obujmica 34 V2A	34	50	1.5	50	20360186
LNK obujmica 40 V2A	40	50	1.5	50	20060186
LNK obujmica 46 V2A	46	76	1.5	50	20360187
LNK obujmica 56 V2A	56	86	1.5	50	20060187
LNK obujmica 70 V2A	70	96	1.5	80	20360190




V2A INOX 1.4301

V4A INOX 1.4571


PL Pocinkovani lim / Galvanized sheet



TUNN E90




PRIKAZ MONTAŽE NOSAČA KABLOVA U TUNELSKOM KANALU
POMOĆU KONZOLE SA NAVARENOM PLOČOM

TUNN E90


**PRIKAZ MONTAŽE NOSAČA KABLOVA NA CEV TUNELA
POMOĆU "UD" NOSAČA - "U" STUBA - KONZOLE.**

TUNN E90



PRIKAZ MONTAŽE NOSAČA KABLOVA NA CEV TUNELA
POMOĆU "UD" NOSAČA - "U" STUBA - KONZOLE.



Anker vijak INOX FBZ R120 / Anchor screw INOX FBZ R120

TUNN E90


Tip Typ	Efektivna dubina bušenja Effective drilling length	Dužina ankera Length anchor	Maks. korisna dužina Maximum useful length	Pakovanje Pack kom piece	Šifra artikla Article
FBZ 10/10 A4 R120	87	95	10	50	10090226
FBZ 12/10 A4 R120	99	110	10	20	10090350

A4 INOX 1.4362



Torban vijak INOX E90/ Carriage bolt INOX E90




Tip Typ	Dužina Length	Prečnik Diameter	Pakovanje Pack kom piece	Šifra artikla Article
Torban vijak M6 A4	16	6	250	10090234
Torban vijak M8 A4	16	8	250	10090236

A4 INOX




Nazubljena matica INOX E90 / Hex flange nut INOX E90



Tip Typ	Prečnik otvora Diameter hole	Pakovanje Pack kom piece	Šifra artikla Article
Nazubljena matica M6 A4	6	400	10090237
Nazubljena matica M8 A4	8	400	10090238

A4 INOX





fischer 
innovative solutions




PS

11



PRIČVRSNI SISTEMI

FASTENING SYSTEMS





FAZ II anker vijak
PS



Tip Typ	Efek. dubina bušenja Effective depth of drilling mm	Dužina ankera Anchor length mm	Maks. korisna dužina Maximum useful length mm	Pakovanje Pack kom piece	Šifra artikla Article
FAZ II 8/10	45	75	10	50	12000001
FAZ II 8/30		95	30	50	12000002
FAZ II 10/10	60	95	10	50	12000003
FAZ II 10/20		105	20	25	12000004
FAZ II 12/10	70	110	10	20	12000005
FAZ II 12/20		120	20	20	12000006
FAZ II 10/10K	40	75	10	50	12000007
FAZ II 10/30K		85	30	25	12000008
FAZ II 12/10K	50	90	10	20	12000009
FAZ II 12/30K		100	30	20	12000010


FBN II anker vijak



Tip Typ	Efek. dubina bušenja Effective depth of drilling mm	Dužina ankera Anchor length mm	Maks. korisna dužina Maximum useful length mm	Pakovanje Pack kom piece	Šifra artikla Article
FBN II 8/10	40	71	10	50	12000011
FBN II 8/20		81	20	50	12000012
FBN II 10/10	50	86	10	50	12000013
FBN II 10/20		96	20	50	12000014
FBN II 12/10	65	106	10	20	12000015
FBN II 12/20		116	20	20	12000016


FNA II


Tip Typ	Prečnik burgije Drill diameter mm	Dubina fiksiranja Fixing depth mm	Dužina ankera Anchor length mm	Pakovanje Pack kom piece	Šifra artikla Article
FNA II 6x30 M6	6	30	41	100	12000017



FNA II


Tip Typ	Prečnik burgije Drill diameter mm	Dubina fiksiranja Fixing depth mm	Dužina ankera Anchor length mm	Pakovanje Pack kom piece	Šifra artikla Article
FNA II 6x25 H	6	25	54	50	12000018



FNA II


Tip Typ	Prečnik burgije Drill diameter mm	Dubina fiksiranja Fixing depth mm	Dužina ankera Anchor length mm	Pakovanje Pack kom piece	Šifra artikla Article
FNA II 6x25 OE	6	25	54	50	12000019




**EA II čelični tipli**


Tip Typ	Preč, burg. / unutr, navoj Drill diameter / Inner thread	Maks. dubina vijka Max. screw depth	Min. dubina vijka Min. screw depth	Pakovanje Pack kom piece	Šifra artikla Article
EA II M8x30	10 / M8	13	8	100	12000020
EA II M10x40	12 / M10	17	10	50	12000021
EA II M12x50	15 / M12	22	12	25	12000022

**PS****EA N čelični tipli**


Tip Typ	Preč, burg. / unutr, navoj Drill diameter / Inner thread	Maks. dubina vijka Max. screw depth	Min. dubina vijka Min. screw depth	Pakovanje Pack kom piece	Šifra artikla Article
EA N M8x30	10 / M8	13	8	100	12000023
EA N M10x40	12 / M10	17	10	50	12000024
EA N M12x50	14 / M12	22	12	50	12000025

**FHY čelični tipli**

Tip Typ	Preč, burg. / unutr, navoj Drill diameter / Inner thread	Dužina vijka Screw length	Min. debљina betona Min. thickness of concrete	Pakovanje Pack kom piece	Šifra artikla Article
FHY M8	12 / M8	43	25	25	12000026
FHY M10	16 / M10	52	30	20	12000027

**FBS samourezujući vijak za beton**

Tip Typ	Prečnik burgije Drill diameter	Prihvati	Dužina ankera Anchor length	Pakovanje Pack kom piece	Šifra artikla Article
FBS 6x35 M8/M10	6	SW 13	72	100	12000028
FBS 6x55 M8/M10	6	SW 13	83	100	12000029

**FBS samourezujući vijak za beton**

Tip Typ	Prečnik burgije Drill diameter	Prihvati	Dužina ankera Anchor length	Pakovanje Pack kom piece	Šifra artikla Article
FBS 6x40/5 US	6	SW 13 / T30	40	100	12000030




FBS samourezujući vijak za beton
PS


Tip Typ	Prečnik burgije Drill diameter	Prihvati Load capacity	Dužina ankera Anchor length	Pakovanje Pack kom piece	Šifra artikla Article
FBS 8x80/15 US	8 mm	SW 13	80 mm	50	12000031


DUOPOWER tipi


Tip Typ	Vijak Screw	Pakovanje Pack kom piece	Šifra artikla Article
Duopower 6x30	6 mm	100	12000032
Duopower 8x40	8	100	12000033
Duopower 10x50	10	50	12000034
Duopower 12x60	12	25	12000035


FPX čelični tipi za siporeks (gas beton)


Tip Typ	Prečnik burgije Drill diameter	Dužina ankera Anchor length	Min. dubina otvora Min. depth of the hole	Pakovanje Pack kom piece	Šifra artikla Article
FPX M8	10 mm	75	95	25	12000036
FPX M10	10	75	95	25	12000037
FPX M12	10	75	95	25	12000038


FIS V300T smesa za hemijsko fiksiranje u svim materijalima

FIS V300T
ZA ISTISKIVANJE POTREBAN JE PIŠTOLJ ZA SILICON. UZ SVAKI PATRON SE DOBJAJU PO 2 KOMADA MEŠAČA.


FIS H



FIS H12x85K FIS H16x85K	Plastični uložak za hemijsko fiksiranje u šupljem bloku	za navojnu šipku M6-M8 za navojnu šipku M8-M10
----------------------------	--	---





PBZ

PS



PBZ	Plastični uložak za hemijsko fiksiranje u gasbetonu (siporeksu)	za navojnu šipku M8-M12
-----	---	-------------------------



SX tipli plastični, gužvajući u 4 pravca



Tip Typ	Vijak Screw	Pakovanje Pack kom piece	Šifra artikla Article
SX 6x30	4 - 5	100	12000039
SX 8x40	4.5 - 6	100	12000040
SX 10x50	6 - 8	50	12000041
SX 12x60	8 - 10	25	12000042




N tipli plastični sa vijkom (ukucavajući)




Tip Typ	Dubina fiksiranja Fixing depth	Pakovanje Pack kom piece	Šifra artikla Article
N 6x40 F	35	100	12000043
N 6x60 F	35	100	12000044




TKL stega montažna



Tip Typ	Otvor stega Opening of the clamp	Preporučeno opterećenje Recommended load	Pakovanje Pack kom piece	Šifra artikla Article
TKL L M8	0-18	1.2	50	12000045
TKL M10	0-20	2.5	50	12000046
TKL M12	0-26	3.5	50	12000047




TKR nosač profila




Tip Typ	Navoj Thread	Širina otvora na nosaču Broadness of the hole on the carrier	Pakovanje Pack kom piece	Šifra artikla Article
TKR 27	M6	29	25	12000048
TKR 41	M8	45	20	12000049
TKL 82	M10	45	20	12000050





AG vijak sa oknom
PS


Tip Typ	Otvor Hole		Pakovanje Pack kom piece	Šifra artikla Article
AG 8x25	8.5		25	12000051
AG 10x25	10.5		25	12000052


TKL navrtka sa oknom


Tip Typ	Otvor Hole		Pakovanje Pack kom piece	Šifra artikla Article
RAH M8	12		50	12000053
RAH M10	12		50	12000054


Obujmica za fiksiranje kablova


Tip Typ			Pakovanje Pack kom piece	Šifra artikla Article
AM8			50	12000055
AM10			50	12000056
AM12			50	12000057
AM14			50	12000058
AM15/16			50	12000059
AM18			50	12000060
AM20			50	12000061
AM22			50	12000062
AM24			50	12000063
AM25/26			50	12000064
AM28			50	12000065
AM30			50	12000066
AM32			25	12000067
AM34			25	12000068



Navojna šipka / Threaded rod


Tip Typ	Dužina Length	Prečnik Diameter		Pakovanje Pack kom piece	Šifra artikla Article
PEKOM Navojna šipka M8	3000	8		10	12000069
PEKOM Navojna šipka M10	3000	10		10	12000070
PEKOM Navojna šipka M12	3000	12		10	12000071



Nazubljena matica / Hex flange nut


Tip Typ		Prečnik Diameter		Pakovanje Pack kom piece	Šifra artikla Article
PEKOM Nazubljena matica M6		6		400	12000072
PEKOM Nazubljena matica M8		8		400	12000073



**Podloška / Washer**

Tip Typ	Prečnik Diameter	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm		
PEKOM Podloška M8	8	400	12000074
PEKOM Podloška M10	10	400	12000075
PEKOM Podloška M12	12	400	12000076

**Matica / Nut**

Tip Typ	Prečnik Diameter	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm		
PEKOM Matica M8	8	400	12000077
PEKOM Matica M10	10	400	12000078
PEKOM Matica M12	12	400	12000079

**Vijak sa šestougaonom glavom / Hex bolt**

Tip Typ	Dužina Lenght	Šifra artikla Article
mm	mm	
PEKOM Vijak M8	20	12000080
PEKOM Vijak M8	25	12000081
PEKOM Vijak M8	30	12000082
PEKOM Vijak M10	20	12000083
PEKOM Vijak M10	30	12000084
PEKOM Vijak M10	40	12000085
PEKOM Vijak M10	50	12000086
PEKOM Vijak M10	80	12000087
PEKOM Vijak M10	90	12000088
PEKOM Vijak M12	30	12000089
PEKOM Vijak M12	40	12000090
PEKOM Vijak M12	50	12000091


**Torban vijak / Carriage bolt**

Tip Typ	Dužina Lenght	Prečnik Diameter	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm	mm		
Torban vijak M6	12	6	400	12000092
Torban vijak M6	16	6	250	12000107
Torban vijak M6	20	6	250	12000125
Torban vijak M6	25	6	250	12000127
Torban vijak M8	16	8	250	12000093

**Anker vijak**

Tip Typ	Dužina andera Anchor length	Pakovanje Pack kom piece	Šifra artikla Article
mm	mm		
PEKOM Anker vijak M8x95	95	50	12200014
PEKOM Anker vijak M10x80	80	50	12200015
PEKOM Anker vijak M10x95	95	50	12200016
Standard Anker vijak M8x95	95	50	12200017
Standard Anker vijak M10x95	95	50	12200018





MUF / Muff with transverse inner thread
PS


Tip Typ	Prečnik Diametar mm	Pakovanje Pack kom piece	Šifra artikla Article
Muf M8	8	100	12000094
Muf M10	10	100	12000095
Muf M12	12	100	12000096



Perforirana traka / Perforated strip



Tip Typ	Dužina L Length L mm	Otvor Hole mm	Debljina Thickness mm	Pakovanje Pack kom piece	Šifra artikla Article
PEKOM T6	10000	6.2	0.75	10	12000097
PEKOM T8	10000	8.2	0.75	10	12000098

PL Pocinkovani lim / Galvanized sheet






 Pekom

 Pekom





 Pekom

 Pekom





 Pekom





 Pekom


 Pekom





Telekom Srbija





Pekom

SISTEMI NOSAČA KABLOVA / CABLE SUPPORT SYSTEMS

Kraljevo, Srbija

+381 36 362 739, +381 60 362 739 0, +381 60 036 036 2

pekomregali@gmail.com, office@pekom.rs, info@pekom.rs

www.pekom.rs



CE