



Braytron
lighting expert



2024

**LIGHTING &
ELECTRICAL
PRODUCT
CATALOGUE**

www.braytron.com



BRAYTRON GLOBAL Head Office



BRAYTRON GLOBAL Head Office

Welcome to Braytron – Illuminating Excellence in Lighting and Electrical Solutions!

For 17 years, Braytron has been at the forefront of the lighting and electrical industry, dedicating itself to providing top-notch products that illuminate spaces and power connections with unmatched precision and reliability. Our journey began with a commitment to quality, and today, we stand proud as a global leader in the field.

With a rich legacy spanning nearly two decades, Braytron has been exporting its superior lighting and electrical products to more than 40 countries, with a primary focus on the European market. Our extensive catalog boasts over 1500 different products, each meticulously designed and crafted to meet the diverse needs of our discerning customers.

At Braytron, quality is not just a promise; it's a standard that defines us. Our products adhere to the rigorous standards set by Europe, ensuring that every item bearing the Braytron name is synonymous with excellence. We take pride in our unwavering commitment to delivering high-quality solutions that illuminate spaces and power connections seamlessly.

As we look ahead, Braytron remains dedicated to innovation, sustainability, and customer satisfaction. Our journey is illuminated by the trust and loyalty of our customers, and we continue to strive for excellence in every product we create.

Discover the brilliance of Braytron – where quality, innovation, and reliability converge to light up your world.

HEAD OFFICE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE

BRAYTRON BALKAN DOO
Dimitrija Tucovica bb, 36300
Novi Pazar, Serbia
info@braytron.com

FACTORY

Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

• Distribution network:

In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:




For more specific details please visit website:
www.braytron.com





BRAYTRON ROMANIA




EUROPE WAREHOUSE





					
181	182	185	186	190	191
					
193	198	203	204	205	209
					
210	211	213	217	219	223
					
225	226	235	237	240	243



DESK LAMP





LB124 BK01-00516
4.5W 5000K
350lm White
13.2V DC CRI>80
IP20 ABS




LB125 BK01-00710
5W 5000K
400lm White
5V DC CRI>80
IP20 ABS



LB131 BK01-01310
7W 5000K
580lm White
12V DC CRI>80
IP20 ABS



LB132 BK01-01411
7W 5000K
580lm Black
12V DC CRI>80
IP20 ABS



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LB145 BK01-02680
 5W CCT TUNABLE
 500lm White
 5V DC CRI>80
 IP20 ABS



LB145 BK01-02681
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



LB146 BK01-02781
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Tower BK06-00080
LED 3W 3000K
200lm White
5V DC CRI>80
IP44 Metal+PC




Tower BK06-00081
LED 3W 3000K
200lm Black
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00090
LED 3W 3 CCT
200lm White
5V DC CRI>80
IP44 Metal+PC

3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Tower BK06-00091
3W 3 CCT
200lm Black
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00092
3W 3 CCT
200lm Green
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00093
3W 3 CCT
200lm Coffee
5V DC CRI>80
IP44 Metal+PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Lina BH16-09180
3 CCT
35W 3500lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09181
3 CCT
35W 3500lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09186
3 CCT
35W 3500lm Golden
220-240V CRI>80
IP20 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K



CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-halogen

> 25,000

-20°C ~+40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Lina BH16-09280
 3 CCT
 45W 4520lm White
 220-240V CRI>80
 IP20 Aluminium




Lina BH16-09281
 3 CCT
 45W 4520lm Black
 220-240V CRI>80
 IP20 Aluminium



Lina BH16-09286
 3 CCT
 45W 4520lm Golden
 220-240V CRI>80
 IP20 Aluminium



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Lina BH16-09680
3 CCT
65W 6500lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09681
3 CCT
65W 6500lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09686
3 CCT
65W 6500lm Golden
220-240V CRI>80
IP20 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K



CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-halogen


Hand icon

> 25,000



-20°C

+40°C



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Lina BH16-09980
3 CCT
30W 3000lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09981
3 CCT
30W 3000lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09986
3 CCT
30W 3000lm Golden
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com






Bella BH17-00280
 3 CCT
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium





Bella BH17-00281
 3 CCT
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium





Bella BH17-00286
 3 CCT
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bella BH17-00780
3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-00781
3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-00786
3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K



CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Recycle

25,000

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-01280
 3 CCT
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium




Bella BH17-01281
 3 CCT
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium



Bella BH17-01286
 3 CCT
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bella BH17-01380
3 CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01381
3 CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-01386
3 CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-Flammable

> 25,000

-20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Bella BH17-01780
3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01781
3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-01980
3 CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01981
3 CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-01986
3 CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

WEEE

Recycle

25,000

-20°C

+40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

Arcana BH18-01101
LED 3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium


BH18-01191
3 CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium



NEW

Arcana BH18-01201
LED 3000K
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium


BH18-01291
3 CCT - With Remote
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium



NEW

Arcana BH18-01301
LED 3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01391
3 CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K


6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Crystal BH17-04890

3 CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW




Crystal BH17-04891


3 CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW




Crystal BH17-04990

3 CCT - With Remote
80W 8800lm White
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW




Crystal BH17-04991


3 CCT - With Remote
80W 8800lm Black
220-240V CRI>80
IP20 Aluminium



Dimmable



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




Crystal BH17-05090
3 CCT - With Remote
40W 4400lm White
220-240V CRI>80
IP20 Aluminium



NEW




Crystal BH17-05091
3 CCT - With Remote
40W 4400lm Black
220-240V CRI>80
IP20 Aluminium



NEW




Crystal BH17-05190
3 CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-05191
3 CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium




3 CCT - Color Temperature Changeable

3000K


4000K

6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW




NEW




NEW



NEW




3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




 Dimmable
Nela BH17-04290
 3 CCT - With Remote
60W 6050lm White
220-240V CRI>80
 IP20 Aluminium




NEW




 Dimmable
Nela BH17-04291
 3 CCT - With Remote
60W 6050lm Black
220-240V CRI>80
 IP20 Aluminium



NEW




 Dimmable
Nela BH17-04390
 3 CCT - With Remote
65W 7150lm White
220-240V CRI>80
 IP20 Aluminium




NEW



 Dimmable
Nela BH17-04391
 3 CCT - With Remote
65W 7150lm Black
220-240V CRI>80
 IP20 Aluminium





3 CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW





NEW




NEW



NEW




3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW





Dimmable


Nela BH17-04691

3 CCT - With Remote

80W 8800lm Black

220-240V CRI>80

IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Blade BH16-04181

3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-04180

3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05001


PENDANT KIT • BLADE
Black • SH16-05002

PENDANT KIT • BLADE
Wooden • SH16-05003




Blade BH16-04187

3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com






Blade BH16-04290



3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal



50
Ø500






Blade BH16-04291



3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal



50
Ø500






Blade BH16-04297



3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



50
Ø500



- PENDANT KIT • BLADE
White • SH16-05001
- PENDANT KIT • BLADE
Black • SH16-05002
- PENDANT KIT • BLADE
Wooden • SH16-05003



3 CCT - Color Temperature Changeable



3000K



4000K



6500K

CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Blade BH16-05180

3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



Blade BH16-05181

3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05004


PENDANT KIT • BLADE
Black • SH16-05005

PENDANT KIT • BLADE
Wooden • SH16-05006



Blade BH16-05187

3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com






Blade BH16-05290



3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal








Blade BH16-05291



3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal







Blade BH16-05297



3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal





- PENDANT KIT • BLADE White • SH16-05004
- PENDANT KIT • BLADE Black • SH16-05005
- PENDANT KIT • BLADE Wooden • SH16-05006



3 CCT - Color Temperature Changeable



3000K




4000K



6500K

CCT Switch








Blade BH16-06180

3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



Blade BH16-06181

3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-06187

3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





Blade BH16-06290



3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal







Blade BH16-06291



3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal







Blade BH16-06297



3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



3000K



4000K



6500K

CCT Switch


4000K 3000K 6500K









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Blade BH16-07180
 3 CCT
 36W 3680lm White
 220-240V CRI>80
 IP20 Metal




Blade BH16-07181
 3 CCT
 36W 3680lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-07187
 3 CCT
 36W 3680lm Wooden
 220-240V CRI>80
 IP20 Metal



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





Blade BH16-07290

 3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
 IP20 Metal








Blade BH16-07291

 3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
 IP20 Metal








Blade BH16-07297

 3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
 IP20 Metal



3 CCT - Color Temperature Changeable



3000K



4000K



6500K

CCT Switch

4000K 3000K 6500K








*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Blade BH16-08280

3 CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal



Blade BH16-08281

3 CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05007


PENDANT KIT • BLADE
Black • SH16-05008

PENDANT KIT • BLADE
Wooden • SH16-05009




Blade BH16-08287

3 CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-20080

3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20180

3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



BH16-20190

3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20280

3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal




BH16-20290

3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-20380

3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal




Jade BH16-20480

3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Dimmable

BH16-20490
3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal




Jade BH16-20580

3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal




Dimmable

BH16-20590
3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal




3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-20680
3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20780
3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20880
3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal




3 CCT - Color Temperature Changeable

3000K	4000K	6500K
-------	-------	-------

CCT Switch

4000K 3000K 6500K




CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg Non-Hazardous > 25,000h -20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Jade BH16-21080

 3 CCT
24W 2450lm White
220-240V CRI>80
 IP20 Metal

 $\phi 350$



Jade BH16-21180

 3 CCT
34W 3550lm White
220-240V CRI>80
 IP20 Metal

 Dimmable

BH16-21190

 3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
 IP20 Metal

 $\phi 405$




Jade BH16-21280

 3 CCT
44W 4580lm White
220-240V CRI>80
 IP20 Metal

 Dimmable


BH16-21290

 3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
 IP20 Metal

 $\phi 510$




3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Jade BH16-22130
LED 6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal



Jade BH16-22230
LED 6500K White
24W 2450lm
220-240V CRI>80
IP20 Metal+PC


BH16-22280
3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal

BH16-22290
3 CCT - With Remote
24W 2450lm White
220-240V CRI>80
IP20 Metal




Jade BH16-22380
LED 3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

BH16-22390
3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-22480
LED 3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

BH16-22490
3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-halogen

> 25,000

-20°C ~ 40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Jade BH16-23130



6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal



Jade BH16-23280



3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Dimmable

BH16-23290

3 CCT - With Remote
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-23380




3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Dimmable

BH16-23390

3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-23480



3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal




Dimmable

BH16-23490

3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Braytron
lighting expert
GLOBAL OFFICE

2024

LIGHTING & ELECTRICAL
PRODUCT CATALOGUE



Braytron
lighting expert
www.braytron.com