



Braytron
lighting expert



2024

**LIGHTING &
ELECTRICAL
PRODUCT
CATALOGUE**

www.braytron.com

Welcome to Braytron – Illuminating Excellence in Lighting and Electrical Solutions!

For 17 years, Braytron has been at the forefront of the lighting and electrical industry, dedicating itself to providing top-notch products that illuminate spaces and power connections with unmatched precision and reliability. Our journey began with a commitment to quality, and today, we stand proud as a global leader in the field.

With a rich legacy spanning nearly two decades, Braytron has been exporting its superior lighting and electrical products to more than 40 countries, with a primary focus on the European market. Our extensive catalog boasts over 1500 different products, each meticulously designed and crafted to meet the diverse needs of our discerning customers.

At Braytron, quality is not just a promise; it's a standard that defines us. Our products adhere to the rigorous standards set by Europe, ensuring that every item bearing the Braytron name is synonymous with excellence. We take pride in our unwavering commitment to delivering high-quality solutions that illuminate spaces and power connections seamlessly.

As we look ahead, Braytron remains dedicated to innovation, sustainability, and customer satisfaction. Our journey is illuminated by the trust and loyalty of our customers, and we continue to strive for excellence in every product we create.

Discover the brilliance of Braytron – where quality, innovation, and reliability converge to light up your world.

HEAD OFFICE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE

BRAYTRON BALKAN DOO
Dimitrija Tucovica bb, 36300
Novi Pazar, Serbia
info@braytron.com

FACTORY

Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

• Distribution network:

In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:

For more specific details please visit website:
www.braytron.com



BRAYTRON ROMANIA



EUROPE WAREHOUSE



Bulkhead BC18-00280

12W 3 CCT
1320lm White
220-240V CRI>80
IP65 PP



Bulkhead BC18-00281

12W 3 CCT
1320lm Black
220-240V CRI>80
IP65 PP



Bulkhead BC18-00680

12W 3 CCT
1320lm White
220-240V CRI>80
IP65 PP



Bulkhead BC18-00681


12W 3 CCT
1320lm Black
220-240V CRI>80
IP65 PP

3 CCT - Color Temperature Changeable

3000K

4000K

6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP65

Bulkhead BC18-00300



25W 3000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00310

25W 4000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00330

25W 6500K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00380

18W 3 CCT
2020lm White
220-240V CRI>80
IP65 PP



NEW

IP65

Bulkhead BC18-00301



25W 3000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00311

25W 4000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00331

25W 6500K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00381

18W 3 CCT
2020lm Black
220-240V CRI>80
IP65 PP



NEW

IP65

Bulkhead BC18-00700



25W 3000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00710


25W 4000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00730

25W 6500K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00780

18W 3 CCT
2020lm White
220-240V CRI>80
IP65 PP



NEW

IP65

Bulkhead BC18-00701



25W 3000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00711


25W 4000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00731

25W 6500K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00781

18W 3 CCT
2020lm Black
220-240V CRI>80
IP65 PP



3 CCT - Color Temperature Changeable

3000K

4000K


6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Solaris BG36-00211
15W 4000K
1500lm Black
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



Miles BG36-10110
30W 4000K
3120lm White
220-240V CRI>70
IP54 Aluminium+PC

NEW



Solaris BG36-00130
3W 6500K
240lm White
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



Solaris BG36-00381
10W 3 CCT
1000lm Black
Voltage: Solar Panel Energy
CRI>70 IP54 PC

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

RoHS


> 25,000

-20°C ~+40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Spike BG36-00582
12W 2 CCT (3000K-6500K)
250lm Grey
Voltage: Solar Panel Energy
CRI>70 IP65 PC



Spike BG36-00592
12W RGB
Grey
Voltage: Solar Panel Energy
CRI>70 IP65 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





IP44

Veneto BG37-00381
LED 10W 3 CCT
950lm White
220-240V CRI>80
IP44 PC





IP44

Veneto BG37-00481
LED 20W 3 CCT
1900lm White
220-240V CRI>80
IP44 PC




IP44

Veneto BG37-00381
LED 10W 3 CCT
950lm Black
220-240V CRI>80
IP44 PC



Frame Removable



IP44

Veneto BG37-00481
LED 20W 3 CCT
1900lm Black
220-240V CRI>80
IP44 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-Flammable

RoHS

> 25,000



-20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Palermo	BG37-00080	BG37-00081
	8W 3 CCT	8W 3 CCT
	760lm White	760lm Black
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC




IP65

Palermo	BG37-00180	BG37-00181	BG37-00182	BG37-00183
	10W 3 CCT	10W 3 CCT	10W 3 CCT	10W 3 CCT
	950lm White	950lm Black	950lm Cement	950lm Blue
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC




IP65

Palermo	BG37-00280	BG37-00281	BG37-00282	BG37-00283	BG37-00286
	12W 3 CCT	12W 3 CCT	12W 3 CCT	12W 3 CCT	12W 3 CCT
	1160lm White	1160lm Black	1160lm Cement	1160lm Blue	1160lm Golden
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Walls	BG38-01001	BG38-01011	BG38-01081
LED	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A	IP65 PC	IP65 PC	IP65 PC





IP65

Walls	BG38-01101	BG38-01111	BG38-01181
LED	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A	IP65 PC	IP65 PC	IP65 PC




IP65

Walls	BG38-01201	BG38-01211	BG38-01281
LED	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A	IP65 PC	IP65 PC	IP65 PC



IP65

Walls	BG38-01301	BG38-01311	BG38-01381
LED	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A	IP65 PC	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



CE LVD EMC ErP COMPLIANT RoHS COMPLIANT Hg 0.0mg No-mercury >25,000h -20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Walls	BG38-01481	BG38-01482
LED	15W 3 CCT 1450lm Black 220-240V CRI>80	15W 3 CCT 1450lm Grey 220-240V CRI>80
IP	IP65 PC	IP65 PC




IP65

Walls	BG38-01581	BG38-01582
LED	15W 3 CCT 1450lm Black 220-240V CRI>80	15W 3 CCT 1450lm Grey 220-240V CRI>80
IP	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Walls	BG38-00102	BG38-00112	BG38-00132	BG38-00182
	15W 3000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 6500K 1460lm Black 220-240V CRI>80 IP65 PC	15W 3 CCT 1460lm Black 220-240V CRI>80 IP65 PC



IP65

Walls	BG38-00302	BG38-00312	BG38-00332	BG38-00382
	15W 3000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 6500K 1460lm Black 220-240V CRI>80 IP65 PC	15W 3 CCT 1460lm Black 220-240V CRI>80 IP65 PC




IP65

Walls	BG38-00202	BG38-00212	BG38-00232	BG38-00282
	15W 3000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 6500K 1460lm Black 220-240V CRI>80 IP65 PC	15W 3 CCT 1460lm Black 220-240V CRI>80 IP65 PC




IP65


Walls	BG38-00402	BG38-00482
	20W 3000K 1980lm Black 220-240V CRI>80 IP65 PC	20W 3 CCT 1980lm Black 220-240V CRI>80 IP65 PC



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Walls	BG38-00702	BG38-00712	BG38-00732
LED	12W 3000K 1140lm Grey	12W 4000K 1140lm Grey	12W 6500K 1140lm Grey
F A G	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC




IP65

Walls	BG38-00902	BG38-00912	BG38-00932
LED	15W 3000K 1450lm Grey	15W 4000K 1450lm Grey	15W 6500K 1450lm Grey
F A G	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC



NEW




IP65

Napoli BG37-00582

LED	20W 3 CCT 2000lm Grey
F A G	220-240V CRI>80 IP65 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65



Bulb not included.
Suitable For
E27 BULB



BG37-00700
D300
White 1xE27
Max.1x23W
220-240V
IP65 PC



NEW

IP65



Bulb not included.
Suitable For
E27 BULB



BG37-00702
D300
Grey 1xE27
Max.1x23W
220-240V
IP65 PC



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP65


Line BG38-03501
LED 18W 3000K
1860lm Black
220-240V CRI>80
IP65 Aluminium



NEW

IP65

Vekta BG38-02682
LED 1x6W 3 CCT
600lm Grey
220-240V CRI>80
IP65 PC




NEW

IP65

Vekta BG38-02782
LED 2x6W 3 CCT
1200lm Grey
220-240V CRI>80
IP65 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65

Vekta

BG38-02480

LSD

1x9W 3 CCT

900lm White

220-240V CRI>80

IP65 PC

99

96.5

135

Ø78



NEW

IP65

Vekta

BG38-02482

LSD

1x9W 3 CCT

900lm Grey

220-240V CRI>80

IP65 PC

99

96.5

135

Ø78



NEW

IP65

Vekta

BG38-02580

LSD

2x9W 3 CCT

1780lm White

220-240V CRI>80

IP65 PC

99

96.5

135

Ø78



NEW

IP65

Vekta

BG38-02582

LSD

2x9W 3 CCT

1780lm Grey

220-240V CRI>80

IP65 PC

99

96.5

135

Ø78



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS





Hg 0.0mg

Non-halogen


> 25,000

-20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



IP65

VEKTA	BG38-01880	BG38-01882
LED	3W 3 CCT	3W 3 CCT
	180lm White	180lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC




NEW




IP65

VEKTA	BG38-01980	BG38-01982
LED	3W 3 CCT	3W 3 CCT
	180lm White	180lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable






NEW

IP65



Vector	BG38-03180	BG38-03182
LED	2x1W 3 CCT 180lm White	2x1W 3 CCT 180lm Grey
F A 6	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC



NEW

IP65


Vector	BG38-03282
LED	4x1W 3 CCT 320lm Grey
F A 6	220-240V CRI>80 IP65 PC




NEW

IP65

Vector	BG38-03380	BG38-03382
LED	6x1W 3 CCT 480lm White	6x1W 3 CCT 480lm Grey
F A 6	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC




3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP54

Bulb not included.



Suitable For
G9 BULB

BG38-03400
Vekta
White 1xG9
Max.1x10w
220-240V
IP54 Aluminium



NEW



IP54

Bulb not included.



Suitable For
G9 BULB

BG38-03401
Vekta
Black 1xG9
Max.1x10w
220-240V
IP54 Aluminium



NEW




IP54

Bulb not included.



Suitable For
G9 BULB

BG38-03402
Vekta
Grey 1xG9
Max.1x10w
220-240V
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Vector BG38-02200
 2W 3000K
 240lm White
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02201
 2W 3000K
 240lm Black
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02300
 2W 3000K
 240lm White
 220-240V CRI>80
 IP65 Aluminium



IP65


Vector BG38-02301
 2W 3000K
 240lm Black
 220-240V CRI>80
 IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP44



IP44




IP44



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44



Bulb not included.
Suitable For
GU10 BULB
50mm
BG32-00220
Rita
White 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



IP44



Bulb not included.
Suitable For
GU10 BULB
50mm
BG32-00222
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



IP44



Bulb not included.
Suitable For
GU10 BULB
50mm
BG32-00422
RITA
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00302
Rita
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



90
90
80



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00322
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



90
90
160



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Spotlux	BT25-00102	BT25-00132	BT25-00152	BT25-00172	
	9W 3000K	9W 6500K	9W Green	9W Amber	
	680lm Grey	680lm Grey	Grey 220-240V	Grey 220-240V	
	220-240V CRI>80	220-240V CRI>80	CRI>80 IP65	CRI>80 IP65	
	IP65 Aluminium	IP65 Aluminium	Aluminium	Aluminium	



IP65

Bulb not included.		
Suitable For	BT25-00351	
GU10 BULB	Spotlux	
50mm	Black 1xGU10	
	Max.1x35w	
	220-240V	
	IP65 PC	

BT25-00351
Spotlux
Black 1xGU10
Max.1x35w
220-240V
IP65 PC



IP67

Indus	BT27-00101	
	Max.1x35W	
	1xGU10 Nickel	
	220-240V	
	IP67 Aluminium+304SS	



IP67

Indus	BT27-00111	
	Max.1x35W	
	1xGU10 Nickel	
	220-240V	
	IP67 Aluminium+304SS	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP54



Dallas BG43-02002

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium




IP54




Dallas BG43-02102

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium




IP54



Dallas BG43-02302

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

BG43-04002
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04102
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04202
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04302
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Proline BT07-00610




16W 4000K
1600lm White
220-240V CRI>80
IP65 PC

BT07-00630



16W 6500K
1600lm White
220-240V CRI>80
IP65 PC



Proline BT07-01210




32W 4000K
3400lm White
220-240V CRI>80
IP65 PC

BT07-01230



32W 6500K
3400lm White
220-240V CRI>80
IP65 PC



Aqualine BT04-01210



42W 4000K
4800lm White
220-240V CRI>80
IP65 PC

BT04-01230




48W 6500K
4800lm White
220-240V CRI>80
IP65 PC

BT04-01280



48W 3 CCT
4800lm White
220-240V CRI>80
IP65 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65




Proline BT07-30610 BT07-30630
20W 4000K 20W 6500K
2240lm White 2240lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC



IP65



Proline BT07-31210 BT07-31230
40W 4000K 40W 6500K
4500lm White 4500lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC



IP65



Proline BT07-31510 BT07-31530
60W 4000K 60W 6500K
6300lm White 6300lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC



IP65



Proline BT07-61510 BT07-61530
85W 4000K 85W 6500K
8800lm White 8800lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Solar BT64-00682
50W 3 CCT
1500lm(@%100 Brightness) Grey
Solar Capacity: 15W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium




NEW



IP65

Solar BT64-01282
100W 3 CCT
3000lm(@%100 Brightness) Grey
Solar Capacity: 30W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium




NEW



IP65

Solar BT64-01882
150W 3 CCT
4500lm(@%100 Brightness) Grey
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium




NEW



IP65

Solar BT64-02482
250W 3 CCT
7500lm(@%100 Brightness) Grey
Solar Capacity: 75W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Hibay	BT45-29111	BT45-29131	
	100W 4000K 14000lm Black	100W 6500K 14000lm Black	
	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium	



IP65

Hibay	BT45-29411	BT45-29431	
	150W 4000K 21000lm Black	150W 6500K 21000lm Black	
	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium	



IP65

Hibay	BT45-29611	BT45-29631	
	200W 4000K 28000lm Black	200W 6500K 28000lm Black	
	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium	



BT45-99001
291x1 Black
For 100w Bracket



BT45-99002
294x1 Black
For 150w Bracket



BT45-99003
296x1 Black
For 200w Bracket



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Hibay	BT45-39111	BT45-39131
LED	100W 4000K 12000lm Black	100W 6500K 12000lm Black
EA	220-240V CRI>80 IP65 Aluminium	220-240V CRI>80 IP65 Aluminium




IP65

Hibay	BT45-39611	BT45-39631
LED	200W 4000K 24000lm Black	200W 6500K 24000lm Black
EA	220-240V CRI>80 IP65 Aluminium	220-240V CRI>80 IP65 Aluminium




IP65

Hibay	BT45-59181	50W - 4000K - 7500lm 50W - 5000K - 8500lm 50W - 6500K - 7500lm
LED	Grey 220-240V CRI>70 IP65 Aluminium	75W - 4000K - 11250lm 75W - 5000K - 12750lm 75W - 6500K - 11250lm 100W - 4000K - 15000lm 100W - 5000K - 17000lm 100W - 6500K - 15000lm




IP65

Hibay	BT45-59681	150W - 4000K - 22500lm 150W - 5000K - 25500lm 150W - 6500K - 22500lm
LED	Grey 220-240V CRI>70 IP65 Aluminium	175W - 4000K - 26250lm 175W - 5000K - 29750lm 175W - 6500K - 26250lm 200W - 4000K - 30000lm 200W - 5000K - 34000lm 200W - 6500K - 30000lm



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65


Flood	BT60-95031	BT60-95081	
	50W 6500K	50W 3 CCT	
	4200lm Black	4200lm Black	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-99131	BT60-99181	
	100W 6500K	100W 3 CCT	
	8500lm Black	8500lm Black	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	

Rechargeable with battery



IP65

WLB20	BT59-00231	
	20W 6500K	
	2000lm Black	
	3.7V 6600mA CRI>90	
	IP54 Aluminium	

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K



CE LVD EMC ErP COMPLIANT RoHS COMPLIANT Hg 0.0mg Non-Hazardous >25,000 ~20°C ~40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Flood BT60-51080
 10W 3 CCT
 950lm White
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65

Flood BT60-52080
 20W 3 CCT
 1900lm White
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65

Flood BT60-53080
 30W 3 CCT
 2850lm White
 220-240V CRI>70
 IP65 Aluminium



3 CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Flood BT60-55080

50W 3 CCT
4750lm White
220-240V CRI>70
IP65 Aluminium



IP65

Flood BT60-59180

100W 3 CCT
9500lm White
220-240V CRI>70
IP65 Aluminium



IP65

Flood BT60-63080

30W 3 CCT
2850lm White
220-240V CRI>70
IP65 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Flood	BT60-31001	BT60-31011	BT60-31031	
	10W 3000K	10W 4000K	10W 6500K	
	800lm Black	800lm Black	800lm Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-31041	BT60-31051	BT60-31061	BT60-31091	
	10W Red	10W Green	10W Blue	10W RGB	
	Black	Black	Black	Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-32001	BT60-32011	BT60-32031	
	20W 3000K	20W 4000K	20W 6500K	
	1620lm Black	1620lm Black	1620lm Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-33001	BT60-33011	BT60-33031	BT60-33091	
	30W 3000K	30W 4000K	30W 6500K	30W RGB	
	2550lm Black	2550lm Black	2550lm Black	Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65




IP65

Flood	BT60-35001	BT60-35011	BT60-35031	BT60-35051	BT60-35091
LED	50W 3000K	50W 4000K	50W 6500K	50W Green	50W RGB
	4200lm Black	4200lm Black	4200lm Black	Black	Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




Flood	BT60-39101	BT60-39111	BT60-39131
LED	100W 3000K	100W 4000K	100W 6500K
	8500lm Black	8500lm Black	8500lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-39401	BT60-39411	BT60-39431
LED	150W 3000K	150W 4000K	150W 6500K
	13000lm Black	13000lm Black	13000lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



IP65

Flood	BT60-39601	BT60-39611	BT60-39631
LED	200W 3000K	200W 4000K	200W 6500K
	17200lm Black	17200lm Black	17200lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




IP54

Flood BT60-41031
 10W 6500K
 800lm Black
 220-240V CRI>70
 IP54 Aluminium




IP54

Flood BT60-42001 BT60-42031
 20W 3000K 20W 6500K
 1620lm Black 1620lm Black
 220-240V CRI>70 220-240V CRI>70
 IP54 Aluminium IP54 Aluminium




IP54

Flood BT60-43031
 30W 6500K
 2550lm Black
 220-240V CRI>70
 IP54 Aluminium



IP54

Flood BT60-45031
 50W 6500K
 4200lm Black
 220-240V CRI>70
 IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Flood	BT61-01002	BT61-01032	
	10W 3000K	10W 6500K	
	800lm Grey	800lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-02002	BT61-02032	BT61-02052	
	20W 3000K	20W 6500K	20W Green	
	1620lm Grey	1620lm Grey	1620lm Grey	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-03002	BT61-03032	
	30W 3000K	30W 6500K	
	2400lm Grey	2400lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-05002	BT61-05012	BT61-05032	BT61-05052	
	50W 3000K	50W 4000K	50W 6500K	50W Green	
	4100lm Grey	4100lm Grey	4100lm Grey	Grey	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Flood	BT61-09102	BT61-09112	BT61-09132	
	100W 3000K	100W 4000K	100W 6500K	
	8300lm Grey	8300lm Grey	8300lm Grey	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-09402	BT61-09432	
	150W 3000K	150W 6500K	
	12200lm Grey	12200lm Grey	
	220-240V CRI>80	220-240V CRI>80	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-09602	BT61-09632	
	200W 3000K	200W 6500K	
	16000lm Grey	16000lm Grey	
	220-240V CRI>80	220-240V CRI>80	
	IP65 Aluminium	IP65 Aluminium	



IP54

Flood	BT61-23002	BT61-23032	
	30W 3000K	30W 6500K	
	2400lm Grey	2400lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP54 Aluminium	IP54 Aluminium	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP66

ST89	BT42-93012	BT42-93032
LED	30W 4000K	30W 6500K
	3300lm Grey	3300lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



BT42-95012	BT42-95032
50W 4000K	50W 6500K
5500lm Grey	5500lm Grey
220-240V CRI>70	220-240V CRI>70
IP66 Aluminium	IP66 Aluminium



NEW

IP66

ST89	BT42-99112	BT42-99132
LED	100W 4000K	100W 6500K
	11000lm Grey	11000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



NEW

IP66

ST89	BT42-99412	BT42-99432
LED	150W 4000K	150W 6500K
	16500lm Grey	16500lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



NEW

IP66

ST89	BT42-99612	BT42-99632
LED	200W 4000K	200W 6500K
	22000lm Grey	22000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com