

19" GOLD LINE STANDING TYPE RACK CABINETS



- Our Bestrack Standing Type Cabinets different depth size and heights give to clients large selection.
- Multi-bending body frames, bottom and top base strength reinforce construction.

STRUCTURED DETAILED

Main Body Profile Construction;

Top&Bottom plates&Mainframe verticals; In a single piece top &bottom base (chassis) thickness 1,5 mm, main frame profiles connected 32 points also modular structured.

Carcass Verticals; 1,5 mm thickness mild steel and 6 twisted 1,5 mm thickness mild steel strengthen.

Top Cover; easy to removable and to reach to the fan module.

Front Door; On 1,5 mm metal frame 4mm-6mm tempered glass door, one point loced arm-lock, for changing direction mill springe hinged. For optional 3 point-locked system also can apply with a special 3 cm wide metal frame fort he protect the door.

Side Panels; 1-1,5 mm metal thick syldindric type lock fix mechanisme and bolt-lock out middle pin system, locable and removable so easy to maintain. On cover there are ventilation holes so air circulation much easy.

Back Door; 1,5mm metal thick for 600 mm cabinets one, 800 mm cabinets double-angle products. 32U and upper sizes cabinets back doors top&bottom for cable inlet with brushes cable inlet used.

Cable Inlet; From bottom plate , back door top & bottom section cable inlet is available. Also bottom chassis have in-line 19" 2U Blanking panels

19" Equipment Mounting Verticals; verticals (posts) 1,5 mm thicknees and made by pregalvanized steel solid accor. TS 822 std. & also It contains on printed "U" marks both posts. (Verticals). Option: For optional also can produce 2mm thick TS822 type metal glv steel.

Side Support; Up to 32U sizes 2 right-hand 2 left hand there are 4 pieces, upper 32U cabinet 3 left,3 right there are 6 pieces used.

Vertical Cable Organizers; Vertical cable organizers according to the Project can assembly front or back side of the cabinets. There is also one bolt-locked apparatus. So easy for cabling data and power cable. It covers for cables pollution. Our 800*800 mm and 800*1000 mm cabinet can use.

Body Color; RAL 9005- RAL 7035 optional color. Painted (finishing) Electro Static powder coating.

Ventilation; Placedunder the top plate the fan thermostat modules makes high air circulation low level noise inside of the cabinet in good effective ventilation.

Power Distribution Unit; The PDU is on power sockets combination. There are two options.One is PVC the other Aluminium body. It contains Earth Socket, UPS socket, Fuses, or observable and manageable. It is also convenience 19" Rack Cabinet mounting on the rack.

Delivering; After the quality control is passed our all product wrapped and packed with strapor protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.In our cabinets comply with to the structured cabling system and also comply with the Project, so putting inside equipments of network as switch, router modem, server, patch panel, telephone exchange&electronics equipment mounting and convenience cabling rigid, safe, secure functional and aesthetic production continuous.

BASIC FEATURES

- BESTRACK cabinets give to the clients best convenience solutions for server and stocking.
- Our Standing Cabinets comply with the TS EN 61587-1 Mechanical construction stds. (For Electronic Equipments cabinets) Also our main factory located in Ankara-TURKEY covered 13.000 m² areas andproduced according to the ISO 9001:2015 Quality Management Sytems Regulations.
- ALL cabinet's vertical hole spacing and horizontal hole spacing (sizes) comply with IEC 297-2, ANSI/EIARS-310-D, DIN 41494-1-7 standards.
- Also available EIA-310 19" Rack standards mounting equipments.
- For standing cabinets width 600 mm dimensions are Height from 12 U to 47 U different "U" height and width 800 mm dimensions are 26 U up to 47 U different "U" height service to the clients.
- Toughened tempered glass front door 4-6 mm thick. Optional and also rear door & side panels solid steel door, Lockable and removable side panels.
- 19" Equipment Rack Mounting verticals are punched square holes and also adjustable along the depth.
- "U" Marking along the vertical makes easy to install the rack mount equipments.
- Our standing type cabinets to with stand capacity min. 800-1000 kg static loading.
- Application areas are, big capacity scale network installing, DATA centers, F/O aplications, security, CCTV used properly.



Tests & Certificates

- Our cabinets has been tested according to the TS EN 61587-1 standards and climatical tests part 4.2 cold, dry heat and wet heat tests accor. C1 class, Part 4.3 Industry Environment 41 class SL7, comply.
- Mechanical Load tests accor par. 5.21 and 5.2.2 and class SL7 comply
- Dynamic Load, vibration, mechanical impact (force) tests applies DL 4 class,
- External Mechanical Impacts K2 class.
- Earth (Grounding) connecting continuity tested TS EN 61587-2-1/6.2 comply
- Produced & tested accor to the IP 20 (Index of Protection)

Test Conditions




Mechanical Load Tests (SL7)


Test Conditions




Dynamic load, vibration and mechanical impact tests (DL4)

EXPLODED ISOMETRIC VIEWS


CONSTRUCTION DRAWING




FRONT VIEW





SIDE VIEW




REAR VIEW



REAR COVER CABLE INPUT WITH BRUSH




B




LOWER CHASSIS CABLE INPUT MODULE WITH BRUSH

800X1000 SERIES	800	1000
800X800 SERIES	800	800
600X1000 SERIES	600	1000
600X800 SERIES	600	800
600X600 SERIES	600	600
MODEL	W (mm)	D (mm)



DEVICE ASSEMBLY DISTANCES
CABLE INPUT SECTIONS



U DETAIL

FOR DEPTH OF 1000	920	760	720
FOR DEPTH OF 800	720	570	530
FOR DEPTH OF 600	520	360	400
CABINET DEPTHS	D Max mm	D Min mm	D Std mm


WIDTH AND
HEIGHT
DIMENSIONS

COVER OPTIONS**NOTES:**

* PERFORATED COVERS ARE 63% PERFORATED.

** CABLE INPUTS WITH BRUSH ARE AVAILABLE FOR 32U AND BIGGER CABINETS.

*** REAR DOUBLE OPENING COVERS ARE ONLY IN CABINETS WITH WIDTH 800mm.



19" GOLD LINE STANDING TYPE RACK CABINETS

BESTRACK

800*1000 mm GOLD LINE SERVER TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD26U80100	26U 800x1000 mm Gold Line Server Type Cabinet	800	1000	1306	1386	100,00
ZEY.GLD32U80100	32U 800x1000 mm Gold Line Server Type Cabinet	800	1000	1573	1653	122,00
ZEY.GLD36U80100	36U 800x1000 mm Gold Line Server Type Cabinet	800	1000	1751	1831	129,00
ZEY.GLD42U80100	42U 800x1000 mm Gold Line Server Type Cabinet	800	1000	2018	2098	143,00
ZEY.GLD44U80100	44U 800x1000 mm Gold Line Server Type Cabinet	800	1000	2107	2187	150,00
ZEY.GLD47U80100	47U 800x1000 mm Gold Line Server Type Cabinet	800	1000	2241	2321	152,00

600*1000 mm GOLD LINE SERVER TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD12U60100	12U 600x1000 mm Gold Line Server Type Cabinet	600	1000	683	763	57,00
ZEY.GLD16U60100	16U 600x1000 mm Gold Line Server Type Cabinet	600	1000	861	941	63,50
ZEY.GLD20U60100	20U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1039	1119	70,00
ZEY.GLD22U60100	22U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1128	1208	75,00
ZEY.GLD26U60100	26U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1306	1386	86,00
ZEY.GLD32U60100	32U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1573	1653	98,00
ZEY.GLD36U60100	36U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1751	1831	103,00
ZEY.GLD42U60100	42U 600x1000 mm Gold Line Server Type Cabinet	600	1000	2018	2098	115,50
ZEY.GLD44U60100	44U 600x1000 mm Gold Line Server Type Cabinet	600	1000	2107	2187	118,00
ZEY.GLD47U60100	47U 600x1000 mm Gold Line Server Type Cabinet	600	1000	2241	2321	121,00

600*600 mm GOLD LINE STANDING TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD12U6060	12U 600x600 mm Gold Line Standing Type Cabinet	600	600	683	763	41,50
ZEY.GLD16U6060	16U 600x600 mm Gold Line Standing Type Cabinet	600	600	861	941	47,00
ZEY.GLD20U6060	20U 600x600 mm Gold Line Standing Type Cabinet	600	600	1039	1119	54,50
ZEY.GLD22U6060	22U 600x600 mm Gold Line Standing Type Cabinet	600	600	1128	1208	55,50
ZEY.GLD26U6060	26U 600x600 mm Gold Line Standing Type Cabinet	600	600	1306	1386	61,50
ZEY.GLD32U6060	32U 600x600 mm Gold Line Standing Type Cabinet	600	600	1573	1653	70,50
ZEY.GLD36U6060	36U 600x600 mm Gold Line Standing Type Cabinet	600	600	1751	1831	76,50
ZEY.GLD42U6060	42U 600x600 mm Gold Line Standing Type Cabinet	600	600	2018	2098	87,50
ZEY.GLD44U6060	44U 600x600 mm Gold Line Standing Type Cabinet	600	600	2107	2187	89,50
ZEY.GLD47U6060	47U 600x600 mm Gold Line Standing Type Cabinet	600	600	2241	2321	92,50

600*800 mm GOLD LINE STANDING TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD12U6080	12U 600x800 mm Gold Line Standing Type Cabinet	600	800	683	763	49,00
ZEY.GLD16U6080	16U 600x800 mm Gold Line Standing Type Cabinet	600	800	861	941	56,00
ZEY.GLD20U6080	20U 600x800 mm Gold Line Standing Type Cabinet	600	800	1039	1119	63,00
ZEY.GLD22U6080	22U 600x800 mm Gold Line Standing Type Cabinet	600	800	1128	1208	65,00
ZEY.GLD26U6080	26U 600x800 mm Gold Line Standing Type Cabinet	600	800	1306	1386	72,00
ZEY.GLD32U6080	32U 600x800 mm Gold Line Standing Type Cabinet	600	800	1573	1653	84,00
ZEY.GLD36U6080	36U 600x800 mm Gold Line Standing Type Cabinet	600	800	1751	1831	94,00
ZEY.GLD42U6080	42U 600x800 mm Gold Line Standing Type Cabinet	600	800	2018	2098	201,00
ZEY.GLD44U6080	44U 600x800 mm Gold Line Standing Type Cabinet	600	800	2107	2187	103,50
ZEY.GLD47U6080	47U 600x800 mm Gold Line Standing Type Cabinet	600	800	2241	2321	107,00

19" GOLD LINE STANDING TYPE RACK CABINETS

BESTRACK

800*800 mm GOLD LINE STANDING TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD26U8080	26U 800x800 mm Gold Line Standing Type Cabinet	800	800	1306	1386	88,00
ZEY.GLD32U8080	32U 800x800 mm Gold Line Standing Type Cabinet	800	800	1573	1653	106,00
ZEY.GLD36U8080	36U 800x800 mm Gold Line Standing Type Cabinet	800	800	1751	1831	112,00
ZEY.GLD42U8080	42U 800x800 mm Gold Line Standing Type Cabinet	800	800	2018	2098	124,50
ZEY.GLD44U8080	44U 800x800 mm Gold Line Standing Type Cabinet	800	800	2107	2187	130,00
ZEY.GLD47U8080	47U 800x800 mm Gold Line Standing Type Cabinet	800	800	2241	2321	133,00

19" SILVER LINE STANDING TYPE RACK CABINETS

- Our Bestrack Standing Type Cabinets different depth size and heights give to clients large selection.
- Multi-bending body frames, bottom and top base strengthen reinforce construction.

STRUCTURED DETAILED

Main Body Profile Construction;

Top&Bottom plates&Mainframe verticals; In a single piece top & bottom base (chassis) thickness 1,5 mm, main frame profiles connected 32 points also modular structured.

Front Door; 4 mm – 6 mm tempered glass door strengthen both side steel.

Side Panels; Thickness 1,5 mm steel rigid Lockable top & bottom so gives easy repair & maintenance facility.

Cable Inlet; From bottom plate, back door top & bottom section cable inlet is available.

19" Equipment Mounting Verticals; verticals (posts) 1,5 mm thickness and made by pregalvanized steel solid accor. TS 822 std. & also It contains on printed "U" marks both posts. (Verticals)

Side Support; 2 mm thickness 3 left-3 right side total 6 side support used so they are punched & available to adjust to the depth.

Body Color; RAL 9005- RAL 7035 optional color. Painted (finishing) Electro Static powder coating.

Ventilation; Placed under the top plate the fan thermostat modules makes high air circulation low level noise inside of the cabinet in good effective ventilation.

Power Distribution Unit; The PDU is on power sockets combination. There are two options. One is PVC the other Aluminium body. It contains Earth Socket, UPS socket, Fuses, or observable and manageable. It is also convenience 19" Rack Cabinet mounting on the rack.

Delivering; After the quality control is passed our all product wrapped and packed with strap or protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.


In our cabinets comply with the structured cabling system and also comply with the Project, so putting inside equipments of network as switch, router modem, server, patch panel, telephone exchange & electronics equipment mounting and convenience cabling rigid, safe, secure functional and aesthetic production continuous.



BASIC FEATURES

- Our Best Rack Server Cabinets for server & stocking application they give to the client's best convenience solutions.
- Our Server Cabinets comply with **TS EN 61857-1** Standards Mechanical Construction (For Electronic Equipments Cabinets) Also our main factory Located in ANKARA-TURKEY covered 13000 m² areas and Produced according to the **ISO 9001:2015** Quality Management System Regulations.
- All Cabinet's vertical hole spacing and horizontal hole spacing (sizes) comply with **IEC-297-2 ANS1/EIA RS-310-D DIN41494-1-7** Standards
Our Server Cabinets **width are 600mm** products heights from 12U up to 47U different "U" heights and **width 800mm** products are from 26U up to 47U heights serving to the clients.
- **Front Door's** of server Cabinets perforated or tempered door option, **back door and side panels** all of them lockable removable construction. Side panel's top section is lockable both left & right side slide -lock also makes easy for repair & maintenance operation user.
- **Perforated (punched) front & back door** helps to ventilate makes also easy to come in fresh air from the out side effectively. The ratio of perforation is about %63-75 for these doors.
19" Equipment Mounting Verticals (posts) are square holes punched (9,5*9,5 mm-3/8" * 3/8" measures) also adjustable along the depth construction.
- **"U" Marking** on the verticals makes easy to install the rack-mount equipments placement.
Our Server cabinets can carry min. **800-1000 kg static load capacity** also.
- **Using Areas;** Big scale network install, data center, Airports Telecom, Network, Call centers F/O application used generally.





EXPLODED ISOMETRIC VIEWS



19" SILVER LINE STANDING TYPE RACK CABINETS

BESTRACK

CONSTRUCTION DRAWING




FOR DEPTH OF 1000	920	760	720
FOR DEPTH OF 800	720	570	530
FOR DEPTH OF 600	520	360	400
CABINET DEPTHS	D Max mm	D Min mm	D Std mm

COVER OPTIONALS**NOTES:**

* PERFORATED COVERS ARE 63% PERFORATED.

** CABLE INPUTS WITH BRUSH ARE AVAILABLE FOR 32U AND BIGGER CABINETS.

*** REAR DOUBLE OPENING COVERS ARE ONLY IN CABINETS WITH WIDTH 800mm.



19" SILVER LINE STANDING TYPE RACK CABINETS

BESTRACK

800*1000 mm SILVER LINE SERVER TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D26U810	26U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1306	1386	100,00
ZEY.D32U810	32U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1533	1613	122,00
ZEY.D36U810	36U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1711	1791	129,00
ZEY.D42U810	42U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1978	2058	143,00
ZEY.D44U810	44U 800x1000 mm Silver Line Server Type Cabinet	800	1000	2067	2147	150,00
ZEY.D47U810	47U 800x1000 mm Silver Line Server Type Cabinet	800	1000	2201	2281	152,00

600*1000 mm SILVER LINE SERVER TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D12U610	12U 600x1000 mm Silver Line Server Type Cabinet	600	1000	643	723	58,00
ZEY.D16U610	16U 600x1000 mm Silver Line Server Type Cabinet	600	1000	821	901	64,50
ZEY.D20U610	20U 600x1000 mm Silver Line Server Type Cabinet	600	1000	999	1079	71,00
ZEY.D22U610	22U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1088	1168	76,00
ZEY.D26U610	26U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1266	1346	87,00
ZEY.D32U610	32U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1533	1613	99,00
ZEY.D36U610	36U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1711	1791	104,00
ZEY.D42U610	42U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1978	2058	116,50
ZEY.D44U610	44U 600x1000 mm Silver Line Server Type Cabinet	600	1000	2067	2147	119,00
ZEY.D47U610	47U 600x1000 mm Silver Line Server Type Cabinet	600	1000	2201	2281	122,00

600*600 mm SILVER LINE STANDING TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D12U66	12U 600x600 mm Silver Line Standing Type Cabinet	600	600	643	723	42,00
ZEY.D16U66	16U 600x600 mm Silver Line Standing Type Cabinet	600	600	821	901	47,50
ZEY.D20U66	20U 600x600 mm Silver Line Standing Type Cabinet	600	600	999	1079	55,00
ZEY.D22U66	22U 600x600 mm Silver Line Standing Type Cabinet	600	600	1088	1168	56,00
ZEY.D26U66	26U 600x600 mm Silver Line Standing Type Cabinet	600	600	1266	1346	62,00
ZEY.D32U66	32U 600x600 mm Silver Line Standing Type Cabinet	600	600	1533	1613	71,00
ZEY.D36U66	36U 600x600 mm Silver Line Standing Type Cabinet	600	600	1711	1791	77,00
ZEY.D42U66	42U 600x600 mm Silver Line Standing Type Cabinet	600	600	1978	2058	88,00
ZEY.D44U66	44U 600x600 mm Silver Line Standing Type Cabinet	600	600	2067	2147	90,00
ZEY.D47U66	47U 600x600 mm Silver Line Standing Type Cabinet	600	600	2201	2281	93,00

600*800 mm SILVER LINE STANDING TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D12U68	12U 600x800 mm Silver Line Standing Type Cabinet	600	800	643	723	50,00
ZEY.D16U68	16U 600x800 mm Silver Line Standing Type Cabinet	600	800	821	901	57,00
ZEY.D20U68	20U 600x800 mm Silver Line Standing Type Cabinet	600	800	999	1079	64,00
ZEY.D22U68	22U 600x800 mm Silver Line Standing Type Cabinet	600	800	1088	1168	66,00
ZEY.D26U68	26U 600x800 mm Silver Line Standing Type Cabinet	600	800	1266	1346	73,00
ZEY.D32U68	32U 600x800 mm Silver Line Standing Type Cabinet	600	800	1533	1613	85,00
ZEY.D36U68	36U 600x800 mm Silver Line Standing Type Cabinet	600	800	1711	1791	95,00
ZEY.D42U68	42U 600x800 mm Silver Line Standing Type Cabinet	600	800	1978	2058	102,00
ZEY.D44U68	44U 600x800 mm Silver Line Standing Type Cabinet	600	800	2067	2147	104,50
ZEY.D47U68	47U 600x800 mm Silver Line Standing Type Cabinet	600	800	2201	2281	108,00

19" SILVER LINE STANDING TYPE RACK CABINETS

BESTRACK

800*800 mm SILVER LINE STANDING TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D26U88	26U 800x800 mm Silver Line Standing Type Cabinet	800	800	1266	1346	80,00
ZEY.D32U88	32U 800x800 mm Silver Line Standing Type Cabinet	800	800	1533	1613	91,00
ZEY.D36U88	36U 800x800 mm Silver Line Standing Type Cabinet	800	800	1711	1791	102,00
ZEY.D42U88	42U 800x800 mm Silver Line Standing Type Cabinet	800	800	1978	2058	125,00
ZEY.D44U88	44U 800x800 mm Silver Line Standing Type Cabinet	800	800	2067	2147	130,00
ZEY.D47U88	47U 800x800 mm Silver Line Standing Type Cabinet	800	800	2201	2281	141,00

800*600 mm SILVER LINE STANDING TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D26U86	26U 800x600 mm Silver Line Standing Type Cabinet	800	600	1266	1346	79,00
ZEY.D32U86	32U 800x600 mm Silver Line Standing Type Cabinet	800	600	1533	1613	91,00
ZEY.D36U86	36U 800x600 mm Silver Line Standing Type Cabinet	800	600	1711	1791	101,00
ZEY.D42U86	42U 800x600 mm Silver Line Standing Type Cabinet	800	600	1978	2058	108,00
ZEY.D44U86	44U 800x600 mm Silver Line Standing Type Cabinet	800	600	2067	2147	110,00
ZEY.D47U86	47U 800x600 mm Silver Line Standing Type Cabinet	800	600	2201	2281	114,00

SHELVES

FIXED SHELVES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.SR0636	19" Fixed Shelf for d=600 mm	465	400	30	1,85
ZEY.SR0848	19" Fixed Shelf for d=800 mm	465	520	30	3,50
ZEY.SR1064	19" Fixed Shelf for d=1000 mm	465	720	30	4,50
ZEY.SR1072	19" 1U Fixed Shelf for D=720mm <small>(Server heavy duty type)</small>	483	720	44,5	5,00



SLIDING SHELVES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.HR060	19" Sliding Shelf for d= 600 mm	483	400	44,5	3
ZEY.HR080	19" Sliding Shelf for d= 800 mm	483	520	44,5	4,5
ZEY.HR100	19" Sliding Shelf for d= 1000 mm	483	720	44,5	5,5



EQUIPMENT SHELVES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.MR1U25B	19" 1U Rack Mount Shelf for d=250mm <small>(for Mount Type Cabinet)</small>	483	250	44,5	1,10
ZEY.MR1U35B	19" 1U Rack Mount Shelf for d=350mm <small>(for Mount Type Cabinet)</small>	483	350	44,5	2,20
ZEY.MR1U40B	19" 1U Rack Mount Shelf for d=400mm <small>(for Mount Type Cabinet)</small>	483	400	44,5	2,40
ZEY.MR1U25	19" 1U Rack Mount Shelf for d=250mm	483	250	44,5	1,10
ZEY.MR1U35	19" 1U Rack Mount Shelf for d=350mm	483	350	44,5	2,20
ZEY.MR1U40	19" 1U Rack Mount Shelf for d=400mm	483	400	44,5	2,40
ZEY.MR2U35	19" 2U Rack Mount Shelf for d=350mm	483	350	89	2,50
ZEY.MR2U40	19" 2U Rack Mount Shelf for d=400mm	483	400	89	2,70
ZEY.MR3U35	19" 3U Rack Mount Shelf for d=350mm	483	350	133,5	2,60



KEYBOARD DRAWER

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.KR060	Keyboard drawer for d=600 mm	483	400	44,5	3,20
ZEY.KR080	Keyboard drawer for d=800 mm	483	520	44,5	3,60
ZEY.KR100	Keyboard drawer for d=1000 mm	483	720	44,5	4,00



COOLING FAN UNITS
COOLING FAN UNITS INCLUDED THERMOSTAT

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.FN01	Cooling unit with 1 fan + Thermostat Controlled (for mount type cabinet)	470	200	45	1,60
ZEY.FN02	Cooling unit with 2 fan + Thermostat Controlled (for mount type cabinet)	470	200	45	2,60
ZEY.FN12	Cooling unit with 2 fan + Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	3,40
ZEY.FN04	Cooling unit with 4 fan + Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	4,30
ZEY.FN22	Cooling unit with 2 fan + Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,30
ZEY.FN14	Cooling unit with 4 fan + Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,90
ZEY.FN06	Cooling unit with 6 fan + Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	5,80


COOLING FAN UNITS INCLUDED DIGITAL THERMOSTAT

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.DFN01	Cooling unit with 1 fan + Dig. Thermostat Controlled (for mount type cabinet)	470	200	45	1,60
ZEY.DFN02	Cooling unit with 2 fan + Dig. Thermostat Controlled (for mount type cabinet)	470	200	45	2,60
ZEY.DFN12	Cooling unit with 2 fan + Dig. Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	3,40
ZEY.DFN04	Cooling unit with 4 fan + Dig. Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	4,30
ZEY.DFN22	Cooling unit with 2 fan + Dig. Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,30
ZEY.DFN14	Cooling unit with 4 fan + Dig. Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,90
ZEY.DFN06	Cooling unit with 6 fan + Dig. Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	5,80

The Fan Sizes: 120*120*38 mm

* Voice Level (**Noise dBA**): 43/48

** (Air Flow): m3/ hr ---->138/162

CFM---->82/95

POWER DISTRIBUTION UNITS

Order Code	Product Name	Weight (kg)
ZEY.PG03	19" 1U Aluminium Profile frame, 3xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,65
ZEY.PG06	19" 1U Aluminium Profile frame, 6xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,75
ZEY.PG08	19" 1U Aluminium Profile frame, 8xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,90
ZEY.PG12	19" 2U Aluminium Profile frame, 12xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	1,30



Order Code	Product Name	Weight (kg)
ZEY.SPG03	19" 1U Aluminium Profile frame, 3xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	0,90
ZEY.SPG06	19" 1U Aluminium Profile frame, 6xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SPG09	19" 2U Aluminium Profile frame, 9xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,40
ZEY.SPG12	19" 2U Aluminium Profile frame, 12xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,55



Order Code	Product Name	Weight (kg)
ZEY.SPG03-IEC	19" 1U Aluminium Profile frame, 3xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	0,90
ZEY.SPG06-IEC	19" 1U Aluminium Profile frame, 6xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SPG09-IEC	19" 2U Aluminium Profile frame, 9xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	1,40
ZEY.SPG12-IEC	19" 2U Aluminium Profile frame, 12xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	1,55



Order Code	Product Name	Weight (kg)
ZEY.SUPG03	19" 1U Aluminium Profile frame, 3xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SUPG06	19" 1U Aluminium Profile frame, 6xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,00
ZEY.SUPG09	19" 2U Aluminium Profile frame, 9xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,45
ZEY.SUPG12	19" 2U Aluminium Profile frame, 12xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,60



POWER DISTRIBUTION UNITS

Order Code	Product Name	Weight (kg)
ZEY.SAKP03	19" 1U Aliminium Profile frame, 3xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SAKP06	19" 1U Aliminium Profile frame, 6xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	1,00
ZEY.SAKP09	19" 2U Aliminium Profile frame, 9xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	1,45
ZEY.SAKP12	19" 2U Aliminium Profile frame, 12xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	1,60



Order Code	Product Name	Weight (kg)
ZEY.PPGA3	119" 1U Mounting plate, 3xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,80
ZEY.PPGA6	19" 1U Mounting plate, 6xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	1,00


Vertical Power Distribution Unit

Order Code	Product Name
ZEY.SPG12-26U	26U Aliminium Profile frame, 12xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-32U	32U Aliminium Profile frame, 18xDIN49440 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-36U	36U Aliminium Profile frame, 18xDIN49440 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-42U	42U Aliminium Profile frame, 18xDIN49440 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG12-26U-IEC	26U Aliminium Profile frame, 12xIEC 320 C13 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-32U-IEC	32U Aliminium Profile frame, 18xIEC 320 C13 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-36U-IEC	36U Aliminium Profile frame, 18xIEC 320 C13 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-42U-IEC	42U Aliminium Profile frame, 18xIEC 320 C13 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord



HORIZONTAL CABLE ORGANIZERS

Order Code	Product Name	Weight (kg)
ZEY.ORG1U	1U 19" Cable Management 5 Metal Rings	0,60
ZEY.ORG2U	2U 19" Cable Management 5 Metal Rings	0,80
ZEY.ORG1UF	1U 19" Cable Management with brush	0,60
ZEY.ORG2UF	2U 19" Cable Management with brush	0,80



BLANK PANELS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.KAP1U	1U Blank Panel	483	15	44,5	0,30
ZEY.KAP2U	2U Blank Panel	483	15	89	0,40
ZEY.KAP3U	3U Blank Panel	483	15	133	0,60
ZEY.KAP4U	4U Blank Panel	483	15	174	0,80
ZEY.PKAP1U	1U Blank Panel vented	483	15	44,5	0,25
ZEY.PKAP2U	2U Blank Panel vented	483	15	89	0,35
ZEY.PKAP3U	3U Blank Panel vented	483	15	133	0,55
ZEY.PKAP4U	4U Blank Panel vented	483	15	174	0,75



VERTICAL CABLE ORGANIZERS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.ORG26	26U Vertical Cable Management (1 set: 2 piece)	90	90	966	5,00
ZEY.ORG32	32U Vertical Cable Management (1 set: 2 piece)	90	90	1233	6,00
ZEY.ORG36	36U Vertical Cable Management (1 set: 2 piece)	90	90	1411	6,80
ZEY.ORG42	42U Vertical Cable Management (1 set: 2 piece)	90	90	1678	7,20
ZEY.ORG44	44U Vertical Cable Management (1 set: 2 piece)	90	90	1767	7,80
ZEY.ORG47	47U Vertical Cable Management (1 set: 2 piece)	90	90	1900	8,20




* Vertical cable organizers has been used 800*600 mm, 800*800 mm and 800*1000 mm rack cabinets inside.


** The weight is 1 piece vertical organizer and it cover.

MOUNTING VERTICALS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.D12U	12U Mounting Vertical (1 Set: 2 Piece)	25	62,5	537	1,00
ZEY.D16U	16U Mounting Vertical (1 Set: 2 Piece)	25	62,5	715	1,40
ZEY.D20U	20U Mounting Vertical (1 Set: 2 Piece)	25	62,5	893	1,75
ZEY.D22U	22U Mounting Vertical (1 Set: 2 Piece)	25	62,5	982	1,95
ZEY.D26U	26U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1160	2,30
ZEY.D32U	32U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1427	2,85
ZEY.D36U	36U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1605	3,12
ZEY.D42U	42U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1872	3,68
ZEY.D44U	44U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1961	3,86
ZEY.D47U	47U Mounting Vertical (1 Set: 2 Piece)	25	62,5	2095	4,10


MOUNTING VERTICALS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.D7U	7 U Mounting Vertical (1 Set: 2 Piece)	35	50	344	0,20
ZEY.D9U	9 U Mounting Vertical (1 Set: 2 Piece)	35	50	433	0,40
ZEY.D12U	12 U Mounting Vertical (1 Set: 2 Piece)	35	50	566	0,50
ZEY.D15U	15 U Mounting Vertical (1 Set: 2 Piece)	35	50	700	0,80
ZEY.D18U	18 U Mounting Vertical (1 Set: 2 Piece)	35	50	833	0,90


VERTICAL CABLE TRAYS METAL

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.KK12U	12U Vertical Cable Tray w=100mm	100	10	537	0,56
ZEY.KK16U	16U Vertical Cable Tray w=100mm	100	10	715	0,74
ZEY.KK20U	20U Vertical Cable Tray w=100mm	100	10	893	0,95
ZEY.KK22U	22U Vertical Cable Tray w=100mm	100	10	982	1,05
ZEY.KK26U	26U Vertical Cable Tray w=100mm	100	10	1160	1,25
ZEY.KK32U	32U Vertical Cable Tray w=100mm	100	10	1427	1,52
ZEY.KK36U	36U Vertical Cable Tray w=100mm	100	10	1605	1,70
ZEY.KK42U	42U Vertical Cable Tray w=100mm	100	10	1872	2,00
ZEY.KK44U	44U Vertical Cable Tray w=100mm	100	10	1961	2,10
ZEY.KK47U	47U Vertical Cable Tray w=100mm	100	10	2094	2,25


EQUIPMENT SUPPORT

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.LCD60	L-Type Equipment Support for d=600mm cabinet (1set:2 piece)	46,5	397	44,5	0,84
ZEY.LCD80	L-Type Equipment Support for d=800mm cabinet (1set:2 piece)	46,5	517	44,5	1,10
ZEY.LCD100	L-Type Equipment Support for d=1000mm cabinet (1set:2 piece)	46,5	717	44,5	1,52

LEVELLING FEET, CASTORS & MOUNTING ACCESSORIES

Order Code	Product Name	Weight (kg)
ZEY.AKS1	Castor group, 2ea front lockable, rotatable, 2ea rear rotatable for standing type cabinet	1,8
ZEY.AKS2	Levelling feet 1 set 4 piece	0,25
ZEY.AKS3	M6 caged nut, screw, washer 1 set:20 piece	0,19
ZEY.AKS4	Mounting set for wall mount type cabinet	0,30
ZEY.AKS5	Castor group, 2ea front lockable, rotatable, 2ea rear rotatable for mount type cabinet	0,82
ZEY.AKS6	M6 caged nut, screw, washer 1 set:50 piece	0,82
ZEY.AKS7	Floor fixing kit	0,49
ZEY.AKS8	Earthing set	0,35
ZEY.AKS9	Cabinet combining set	0,1



GROUND CONNECTION & EARTH-QUAKE SET

Order Code	Product Name
ZEY.ZBK600	Ground Connection Set Width: 600 mm
ZEY.ZBK800	Ground Connection Set Width: 800 mm

BASE MODULES

Order Code	Product Name	Dimensions (mm)	Weight (kg)
ZEY.B66	Base Module h:100 mm	600*600	4,20
ZEY.B68	Base Module h:100 mm	600*800	5,00
ZEY.B88	Base Module h:100 mm	800*800	5,60
ZEY.B610	Base Module h:100 mm	600*1000	5,60
ZEY.B810	Base Module h:100 mm	800*1000	6,30



LIGHTING MODULES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.AYD1	19" 1U Manuel Lighting Module	483	26,5	44,5	0,20
ZEY.AYD2	19" 1U Automatic Lighting Module	483	26,5	44,5	0,25
ZEY.AYD3	19" 1U Manuel LED Lighting Module	483	26,5	44,5	0,25
ZEY.AYD4	19" 1U Automatic LED Lighting Module	483	26,5	44,5	0,30



OPEN TYPE RACK CABINETS

OPEN FRAME RACKS

Using & applications areas are as; Open system network cabling, test & measuring laboratories, Schools, Factories, Quality Control Sections, need to test equipment movement at the test places. They produce accordance to the 19" & "U" principles and general Rack Cabinet Std. TS EN 61587 & IEC 60297-2. Compliance.

The support verticals (Posts) are two types produced as;

A – 2 verticals posts

B – 4 Verticals posts

Width 19" (19*25,4 mm = 482,6 mm) comply. Heights starts from 16U (1U=44,5mm) up to 47U. Square holes sizes are 3/8" * 3/8" = 9,5*9,5 mm; Verticals mounted bottom & top with an strengthen support elements for the rigid frame body. Modular construction.

Painted Electro Static Powder Coating RAL std. Castors & bottom fixing facility so easy to transport the whole body.

Delivered assembled or disassembled.

150-250 kg max static load capacity.

Optional for ventilation may install middle fan.



19" IP CLASS OUTDOOR TYPE RACK CABINETS

Basic Features

- This type cabinet generally use voice-data and image (vision) transmission on Telecommunication sector, for signalling, camera controls, navigation remote control e.t.c requirement can use successfully.
- Bestrack outdoor cabinet designing with bases and also Wall or pylons type cabinets type enclosures specifications.
- For corrosion protected for outside using.
- In side of the cabinet there is natural ventilation.
- Index of Protection is IP 65 and IP 66
- Size are; 7U, 9U, 12U, 16U and 20U height, 600mm width, 450mm&600mm depth std. Sizes production
- Also can produce according to the technical specification compliance.



Structured Detailed

- Main frame construction is mono-block bending and welded. Thickness of the cabinet is 1,5-2 mm metal steel used thickness
- **Painting;** For finishing all the outdoor cabinets all parts are coated after the surface treatment processing RAL 7035 light grey epoxy-polyester electro-static powder coating painting.
- **Head Cover Module;** Mono-block twist and welded so both sides of the cabinet there are ventilation holes makes its air circulation easy.
- **Cable Inlet Modules;** For incoming cables into cabinet used strong and proper cable glands so for to use best cabling inside.
- **Bases Module;** On the cabinet 4 points the base mounts so easy. Also with these 4 points it connects to the concrete bottom fixing.
- **Fan Module;** 1 or 2 fans are to discharge hot-air from the inside to the outside ventilation. The hot air vented head units air circulation holes.
- **Wall Structure;** Our Bestrack cabinets are available to use both single-wall or double Wall. In double-wall construction there is special isolation materials between the walls. Prevents cold-hot air.
- **Power Distribution Unit;** The PDU is on power sockets combination. There are two options. One is PVC the other Aluminium body. It contains Earth Socket, UPS socket, Fuses, or observable and manageable. It is also convenience 19" Rack Cabinet mounting on the rack.
- **Delivering;** After the quality control is passed our all product wrapped and packed with strap protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.

In our outdoor type cabinets comply with to the structured cabling system and also comply with the Project, so putting inside equipments of network as switch, router modem, server, patch panel, telephone exchange & electronics equipment mounting and convenience cabling rigid, safe, secure functional and aesthetic production continuous.



EXPLODED ISOMETRIC VIEWS



19" IP CLASS OUTDOOR TYPE RACK CABINETS

BESTRACK

600*450 mm IP CLASS OUTDOOR TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.IPCLS07U6045	07U 600x450 mm Outdoor Type Cabinet	600	450	484	29,00
ZEY.IPCLS09U6045	09U 600x450 mm Outdoor Type Cabinet	600	450	573	30,00
ZEY.IPCLS12U6045	12U 600x450 mm Outdoor Type Cabinet	600	450	707	36,00
ZEY.IPCLS16U6045	16U 600x450 mm Outdoor Type Cabinet	600	450	885	41,00
ZEY.IPCLS20U6045	20U 600x450 mm Outdoor Type Cabinet	600	450	1065	46,00

Note: In the table giving weights figures without base and single wall's cabinets validated.

600*600 mm IP CLASS OUTDOOR TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.IPCLS07U6060	07U 600x600 mm Outdoor Type Cabinet	600	600	484	36,00
ZEY.IPCLS09U6060	09U 600x600 mm Outdoor Type Cabinet	600	600	573	38,50
ZEY.IPCLS12U6060	12U 600x600 mm Outdoor Type Cabinet	600	600	707	43,50
ZEY.IPCLS16U6060	16U 600x600 mm Outdoor Type Cabinet	600	600	885	19,00
ZEY.IPCLS20U6060	20U 600x600 mm Outdoor Type Cabinet	600	600	1065	54,00

Note: In the table giving weights figures without base and double wall's cabinets validated.

600*450 mm OUTDOOR TYPE RACK CABINET DOUBLE WALLS

Order Code	Product Name	Weight (kg)
ZEY.IPCLS07UCDR45	07U 600x450mm Double Wall	5,00
ZEY.IPCLS09UCDR45	09U 600x450mm Double Wall	6,50
ZEY.IPCLS12UCDR45	12U 600x450mm Double Wall	8,50
ZEY.IPCLS16UCDR45	16U 600x450mm Double Wall	11,50
ZEY.IPCLS20UCDR45	20U 600x450mm Double Wall	14,50



600*600 mm OUTDOOR TYPE RACK CABINET DOUBLE WALLS

Order Code	Product Name	Weight (kg)
ZEY.IPCLS07UCDR60	07U 600x600mm Double Wall	6,50
ZEY.IPCLS09UCDR60	09U 600x600mm Double Wall	7,50
ZEY.IPCLS12UCDR60	12U 600x600mm Double Wall	10,00
ZEY.IPCLS16UCDR60	16U 600x600mm Double Wall	13,00
ZEY.IPCLS20UCDR60	20U 600x600mm Double Wall	16,00



OUTDOOR TYPE RACK CABINET FAN UNITS

Order Code	Product Name	Weight (kg)
ZEY.IPCLSFNT1	Cooling Unit With 1 Fan+Thermostat Controlled (For Outdoor Cabinet)	0,90
ZEY.IPCLSFNT2	Cooling Unit With 2 Fan+Thermostat Controlled (For Outdoor Cabinet)	1,30



600*450 mm OUTDOOR TYPE RACK CABINET BASE MODULES

Order Code	Product Name	Weight (kg)
ZEY.IPCLS100PTH6045	600x450x100mm Base	4,25
ZEY.IPCLS200PTH6045	600x450x200mm Base	6,75
ZEY.IPCLS300PTH6045	600x450x300mm Base	9,25
ZEY.IPCLS400PTH6045	600x450x400mm Base	11,50
ZEY.IPCLS500PTH6045	600x450x500mm Base	14,00


**600*600 mm OUTDOOR TYPE RACK CABINET BASE MODULES**

Order Code	Product Name	Weight (kg)
ZEY.IPCLS100PTH6060	600x600x100mm Base	5,00
ZEY.IPCLS200PTH6060	600x600x200mm Base	7,50
ZEY.IPCLS300PTH6060	600x600x300mm Base	10,50
ZEY.IPCLS400PTH6060	600x600x400mm Base	13,25
ZEY.IPCLS500PTH6060	600x600x500mm Base	16,00




OUTDOOR TYPE RACK CABINET HANGING AND FIXING ON THE POLES

Order Code	Product Name	Weight (kg)
ZEY.IPCLSPM	Fixing on the Pole	5,00



OUTDOOR TYPE RACK CABINET FIXING ON THE WALLS

Order Code	Product Name	Weight (kg)
ZEY.IPCLSWM07U	07U Fixing on the Wall	0,65
ZEY.IPCLSWM09U	09U Fixing on the Wall	0,90
ZEY.IPCLSWM12U	12U Fixing on the Wall	1,30
ZEY.IPCLSWM16U	16U Fixing on the Wall	1,85
ZEY.IPCLSWM20U	20U Fixing on the Wall	2,40



STRUCTURED DETAILED**➤ Double – Wall Construction**

Out – Wall 1,5 mm thick , Inside –wall 1 mm thick also prevents to the out-door impact with the special – izolation materials between two doors . This type protection is very high –level .

➤ Active Circulation Construction

There are 2 suitable fans equipped inside with the filter which can serve for the flowing hot-air to the outside of the cabinet. Under the punched (holes) of top cover section . At the bottom section there is a fan which protects dust & water incoming to the cabinet .

➤ Gasket Construction

There is very special fluid – gasket which prevents dust & water incoming to the cabinet .

➤ Easy Pole – Mounting & Camera Mounting

With the pole connection apparatus the cabinet can mount easily on the poles. There are also 4 (four) mounting space on the cabinet for camera mounting .

➤ Mounting Rails

Inside of the cabinet have the equipment which does electrical connection used DIN Type rails.

➤ Movable UPS Rails

It can help for the UPS Equipment's operation which have castors & movable body easily.

➤ Lighting

There is automatic lighting module inside of the cabinet which serves in the dark environment for lighting controls.

➤ Front Door Construction for Locking

3 point locking and have gasket construction of the cabinet serve safety & secure inside maximum level.

➤ Modem – Equipment & Switch Shelves

Top of the inside cabinet section is fixed rails also help easily to put on it modem or other electronic equipment.



19" WALL MOUNT TYPE RACK CABINETS



Basic Features

- Our Wall-mount type cabinets are serving for small scale network system installation comply with the right and security also best convenience solutions to the client.
- Our Wall-mount cabinets comply with TSEN 61587-1 Mechanical Construction (for Electronic equipments Cabinets) Also our main factory Located in ANKARA-TURKEY covered 13000 meter-square areas and produced according to the ISO 9001:2015 Quality Management Systems Regulations.
- All cabinet's vertical hole spacing and horizontal hole spacing (sizes) comply with IEC 297-2 ANS/EIA RS -310-D DIN41494-1-7 Standards.
- Our Wall-mount cabinets depth 560mm heights are 7U, 9U, 12U, 15U, 16U, 18U and 20U, if the depth is 450mm products are 7U, 9U, 12U, 15U, 16U, 18U and 20U serving to the clients.
Another ECO type Wall-mount products are 400mm depth and 7U-9U-12U heights serving to the clients.
- Wall-mount cabinet's front door 4mm thick Tempered glass, all side panels and back cover are lockable and removable construction design.

- 19" Equipment Rack Mounting verticals(posts) are punched square holes and also adjustable along the depth construction.

Tests & Certificates

- Our cabinets has been tested according to the TS EN 61587-1 standards and climatical tests part 4.2 cold ,dry heat and wet heat tests accor.C1 class , Part 4.3 Industry Environment 41 class SL7 , comply.
- Mechanical Load tests accor par.5.21 and 5.2.2 and class SL5 comply
- Dynamic Load,vibration,mechanical impact (force) tests applies DL 4 class,
- External Mechanical Impacts K2 class.
- Earth (Grounding) connecting continuity tested TS EN 61587-2-1/6.2 comply
- Produced & tested accor to the IP 20 (Index of Protection)

STRUCTURED DETAILED**Main Body Profile Construction;**

Bottom and Top plates,main frame verticals; In a single piece(rigid) 1mm thick. Main frame profiles connected 32 points also modular structured.

Front Door; 4mm tempered glass with lock.

Side Panels; 1mm thick botton lockable removable rigid steel construction

Back Door; Is integrated with the main body.

Cable Inlet; On Bottom&Top plate there are enough cable inlet places for cabling

19" Equipment Mounting Verticals(posts): 1,5mm thick. Mounting verticals made by pregalvanized solid steel accor. TS 822 Std.

Painting: RAL7035 Color code finishing Electro-Static powder coating painted.


Ventilation: Placed under the top plate the fan thermostat modules makes high air circulation low level noise inside of the cabinet in good effective ventilation.

Power Distribution Unit: The PDU is on power sockets combination. There are two options. One is PVC the other Aluminium body. It contains Earth Socket, UPS socket, Fuses, or observable and manageable. It is also convenience 19" Rack Cabinet mounting on the rack.


Delivering: After the quality control is passed our all product wrapped and packed with strapor protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.



EXPLODED ISOMETRIC VIEWS



CONSTRUCTION DRAWING





600*560 mm GOLD LINE WALL MOUNT TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.M07U65	7U 600x560 mm Gold Line Mount Type Cabinet	600	560	452	21,60
ZEY.M09U65	9U 600x560 mm Gold Line Mount Type Cabinet	600	560	535	23,60
ZEY.M12U65	12U 600x560 mm Gold Line Mount Type Cabinet	600	560	668	27,40
ZEY.M15U65	15U 600x560 mm Gold Line Mount Type Cabinet	600	560	803	31,50
ZEY.M18U65	18U 600x560 mm Gold Line Mount Type Cabinet	600	560	936	37,00


600*450 mm GOLD LINE WALL MOUNT TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.M07U64	7U 600x450 mm Gold Line Mount Type Cabinet	600	450	452	19,20
ZEY.M09U64	9U 600x450 mm Gold Line Mount Type Cabinet	600	450	535	21,60
ZEY.M12U64	12U 600x450 mm Gold Line Mount Type Cabinet	600	450	668	25,80
ZEY.M15U64	15U 600x450 mm Gold Line Mount Type Cabinet	600	450	803	29,00
ZEY.M18U64	18U 600x450 mm Gold Line Mount Type Cabinet	600	450	936	34,00

EXPLODED ISOMETRIC VIEWS



CONSTRUCTION DRAWING





600*560 mm SILVER LINE WALL MOUNT TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.SLM07U6056	07U 600x560 mm Silver Line Mount Type Cabinet	600	560	405	15,90
ZEY.SLM09U6056	09U 600x560 mm Silver Line Mount Type Cabinet	600	560	495	18,00
ZEY.SLM12U6056	12U 600x560 mm Silver Line Mount Type Cabinet	600	560	625	15,80
ZEY.SLM16U6056	16U 600x560 mm Silver Line Mount Type Cabinet	600	560	805	26,00
ZEY.SLM20U6056	20U 600x560 mm Silver Line Mount Type Cabinet	600	560	980	30,50



600*450 mm SILVER LINE WALL MOUNT TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.SLM07U6045	07U 600x450 mm Silver Line Mount Type Cabinet	600	450	405	14,00
ZEY.SLM09U6045	09U 600x450 mm Silver Line Mount Type Cabinet	600	450	495	15,90
ZEY.SLM12U6045	12U 600x450 mm Silver Line Mount Type Cabinet	600	450	625	18,90
ZEY.SLM16U6045	16U 600x450 mm Silver Line Mount Type Cabinet	600	450	805	22,50
ZEY.SLM20U6045	20U 600x450 mm Silver Line Mount Type Cabinet	600	450	980	29,00

EXPLODED ISOMETRIC VIEWS




CONSTRUCTION DRAWING



520*400 mm ECO WALL MOUNT TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.E04U54	4U 520x400 mm Eco Mount Type Cabinet	520	400	216	9,5
ZEY.E07U54	7U 520x400 mm Eco Mount Type Cabinet	520	400	350	11,60
ZEY.E09U54	9U 520x400 mm Eco Mount Type Cabinet	520	400	440	13,20
ZEY.E12U54	12U 520x400 mm Eco Mount Type Cabinet	520	400	570	15,80


495*140 mm JUNIOR LINE WALL MOUNT TYPE RACK CABINETS




ISOMETRIC VIEW

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEYJNR05U	5U Junior Line Wall Mount Type Cabinet (3u Vertical, 2u Horizontal)	495	140	475	9,50


CONSTRUCTION DRAWING




BOTTOM VIEW




ISOMETRIC VIEW




ASSEMBLY PROFILE



FRONT VIEW



SIDE VIEW



REAR VIEW

FIBER PATCH PANELS

Order Code	Product Name	Weight (kg)
ZEY.FSK06	6 Port Fiber Optik SC Indoor Blind Cop Box	1,05



Order Code	Product Name	Weight (kg)
ZEY.FSK12	12 Port Fiber Optik SC Indoor Blind Cop Box	2,00



Order Code	Product Name	Weight (kg)
ZEY.FPP01	24 Port SC Simplex Rackmount Patch Panel	3,50



Order Code	Product Name	Weight (kg)
ZEY.FPP02	12 Port SC Simplex Rackmount Patch Panel	2,25



STANDING MODULAR ELECTRIC PANELS

STANDING MODULAR ELECTRIC PANELS (M.V)

Order Code	Dimensions		
	Width (mm)	Height (mm)	Depth (mm)
ZEY.MDP.400-2050-400	400	2050	400
ZEY.MDP.500-2050-400	500	2050	400
ZEY.MDP.600-2050-400	600	2050	400
ZEY.MDP.700-2050-400	700	2050	400
ZEY.MDP.800-2050-400	800	2050	400
ZEY.MDP.900-2050-400	900	2050	400

Order Code	Dimensions		
	Width (mm)	Height (mm)	Depth (mm)
ZEY.MDP.400-2050-500	400	2050	500
ZEY.MDP.500-2050-500	500	2050	500
ZEY.MDP.600-2050-500	600	2050	500
ZEY.MDP.700-2050-500	700	2050	500
ZEY.MDP.800-2050-500	800	2050	500
ZEY.MDP.900-2050-500	900	2050	500

Order Code	Dimensions		
	Width (mm)	Height (mm)	Depth (mm)
ZEY.MDP.400-2050-600	400	2050	600
ZEY.MDP.500-2050-600	500	2050	600
ZEY.MDP.600-2050-600	600	2050	600
ZEY.MDP.700-2050-600	700	2050	600
ZEY.MDP.800-2050-600	800	2050	600
ZEY.MDP.900-2050-600	900	2050	600

