

Please Note that:
The data of products' appearance, colors, cut-out in this catalogue is only for reference. Please take the samples or the products shipped out as standards. Mercanvee reserves the rights to adjust or cancel any model in this catalogue without advance notices. If you have any questions, please contact our sales representatives.

ELITE 30 Series

ELITE 30
Series

MERCANVEE
Optics · Technology · Charming

The Elite 30 Series is a multi-functional track system with unlimited possibility for re-creation.

DC 24V low-voltage input makes the product safer.

The introduction of various intelligent controls allows to create better lighting effects in space.

Perfect interpretation of functional and artistic integration in lighting. Meeting the aesthetic requirements and the development trend of industrial design.



FOSHAN NANHAI MERCANVEE LIGHTING CO.,LTD.

Add: Factory No.7, Shang An Li Jia Industrial Zone, Danzao Town, Nanhai District, Foshan City, Guangdong, China
Tel: +86-757- 86613717 / 86613727 Fax: +86- 757- 86603077
E-mail: info@mercanvee.com P.C: 528223 Web: www.mercanvee.com


MERCANVEE

Established in 1996, our factory is located in Danzao Town, Foshan City of Guangdong province, where is one of the main production center of commercial lighting across China. We have been providing OEM service to numerous industry-leading brands all over the world since 1996 and we always try our best to keep the spirit of constantly striving for excellence and technological innovation. In order to meet the development needs of the LED lighting market, our own brand “MERCANVEE” was established in 2011. Bearing the company philosophy of “Optical, Technology, Charming” in mind, MERCANVEE have become a modern enterprise integrating research, development, production and sales of high-end LED lighting products.

Dedicated to technological innovation, MERCANVEE always try to fuse elements like energy-saving, chromatology, optics, aesthetics, architecture, history, humanities, commerce, environment, physics, psychology, physiology, life, etc. into the lighting science. And by doing so, we are able to provide more professional and more responsible lighting products and optical solutions for our customers.

We love the cause of LED lighting and we respect the physical form of the light. We deeply explore the principles and application characteristics of optics and try to blend them into humanity, nature, architecture, vision and environment to create a harmonious effect. Meanwhile, energy-saving and environmental protection will always be MERCANVEE’s core values. We will keep emphasizing optical research, lighting control technology and visual management and keep pushing our boundaries so that we can help building a healthier, more eco-friendly and safer society.

MERCANVEE, designers' favorite professional lighting provider.





ELITE 30 *Series*

Lighting up the

ART SPACE


Let every day be filled with
light and warmth

Luminaire types and lighting effects


Single-sided floodlight





Two-sided floodlight




Spherical lighting




Tubular lighting




Under-mounted spotlight



Top-mounted spotlight





Installation/Connection

Belt / Braided Strap / Steel Cord
Skin-touch White / Skin-touch Black/Chrome/Bronze


All of the 3 strapping materials can be cut and adjusted according to the ceiling height and installation height.

Multiple connector options available, can be combined to create various shapes, meeting the needs of different spaces.



All lighting fixtures can be flexibly collocated base on the preferences of designers and owners.

SHAPING YOUR OWN ART


The Elite 30 series is rich in functions, and it can freely combine basic lighting and accent lighting. Unleash your creativity, use the belts and the tracks to guide the light to where it's needed, create your own light art and unique atmosphere!









Skin-touch Black




Skin-touch White



Bronze




Chrome




Perceive life and vitality


through lighting








Khaki Braided Strap



Khaki Braided Strap



Orange Microfiber



Grey Microfiber



A cut of green tea
Dappled shadows of the plants

A distant
& profound vibe





Parallel Double
Tube
Pendant Light








In space of minimalism and Jane European,
Elite 30 series
can be combined as
the living room main light








Remodeling Spaces

The Elite 30 series combines functionality and decoration, introducing clever new ways to remodel the space. The braided straps can be used as an artistic decoration and spacial division in the layout, which brings better spacial effects.






Space & Inspiration





The
PROTAGONIST
of **light**









Flowing simplicity in
fashion
Show taste in unrestrained
style






Unleash your
creativity
& explore
endless possibilities



Bring your art and imagination
into reality


















Blending of
softness & toughness











Lighting & Art







Shines both
up & down



Not just a lamp.
But an artwork



Elite mini Series

All-around Combination Lighting

**Artistry
Functionality
Architectural
Residence
Hotels
Commercial
Offices
Restaurants
Galleries**





Entry lux & Minimalism



Detailed product information

MVC1005-01B



MVC1005-01B

Rimless recessed/Up&Down/Bronze/Steel cord/Remote 24V power supply
White rimless pre-installation kit/White installation plate



Live end/Two-wire input(2*0.5mm²)
MVC30-A2-150-SW3-B
Rimless recessed two-wire live end/Steel cord/Bronze
Load power<100W/CCT non-adjustable



End cap
MVC30-A1-150-SW3-B
Rimless recessed end cap/Steel cord/Bronze





Main light(Length optional)
MVT1005B2-1010-224L3-B
Up&Down/1010mm/3000K/48W/Bronze

MVT1005B2-1510-236L3-B
Up&Down/1510mm/3000K/72W/Bronze


MVT1005B2-2010-248L3-B
Up&Down/2010mm/3000K/96W/Bronze

MVT1005-02A




MVT1005-02A

Surface mounted/Up&Down/Bronze/Orange belt/Remote 24V power supply
/Bronze ceiling cover



Live end/Three-wire input belt
MVC30-A4-150-OB2-B
Three-wire live end belt with surface mounted ceiling cover/Orange belt/Bronze
Load power<200W/CCT non-adjustable



End cap
MVT30-A1-150-OB2-B
End cap with surface mounted ceiling cover/Orange belt/Bronze





Main light(Length optional)
MVT1005B2-1010-224L3-B
Up&Down/1010mm/3000K/48W/Bronze


MVT1005B2-1510-236L3-B
Up&Down/1510mm/3000K/72W/Bronze

MVT1005B2-2010-248L3-B
Up&Down/2010mm/3000K/96W/Bronze


MVT1005-10A



Live end



Main light




End cap




MVT1005-10A

Surface mounted/Vertical double tube connector/Up&Down/Bronze/Steel cord/Remote 24V power supply
Bronze ceiling cover



Vertical double tube live end/Three-wire input(3*0.75mm²)
MVT30-A15-H3-SW2-B
Three-wire live end with surface mounted ceiling cover/Vertical double tube connector/Steel cord/Bronze
Dimming methods available: 0/1-10V/TRIAC/DALI/KNX/Zigbee/BT
Load power<200W/Circuit length<4 meters/CCT adjustable





Vertical double tube end cap
MVT30-A17-H1-SW2-B
End cap with surface mounted ceiling cover/Steel cord/Bronze




Main light(Length optional)
MVT1005B2-1510-236L3-B
Up&Down/1510mm/3000K/72W/Bronze

MVT1005B2-2010-248L3-B
Up&Down/2010mm/3000K/96W/Bronze


MVT1005-10B



Live end



Main light




End cap



MVT1005-10B

Rimless recessed/Vertical double tube connector/Up&Down/Skin-touch black/Khaki braided Strap/Remote 24V power supply /White rimless pre-installation kit/White installation plate



Vertical double tube live end /Three-wire input(3*0.75mm²)
MVC30-A15-H3-KW3-D
Rimless recessed three-wire live end/Vertical double tube connector/Khaki braided Strap/Skin-touch black
Dimming methods available: 0/1-10V/TRIAC/DALI/KNX/Zigbee/BT
Load power<200W/Circuit length<4 meters/CCT adjustable





Vertical double tube end cap
MVC30-A17-H1-KW3-D
Rimless recessed vertical double tube end cap/Khaki braided Strap /Skin-touch black



Main light(Length optional)
MVT1005B2-1510-236L3-D
Up&Down/1510mm/3000K/72W/Bronze
MVT1005B2-2010-248L3-D
Up&Down/2010mm/3000K/96W/Bronze

MVC1005-11A




MVC1005-11A

Rimless recessed/Triangle double tube connector/Up&Down/Chrome/Steel cord/Remote 24V power supply
White rimless pre-installation kit/White installation plate



Triangle double tube live end /Three-wire input(3*0.75mm²)
MVC30-A18-Q3-SW3-C
Rimless recessed three-wire live end/Triangle double tube connector/Steel cord/Chrome
Dimming methods available: 0/1-10V/TRIAC/DALI/KNX/Zigbee/BT
Load power<200W/Circuit length<4 meters/CCT adjustable





Triangle double tube end cap
MVC30-A20-Q1-SW3-C
Rimless recessed triangle double tube end cap/Steel cord/Chrome




Main light(Length optional)
MVT1005B2-1510-236L3-C
Up&Down/1510mm/3000K/72W/Chrome
MVT1005B2-2010-248L3-C
Up&Down/2010mm/3000K/96W/Chrome

MVC1005-11B




MVC1005-11B

Surface mounted/Triangle double tube connector/Up&Down/Bronze/Orange belt/Remote 24V power supply /Bronze ceiling cover



Triangle double tube live end /Three-wire input(3*0.75mm²)
MVT30-A18-Q3-OB2-B
Three-wire live end with surface mounted ceiling cover/Triangle double tube connector/Orange belt/Bronze
Dimming methods available: 0/1-10V/TRIAC/DALI/KNX/Zigbee/BT
Load power<200W/Circuit length<4 meters/CCT adjustable





Triangle double tube end cap
MVT30-A20-Q1-OB2-B
End cap with surface mounted ceiling cover/Orange belt/Bronze




Main light(Length optional)
MVT1005B2-1510-236L3-B
Up&Down/1510mm/3000K/72W/Bronze
MVT1005B2-2010-248L3-B
Up&Down/2010mm/3000K/96W/Bronze

MVT1005-12A



MVT1005-12A

Surface mounted/Up&Down/Chrome/Steel cord/Remote 24V power supply
Chrome ceiling cover



60° V shape live end /Three-wire input(3*0.75mm²)
MVT30-A9-60A4-SW2-C
Three-wire 60° V shape live end with surface mounted ceiling cover/Steel cord/Chrome
Dimming methods available: 0/1-10V/TRIAC/DALI/KNX/Zigbee/BT
Load power<200W/Circuit length<4 meters/CCT adjustable



60° V shape connector
MVT30-A9-60A2-SW1-C
60° V shape connector with surface mounted kit/Steel cord/Conductive/Chrome






60° V shape connector
MVT30-A9-60A1-SW1-C
60° V shape connector with surface mounted kit/Steel cord/Non-Conductive/Chrome
(Isolating circuit)



Main light(Length optional)
MVT1005B2-510-212L3-C
Up&Down/510mm/3000K/24W/Chrome
MVT1005B2-1010-224L3-C
Up&Down/1010mm/3000K/48W/Chrome

MVT1005-13A



MVT1005-13A

Surface mounted/Up&Down(Dimmable)/Chrome/Steel cord/Remote 24V power supply
Chrome ceiling cover



90° L shape live end /Three-wire input(3*0.75mm²)
MVT30-A10-L4-SW2-C
Three-wire 90° L shape live end with surface mounted ceiling cover/Steel cord/Chrome
Dimming methods available: 0/1-10V/TRIAC/DALI/KNX/Zigbee/BT
Load power<200W/Circuit length<4 meters/CCT adjustable



90° L shape connector
MVT30-A10-L2-SW1-C
90° L shape connector with surface mounted kit/Steel cord/Conductive/Chrome





90° L shape connector
MVT30-A10-L1-SW1-C
90° L shape connector with surface mounted kit/Steel cord/Non-Conductive/Chrome
(Isolating circuit)




Main light recommended length
MVT1005B2-1010-224L3-C
Up&Down/1010mm/3000K/48W/Chrome

MVT1005-18A




MVT1005-18A

Surface mounted/Track+Diffusor/Skin-touch whiteic/Khaki braided Strap/Remote 24V power supply /ic/Khaki ceiling cover



Live end/Three-wire input(3*0.75mm²)
MVT30-A6-150-KW2-W
Three-wire live end with surface mounted ceiling coveric/Khaki braided Strap/Skin-touch white
Load power<200W/Circuit length<4 meters



End cap
MVT30-A1-150-KW2-W
End cap with surface mounted ceiling coveric/Khaki braided Strap/Skin-touch white






Track Light
MVT1005M2-005L3-W
32 diameter track/5W/24V input/Skin-touch white
15°/24°/36° COB
2PCS



Main light(Length optional)
MVT1005C1-1010-024L3-W
Track+Diffusor/1010mm/3000K/24W/Skin-touch white
MVT1005C1-1510-036L3-W
Track+Diffusor/1510mm/3000K/36W/Skin-touch white
MVT1005C1-2010-048L3-W
Track+Diffusor/2010mm/3000K/48W/Skin-touch white

MVT1005-20A




MVT1005-20A

Rimless recessed/Up&Down Track/Skin-touch white/Steel cord/Remote 24V power supply
White rimless pre-installation kit/White installation plate



Live end/Three-wire input(3*0.75mm²)
MVC30-A3-150-SW3-W
Rimless recessed three-wire live end/Steel cord/Skin-touch white
Load power<200W/Circuit length<4 meters



End cap
MVC30-A1-150-SW3-W
Rimless recessed end cap/Steel cord/Skin-touch white



24V soft tube track light
MVT1005M8-3000-042L3-W
360 degrees neon soft tube light.
2/3/4 meters soft tube goes with 1/1.5/2 meters'main light accordingly.
14W per meter.



Globe track light
MVT1005M7-005L3-W
80mm diameter glass globe/5W/Skin-touch white

270° G9
2PCS






Main light(Length optional)
MVT1005A2-1010-W
Up&Down Track/1010mm/Skin-touch white

MVT1005A2-1510-W
Up&Down Track/1510mm/Skin-touch white


MVT1005A2-2010-W
Up&Down Track/2010mm/Skin-touch white

MVT1005-21A




MVT1005-21A

Surface mounted/Up&Down(Dimmable)/Skin-touch white/Steel cord/Remote 24V power supply
Skin-touch white ceiling cover



Live end/Three-wire input(3*0.75mm²)
MVT30-A3-150-SW2-W
Three-wire live end with surface mounted ceiling cover/Steel cord/Skin-touch white
Dimming methods available: 0/1-10V/TRIAC/DALI/KNX/Zigbee/BT
Load power<200W/Circuit length<4 meters/CCT adjustable



End cap
MVT30-A1-150-SW1-W
End cap with surface mounted kit/Steel cord/Non-Conductive/Skin-touch white

4PCS



Y connector
MVT30-A13-Y2-SW1-W
Y shape connector with surface mounted kit/Steel cord/Conductive/Skin-touch white


3PCS



Main light recommended length
MVT1005B2-510-212L3-W
Up&Down/510mm/3000K/24W/Skin-touch white

7PCS

MVT1005-23L-D800



MVT1005-23L-D800

Surface mounted/Up&Down(Dimmable)/Skin-touch white/Steel cord/Remote 24V power supply
Skin-touch white ceiling cover



Circular chandelier/Three-wire input(3*0.75mm²)
MVT1005-23B-D800-W
Three-wire live end with surface mounted ceiling cover/Steel cord/Skin-touch white
Load power<200W/Circuit length<4 meters/CCT adjustable



Globe track light
MVT1005M7-005L3-W
80mm diameter glass globe/5W/Skin-touch white

270° G9
6PCS



Elite 30 bottom mounted track light




Finishing colors



MVT1005M1-003L3

Diameter of 25/3W/24V

MVT1005M1-003L3-W
MVT1005M1-003L3-D
MVT1005M1-003L3-C
MVT1005M1-003L3-B



3W Ra≥90 10°

H(m)	E(lx)	D(m)
1	1979	0.18
2	495	0.36
3	220	0.54
4	124	0.73
5	79	0.91

Beam Angle

10°

Light Source Luminous Flux

178.0lm

Lighting Luminous Flux

125.3lm

Luminaire Efficiency

70.4%

3W Ra≥90 15°

H(m)	E(lx)	D(m)
1	1767	0.25
2	442	0.50
3	196	0.75
4	110	1.17
5	71	1.25

Beam Angle

15°

Light Source Luminous Flux

178.0lm

Lighting Luminous Flux

150.8lm

Luminaire Efficiency

84.7%

3W Ra≥90 24°

H(m)	E(lx)	D(m)
1	861	0.39
2	215	0.78
3	96	1.17
4	54	1.56
5	34	1.95

Beam Angle

24°

Light Source Luminous Flux

178.0lm

Lighting Luminous Flux

148.1lm

Luminaire Efficiency

83.2%

3W Ra≥90 30°

H(m)	E(lx)	D(m)
1	455	0.49
2	114	0.98
3	51	1.48
4	28	1.97
5	18	2.46

Beam Angle

30°

Light Source Luminous Flux

178.0lm

Lighting Luminous Flux

120.3lm

Luminaire Efficiency

67.6%

3W Ra≥90 40°

H(m)	E(lx)	D(m)
1	293	0.59
2	73	1.17
3	33	1.76
4	18	2.35
5	12	2.94

Beam Angle

40°

Light Source Luminous Flux

178.0lm

Lighting Luminous Flux

135.4lm


Luminaire Efficiency

76.1%

MVT1005M2-005L3

Diameter of 32/5W/24V

MVT1005M2-005L3-W
MVT1005M2-005L3-D
MVT1005M2-005L3-C
MVT1005M2-005L3-B




5W Ra≥90° 15°	5W Ra≥90° 24°	5W Ra≥90° 36°																																																						
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>2713</td><td>0.31</td></tr><tr><td>2</td><td>678</td><td>0.63</td></tr><tr><td>3</td><td>302</td><td>0.94</td></tr><tr><td>4</td><td>170</td><td>1.26</td></tr><tr><td>5</td><td>109</td><td>1.57</td></tr></table>	H(m)	E(lx)	D(m)	1	2713	0.31	2	678	0.63	3	302	0.94	4	170	1.26	5	109	1.57	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>1445</td><td>0.47</td></tr><tr><td>2</td><td>361</td><td>0.94</td></tr><tr><td>3</td><td>161</td><td>1.40</td></tr><tr><td>4</td><td>90</td><td>1.87</td></tr><tr><td>5</td><td>58</td><td>2.33</td></tr></table>	H(m)	E(lx)	D(m)	1	1445	0.47	2	361	0.94	3	161	1.40	4	90	1.87	5	58	2.33	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>844</td><td>0.69</td></tr><tr><td>2</td><td>211</td><td>1.37</td></tr><tr><td>3</td><td>94</td><td>2.06</td></tr><tr><td>4</td><td>53</td><td>2.75</td></tr><tr><td>5</td><td>34</td><td>3.43</td></tr></table>	H(m)	E(lx)	D(m)	1	844	0.69	2	211	1.37	3	94	2.06	4	53	2.75	5	34	3.43
H(m)	E(lx)	D(m)																																																						
1	2713	0.31																																																						
2	678	0.63																																																						
3	302	0.94																																																						
4	170	1.26																																																						
5	109	1.57																																																						
H(m)	E(lx)	D(m)																																																						
1	1445	0.47																																																						
2	361	0.94																																																						
3	161	1.40																																																						
4	90	1.87																																																						
5	58	2.33																																																						
H(m)	E(lx)	D(m)																																																						
1	844	0.69																																																						
2	211	1.37																																																						
3	94	2.06																																																						
4	53	2.75																																																						
5	34	3.43																																																						
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>533.0lm</td><td>15°</td></tr><tr><td>338.0lm</td><td></td><td>15°</td></tr><tr><td>63.4%</td><td></td><td></td></tr></table>	H(m)	E(lx)	D(m)	1	533.0lm	15°	338.0lm		15°	63.4%			<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>533.0lm</td><td>24°</td></tr><tr><td>319.7lm</td><td></td><td>24°</td></tr><tr><td>60.0%</td><td></td><td></td></tr></table>	H(m)	E(lx)	D(m)	1	533.0lm	24°	319.7lm		24°	60.0%			<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>533.0lm</td><td>36°</td></tr><tr><td>344.7lm</td><td></td><td>36°</td></tr><tr><td>64.7%</td><td></td><td></td></tr></table>	H(m)	E(lx)	D(m)	1	533.0lm	36°	344.7lm		36°	64.7%																				
H(m)	E(lx)	D(m)																																																						
1	533.0lm	15°																																																						
338.0lm		15°																																																						
63.4%																																																								
H(m)	E(lx)	D(m)																																																						
1	533.0lm	24°																																																						
319.7lm		24°																																																						
60.0%																																																								
H(m)	E(lx)	D(m)																																																						
1	533.0lm	36°																																																						
344.7lm		36°																																																						
64.7%																																																								


MVT1005M2-008L3

Diameter of 32/8W/24V


MVT1005M2-008L3-W
MVT1005M2-008L3-D
MVT1005M2-008L3-C
MVT1005M2-008L3-B




8W Ra≥90° 15°	8W Ra≥90° 24°	8W Ra≥90° 36°																																																						
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>3719</td><td>0.31</td></tr><tr><td>2</td><td>930</td><td>0.63</td></tr><tr><td>3</td><td>413</td><td>0.94</td></tr><tr><td>4</td><td>232</td><td>1.26</td></tr><tr><td>5</td><td>149</td><td>1.57</td></tr></table>	H(m)	E(lx)	D(m)	1	3719	0.31	2	930	0.63	3	413	0.94	4	232	1.26	5	149	1.57	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>2171</td><td>0.47</td></tr><tr><td>2</td><td>543</td><td>0.95</td></tr><tr><td>3</td><td>241</td><td>1.42</td></tr><tr><td>4</td><td>136</td><td>1.90</td></tr><tr><td>5</td><td>87</td><td>2.37</td></tr></table>	H(m)	E(lx)	D(m)	1	2171	0.47	2	543	0.95	3	241	1.42	4	136	1.90	5	87	2.37	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>1286</td><td>0.62</td></tr><tr><td>2</td><td>322</td><td>1.24</td></tr><tr><td>3</td><td>143</td><td>1.86</td></tr><tr><td>4</td><td>80</td><td>2.48</td></tr><tr><td>5</td><td>51</td><td>3.10</td></tr></table>	H(m)	E(lx)	D(m)	1	1286	0.62	2	322	1.24	3	143	1.86	4	80	2.48	5	51	3.10
H(m)	E(lx)	D(m)																																																						
1	3719	0.31																																																						
2	930	0.63																																																						
3	413	0.94																																																						
4	232	1.26																																																						
5	149	1.57																																																						
H(m)	E(lx)	D(m)																																																						
1	2171	0.47																																																						
2	543	0.95																																																						
3	241	1.42																																																						
4	136	1.90																																																						
5	87	2.37																																																						
H(m)	E(lx)	D(m)																																																						
1	1286	0.62																																																						
2	322	1.24																																																						
3	143	1.86																																																						
4	80	2.48																																																						
5	51	3.10																																																						
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>682.0lm</td><td>15°</td></tr><tr><td>478.6lm</td><td></td><td>15°</td></tr><tr><td>70.2%</td><td></td><td></td></tr></table>	H(m)	E(lx)	D(m)	1	682.0lm	15°	478.6lm		15°	70.2%			<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>682.0lm</td><td>24°</td></tr><tr><td>475.8lm</td><td></td><td>24°</td></tr><tr><td>69.8%</td><td></td><td></td></tr></table>	H(m)	E(lx)	D(m)	1	682.0lm	24°	475.8lm		24°	69.8%			<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>682.0lm</td><td>36°</td></tr><tr><td>487lm</td><td></td><td>36°</td></tr><tr><td>71.4%</td><td></td><td></td></tr></table>	H(m)	E(lx)	D(m)	1	682.0lm	36°	487lm		36°	71.4%																				
H(m)	E(lx)	D(m)																																																						
1	682.0lm	15°																																																						
478.6lm		15°																																																						
70.2%																																																								
H(m)	E(lx)	D(m)																																																						
1	682.0lm	24°																																																						
475.8lm		24°																																																						
69.8%																																																								
H(m)	E(lx)	D(m)																																																						
1	682.0lm	36°																																																						
487lm		36°																																																						
71.4%																																																								



Elite 30 top mounted track light




Finishing colors








MVT1005M4-003L3

Universal/Diameter of 25/3W/24V

MVT1005M4-003L3-W
MVT1005M4-003L3-D
MVT1005M4-003L3-C
MVT1005M4-003L3-B




3W Ra≥90° 10°	3W Ra≥90° 15°	3W Ra≥90° 24°	3W Ra≥90° 30°
 SST20			
H(m) 1 1979 2 495 3 220 4 124 5 79	H(m) 1 1767 2 442 3 196 4 110 5 71	H(m) 1 861 2 215 3 96 4 54 5 34	H(m) 1 455 2 114 3 51 4 28 5 18
E(lx) 0.18 0.36 0.54 0.73 0.91	E(lx) 0.25 0.50 0.75 1.17 1.25	E(lx) 0.39 0.78 1.17 1.56 1.95	E(lx) 0.49 0.98 1.48 1.97 2.46
D(m) 10° 10° 10° 10° 10°	D(m) 15° 15° 15° 15° 15°	D(m) 24° 24° 24° 24° 24°	D(m) 30° 30° 30° 30° 30°
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency
178.0lm 125.3lm 70.4%	178.0lm 150.8lm 84.7%	178.0lm 148.1lm 83.2%	178.0lm 120.3lm 67.6%




3W Ra≥90° 40°
 SST20
H(m) 1 293 2 73 3 33 4 18 5 12
E(lx) 0.59 1.17 1.76 2.35 2.94
D(m) 40° 40° 40° 40° 40°
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency
178.0lm 135.4lm 76.1%

MVT1005M5-005L3

Universal/Diameter of 32/5W/24V

MVT1005M5-005L3-W
MVT1005M5-005L3-D
MVT1005M5-005L3-C
MVT1005M5-005L3-B







5W Ra≥90° 15°	5W Ra≥90° 24°	5W Ra≥90° 36°
 COB		
H(m) 1 2713 2 678 3 302 4 170 5 109	H(m) 1 1445 2 361 3 161 4 90 5 58	H(m) 1 844 2 211 3 94 4 53 5 34
E(lx) 0.31 0.63 0.94 1.26 1.57	E(lx) 0.47 0.94 1.40 1.87 2.33	E(lx) 0.69 1.37 2.06 2.75 3.43
D(m) 15° 15° 15° 15° 15°	D(m) 24° 24° 24° 24° 24°	D(m) 36° 36° 36° 36° 36°
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency
533.0lm 338.0lm 63.4%	533.0lm 319.7lm 60.0%	533.0lm 344.7lm 64.7%

MVT1005M5-008L3

Universal/Diameter of 32/8W/24V

MVT1005M5-008L3-W
MVT1005M5-008L3-D
MVT1005M5-008L3-C
MVT1005M5-008L3-B



8W Ra≥90° 15°	8W Ra≥90° 24°	8W Ra≥90° 36°
 COB		
H(m) 1 3719 2 930 3 413 4 232 5 149	H(m) 1 2171 2 543 3 241 4 136 5 87	H(m) 1 1286 2 322 3 143 4 80 5 51
E(lx) 0.31 0.63 0.94 1.26 1.57	E(lx) 0.47 0.95 1.42 1.90 2.37	E(lx) 0.62 1.24 1.86 2.48 3.10
D(m) 15° 15° 15° 15° 15°	D(m) 24° 24° 24° 24° 24°	D(m) 36° 36° 36° 36° 36°
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency
682.0lm 478.6lm 70.2%	682.0lm 475.8lm 69.8%	682.0lm 487lm 71.4%



Elite 30 bottom mounted track light




Finishing colors












MVT1005M3-005L3

Diameter of 70/5W/24V

MVT1005M3-005L3-W
MVT1005M3-005L3-D
MVT1005M3-005L3-C
MVT1005M3-005L3-B








		5W Ra≥90 15°		5W Ra≥90 24°		5W Ra≥90 36°		5W Ra≥90 60°
		H(m) E(lx) D(m) 15°		H(m) E(lx) D(m) 24°		H(m) E(lx) D(m) 36°		H(m) E(lx) D(m) 60°
		1 2897 0.26		1 2124 0.35		1 1191 0.46		1 369 1.09
		2 724 0.51		2 531 0.69		2 298 0.92		2 92 2.18
		3 321 0.77		3 236 1.04		3 132 1.38		3 41 3.27
		4 181 1.03		4 133 1.38		4 74 1.83		4 23 4.36
		5 115 1.28		5 85 1.73		5 48 2.29		5 15 5.46
Beam Angle		15°	Beam Angle	24°	Beam Angle	36°	Beam Angle	60°
Light Source Luminous Flux		533.0lm	Light Source Luminous Flux	533.0lm	Light Source Luminous Flux	533.0lm	Light Source Luminous Flux	533.0lm
Lighting Luminous Flux		302.4lm	Lighting Luminous Flux	309.8lm	Lighting Luminous Flux	290.1lm	Lighting Luminous Flux	314.8lm
Luminaire Efficiency		56.7%	Luminaire Efficiency	58.1%	Luminaire Efficiency	54.4%	Luminaire Efficiency	59.0%


MVT1005M3-005L3

Diameter of 70/8W/24V

MVT1005M3-008L3-W
MVT1005M3-008L3-D
MVT1005M3-008L3-C
MVT1005M3-008L3-B



8W Ra≥90 15°	8W Ra≥90 24°	8W Ra≥90 36°	8W Ra≥90 60°																																																																								
 COB	 COB	 COB	 COB																																																																								
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>4655</td><td>0.28</td></tr><tr><td>2</td><td>1164</td><td>0.57</td></tr><tr><td>3</td><td>517</td><td>0.85</td></tr><tr><td>4</td><td>291</td><td>1.13</td></tr><tr><td>5</td><td>186</td><td>1.41</td></tr></table>	H(m)	E(lx)	D(m)	1	4655	0.28	2	1164	0.57	3	517	0.85	4	291	1.13	5	186	1.41	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>3377</td><td>0.35</td></tr><tr><td>2</td><td>844</td><td>0.69</td></tr><tr><td>3</td><td>375</td><td>1.04</td></tr><tr><td>4</td><td>211</td><td>1.38</td></tr><tr><td>5</td><td>135</td><td>1.73</td></tr></table>	H(m)	E(lx)	D(m)	1	3377	0.35	2	844	0.69	3	375	1.04	4	211	1.38	5	135	1.73	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>1880</td><td>0.45</td></tr><tr><td>2</td><td>470</td><td>0.90</td></tr><tr><td>3</td><td>209</td><td>1.35</td></tr><tr><td>4</td><td>118</td><td>1.80</td></tr><tr><td>5</td><td>75</td><td>2.22</td></tr></table>	H(m)	E(lx)	D(m)	1	1880	0.45	2	470	0.90	3	209	1.35	4	118	1.80	5	75	2.22	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>369</td><td>1.09</td></tr><tr><td>2</td><td>92</td><td>2.18</td></tr><tr><td>3</td><td>41</td><td>3.27</td></tr><tr><td>4</td><td>23</td><td>4.36</td></tr><tr><td>5</td><td>15</td><td>5.46</td></tr></table>	H(m)	E(lx)	D(m)	1	369	1.09	2	92	2.18	3	41	3.27	4	23	4.36	5	15	5.46
H(m)	E(lx)	D(m)																																																																									
1	4655	0.28																																																																									
2	1164	0.57																																																																									
3	517	0.85																																																																									
4	291	1.13																																																																									
5	186	1.41																																																																									
H(m)	E(lx)	D(m)																																																																									
1	3377	0.35																																																																									
2	844	0.69																																																																									
3	375	1.04																																																																									
4	211	1.38																																																																									
5	135	1.73																																																																									
H(m)	E(lx)	D(m)																																																																									
1	1880	0.45																																																																									
2	470	0.90																																																																									
3	209	1.35																																																																									
4	118	1.80																																																																									
5	75	2.22																																																																									
H(m)	E(lx)	D(m)																																																																									
1	369	1.09																																																																									
2	92	2.18																																																																									
3	41	3.27																																																																									
4	23	4.36																																																																									
5	15	5.46																																																																									
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	15° 682.0lm 485.2lm 71.1%	24° 682.0lm 497.1lm 72.9%	36° 682.0lm 459.7lm 67.4%	60° 682.0lm 314.8lm 46.2%																																																																							



Elite 30 globe track light





Finishing colors




MVT1005M7-005L3

Glass globe diameter of 80/5W/24V

MVT1005M7-005L3-W
MVT1005M7-005L3-D
MVT1005M7-005L3-C
MVT1005M7-005L3-D





Elite 30 soft tube track light




Finishing colors




MVT1005M8-2000-028L3 28W/Diameter 18mm/24V/Length 2 meters

MVT1005M8-2000-028L3-W
MVT1005M8-2000-028L3-D
MVT1005M8-2000-028L3-C
MVT1005M8-2000-028L3-B




MVT1005M8-3000-042L3 42W/Diameter 18mm/24V/Length 3 meters

MVT1005M8-3000-042L3-W
MVT1005M8-3000-042L3-D
MVT1005M8-3000-042L3-C
MVT1005M8-3000-042L3-B



MVT1005M8-4000-056L3 56W/Diameter 18mm/24V/Length 4 meters

MVT1005M8-4000-056L3-W
MVT1005M8-4000-056L3-D
MVT1005M8-4000-056L3-C
MVT1005M8-4000-056L3-B






Elite 30 wall lamp



Finishing colors



W(White) D(Black) C(Chrome)

0-10V

1-10V Dimming

TRIAC

TRIAC Dimming

KNX

KNX Dimming

DALI

DALI Dimming

zigbee

Zigbee Dimming

Bluetooth

Bluetooth Dimming


MVT1005M9-008L3

8W24V

MVT1005M9-008L3-W
MVT1005M9-008L3-D
MVT1005M9-008L3-C





8W Ra≥90 180°



H(m)	E(lx)	D(m)
1	9.1	46.55
2	2.2	93.11
3	1.0	139.66
4	0.6	186.21
5	0.4	232.77

Beam Angle	180°
Light Source Luminous Flux	605.0lm
Lighting Luminous Flux	121.2lm
Luminaire Efficiency	20.0%





Elite min

All-around Com

Artistry

Funtionality

Architectural

Residence

Elite 30 floor lamp



Touch dimming
Brightness & CCT control




Touch dimming Tunable White

Finishing colors



MVT1003N1-038L3 38W 24V

MVT1003N1-038L3-W
MVT1003N1-038L3-D





Elite 30 floor lamp




Finishing colors

- 
W(White)
- 
D(Black)

MVT1005-25A 36W Single-side Diffusor 36W

MVT1005-25A-036L3-W
MVT1005-25A-036L3-D





Elite 30 floor lamp




Finishing colors

- W(White)
- D(Black)

MVT1005-25B

Left&Right Track


- MVT1005-25B-W
- MVT1005-25B-D



Lighting System


MVT1005

MAIN LIGHT




- Single-side Diffusor
- Up&Down Diffusor
- Track+Diffusor
- Dual track


ACCESSORIES




Live end




End cap




I shape connector




60° V shape connector




90° L shape connector




120° connector




T shape connector




Y shape connector




Cross connector




Vertical double tube live end




Vertical double tube end cap




Vertical double tube I shape connector




Triangle double tube live end




Triangle double tube end cap




Triangle double tube I shape connector




Bottom mounted track light




Top mounted track light




Bottom mounted track light




Globe track light




Soft tube track light




Wall lamp




Floor lamp



Floor lamp



Floor lamp



Circular chandelier





MVT1005B1

Single-side Diffusor/Single CCT

MVT1005B1-510-012L3-W	Single-side Diffusor/510mm/6000K/13W	
MVT1005B1-1010-024L3-W	Single-side Diffusor/1010mm/3000K/24W	
MVT1005B1-1510-036L3-W	Single-side Diffusor/1510mm/3000K/36W	
MVT1005B1-2010-048L3-W	Single-side Diffusor/2010mm/3000K/48W	

0-10V

TRIAC

KNX

DALI

zigbee

Bluetooth

Finishing colors

W(White)

D(Black)

C(Chrome)

B(Bronze)

MVT1005B1

Single-side Diffusor/2700K-6000K CCT adjustable

MVT1005B1-510-009TC-W	Single-side Diffusor/510mm/2700K-6000K/9W	
MVT1005B1-1010-018TC-W	Single-side Diffusor/1010mm/2700K-6000K/18W	
MVT1005B1-1510-027TC-W	Single-side Diffusor/1510mm/2700K-6000K/27W	
MVT1005B1-2010-036TC-W	Single-side Diffusor/2010mm/2700K-6000K/36W	

0-10V

TRIAC

KNX

DALI

zigbee

Bluetooth

Tunable White

Finishing colors

W(White)

D(Black)

C(Chrome)

B(Bronze)



MVT1005B2

Up&Down Diffusor/Single CCT

MVT1005B2-510-212L3-W	Up&Down Diffusor/510mm/3000K/24W	
MVT1005B2-1010-224L3-W	Up&Down Diffusor/1010mm/3000K/48W	
MVT1005B2-1510-236L3-W	Up&Down Diffusor/1510mm/3000K/72W	
MVT1005B2-2010-248L3-W	Up&Down Diffusor/2010mm/3000K/96W	

0-10V

TRIAC

KNX

DALI

zigbee

Bluetooth

Finishing colors

W(White)

D(Black)

C(Chrome)

B(Bronze)

MVT1005B2

Up&Down Diffusor/2700K-6000K CCT adjustable

MVT1005B2-510-209TC-W	Up&Down Diffusor/510mm/2700K-6000K/18W	
MVT1005B2-1010-218TC-W	Up&Down Diffusor/1010mm/2700K-6000K/36W	
MVT1005B2-1510-227TC-W	Up&Down Diffusor/1510mm/2700K-6000K/54W	
MVT1005B2-2010-236TC-W	Up&Down Diffusor/2010mm/2700K-6000K/72W	

0-10V

TRIAC

KNX

DALI

zigbee

Bluetooth

Tunable White


Finishing colors

W(White)

D(Black)


C(Chrome)

B(Bronze)



MVT1005C1Track+Diffusor/Single CCT

MVT1005C1-510-012L3-W	Track+Diffusor/510mm/3000K/12W
MVT1005C1-1010-024L3-W	Track+Diffusor/1010mm/3000K/24W
MVT1005C1-1510-036L3-W	Track+Diffusor/1510mm/3000K/36W
MVT1005C1-2010-048L3-W	Track+Diffusor/2010mm/3000K/48W



0-10V

1-10V Dimming

TRIAC

TRIAC Dimming

KNX

KNX Dimming

DALI

DALI Dimming

zigbee

Zigbee Dimming

Bluetooth

Bluetooth Dimming

Finishing colors

W(White)


D(Black)

C(Chrome)

B(Bronze)

MVT1005C1Track+Diffusor/2700K-6000K CCT adjustable

MVT1005C1-510-009TC-W	Track+Diffusor/510mm/2700K-6000K/9W
MVT1005C1-1010-018TC-W	Track+Diffusor/1010mm/2700K-6000K/18W
MVT1005C1-1510-027TC-W	Track+Diffusor/1510mm/2700K-6000K/27W
MVT1005C1-2010-036TC-W	Track+Diffusor/2010mm/2700K-6000K/36W



0-10V

1-10V Dimming

TRIAC

TRIAC Dimming

KNX

KNX Dimming

DALI

DALI Dimming

zigbee

Zigbee Dimming

Bluetooth

Bluetooth Dimming

Tunable White


Finishing colors

W(White)

D(Black)


C(Chrome)

B(Bronze)



MVT1005A2Dual Track

MVT1005A2-510-W	Dual Track/510mm
MVT1005A2-1010-W	Dual Track/1010mm
MVT1005A2-1510-W	Dual Track/1510mm
MVT1005A2-2010-W	Dual Track/2010mm



Finishing colors

W(White)


D(Black)

C(Chrome)

B(Bronze)

Elite 30 Connection Accessories

Live end/Two-wire input(2*0.5mm²)/Steel cord/Load power<100W /External dimming available



MVT30-A2-150-SW1-W

Live end with surface mounted kit/Skin-touch white

MVT30-A2-150-SW1-D

Live end with surface mounted kit/Skin-touch black

MVT30-A2-150-SW1-C

Live end with surface mounted kit/Chrome

MVT30-A2-150-SW1-B

Live end with surface mounted kit/Bronze

MVT30-A2-150-SW2-W

Live end with surface mounted ceiling cover/Skin-touch white

MVT30-A2-150-SW2-D

Live end with surface mounted ceiling cover/Skin-touch black

MVT30-A2-150-SW2-C

Live end with surface mounted ceiling cover/Chrome

MVT30-A2-150-SW2-B

Live end with surface mounted ceiling cover/Bronze

MVC30-A2-150-SW3-W

Rimless recessed live end/Skin-touch white

MVC30-A2-150-SW3-D




Rimless recessed live end/Skin-touch black

MVC30-A2-150-SW3-C

Rimless recessed live end/Chrome

MVC30-A2-150-SW3-B

Rimless recessed live end/Bronze




Finishing colors



Elite 30 Connection Accessories

Live end/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W /External Dimming & Tunable White available



MVT30-A3-150-SW1-W

Live end with surface mounted kit/Skin-touch white

MVT30-A3-150-SW1-D

Live end with surface mounted kit/Skin-touch black

MVT30-A3-150-SW1-C

Live end with surface mounted kit/Chrome

MVT30-A3-150-SW1-B

Live end with surface mounted kit/Bronze

MVT30-A3-150-SW2-W

Live end with surface mounted ceiling cover/Skin-touch white

MVT30-A3-150-SW2-D

Live end with surface mounted ceiling cover/Skin-touch black

MVT30-A3-150-SW2-C

Live end with surface mounted ceiling cover/Chrome

MVT30-A3-150-SW2-B

Live end with surface mounted ceiling cover/Bronze

MVC30-A3-150-SW3-W

Rimless recessed live end/Skin-touch white

MVC30-A3-150-SW3-D




Rimless recessed live end/Skin-touch black

MVC30-A3-150-SW3-C

Rimless recessed live end/Chrome

MVC30-A3-150-SW3-B

Rimless recessed live end/Bronze



Finishing colors



Elite 30 Connection Accessories

Live end/Three-wire input(3*0.75mm²)/Belt/Load power<200W /External Dimming & Tunable White available




MVT30-A4-150-OB2-B

MVT30-A5-150-GB2-C

Live end with surface mounted ceiling cover/Orange belt/Bronze

Live end with surface mounted ceiling cover/Grey belt/Chrome




MVC30-A4-150-OB3-B

MVC30-A5-150-GB3-C

Rimless recessed live end/Orange belt/Bronze

Rimless recessed live end/Grey belt/Chrome



Finishing colors

C(Chrome)

B(Bronze)

Belt or strap color

Grey belt

Orange belt

Elite 30 Connection Accessories

Live end/Three-wire input(3*0.75mm²)/Khaki braided Strap/Load power<200W/ External Dimming & Tunable White available




MVT30-A6-150-KW2-W

MVT30-A6-150-KW2-D

Live end with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

Live end with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black




MVC30-A6-150-KW3-W

MVC30-A6-150-KW3-D

Rimless recessed live end/Khaki braided Strap/Skin-touch white

Rimless recessed live end/Khaki braided Strap/Skin-touch black



Finishing colors

W(White)


D(Black)

Belt or strap color

Khaki Braided Strap

Elite 30 Connection Accessories

End cap/Steel cord




- MVT30-A1-150-SW1-W
- MVT30-A1-150-SW1-D
- MVT30-A1-150-SW1-C
- MVT30-A1-150-SW1-B

End cap with surface mounted kit/Skin-touch white

End cap with surface mounted kit/Skin-touch black

End cap with surface mounted kit/Chrome

End cap with surface mounted kit/Bronze




- MVT30-A1-150-SW2-W
- MVT30-A1-150-SW2-D
- MVT30-A1-150-SW2-C
- MVT30-A1-150-SW2-B

End cap with surface mounted ceiling cover/Skin-touch white

End cap with surface mounted ceiling cover/Skin-touch black

End cap with surface mounted ceiling cover/Chrome

End cap with surface mounted ceiling cover/Bronze




- MVC30-A1-150-SW3-W
- MVC30-A1-150-SW3-D
- MVC30-A1-150-SW3-C
- MVC30-A1-150-SW3-B

Rimless recessed end cap/Skin-touch white

Rimless recessed end cap/Skin-touch black

Rimless recessed end cap/Chrome

Rimless recessed end cap/Bronze




Finishing colors



Elite 30 Connection Accessories

End cap/With belt or strap




- MVT30-A1-150-OB2-B
- MVT30-A1-150-GB2-C
- MVT30-A1-150-KW2-W
- MVT30-A1-150-KW2-D

End cap with surface mounted ceiling cover/Orange belt/Bronze

End cap with surface mounted ceiling cover/Grey belt/Chrome

End cap with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

End cap with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black




- MVC30-A1-150-OB3-B
- MVC30-A1-150-GB3-C
- MVC30-A1-150-KW3-W
- MVC30-A1-150-KW3-D

Rimless recessed end cap/Orange belt/Bronze


Rimless recessed end cap/Grey belt/Chrome

Rimless recessed end cap/Khaki braided Strap/Skin-touch white

Rimless recessed end cap/Khaki braided Strap/Skin-touch black



Finishing colors




Belt or strap color



Elite 30 Connection Accessories

Straight connector/Conductive/Steel cord



MVT30-A8-215-SW1-W

Straight connector with surface mounted kit/Skin-touch white

MVT30-A8-215-SW1-D


Straight connector with surface mounted kit/Skin-touch black

MVT30-A8-215-SW1-C

Straight connector with surface mounted kit/Chrome

MVT30-A8-215-SW1-B

Straight connector with surface mounted kit/Bronze



MVT30-A8-215-SW2-W

Straight connector with surface mounted ceiling cover/Skin-touch white

MVT30-A8-215-SW2-D


Straight connector with surface mounted ceiling cover/Skin-touch black

MVT30-A8-215-SW2-C

Straight connector with surface mounted ceiling cover/Chrome

MVT30-A8-215-SW2-B

Straight connector with surface mounted ceiling cover/Bronze



MVC30-A8-215-SW3-W

Rimless recessed straight connector/Skin-touch white

MVC30-A8-215-SW3-D


Rimless recessed straight connector/Skin-touch black

MVC30-A8-215-SW3-C

Rimless recessed straight connector/Chrome

MVC30-A8-215-SW3-B

Rimless recessed straight connector/Bronze




Finishing colors



Elite 30 Connection Accessories

Straight connector/Non-conductive/Steel cord



MVT30-A7-215-SW1-W

Straight connector with surface mounted kit/Skin-touch white

MVT30-A7-215-SW1-D


Straight connector with surface mounted kit/Skin-touch black

MVT30-A7-215-SW1-C

Straight connector with surface mounted kit/Chrome

MVT30-A7-215-SW1-B

Straight connector with surface mounted kit/Bronze



MVT30-A7-215-SW2-W

Straight connector with surface mounted ceiling cover/Skin-touch white

MVT30-A7-215-SW2-D


Straight connector with surface mounted ceiling cover/Skin-touch black

MVT30-A7-215-SW2-C

Straight connector with surface mounted ceiling cover/Chrome

MVT30-A7-215-SW2-B

Straight connector with surface mounted ceiling cover/Bronze



MVC30-A7-215-SW3-W

Rimless recessed straight connector/Skin-touch white

MVC30-A7-215-SW3-D


Rimless recessed straight connector/Skin-touch black

MVC30-A7-215-SW3-C


Rimless recessed straight connector/Chrome

MVC30-A7-215-SW3-B

Rimless recessed straight connector/Bronze




Finishing colors



Elite 30 Connection Accessories

Straight connector/Conductive/With belt or strap



MVT30-A8-215-OB2-B

Straight connector with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A8-215-GB2-C


Straight connector with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A8-215-KW2-W

Straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A8-215-KW2-D

Straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A8-215-OB3-B

Rimless recessed straight connector/Orange belt/Bronze

MVC30-A8-215-GB3-C


Rimless recessed straight connector/Grey belt/Chrome

MVC30-A8-215-KW3-W

Rimless recessed straight connector/Khaki braided Strap/Skin-touch white

MVC30-A8-215-KW3-D

Rimless recessed straight connector/Khaki braided Strap/Skin-touch black



Finishing colors


W(White) D(Black) C(Chrome) B(Bronze)

Belt or strap color

Khaki Braided Strap Grey belt Orange belt

Elite 30 Connection Accessories

Straight connector/Non-conductive/With belt or strap



MVT30-A7-215-OB2-B

Straight connector with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A7-215-GB2-C


Straight connector with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A7-215-KW2-W

Straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A7-215-KW2-D

Straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A7-215-OB3-B

Rimless recessed straight connector/Orange belt/Bronze

MVC30-A7-215-GB3-C


Rimless recessed straight connector/Grey belt/Chrome

MVC30-A7-215-KW3-W

Rimless recessed straight connector/Khaki braided Strap/Skin-touch white

MVC30-A7-215-KW3-D

Rimless recessed straight connector/Khaki braided Strap/Skin-touch black



Finishing colors


W(White) D(Black) C(Chrome) B(Bronze)

Belt or strap color

Khaki Braided Strap Grey belt Orange belt

Elite 30 Connection Accessories

60° V shape connector/Two-wire input(2*0.5mm²)/Steel cord/Load power<100W /External dimming available




- MVT30-A9-60A3-SW1-W
- MVT30-A9-60A3-SW1-D
- MVT30-A9-60A3-SW1-C
- MVT30-A9-60A3-SW1-B

60° V shape connector with surface mounted kit/Skin-touch white

60° V shape connector with surface mounted kit/Skin-touch black

60° V shape connector with surface mounted kit/Chrome

60° V shape connector with surface mounted kit/Bronze




- MVT30-A9-60A3-SW2-W
- MVT30-A9-60A3-SW2-D
- MVT30-A9-60A3-SW2-C
- MVT30-A9-60A3-SW2-B

60° V shape connector with surface mounted ceiling cover/Skin-touch white

60° V shape connector with surface mounted ceiling cover/Skin-touch black

60° V shape connector with surface mounted ceiling cover/Chrome

60° V shape connector with surface mounted ceiling cover/Bronze




- MVC30-A9-60A3-SW3-W
- MVC30-A9-60A3-SW3-D
- MVC30-A9-60A3-SW3-C
- MVC30-A9-60A3-SW3-B

Rimless recessed 60° V shape connector/Skin-touch white

Rimless recessed 60° V shape connector/Skin-touch black

Rimless recessed 60° V shape connector/Chrome

Rimless recessed 60° V shape connector/Bronze



Finishing colors

W(White)


D(Black)

C(Chrome)

B(Bronze)

Elite 30 Connection Accessories

60° V shape connector/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W /External Dimming & Tunable White available




- MVT30-A9-60A4-SW1-W
- MVT30-A9-60A4-SW1-D
- MVT30-A9-60A4-SW1-C
- MVT30-A9-60A4-SW1-B

60° V shape connector with surface mounted kit/Skin-touch white

60° V shape connector with surface mounted kit/Skin-touch black

60° V shape connector with surface mounted kit/Chrome

60° V shape connector with surface mounted kit/Bronze




- MVT30-A9-60A4-SW2-W
- MVT30-A9-60A4-SW2-D
- MVT30-A9-60A4-SW2-C
- MVT30-A9-60A4-SW2-B

60° V shape connector with surface mounted ceiling cover/Skin-touch white

60° V shape connector with surface mounted ceiling cover/Skin-touch black

60° V shape connector with surface mounted ceiling cover/Chrome

60° V shape connector with surface mounted ceiling cover/Bronze




- MVC30-A9-60A4-SW3-W
- MVC30-A9-60A4-SW3-D
- MVC30-A9-60A4-SW3-C
- MVC30-A9-60A4-SW3-B

Rimless recessed 60° V shape connector/Skin-touch white

Rimless recessed 60° V shape connector/Skin-touch black

Rimless recessed 60° V shape connector/Chrome

Rimless recessed 60° V shape connector/Bronze



Finishing colors


W(White)

D(Black)

C(Chrome)

B(Bronze)

Elite 30 Connection Accessories
60° V shape connector/Conductive/Steel cord



MVT30-A9-60A2-SW1-W

60° V shape connector with surface mounted kit/Skin-touch white

MVT30-A9-60A2-SW1-D

60° V shape connector with surface mounted kit/Skin-touch black

MVT30-A9-60A2-SW1-C

60° V shape connector with surface mounted kit/Chrome

MVT30-A9-60A2-SW1-B

60° V shape connector with surface mounted kit/Bronze

MVT30-A9-60A2-SW2-W

60° V shape connector with surface mounted ceiling cover/Skin-touch white

MVT30-A9-60A2-SW2-D

60° V shape connector with surface mounted ceiling cover/Skin-touch black

MVT30-A9-60A2-SW2-C

60° V shape connector with surface mounted ceiling cover/Chrome

MVT30-A9-60A2-SW2-B

60° V shape connector with surface mounted ceiling cover/Bronze

MVC30-A9-60A2-SW3-W

Rimless recessed 60° V shape connector/Skin-touch white

MVC30-A9-60A2-SW3-D




Rimless recessed 60° V shape connector/Skin-touch black

MVC30-A9-60A2-SW3-C

Rimless recessed 60° V shape connector/Chrome

MVC30-A9-60A2-SW3-B


Rimless recessed 60° V shape connector/Bronze



Finishing colors



Elite 30 Connection Accessories
60° V shape connector/Non-conductive/Steel cord



MVT30-A9-60A1-SW1-W

60° V shape connector with surface mounted kit/Skin-touch white

MVT30-A9-60A1-SW1-D

60° V shape connector with surface mounted kit/Skin-touch black

MVT30-A9-60A1-SW1-C

60° V shape connector with surface mounted kit/Chrome

MVT30-A9-60A1-SW1-B

60° V shape connector with surface mounted kit/Bronze

MVT30-A9-60A1-SW2-W

60° V shape connector with surface mounted ceiling cover/Skin-touch white

MVT30-A9-60A1-SW2-D

60° V shape connector with surface mounted ceiling cover/Skin-touch black

MVT30-A9-60A1-SW2-C

60° V shape connector with surface mounted ceiling cover/Chrome

MVT30-A9-60A1-SW2-B

60° V shape connector with surface mounted ceiling cover/Bronze

MVC30-A9-60A1-SW3-W

Rimless recessed 60° V shape connector/Skin-touch white

MVC30-A9-60A1-SW3-D




Rimless recessed 60° V shape connector/Skin-touch black

MVC30-A9-60A1-SW3-C

Rimless recessed 60° V shape connector/Chrome

MVC30-A9-60A1-SW3-B

Rimless recessed 60° V shape connector/Bronze




Finishing colors



Elite 30 Connection Accessories

90° L shape connector/Two-wire input(2*0.5mm²)/Steel cord/Load power<100W /External Dimming available




- MVT30-A10-L3-SW1-W
- MVT30-A10-L3-SW1-D
- MVT30-A10-L3-SW1-C
- MVT30-A10-L3-SW1-B

90° L shape connector with surface mounted kit/Skin-touch white

90° L shape connector with surface mounted kit/Skin-touch black

90° L shape connector with surface mounted kit/Chrome

90° L shape connector with surface mounted kit/Bronze




- MVT30-A10-L3-SW2-W
- MVT30-A10-L3-SW2-D
- MVT30-A10-L3-SW2-C
- MVT30-A10-L3-SW2-B

90° L shape connector with surface mounted ceiling cover/Skin-touch white

90° L shape connector with surface mounted ceiling cover/Skin-touch black

90° L shape connector with surface mounted ceiling cover/Chrome

90° L shape connector with surface mounted ceiling cover/Bronze




- MVC30-A10-L3-SW3-W
- MVC30-A10-L3-SW3-D
- MVC30-A10-L3-SW3-C
- MVC30-A10-L3-SW3-B

Rimless recessed 90° L shape connector/Skin-touch white

Rimless recessed 90° L shape connector/Skin-touch black

Rimless recessed 90° L shape connector/Chrome

Rimless recessed 90° L shape connector/Bronze



Finishing colors

W(White)


D(Black)

C(Chrome)

B(Bronze)

Elite 30 Connection Accessories

90° L shape connector/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W /External Dimming & Tunable White available




- MVT30-A10-L4-SW1-W
- MVT30-A10-L4-SW1-D
- MVT30-A10-L4-SW1-C
- MVT30-A10-L4-SW1-B

90° L shape connector with surface mounted kit/Skin-touch white

90° L shape connector with surface mounted kit/Skin-touch black

90° L shape connector with surface mounted kit/Chrome

90° L shape connector with surface mounted kit/Bronze




- MVT30-A10-L4-SW2-W
- MVT30-A10-L4-SW2-D
- MVT30-A10-L4-SW2-C
- MVT30-A10-L4-SW2-B

90° L shape connector with surface mounted ceiling cover/Skin-touch white

90° L shape connector with surface mounted ceiling cover/Skin-touch black

90° L shape connector with surface mounted ceiling cover/Chrome

90° L shape connector with surface mounted ceiling cover/Bronze




- MVC30-A10-L4-SW3-W
- MVC30-A10-L4-SW3-D
- MVC30-A10-L4-SW3-C
- MVC30-A10-L4-SW3-B

Rimless recessed 90° L shape connector/Skin-touch white

Rimless recessed 90° L shape connector/Skin-touch black

Rimless recessed 90° L shape connector/Chrome

Rimless recessed 90° L shape connector/Bronze



Finishing colors


W(White)

D(Black)

C(Chrome)

B(Bronze)

Elite 30 Connection Accessories
90° L shape connector/Conductive/Steel cord



MVT30-A10-L2-SW1-W

90° L shape connector with surface mounted kit/Skin-touch white

MVT30-A10-L2-SW1-D

90° L shape connector with surface mounted kit/Skin-touch black

MVT30-A10-L2-SW1-C

90° L shape connector with surface mounted kit/Chrome

MVT30-A10-L2-SW1-B

90° L shape connector with surface mounted kit/Bronze

MVT30-A10-L2-SW2-W

90° L shape connector with surface mounted ceiling cover/Skin-touch white

MVT30-A10-L2-SW2-D

90° L shape connector with surface mounted ceiling cover/Skin-touch black

MVT30-A10-L2-SW2-C

90° L shape connector with surface mounted ceiling cover/Chrome

MVT30-A10-L2-SW2-B

90° L shape connector with surface mounted ceiling cover/Bronze

MVC30-A10-L2-SW3-W

Rimless recessed 90° L shape connector/Skin-touch white

MVC30-A10-L2-SW3-D




Rimless recessed 90° L shape connector/Skin-touch black

MVC30-A10-L2-SW3-C


Rimless recessed 90° L shape connector/Chrome

MVC30-A10-L2-SW3-B


Rimless recessed 90° L shape connector/Bronze



Finishing colors



Elite 30 Connection Accessories
90° L shape connector/Non-conductive/Steel cord



MVT30-A10-L1-SW1-W

90° L shape connector with surface mounted kit/Skin-touch white

MVT30-A10-L1-SW1-D

90° L shape connector with surface mounted kit/Skin-touch black

MVT30-A10-L1-SW1-C

90° L shape connector with surface mounted kit/Chrome

MVT30-A10-L1-SW1-B

90° L shape connector with surface mounted kit/Bronze

MVT30-A10-L1-SW2-W

90° L shape connector with surface mounted ceiling cover/Skin-touch white

MVT30-A10-L1-SW2-D

90° L shape connector with surface mounted ceiling cover/Skin-touch black

MVT30-A10-L1-SW2-C

90° L shape connector with surface mounted ceiling cover/Chrome

MVT30-A10-L1-SW2-B

90° L shape connector with surface mounted ceiling cover/Bronze

MVC30-A10-L1-SW3-W

Rimless recessed 90° L shape connector/Skin-touch white

MVC30-A10-L1-SW3-D




Rimless recessed 90° L shape connector/Skin-touch black

MVC30-A10-L1-SW3-C


Rimless recessed 90° L shape connector/Chrome

MVC30-A10-L1-SW3-B

Rimless recessed 90° L shape connector/Bronze




Finishing colors



Elite 30 Connection Accessories

120° connector/Two-wire input(2*0.5mm²)/Steel cord/Load power<100W /External Dimming available



MVT30-A11-120A3-SW1-W

MVT30-A11-120A3-SW1-D

MVT30-A11-120A3-SW1-C


MVT30-A11-120A3-SW1-B

120° connector with surface mounted kit/Skin-touch white

120° connector with surface mounted kit/Skin-touch black

120° connector with surface mounted kit/Chrome

120° connector with surface mounted kit/Bronze



MVT30-A11-120A3-SW2-W

MVT30-A11-120A3-SW2-D

MVT30-A11-120A3-SW2-C


MVT30-A11-120A3-SW2-B

120° connector with surface mounted ceiling cover/Skin-touch white

120° connector with surface mounted ceiling cover/Skin-touch black

120° connector with surface mounted ceiling cover/Chrome

120° connector with surface mounted ceiling cover/Bronze



MVC30-A11-120A3-SW3-W

MVC30-A11-120A3-SW3-D

MVC30-A11-120A3-SW3-C


MVC30-A11-120A3-SW3-B

Rimless recessed 120° connector/Skin-touch white

Rimless recessed 120° connector/Skin-touch black

Rimless recessed 120° connector/Chrome

Rimless recessed 120° connector/Bronze




Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)



Elite 30 Connection Accessories

120° connector/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W /External Dimming & Tunable White available



MVT30-A11-120A4-SW1-W

MVT30-A11-120A4-SW1-D

MVT30-A11-120A4-SW1-C


MVT30-A11-120A4-SW1-B

120° connector with surface mounted kit/Skin-touch white

120° connector with surface mounted kit/Skin-touch black

120° connector with surface mounted kit/Chrome

120° connector with surface mounted kit/Bronze



MVT30-A11-120A4-SW2-W

MVT30-A11-120A4-SW2-D

MVT30-A11-120A4-SW2-C


MVT30-A11-120A4-SW2-B

120° connector with surface mounted ceiling cover/Skin-touch white

120° connector with surface mounted ceiling cover/Skin-touch black

120° connector with surface mounted ceiling cover/Chrome

120° connector with surface mounted ceiling cover/Bronze



MVC30-A11-120A4-SW3-W

MVC30-A11-120A4-SW3-D

MVC30-A11-120A4-SW3-C


MVC30-A11-120A4-SW3-B

Rimless recessed 120° connector/Skin-touch white

Rimless recessed 120° connector/Skin-touch black

Rimless recessed 120° connector/Chrome

Rimless recessed 120° connector/Bronze




Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)




Elite 30 Connection Accessories
120° connector/Conductive/Steel cord




- MVT30-A11-120A2-SW1-W
- MVT30-A11-120A2-SW1-D
- MVT30-A11-120A2-SW1-C
- MVT30-A11-120A2-SW1-B

120° connector with surface mounted kit/Skin-touch white
120° connector with surface mounted kit/Skin-touch black
120° connector with surface mounted kit/Chrome
120° connector with surface mounted kit/Bronze




- MVT30-A11-120A2-SW2-W
- MVT30-A11-120A2-SW2-D
- MVT30-A11-120A2-SW2-C
- MVT30-A11-120A2-SW2-B

120° connector with surface mounted ceiling cover/Skin-touch white
120° connector with surface mounted ceiling cover/Skin-touch black
120° connector with surface mounted ceiling cover/Chrome
120° connector with surface mounted ceiling cover/Bronze




- MVC30-A11-120A2-SW3-W
- MVC30-A11-120A2-SW3-D
- MVC30-A11-120A2-SW3-C
- MVC30-A11-120A2-SW3-B

Rimless recessed 120° connector/Skin-touch white
Rimless recessed 120° connector/Skin-touch black
Rimless recessed 120° connector/Chrome
Rimless recessed 120° connector/Bronze




Finishing colors
W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories
120° connector/Non-conductive/Steel cord




- MVT30-A11-120A1-SW1-W
- MVT30-A11-120A1-SW1-D
- MVT30-A11-120A1-SW1-C
- MVT30-A11-120A1-SW1-B

120° connector with surface mounted kit/Skin-touch white
120° connector with surface mounted kit/Skin-touch black
120° connector with surface mounted kit/Chrome
120° connector with surface mounted kit/Bronze




- MVT30-A11-120A1-SW2-W
- MVT30-A11-120A1-SW2-D
- MVT30-A11-120A1-SW2-C
- MVT30-A11-120A1-SW2-B

120° connector with surface mounted ceiling cover/Skin-touch white
120° connector with surface mounted ceiling cover/Skin-touch black
120° connector with surface mounted ceiling cover/Chrome
120° connector with surface mounted ceiling cover/Bronze



- MVC30-A11-120A1-SW3-W
- MVC30-A11-120A1-SW3-D
- MVC30-A11-120A1-SW3-C
- MVC30-A11-120A1-SW3-B


Rimless recessed 120° connector/Skin-touch white
Rimless recessed 120° connector/Skin-touch black
Rimless recessed 120° connector/Chrome
Rimless recessed 120° connector/Bronze



Finishing colors
W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

T shape connector/Conductive/Steel cord



MVT30-A12-T2-SW1-W

MVT30-A12-T2-SW1-D

MVT30-A12-T2-SW1-C

MVT30-A12-T2-SW1-B

MVT30-A12-T2-SW2-W

MVT30-A12-T2-SW2-D

MVT30-A12-T2-SW2-C

MVT30-A12-T2-SW2-B

MVC30-A12-T2-SW3-W

MVC30-A12-T2-SW3-D

MVC30-A12-T2-SW3-C

MVC30-A12-T2-SW3-B

T shape connector with surface mounted kit/Skin-touch white

T shape connector with surface mounted kit/Skin-touch black

T shape connector with surface mounted kit/Chrome

T shape connector with surface mounted kit/Bronze

T shape connector with surface mounted ceiling cover/Skin-touch white

T shape connector with surface mounted ceiling cover/Skin-touch black

T shape connector with surface mounted ceiling cover/Chrome




T shape connector with surface mounted ceiling cover/Bronze

Rimless recessed T shape connector/Skin-touch white


Rimless recessed T shape connector/Skin-touch black

Rimless recessed T shape connector/Chrome

Rimless recessed T shape connector/Bronze




Finishing colors



Elite 30 Connection Accessories

T shape connector/Non-conductive/Steel cord



MVT30-A12-T1-SW1-W

MVT30-A12-T1-SW1-D

MVT30-A12-T1-SW1-C

MVT30-A12-T1-SW1-B

MVT30-A12-T1-SW2-W

MVT30-A12-T1-SW2-D

MVT30-A12-T1-SW2-C

MVT30-A12-T1-SW2-B

MVC30-A12-T1-SW3-W

MVC30-A12-T1-SW3-D

MVC30-A12-T1-SW3-C

MVC30-A12-T1-SW3-B

T shape connector with surface mounted kit/Skin-touch white

T shape connector with surface mounted kit/Skin-touch black

T shape connector with surface mounted kit/Chrome

T shape connector with surface mounted kit/Bronze

T shape connector with surface mounted ceiling cover/Skin-touch white

T shape connector with surface mounted ceiling cover/Skin-touch black

T shape connector with surface mounted ceiling cover/Chrome




T shape connector with surface mounted ceiling cover/Bronze

Rimless recessed T shape connector/Skin-touch white


Rimless recessed T shape connector/Skin-touch black

Rimless recessed T shape connector/Chrome

Rimless recessed T shape connector/Bronze




Finishing colors



Elite 30 Connection Accessories

Y shape connector/Conductive/Steel cord



MVT30-A13-Y2-SW1-W

Y shape connector with surface mounted kit/Skin-touch white

MVT30-A13-Y2-SW1-D

Y shape connector with surface mounted kit/Skin-touch black

MVT30-A13-Y2-SW1-C

Y shape connector with surface mounted kit/Chrome

MVT30-A13-Y2-SW1-B

Y shape connector with surface mounted kit/Bronze

MVT30-A13-Y2-SW2-W

Y shape connector with surface mounted ceiling cover/Skin-touch white

MVT30-A13-Y2-SW2-D

Y shape connector with surface mounted ceiling cover/Skin-touch black

MVT30-A13-Y2-SW2-C

Y shape connector with surface mounted ceiling cover/Chrome

MVT30-A13-Y2-SW2-B

Y shape connector with surface mounted ceiling cover/Bronze

MVC30-A13-Y2-SW3-W

Rimless recessed Y shape connector/Skin-touch white

MVC30-A13-Y2-SW3-D




Rimless recessed Y shape connector/Skin-touch black

MVC30-A13-Y2-SW3-C

Rimless recessed Y shape connector/Chrome

MVC30-A13-Y2-SW3-B

Rimless recessed Y shape connector/Bronze




Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

Y shape connector/Non-conductive/Steel cord



MVT30-A13-Y1-SW1-W

Y shape connector with surface mounted kit/Skin-touch white

MVT30-A13-Y1-SW1-D

Y shape connector with surface mounted kit/Skin-touch black

MVT30-A13-Y1-SW1-C

Y shape connector with surface mounted kit/Chrome

MVT30-A13-Y1-SW1-B

Y shape connector with surface mounted kit/Bronze

MVT30-A13-Y1-SW2-W

Y shape connector with surface mounted ceiling cover/Skin-touch white

MVT30-A13-Y1-SW2-D

Y shape connector with surface mounted ceiling cover/Skin-touch black

MVT30-A13-Y1-SW2-C

Y shape connector with surface mounted ceiling cover/Chrome

MVT30-A13-Y1-SW2-B

Y shape connector with surface mounted ceiling cover/Bronze

MVC30-A13-Y1-SW3-W

Rimless recessed Y shape connector/Skin-touch white

MVC30-A13-Y1-SW3-D




Rimless recessed Y shape connector/Skin-touch black

MVC30-A13-Y1-SW3-C

Rimless recessed Y shape connector/Chrome

MVC30-A13-Y1-SW3-B

Rimless recessed Y shape connector/Bronze




Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

Cross connector/Conductive/Steel cord



MVT30-A14-X2-SW1-W

MVT30-A14-X2-SW1-D

MVT30-A14-X2-SW1-C


MVT30-A14-X2-SW1-B

Cross connector with surface mounted kit/Skin-touch white

Cross connector with surface mounted kit/Skin-touch black

Cross connector with surface mounted kit/Chrome

Cross connector with surface mounted kit/Bronze



MVT30-A14-X2-SW2-W

MVT30-A14-X2-SW2-D

MVT30-A14-X2-SW2-C


MVT30-A14-X2-SW2-B

Cross connector with surface mounted ceiling cover/Skin-touch white

Cross connector with surface mounted ceiling cover/Skin-touch black

Cross connector with surface mounted ceiling cover/Chrome

Cross connector with surface mounted ceiling cover/Bronze



MVC30-A14-X2-SW3-W

MVC30-A14-X2-SW3-D

MVC30-A14-X2-SW3-C


MVC30-A14-X2-SW3-B

Rimless recessed cross connector/Skin-touch white

Rimless recessed cross connector/Skin-touch black

Rimless recessed cross connector/Chrome

Rimless recessed cross connector/Bronze




Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

Cross connector/Non-conductive/Steel cord



MVT30-A14-X1-SW1-W

MVT30-A14-X1-SW1-D

MVT30-A14-X1-SW1-C


MVT30-A14-X1-SW1-B

Cross connector with surface mounted kit/Skin-touch white

Cross connector with surface mounted kit/Skin-touch black

Cross connector with surface mounted kit/Chrome

Cross connector with surface mounted kit/Bronze



MVT30-A14-X1-SW2-W

MVT30-A14-X1-SW2-D

MVT30-A14-X1-SW2-C


MVT30-A14-X1-SW2-B

Cross connector with surface mounted ceiling cover/Skin-touch white

Cross connector with surface mounted ceiling cover/Skin-touch black

Cross connector with surface mounted ceiling cover/Chrome

Cross connector with surface mounted ceiling cover/Bronze



MVC30-A14-X1-SW3-W

MVC30-A14-X1-SW3-D

MVC30-A14-X1-SW3-C


MVC30-A14-X1-SW3-B

Rimless recessed cross connector/Skin-touch white

Rimless recessed cross connector/Skin-touch black

Rimless recessed cross connector/Chrome

Rimless recessed cross connector/Bronze




Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

Vertical double tube live end/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W / External Dimming & Tunable White available



MVT30-A15-H3-SW1-W

MVT30-A15-H3-SW1-D

MVT30-A15-H3-SW1-C


MVT30-A15-H3-SW1-B

Vertical double tube live end with surface mounted kit/Skin-touch white

Vertical double tube live end with surface mounted kit/Skin-touch black

Vertical double tube live end with surface mounted kit/Chrome

Vertical double tube live end with surface mounted kit/Bronze



MVT30-A15-H3-SW2-W

MVT30-A15-H3-SW2-D

MVT30-A15-H3-SW2-C


MVT30-A15-H3-SW2-B

Vertical double tube live end with surface mounted ceiling cover/Skin-touch white

Vertical double tube live end with surface mounted ceiling cover/Skin-touch black

Vertical double tube live end with surface mounted ceiling cover/Chrome

Vertical double tube live end with surface mounted ceiling cover/Bronze



MVC30-A15-H3-SW3-W

MVC30-A15-H3-SW3-D

MVC30-A15-H3-SW3-C


MVC30-A15-H3-SW3-B

Rimless recessed vertical double tube live end/Skin-touch white

Rimless recessed vertical double tube live end/Skin-touch black

Rimless recessed vertical double tube live end/Chrome

Rimless recessed vertical double tube live end/Bronze




Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)



Elite 30 Connection Accessories

Vertical double tube live end/Three-wire input(3*0.75mm²)/With belt or strap/Load power<200W/ External Dimming & Tunable White available



MVT30-A15-H3-OB2-B

MVT30-A15-H3-GB2-C

MVT30-A15-H3-KW2-W


MVT30-A15-H3-KW2-D

Vertical double tube live end with surface mounted ceiling cover/Orange belt/Bronze

Vertical double tube live end with surface mounted ceiling cover/Grey belt/Chrome

Vertical double tube live end with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

Vertical double tube live end with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A15-H3-OB3-B

MVC30-A15-H3-GB3-C

MVC30-A15-H3-KW3-W


MVC30-A15-H3-KW3-D

Rimless recessed vertical double tube live end/Orange belt/Bronze

Rimless recessed vertical double tube live end/Grey belt/Chrome

Rimless recessed vertical double tube live end/Khaki braided Strap/Skin-touch white

Rimless recessed vertical double tube live end/Khaki braided Strap/Skin-touch black



Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)


Belt or strap color

Khaki Braided Strap Grey belt Orange belt



Elite 30 Connection Accessories

Vertical double tube end cap/Non-conductive/Steel cord



MVT30-A17-H1-SW1-W

Vertical double tube end cap with surface mounted kit/Skin-touch white

MVT30-A17-H1-SW1-D


Vertical double tube end cap with surface mounted kit/Skin-touch black

MVT30-A17-H1-SW1-C

Vertical double tube end cap with surface mounted kit/Chrome

MVT30-A17-H1-SW1-B

Vertical double tube end cap with surface mounted kit/Bronze



MVT30-A17-H1-SW2-W

Vertical double tube end cap with surface mounted ceiling cover/Skin-touch white

MVT30-A17-H1-SW2-D


Vertical double tube end cap with surface mounted ceiling cover/Skin-touch black

MVT30-A17-H1-SW2-C

Vertical double tube end cap with surface mounted ceiling cover/Chrome

MVT30-A17-H1-SW2-B

Vertical double tube end cap with surface mounted ceiling cover/Bronze



MVC30-A17-H1-SW3-W

Rimless recessed vertical double tube end cap/Skin-touch white

MVC30-A17-H1-SW3-D


Rimless recessed vertical double tube end cap/Skin-touch black

MVC30-A17-H1-SW3-C

Rimless recessed vertical double tube end cap/Chrome

MVC30-A17-H1-SW3-B

Rimless recessed vertical double tube end cap/Bronze




Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

Vertical double tube end cap/Non-conductive/With belt or strap



MVT30-A17-H1-OB2-B

Vertical double tube end cap with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A17-H1-GB2-C


Vertical double tube end cap with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A17-H1-KW2-W

Vertical double tube end cap with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A17-H1-KW2-D

Vertical double tube end cap with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A17-H1-OB3-B

Rimless recessed vertical double tube end cap/Orange belt/Bronze

MVC30-A17-H1-GB3-C


Rimless recessed vertical double tube end cap/Grey belt/Chrome

MVC30-A17-H1-KW3-W

Rimless recessed vertical double tube end cap/Khaki braided Strap/Skin-touch white

MVC30-A17-H1-KW3-D

Rimless recessed vertical double tube end cap/Khaki braided Strap/Skin-touch black



Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)


Belt or strap color



Khaki Braided Strap Grey belt Orange belt

Elite 30 Connection Accessories

Vertical double tube straight connector/Conductive/Steel cord



MVT30-A16-H2-SW1-W

Vertical double tube straight connector with surface mounted kit/Skin-touch white

MVT30-A16-H2-SW1-D



Vertical double tube straight connector with surface mounted kit/Skin-touch black

MVT30-A16-H2-SW1-C

Vertical double tube straight connector with surface mounted kit/Chrome

MVT30-A16-H2-SW1-B

Vertical double tube straight connector with surface mounted kit/Bronze



MVT30-A16-H2-SW2-W

Vertical double tube straight connector with surface mounted ceiling cover/Skin-touch white

MVT30-A16-H2-SW2-D



Vertical double tube straight connector with surface mounted ceiling cover/Skin-touch black

MVT30-A16-H2-SW2-C

Vertical double tube straight connector with surface mounted ceiling cover/Chrome

MVT30-A16-H2-SW2-B

Vertical double tube straight connector with surface mounted ceiling cover/Bronze



MVC30-A16-H2-SW3-W

Rimless recessed vertical double tube straight connector/Skin-touch white

MVC30-A16-H2-SW3-D



Rimless recessed vertical double tube straight connector/Skin-touch black

MVC30-A16-H2-SW3-C

Rimless recessed vertical double tube straight connector/Chrome

MVC30-A16-H2-SW3-B

Rimless recessed vertical double tube straight connector/Bronze




Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

Vertical double tube straight connector/Conductive/With belt or strap



MVT30-A16-H2-OB2-B

Vertical double tube straight connector with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A16-H2-GB2-C



Vertical double tube straight connector with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A16-H2-KW2-W

Vertical double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A16-H2-KW2-D

Vertical double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A16-H2-OB3-B

Rimless recessed vertical double tube straight connector/Orange belt/Bronze

MVC30-A16-H2-GB3-C



Rimless recessed vertical double tube straight connector/Grey belt/Chrome

MVC30-A16-H2-KW3-W


Rimless recessed vertical double tube straight connector/Khaki braided Strap/Skin-touch white

MVC30-A16-H2-KW3-D

Rimless recessed vertical double tube straight connector/Khaki braided Strap/Skin-touch black



Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)


Belt or strap color



Khaki Braided Strap Grey belt Orange belt

Elite 30 Connection Accessories

Vertical double tube straight connector/Non-conductive/Steel cord



MVT30-A16-H1-SW1-W

Vertical double tube straight connector with surface mounted kit/Skin-touch white

MVT30-A16-H1-SW1-D


Vertical double tube straight connector with surface mounted kit/Skin-touch black

MVT30-A16-H1-SW1-C

Vertical double tube straight connector with surface mounted kit/Chrome

MVT30-A16-H1-SW1-B

Vertical double tube straight connector with surface mounted kit/Bronze



MVT30-A16-H1-SW2-W

Vertical double tube straight connector with surface mounted ceiling cover/Skin-touch white

MVT30-A16-H1-SW2-D


Vertical double tube straight connector with surface mounted ceiling cover/Skin-touch black

MVT30-A16-H1-SW2-C

Vertical double tube straight connector with surface mounted ceiling cover/Chrome

MVT30-A16-H1-SW2-B

Vertical double tube straight connector with surface mounted ceiling cover/Bronze



MVC30-A16-H1-SW3-W

Rimless recessed vertical double tube straight connector/Skin-touch white

MVC30-A16-H1-SW3-D


Rimless recessed vertical double tube straight connector/Skin-touch black

MVC30-A16-H1-SW3-C

Rimless recessed vertical double tube straight connector/Chrome

MVC30-A16-H1-SW3-B

Rimless recessed vertical double tube straight connector/Bronze




Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)

Elite 30 Connection Accessories

Vertical double tube straight connector/Non-conductive/With belt or strap



MVT30-A16-H1-OB2-B

Vertical double tube straight connector with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A16-H1-GB2-C


Vertical double tube straight connector with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A16-H1-KW2-W

Vertical double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A16-H1-KW2-D

Vertical double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A16-H1-OB3-B

Rimless recessed vertical double tube straight connector/Orange belt/Bronze

MVC30-A16-H1-GB3-C


Rimless recessed vertical double tube straight connector/Grey belt/Chrome

MVC30-A16-H1-KW3-W


Rimless recessed vertical double tube straight connector/Khaki braided Strap/Skin-touch white

MVC30-A16-H1-KW3-D

Rimless recessed vertical double tube straight connector/Khaki braided Strap/Skin-touch black



Finishing colors



W(White) D(Black) C(Chrome) B(Bronze)


Belt or strap color



Khaki Braided Strap Grey belt Orange belt

Elite 30 Connection Accessories

Triangle double tube live end/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W/
External Dimming & Tunable White available



MVT30-A18-Q3-SW1-W

MVT30-A18-Q3-SW1-D

MVT30-A18-Q3-SW1-C


MVT30-A18-Q3-SW1-B

Triangle double tube live end with surface mounted kit/Skin-touch white

Triangle double tube live end with surface mounted kit/Skin-touch black

Triangle double tube live end with surface mounted kit/Chrome

Triangle double tube live end with surface mounted kit/Bronze



MVT30-A18-Q3-SW2-W

MVT30-A18-Q3-SW2-D

MVT30-A18-Q3-SW2-C


MVT30-A18-Q3-SW2-B

Triangle double tube live end with surface mounted ceiling cover/Skin-touch white

Triangle double tube live end with surface mounted ceiling cover/Skin-touch black

Triangle double tube live end with surface mounted ceiling cover/Chrome

Triangle double tube live end with surface mounted ceiling cover/Bronze



MVC30-A18-Q3-SW3-W

MVC30-A18-Q3-SW3-D

MVC30-A18-Q3-SW3-C


MCT30-A18-Q3-SW3-B

Rimless recessed triangle double tube live end/Skin-touch white

Rimless recessed triangle double tube live end/Skin-touch black

Rimless recessed triangle double tube live end/Chrome

Rimless recessed triangle double tube live end/Bronze




Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)



Elite 30 Connection Accessories

Triangle double tube live end/Three-wire input(3*0.75mm²)/With belt or strap/Load power<200W/
External Dimming & Tunable White available



MVT30-A18-Q3-OB2-B

MVT30-A18-Q3-GB2-C

MVC30-A18-Q3-KW2-W


MVT30-A18-Q3-KW2-D

Triangle double tube live end with surface mounted ceiling cover/Orange belt/Bronze

Triangle double tube live end with surface mounted ceiling cover/Grey belt/Chrome

Triangle double tube live end with surface mounted ceiling cover/khaki braided Strap/Skin-touch white

Triangle double tube live end with surface mounted ceiling cover/khaki braided Strap/Skin-touch black



MVT30-A18-Q3-KW2-D

MVC30-A18-Q3-GB3-C

MVC30-A18-Q3-KW3-W


MVC30-A18-Q3-KW3-D

Rimless recessed triangle double tube live end/Orange belt/Bronze

Rimless recessed triangle double tube live end/Grey belt/Chrome

Rimless recessed triangle double tube live end/khaki braided Strap/Skin-touch white

Rimless recessed triangle double tube live end/khaki braided Strap/Skin-touch black



Finishing colors

W(White) D(Black) C(Chrome) B(Bronze)




Belt or strap color

Khaki Braided Strap Grey belt Orange belt



Elite 30 Connection Accessories

Triangle double tube end cap/Non-conductive/Steel cord



MVT30-A20-Q1-SW1-W

Triangle double tube end cap with surface mounted kit/Skin-touch white

MVT30-A20-Q1-SW1-D


Triangle double tube end cap with surface mounted kit/Skin-touch black

MVT30-A20-Q1-SW1-C

Triangle double tube end cap with surface mounted kit/Chrome

MVT30-A20-Q1-SW1-B

Triangle double tube end cap with surface mounted kit/Bronze



MVT30-A20-Q1-SW2-W

Triangle double tube end cap with surface mounted ceiling cover/Skin-touch white

MVT30-A20-Q1-SW2-D


Triangle double tube end cap with surface mounted ceiling cover/Skin-touch black

MVT30-A20-Q1-SW2-C

Triangle double tube end cap with surface mounted ceiling cover/Chrome

MVT30-A20-Q1-SW2-B

Triangle double tube end cap with surface mounted ceiling cover/Bronze



MVC30-A20-Q1-SW3-W

Rimless recessed triangle double tube end cap/Skin-touch white

MVC30-A20-Q1-SW3-D


Rimless recessed triangle double tube end cap/Skin-touch black

MVC30-A20-Q1-SW3-C


Rimless recessed triangle double tube end cap/Chrome

MVC30-A20-Q1-SW3-B

Rimless recessed triangle double tube end cap/Bronze



Finishing colors



MVT30-A20-Q1-OB2-B

Triangle double tube end cap with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A20-Q1-GB2-C


Triangle double tube end cap with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A20-Q1-KW2-W

Triangle double tube end cap with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A20-Q1-KW2-D

Triangle double tube end cap with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A20-Q1-OB3-B

Rimless recessed triangle double tube end cap/Orange belt/Bronze

MVC30-A20-Q1-GB3-C


Rimless recessed triangle double tube end cap/Grey belt/Chrome

MVC30-A20-Q1-KW3-W


Rimless recessed triangle double tube end cap/Khaki braided Strap/Skin-touch white

MVC30-A20-Q1-KW3-D

Rimless recessed triangle double tube end cap/Khaki braided Strap/Skin-touch black




Finishing colors



Belt or strap color



Elite 30 Connection Accessories
Triangle double tube straight connector/Conductive/Steel cord



MVT30-A19-Q2-SW1-W

Triangle double tube straight connector with surface mounted kit/Skin-touch white

MVT30-A19-Q2-SW1-D


Triangle double tube straight connector with surface mounted kit/Skin-touch black

MVT30-A19-Q2-SW1-C

Triangle double tube straight connector with surface mounted kit/Chrome

MVT30-A19-Q2-SW1-B

Triangle double tube straight connector with surface mounted kit/Bronze



MVT30-A19-Q2-SW2-W

Triangle double tube straight connector with surface mounted ceiling cover/Skin-touch white

MVT30-A19-Q2-SW2-D


Triangle double tube straight connector with surface mounted ceiling cover/Skin-touch black

MVT30-A19-Q2-SW2-C

Triangle double tube straight connector with surface mounted ceiling cover/Chrome

MVT30-A19-Q2-SW2-B

Triangle double tube straight connector with surface mounted ceiling cover/Bronze



MVC30-A19-Q2-SW3-W

Rimless recessed triangle double tube straight connector/Skin-touch white

MVC30-A19-Q2-SW3-D


Rimless recessed triangle double tube straight connector/Skin-touch black

MVC30-A19-Q2-SW3-C


Rimless recessed triangle double tube straight connector/Chrome

MVC30-A19-Q2-SW3-B

Rimless recessed triangle double tube straight connector/Bronze



Finishing colors



MVT30-A19-Q2-OB2-B

Triangle double tube straight connector with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A19-Q2-GB2-C


Triangle double tube straight connector with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A19-Q2-KW2-W

Triangle double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A19-Q2-KW2-D

Triangle double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A19-Q2-OB3-B

Rimless recessed triangle double tube straight connector/Orange belt/Bronze

MVC30-A19-Q2-GB3-C


Rimless recessed triangle double tube straight connector/Grey belt/Chrome

MVC30-A19-Q2-KW3-W


Rimless recessed triangle double tube straight connector/Khaki braided Strap/Skin-touch white

MVC30-A19-Q2-KW3-D

Rimless recessed triangle double tube straight connector/Khaki braided Strap/Skin-touch black



Finishing colors




Belt or strap color



Elite 30 Connection Accessories

Triangle double tube straight connector/Non-conductive/Steel cord



MVT30-A19-Q1-SW1-W

Triangle double tube straight connector with surface mounted kit/Skin-touch white

MVT30-A19-Q1-SW1-D


Triangle double tube straight connector with surface mounted kit/Skin-touch black

MVT30-A19-Q1-SW1-C

Triangle double tube straight connector with surface mounted kit/Chrome

MVT30-A19-Q1-SW1-B

Triangle double tube straight connector with surface mounted kit/Bronze



MVT30-A19-Q1-SW2-W

Triangle double tube straight connector with surface mounted ceiling cover/Skin-touch white

MVT30-A19-Q1-SW2-D


Triangle double tube straight connector with surface mounted ceiling cover/Skin-touch black

MVT30-A19-Q1-SW2-C

Triangle double tube straight connector with surface mounted ceiling cover/Chrome

MVT30-A19-Q1-SW2-B

Triangle double tube straight connector with surface mounted ceiling cover/Bronze



MVC30-A19-Q1-SW3-W

Rimless recessed triangle double tube straight connector/Skin-touch white

MVC30-A19-Q1-SW3-D


Rimless recessed triangle double tube straight connector/Skin-touch black

MVC30-A19-Q1-SW3-C


Rimless recessed triangle double tube straight connector/Chrome

MVC30-A19-Q1-SW3-B

Rimless recessed triangle double tube straight connector/Bronze



Finishing colors



MVT30-A19-Q1-OB2-B

Triangle double tube straight connector with surface mounted ceiling cover/Orange belt/Bronze

MVT30-A19-Q1-GB2-C


Triangle double tube straight connector with surface mounted ceiling cover/Grey belt/Chrome

MVT30-A19-Q1-KW2-W

Triangle double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch white

MVT30-A19-Q1-KW2-D

Triangle double tube straight connector with surface mounted ceiling cover/Khaki braided Strap/Skin-touch black



MVC30-A19-Q1-OB3-B

Rimless recessed triangle double tube straight connector/Orange belt/Bronze

MVC30-A19-Q1-GB3-C


Rimless recessed triangle double tube straight connector/Grey belt/Chrome

MVC30-A19-Q1-KW3-W


Rimless recessed triangle double tube straight connector/Khaki braided Strap/Skin-touch white

MVC30-A19-Q1-KW3-D

Rimless recessed triangle double tube straight connector/Khaki braided Strap/Skin-touch black




Finishing colors



Belt or strap color



Elite 30 Connection Accessories
Circular chandelier/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W/
External Dimming & Tunable White available




- MVT1005-23A-D800-WCircular chandelier with surface mounted kit/Dual Track/Skin-touch white
- MVT1005-23A-D800-DCircular chandelier with surface mounted kit/Dual Track/Skin-touch black
- MVT1005-23A-D1200-WCircular chandelier with surface mounted kit/Dual Track/Skin-touch white
- MVT1005-23A-D1200-DCircular chandelier with surface mounted kit/Dual Track/Skin-touch black

Finishing colors

W(White)

D(Black)




- MVT1005-23B-D800-WRimless recessed Circular chandelier/Dual Track/Skin-touch white
- MVT1005-23B-D800-DCircular chandelier/Dual Track/Skin touch black
- MVT1005-23B-D1200-WRimless recessed Circular chandelier/Dual Track/Skin-touch white
- MVT1005-23B-D1200-DCircular chandelier/Dual Track/Skin-touch black


Finishing colors

W(White)

D(Black)



Elite 30 Connection Accessories
Circular chandelier/Three-wire input(3*0.75mm²)/Steel cord/Load power<200W/
External Dimming & Tunable White available




Please note that:


- Make sure power has been cut off before maintenance and installation.
- Please make sure you leave enough space of no less than 75mm around the fixtures for radiating.
- Keep a safe distance of at least 500mm between the fixtures and the objects.
- Must not violate any fire-prevention rules during using.
- Fixtures can't be installed on easily damaged or easily distorted ceiling.
- Fixtures must not be covered by insulation blanket or similar materials.
- If you have any questions regarding this installation manual, please consult with certified engineers.



1.Surface mounted kit installation demonstration. (Access port or 24V power supply's position needs to be considered in advance.)






2.Surface mounted ceiling cover installation demonstration. (Access port or 24V power supply's position needs to be considered in advance.)




3.Rimless recessed kit installation demonstration.

- Make a cut-out of 85mm diameter in the ceiling.
- Adjust the metal plate on the pre-installation ring to the height of ceiling thickness + 2mm, then tighten the 2 screws.
- Put the adjusted pre-installation ring in the ceiling through the cut-out.
- Use a screw driver to push the screws through the ceiling and fix them into the metal plate of the pre-installation ring.
- After tightening the pre-installation ring in ceiling, plaster the ceiling to cover the screws.
- After the plastering, remove the dust cover to install the fixtures.




4.Belt & braided strap length adjustment demonstration.

a. Use a hex wrench to loosen the hexagon socket screws. Detach the Ceiling cover and the belt or strap.




b. Confirm the installation height of the fixture, calculate and measure the excess length. Cut the excess coating part.

Attention: Do not cut the wire inside!



c. Put the wire through the ceiling cover or rimless installation plate. Insert the belt or strap inside the groove, then tighten it with the hexagon socket screws. Make sure the belt or strap are perfectly secured.




5.24V power supply installation demonstration.

Put the wire from the fixture through the ceiling, and connect to the 24V power supply. 24V power supply should be kept in the access port, within 2 meter's distance from the fixture.
Attention: Power supply must be in DC 24V.


a. Two - wire steel cord wiring diagram

- ☆ Load power < 100W
- ☆ Connect the transparent wire to the +V of the 24V power supply's output end, black wire to the -V of the output end.




b. Three - wire live end wiring diagram (Single CCT)

- ☆ Load power < 200W
- ☆ Connect the brown wire to the +V of the 24V power supply's output end, blue and yellow wire to the same -V port of the output end.




c. Three - wire live end wiring diagram (Tunable white)

- ☆ Load power < 200W
- ☆ Connect the brown wire to the +V of the 24V power supply's output end, blue and yellow wire to different -V ports of the output end.





6.Fixture installation demonstration.

a. Use the hex wrench to secure the hexagon screws after connecting the main light with live end, end cap or connectors.






b. Calculate the installation distance base on the main light and the connectors's length.





MERCANVEE Clients of Mercanvee

<div></div>	<div></div>	<div><p>The Mausoleum of the FirstQin Emperor. National Time Service Center, Grandview Museum of Natural Science,  Hubei JiugongshanChuangwang CulturalCenter Shandong Linyi LuozhuangVillage History Museum,</p></div>
<div></div>	<div></div>	<div></div>
<div></div>	<div></div>	<div></div>

As well as clubs, hotels, restaurants, shopping malls, commercial complexes, museums and other projects, pls see more details in our website: www.mercanvee.com