Galaxy Solar Work Light

50

and an

MQ-FY-LED-26W Galaxy Solar Camping/Work Light



Features:

- Adjustable tripod up to **1.9m** with strong stability;
- Completed lamp lumen can be reach **3000Im**,keep 3 minutes, then stay on 1500Im;
- · Detached light can be used independently ;
- Two ways charging: Type-C or Solar panel;
- Main light and detached light support charging together or separately ;
- Waterproof: IP44 ;
- Builtin **8600mah** (5000MAH main lamp+3600mah portable lamp) rechargeable li-on battery ;
- Portable, suitable for backyard, outdoor camping and work shop.

| Light mode for completed lampIow-medium-high light3 modesLight mode for main lampIow-medium-high light3 modesLight mode for side lampIow-medium-high-spot light- all lights up5 modesCompleted lamp lumen380~3000ImMain lamp lumen190-1600ImDetached lamp lumen190-1400ImRated power26WCompleted lamp inputTYPE-C 5V, 3AV / A |
|--|
| Light mode for side lamplow-medium-high-spot light- all lights up5 modesCompleted lamp lumen380~3000ImMain lamp lumen190-1600ImDetached lamp lumen190-1400ImRated power26WCompleted lamp inputTYPE-C 5V, 3AV/A |
| Light mode for side lampall lights up5 modesCompleted lamp lumen380~3000ImMain lamp lumen190-1600ImDetached lamp lumen190-1400ImRated power26WCompleted lamp inputTYPE-C 5V, 3AV / A |
| Main lamp lumen190-1600ImDetached lamp lumen190-1400ImRated power26WCompleted lamp inputTYPE-C 5V, 3AV/A |
| Detached lamp lumen190-1400ImRated power26WCompleted lamp inputTYPE-C 5V, 3AV/A |
| Rated power26WCompleted lamp inputTYPE-C 5V, 3AV / A |
| Completed lamp inputTYPE-C 5V, 3AV / A |
| |
| |
| Main lamp inputTYPE-C 5V, 2AV / A |
| Side lamp input/output TYPE-C 5V, 1A V / A |
| Colour Temperature (CCT) 6500K K |
| CRI 80 Ra |
| Battery (Li-on) 5000+3600=8600 mah |
| IP rating IP44 |
| Material ABS+PC+Silicone+Metal |
| Completed lamp charging time 24hrs(by solar panel) Hrs |
| Main lamp charging time (By type-C 5V 3A)4.5Hrs |
| Side lamp charging time 6 Hrs |
| Discharge time 3~11.5 Hrs |
| Weight(With tripod): 2.97 kg |

MQ-FY-LED-26W Specification



Whole lamp: Power Range: 26W Material: Iron + ABS +Silicon Lumen: 380Im~3000Im Color temperature: 6500K IP rated: IP44 Input: Type-C USB Port: 5V 3A Battery Lithium-ion 3.7V 5200mAh, 3600mAh Charing time: 7hrs(by power charger); 32hrs(by solar panel) Run Time: 3H~11.5H hours Lifespan: 20000Hours




Main lamp: Rated power : 13W Lumen : 190lm-1600lm 3 lighting modes: Low 190LM Middle 350LM High 1600LM / 750LM (steady lumen) Input: 5V/2A Run time:3~11.5hrs Battery: Lithium-ion 3.7V 5200mAh Charging time: 4.5h Weight: 1100g



Side lamp: Rated power : 13W Lumen: 190Im-1400Im 5 lighting modes: Low 190LM Middle 350LM High 650LM Spot light 450LM Full bright mode 1400LM / 750LM (steady lumen) Input/output: 5V/1A Run time: 1.5~6hrs Battery: Lithium-ion 3.7V 3600mAh Charging time: 6H Weight: 440g

Brightness





Middle 7001m


LOW 3801m



High 1600lm/750lm

Middle 350lm

LOW 190lm



High 650lm

Middle 350lm

LOW 1901m



Full Bright 1400lm/750lm

Spot Light 4501m





Details

Detachable Side Light with magnets at the back 360° rotatable hook, that can be hung anywhere.

ک 360°

Waterproof IP44 Rating

专业认证



Side light






input 🦷

USB input and output (power bank function, it can charge the phone/ pad everywhere.



There's a hook and magnets at the back of the side light which enable light to be usedin any occasion.







Galaxy Solar Work Light



The tripod can be extended to **1.9m**

Quotation - with solar panel

* Leadtime: 45-50 days

* FOB port: Xiamen

| Picture | ltem No. | FOB Xiamen (USD) | MOQ | Carton Box Size | Standard Package waterproof handbag | tripod | QTY/ 20FT | QTY/ 40HQ |
|----------|-------------------|---------------------|------|--------------------|--|--------|--------------|--------------|
| N | MQ-FY- LED-26W | \$37.5 | 500 | 75*18.5*28cm | | | 700 | 1700 |
| | | \$36 | 1000 | | | | | |
| | | \$34.5 | 5000 | | | | | |
| | | \$34 | 10K | | | | | |

Mark: The price is based on our standard package

* The light will be packed in a waterproof handbag and packed in a carton box



Thank you !

For more information, please contact

clarence@mainhouses.com



Clarence Yu Executive General Manager

Mainhouse (Xiamen) Electronic Co., Ltd.

Address: No.9, Dongfu Xi Er Road, Haicang, Xiamen, Fujian, China

Tel:86-592-3139259 Fax:86-592-3133366 E-mail: clarence@mainhouses.com Skype: clarenceyukh http://www.mainhouses.com Mobile:+86-137 1466 5120