



THE·BOX BY TRAYCO®

THE ONE AND ONLY
PLUG & PLAY SYSTEM



QUICK ASSEMBLY



HEIGHT ADJUSTMENT
FOR POST-LEVELING



ALIGNMENT MARKS

DEVELOPED ACCORDING TO DIN-EN-50085



VISUAL INDICATION MINIMUM
SCREED HEIGHT




SAFE TO USE



SUITED AS PULL-BOX



ECOLOGIC




MORE INFORMATION ON WWW.TRAYCO.BE/THEBOX

SCREED FLOOR FLOWCHART

1 Determine the height / Choose your box



THE • BOX



FS-BOX28/38/48

1 bis:

Determine the number of blue fixed frames – standard 1 frame included




	0x FS_AFF		+1x FS_AFF		+2x FS_AFF		+3x FS_AFF		+4x FS_AFF		+5x FS_AFF	
	Min H (mm)	Max H (mm)	Min H (mm)	Max H (mm)	Min H (mm)	Max H (mm)	Min H (mm)	Max H (mm)	Min H (mm)	Max H (mm)	Min H (mm)	Max H (mm)
BOX28	66	100	100	134	134	168	168	202	202	236	236	270
BOX38	76	110	110	144	144	178	178	212	212	246	246	280
BOX48	86	120	120	154	154	188	188	222	222	256	256	290

Each blue frame +34mm

Min H = minimal screed height / Max H = maximal screed height


2 Determine the connection between the service units

FLOOR DUCT



FS-FD(L) 28/38/48 (2 or 3 compartments)

FLOOR TRUNK



FS-FT38 (2 or 3 compartments)


FLEXIBLE TUBES

3 Choose your hinged cover




POLYAMIDE carpet edge only

BLIND COVER




RAL 9011 (black) - RAL 7011 (grey)

HINGED COVER




STAINLESS STEEL


CARPET EDGE




TILE FRAME




4 Select your accessories




HC-ACC-FILL



FS-AC-LOW



FS-AC-HO-260-3-50



FS-AC-HO-260-4-45

5 Ready!

MORE INFORMATION ON WWW.TRAYCO.BE/THEBOX


RAISED FLOOR FLOWCHART

**ASSEMBLE
YOUR TRAYCO®
FLOOR SYSTEM
IN 5 SHORT
STEPS**

1 Determine the height / Choose your box


LEVELLING UNIT?

for tile frame edge only



2 Determine the connection between the service units

MESH TRAYS




MT(L)

FLEXIBLE TUBES

3 Choose your hinged cover


POLYAMIDE carpet edge only

BLIND COVER




RAL 9011 (black/schwarz) - RAL 7011 (grey/grau)

HINGED COVER




STAINLESS STEEL


CARPET EDGE




TILE FRAME




4 Select your accessories




HC-ACC-FILL



FS-AC-LOW



FS-AC-HO-260-3-50




FS-AC-HO-260-4-45


5 Ready!

**SCAN ME TO SEE
ALL PRODUCTS**





CABLE TRAYS



MOUNTING SYSTEMS



THE • BOX
plug&play
underfloor system



ECO-LINE




FIRE RESISTANT



STAINLESS STEEL



CABLE LADDERS



MESH TRAYS



SERVICE TRUNKING



WIRE MOUNTING



SOLAR
superfast and flexible
solar mounting solution



THE • FORCE
superstrong industrial
mounting solutions



TRAYCO® - BEDRIJVENPARK COUPURE 5A
B-9700 OUDENAARDE - T. +32(0)55 23 29 90
INFO@TRAYCO.BE - WWW.TRAYCO.BE

