



OPTIKS MECHATRONICS PVT. LTD

Address: Plot No. 360, Udyog Kendra 2, Ecotech III,
Greater Noida, Uttar Pradesh 201306

Phone No. + 91 9736365019

E-mail: ps@optikskarkhana.net

Website: www.optiksmechatronics.com



CONTENTS

- About Us
- Product Development
- Application
- Available Beam Pattern
- Product Nomenclature
- About Secondary Optical Lens
- **Outdoor Light Lens**
(Single Lens, Non IP Lens, IP Lens)
- **Indoor Light Lens**
(Single Lens, Non IP Lens, IP Lens)



We are here to control the light to make it Efficient in Specific Applications. We are expert in designing and manufacturing of lenses because our optical and tooling knowledge makes our lens more Efficient and cost Effective.

ABOUT US

With a vision to become the global market leader in the lens segment, Optiks Mechatronics has been manufacturing and selling LED optical lighting solutions ever since its inception in 2015.

The philosophy at the core of everything we do is to think different, think big, think future and always incumbent for customer delight.

Founded by Mr. Kapil Kaushik with 25 years of experience in the Lighting & Tooling industry, and Dr. Tanu Sharma with core competency in Optics Design.

Optiks has always been a place for innovation that is why we started the in-house development of new and optimized LED lenses using latest lighting technology with the aim to provide various ranges of 'Made in India' products of excellent quality.

The management team also includes Mr. Mangat Rai as the Vice President who presides over the development process and Mr. Pradyumna Shandilya, responsible for the growth of sales and business development.

Together, we have established a state-of-the-art manufacturing unit in Greater Noida where we use advanced machinery and the latest technology to produce approximately 50 lakh lenses every day!

Apart from the fully integrated manufacturing unit, our facilities also consist of a fully-equipped testing lab to inspect every batch thoroughly before packaging, a technology center for innovation and latest product development, and a spacious warehousing area for safe storage of the finished products.

Optiks produces a wide range of both indoor and outdoor lenses with varying beam angles, sizes and lighting applications including everything from residential, architectural, stage, commercial spaces, stadiums, warehouses, showrooms to street lights, and many more.

Furthermore, we offer a full-customization option to cater the needs of every client to the best of our potential!

Our highly qualified expert technicians, engineers, researchers, and managers ensure that every product is designed as per the customer's need and is evaluated for 100% performance before leaving the unit.

Because of our adherence to perfection, we have been awarded ISO 9001:2015 certification for all of our factories, which further proves that we leave no room for compromise when it comes to optimum quality.

We have achieved various milestones of success with the support of our team, our supply partners and most importantly our customer's and for that, we are eternally grateful.

KEY STRENGTHS

- Latest Optics Designing Software
- Fully automated 05 Manufacturing Units
- 20 Injection Moulding Machine
- In house Tool Room with the latest technology
- Automatic high precision Machine

GOAL


The Optiks team firmly commits that we will always maintain fairness in our practices and dedication in our work in order to serve you the best products and keep your trust in us intact for years to come.

To know more about our products, please visit www.optiksmechatronics.com



Facilities

Product development strategy



Optical Design & Simulation



Mold Design & Development



Mass Production



Testing








Customized Solution



OEM & ODM

Indoor Lenses



Applications



Street Lights



Warehouses



Stadium Lights



Indoor Lights



Showrooms



Stage Lighting



Medical Lighting



Architectural Lighting


Showroom Lighting




Products



Lenses





Product Nomenclature




INDUSTRIAL LIGHTING

Our Mission to help our Customer to optimize Optics performance by using our optical and Tooling Knowledge to make a cost effective high quality product.


Available Beam Pattern







Street Light Lens

Secondary Optical Lens



Generally LED need to proceed Secondary Optic Design to become Lamp fixture. We are using Secondary optical lens to focus light pattern in a defined way

Difference Between General Molding and Optical Lens Molding



Defects

- Low shape accuracy
- Surface Shrinkage
- Air bubble formation
- Decreased Transparency
- Flatness over 2 mm
- Consistency in Light Patterns

Optical Lens Molding

- High shape accuracy
- Non-surface Shrinkage
- Non -Air bubble formation
- High Transparency
- Flatness below 3 mm

OK01-3535-1x1-135x85°



SPECIFICATIONS:

LXWXH (mm) 17.6x9.9x7.5


FWHM 135x85°

LED PACKAGE 3535, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK02-3535-1x1-135x85°



LIGHT SOURCE

LXWXH (mm) 17.6x9.9x7.5


FWHM 135x85°

LED PACKAGE 3535, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK04-3535-3x1-135x85°



LIGHT SOURCE

LXWXH (mm) 56x28x6


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK05-3535-3x1-135x85°



LIGHT SOURCE

LXWXH (mm) 56x28x6


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK06-3535-18x1-135x85°



LIGHT SOURCE

LXWXH (mm) 178x82x6.5


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK09-3535-8x1-135x85°



LIGHT SOURCE

LXWXH (mm) 134.2x54.2x8


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK10-3535-8x1-135x85°



SPECIFICATIONS:

LXWXH (mm) 311x75.6x9


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK23-5050-1x1-145x45°



SPECIFICATIONS:

LXWXH (mm) 18.5x12.8x8.8


FWHM 145x45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK12-3535-2x2-135x85°



LIGHT SOURCE

LXWXH (mm) 49.5x49.5x6


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK25-3030-12x1-145x45°



LIGHT SOURCE

LXWXH (mm) 50x50x5.2


FWHM 145x45°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK16-3030-3x3-135x85°



LIGHT SOURCE

LXWXH (mm) 49.5x49.5x5.4


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK34-3535-5x2-135x85°



LIGHT SOURCE

LXWXH (mm) 116.1x71.3x4.5


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK38-5050-6x1-145x45°



LIGHT SOURCE

LXWXH (mm) 134x54x8


FWHM 145x45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK58-3535-30x1-135x85°



SPECIFICATIONS:

LXWXH (mm) 133x69x5.5


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK39-3535-21x1-135x85°



LIGHT SOURCE

LXWXH (mm) 95x72x6


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK66-3535-18x1-135x85°



LIGHT SOURCE

LXWXH (mm) 268.2x78.6x10


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK55-3535-8x1-135x85°



LIGHT SOURCE

LXWXH (mm) 49.5x49.5x5.4


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK69-3535-20x1-155x60°



LIGHT SOURCE

LXWXH (mm) 131.1x84.5x7.8


FWHM 155x60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK70-3535-11x1-135x85°



LIGHT SOURCE

LXWXH (mm) 90x60x8


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK77-3535-14x1-135x85°



LIGHT SOURCE

LXWXH (mm) 108x74.5x8.6


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK72-5050-2x2-145x45°



LIGHT SOURCE

LXWXH (mm) 49.65x49.65x8.6


FWHM 145x45°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK80-3030-49x1-145x45°



LIGHT SOURCE

LXWXH (mm) 108x74.5x8.6


FWHM 145x45°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK75-3535-20x1-135x85°



LIGHT SOURCE

LXWXH (mm) 141.1x74.5x8.6


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK81-3535-120x1-135x85°



LIGHT SOURCE

LXWXH (mm) 272.1x160x5.9


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK83-3535-12x1-135x85°



SPECIFICATIONS:

LXWXH (mm) 121x54x6.5


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK91-3030-1x1-145x45°



LIGHT SOURCE

LXWXH (mm) 13.35x9.6x5.2


FWHM 145x45°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK85-3535-29x1-135x85°



LIGHT SOURCE

LXWXH (mm) 190.4x74.2x8.2


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK99-3030-12x1-80x160°



LIGHT SOURCE

LXWXH (mm) 49x49x3.7


FWHM 80x160°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK88-3535-16x1-150x75°



SPECIFICATIONS:

LXWXH (mm) 100x60x8.3


FWHM 150x75°

LED PACKAGE 3535


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK102-3030-12x1-T 3 M



LIGHT SOURCE

LXWXH (mm) 49x49.8x4.8


FWHM TYPE III MEDIUM

LED PACKAGE 3030


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate




OK103-3030-12x1-T 4 M




LIGHT SOURCE

LXWXH (mm)	49x49.8x4.6
FWHM	TYPE IV MEDIUM
LED PACKAGE	3030
	CREE, OSRAM, SEOUL, SAMSUNG
Material	
Polycarbonate	




OK104-3030-12x1-T V



LIGHT SOURCE

LXWXH (mm)	49x49x3.7
FWHM	TYPE V
LED PACKAGE	3030
	CREE, OSRAM, SEOUL, SAMSUNG
Material	
Polycarbonate	




OK105-5050-2x2-T1




SPECIFICATIONS:

LXWXH (mm)	49.5x49.5x8
FWHM	TYPE I
LED PACKAGE	5050
	CREE, OSRAM, SEOUL, SAMSUNG
Material	
Polycarbonate	



Brighten the outdoor areas with
our LED LENS street lights



OK106-3535-11x1-T1



LIGHT SOURCE

LXWXH (mm) 89.1X73.6X8.55


FWHM TYPE I

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK110-3030-24x1-TYPE II M



LIGHT SOURCE

LXWXH (mm) 50x50x3.75


FWHM TYPE II M

LED PACKAGE 2835, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK108-5050-2x2-Type 2 M



LIGHT SOURCE

LXWXH (mm) 50X50X6.5


FWHM TYPE II M

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK116-3535-11x1-TYPE 1 S



LIGHT SOURCE

LXWXH (mm) 80X60X8


FWHM TYPE 1 S

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK109-3030-16x1-T2 S



SPECIFICATIONS:

LXWXH (mm) 50x50x4.2


FWHM TYPE II S

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK118-3535-28x1-Type-II



SPECIFICATIONS:

LXWXH (mm) 100x100x9.6


FWHM TYPE II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK119-3535-3x3-135x85°



LIGHT SOURCE

LXWXH (mm) 89.1x73.6x4.55


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK126-3030-24x1-Type 2



LIGHT SOURCE

LXWXH (mm) 89.1X73.6X8.25


FWHM TYPE II

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK120-3535-14x1-135x85°



LIGHT SOURCE

LXWXH (mm) 106.48x79x7.9


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK127-3535-36x1-T 2



LIGHT SOURCE

LXWXH (mm) 105X115X8.1


FWHM TYPE II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK121-3535-22x1-135x85°



LIGHT SOURCE

LXWXH (mm) 115x105x4.4


FWHM 135x85°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK131-3535-42x1-TypeII



LIGHT SOURCE

LXWXH (mm) 173.2X75X8.3


FWHM TYPE II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK132-5050-3x3-T II



LIGHT SOURCE

LXWXH (mm) 50X50X6.8


FWHM TYPE II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK141-5050-10x1-145x45°



LIGHT SOURCE

LXWXH (mm) 100x60x10


FWHM 145x45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM136-3535-9x1-NR



LIGHT SOURCE

LXWXH (mm) 51.66x51.66x1.98


FWHM NR

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK142-3030-44x1-TypeII M



LIGHT SOURCE

LXWXH (mm) 100x60x8.3


FWHM TYPE II M

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM140-5050-20x1-TYPE II



LIGHT SOURCE

LXWXH (mm) 139.4x13.90


FWHM TYPE II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM145-3535-3x3-MR



LIGHT SOURCE

LXWXH (mm) 43.80x62.80


FWHM MR

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK149-3535-8x1-T 3



LIGHT SOURCE

LXWXH (mm) 49x49x5.5


FWHM TYPE III

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK154-3535-36x1-TII



LIGHT SOURCE

LXWXH (mm) 130.9x75.2x5


FWHM TYPE II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



WALL WASHER

OK157-3535-1x1-Single Lens



LIGHT SOURCE

LXWXH (mm) 20x13x6.5


FWHM 1x1

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM166-5050-27x1-120x45°



LIGHT SOURCE

LXWXH (mm) 119x64


FWHM 120X45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM163-5050-9x1-120x45°



LIGHT SOURCE

LXWXH (mm) 66x45.5x8.7


FWHM 120X45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM168-3030,3535-20x1-T 2



LIGHT SOURCE

LXWXH (mm) 78.5x267


FWHM Type 2

LED PACKAGE 3030,3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM164-5050-16x1-120x45°



LIGHT SOURCE

LXWXH (mm) 115.6x48.1x8.7


FWHM 120X45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM172-3535-12x1-T 2



LIGHT SOURCE

LXWXH (mm) 97.2x63.8x4.1


FWHM Type 2

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM176-3535,3030-8x1-T 2



LIGHT SOURCE

LXWXH (mm) 100x60x6.2


FWHM Type 2

LED PACKAGE 3535,3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM180-2835,3030-24x1-T II



LIGHT SOURCE

LXWXH (mm) 80.2x60.2x3.4


FWHM Type II

LED PACKAGE 2835,3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM177-5050-16x1-145x45°



LIGHT SOURCE

LXWXH (mm) 108.3x75.2


FWHM 145X45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM182-5050-36x1-145x45°



LIGHT SOURCE

LXWXH (mm) 218.3x164x12.4


FWHM 145X45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM179-5050-20x1-145x45°



LIGHT SOURCE

LXWXH (mm) 131.3x84.6x6.2


FWHM 145X45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM183-3030-40X1-158X98°



LIGHT SOURCE

LXWXH (mm) 100x60x6.3


FWHM 158x98°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM184-3030-44X1-158X98°



LIGHT SOURCE

LXWXH (mm) 100x60x6.3


FWHM 158x98°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM220-8X1-5050-T-II



LIGHT SOURCE

LXWXH (mm) 99.8x308.1x54


FWHM Type II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM187-3030,3535-60x1-T II



LIGHT SOURCE

LXWXH (mm) 142x75.5x4.8


FWHM Type II

LED PACKAGE 3030,3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM224-5050-29X1-T 2



LIGHT SOURCE

LXWXH (mm) 173.18x74.98x8.2


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM199-3030,3535-15X1-T II



LIGHT SOURCE

LXWXH (mm) 89.1x73.6x4


FWHM Type II

LED PACKAGE 3030,3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM225-3030-64X1-T 2



LIGHT SOURCE

LXWXH (mm) 100x100x4.7


FWHM Type 2

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM227-3535-12X1-T 2



LIGHT SOURCE

LXWXH (mm) 49.3x49.3x4.8


FWHM Type 2

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM230-3535-22X1-T 2



LIGHT SOURCE

LXWXH (mm) 60.2x80.2x7.6


FWHM Type 2

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM228-3535-8X1-TYPE II



LIGHT SOURCE

LXWXH (mm) 57x58x8.6


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM232-3535-88X1-TYPE II



LIGHT SOURCE

LXWXH (mm) 74.2x190.4x8.6


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM229-3535-16X1-T 2



LIGHT SOURCE

LXWXH (mm) 60.2x80.2x7.6


FWHM Type 2

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM236-5050-24X1-T 2



LIGHT SOURCE

LXWXH (mm) 150.9x164.7x9.2


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM237-3535-72X1-TYPE II



LIGHT SOURCE

LXWXH (mm) 102.2x178.2x8.2


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM246-3030-50X1-T-II



LIGHT SOURCE

LXWXH (mm) 155.6x81.6x6.4


FWHM Type II

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM238-5050-26X1-T-II



LIGHT SOURCE

LXWXH (mm) 99.6x99.6x8.4


FWHM Type II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM257-5050-6X1-T 2



LIGHT SOURCE

LXWXH (mm) 80x60x8.4


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM245-5050-4X1-TYPE II M



LIGHT SOURCE

LXWXH (mm) 50x50x6.6


FWHM Type II M

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM258-3535-13X1-T 2



LIGHT SOURCE

LXWXH (mm) 58.2x70.2x3.6


FWHM Type 2

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM261-3535-16X1-T 2



LIGHT SOURCE

LXWXH (mm) 73x179x7.8


FWHM Type 2

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM265-5050-4X1-T 2



LIGHT SOURCE

LXWXH (mm) 50x50x6.4


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM262-5050-36X1-T-II



LIGHT SOURCE

LXWXH (mm) 227x56x7


FWHM Type II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM272-3535-8X1-T-II



LIGHT SOURCE

LXWXH (mm) 66x60x8.7


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM264-3535-1X1-135x145°



LIGHT SOURCE

LXWXH (mm) 11.2x15x7.4


FWHM 135x145

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM273-3535-12X1-135x85°



LIGHT SOURCE

LXWXH (mm) 121.7x54.3x6.7


FWHM 135x85

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM275-5050-30X1-60°



LIGHT SOURCE

LXWXH (mm) 72x242x8


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM280-3535-121X1-NHIP-T1A



LIGHT SOURCE

DXH (mm) 225.6x7.9


FWHM NHIP-T1A

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM276-5050-8X1-T 2



LIGHT SOURCE

LXWXH (mm) 68x67x8.6


FWHM Type 2

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM281-3535-113X1-NHIP-T2A



LIGHT SOURCE

DXH (mm) 225.6x7.9


FWHM NHIP-T2 A

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM278-5050-5X1-60°



LIGHT SOURCE

LXWXH (mm) 65x65x10


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM283-3030-76X1-T-II



LIGHT SOURCE

LXWXH (mm) 130.88x75.18x8.1


FWHM Type II

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM284-3030-40X1-T 2



LIGHT SOURCE

LXWXH (mm) 107.9x74.5x8.6


FWHM Type 2

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM293-5050-14X1-T II



LIGHT SOURCE

LXWXH (mm) 142.2x75.2x8.4


FWHM TYPE II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM285-5050-6X1-T 2



LIGHT SOURCE

LXWXH (mm) 50x50x6.6


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM294-5050-18X1-60°



LIGHT SOURCE

LXWXH (mm) 144.6x144.6x12.5


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM286-5050-8X1-T 2



LIGHT SOURCE

LXWXH (mm) 50x50x6.6


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM297-5050-12X1-T 2



LIGHT SOURCE

LXWXH (mm) 49.8x49.8x3.4


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM309-3030-64X1-Type 2



LIGHT SOURCE

LXWXH (mm) 100x100x5.8


FWHM Type 2

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM326-3535-117X1-T 2



LIGHT SOURCE

DXH (mm) 207.6x122.6x13.6


FWHM Type 2

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM315-5050-12X1-TYPE II H



LIGHT SOURCE

LXWXH (mm) 71.4x173x8.2


FWHM TYPE II H

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM329-5050-2X2-T 2 M



LIGHT SOURCE

DXH (mm) 50x50x7.9


FWHM Type 2 M

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM322-3030-28X1-T 2



LIGHT SOURCE

LXWXH (mm) 93.2x65.2x8.4


FWHM Type 2

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM330-3030-24X1-150X75°



LIGHT SOURCE

LXWXH (mm) 71.4x173x7.8


FWHM 150x75°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM334-5050-84X1-T 2 M



LIGHT SOURCE

LXWXH (mm) 133x285x6.8


FWHM Type 2 M

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM355-5050-18X1-145X45°



LIGHT SOURCE

LXWXH (mm) 100x100x9.8


FWHM 145x45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM340-5050-2X1-145x45°



LIGHT SOURCE

LXWXH (mm) 25x50x8.1


FWHM 145x45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM358-5050-16X1-T 2 M



LIGHT SOURCE

LXWXH (mm) 80x108x7.9


FWHM Type 2 M

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM354-5050-12X1-T 2



LIGHT SOURCE

LXWXH (mm) 71.4x173x8.7


FWHM Type 2

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM373-60X1-5050-T-II



LIGHT SOURCE

LXWXH (mm) 248X100X15.3


FWHM Type II

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM385-59X1-3535-MR-T-II



LIGHT SOURCE

LXWXH (mm) 254.8X128X12.0


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM410-47X1-2835-T-II



LIGHT SOURCE

LXWXH (mm) 60.17X80.17X7.59


FWHM Type II

LED PACKAGE 2835

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM406-10X1-5050-T-II



LIGHT SOURCE

LXWXH (mm) 100X60X8.32


FWHM Type II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM426-5050-28X1-T II



LIGHT SOURCE

LXWXH (mm) 228.83X70.83X9.02


FWHM Type II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM409-78X1-5050-T-II



LIGHT SOURCE

LXWXH (mm) 426.50X127.50X8.21


FWHM Type II

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM428-3535-9X1-NR



LIGHT SOURCE

LXWXH (mm) 62.80X43.80X7.78


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM434-64X1-3535-T-II H



LIGHT SOURCE

LXWXH (mm) 228.76X70.76X8.60


FWHM Type II H

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM440-3030-50X1-T II



LIGHT SOURCE

LXWXH (mm) 262X124.8X14


FWHM Type II

LED PACKAGE 3030


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM435-5050-20X1-T II



LIGHT SOURCE

LXWXH (mm) 141.1X74.5X9.7


FWHM Type II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM441-12X1-3535-MR-T-II



LIGHT SOURCE

LXWXH (mm) 62.80X43.80X7.59


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM439-3030-30X1-T II



LIGHT SOURCE

LXWXH (mm) 222X106.5X14.6


FWHM Type II

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM442-3535-9X1-HW



LIGHT SOURCE

LXWXH (mm) 67X46X3.60


FWHM Type II

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM452-24X1-3030-T-II



LIGHT SOURCE

LXWXH (mm) 188.6X85.4X15.4


FWHM Type II

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM462-40X1-3030-158X98°



LIGHT SOURCE

LXWXH (mm) 100.6X60.3X8.4


FWHM 158X98°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM472-48X1-5050-T-II



LIGHT SOURCE

LXWXH (mm) 424X203X11.4


FWHM Type II

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK03-3535-1x1-60°



LIGHT SOURCE

LXWXH (mm) 12.10x11.30x5.50


FWHM 60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK22-3535-30x1-60x60°



LIGHT SOURCE

LXWXH (mm) 189.7x59.9x7.4


FWHM 60x60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK07-3535-1x1-45°



LIGHT SOURCE

DXH (mm) 19.7x10.5


FWHM 45°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK26-3535-2x2-60°



LIGHT SOURCE

LXWXH (mm) 49.8x49.8x5.5


FWHM 60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK15-3535-1x1-60°



LIGHT SOURCE

LXWXH (mm) 13.6x7.6


FWHM 60°

LED PACKAGE 3535


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK27-3535-2x2-90°



SPECIFICATIONS:

LXWXH (mm) 49.8x49.8x7


FWHM 90°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK29-3030-115x1-60°



SPECIFICATIONS:

DXH (mm) 135x9.8


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK41-3535-8x1-30°



SPECIFICATIONS:

LXWXH (mm) 49.4x49.4x7.1


FWHM 30°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK36-3535,5050-2x2-60x60°



LIGHT SOURCE

LXWXH (mm) 49.8x49.8x7


FWHM 60x60°

LED PACKAGE 3535, 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK42-3030-1x1-90°



LIGHT SOURCE

LXWXH (mm) 114x12.2x114


FWHM 90°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK37-3535,5050-1x1-60°



LIGHT SOURCE

DXH (mm) 15x8.8


FWHM 60x60°

LED PACKAGE 3535, 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK43-3535,5050-1x1-90°



LIGHT SOURCE

DXH (mm) 15x7.1


FWHM 90°

LED PACKAGE 3535,5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK44-3030-12x1-90°



LIGHT SOURCE

LXWXH (mm) 49.5x49.5x4


FWHM 90°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK47-3535-1x1-120x25°



LIGHT SOURCE

LXWXH (mm) 50x50x8.5


FWHM 120x25°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK45-3535-2x2-60°



LIGHT SOURCE

LXWXH (mm) 50x50x8.5


FWHM 60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK51-3535-3x3-90°



LIGHT SOURCE

LXWXH (mm) 49.5x49.5x5


FWHM 90°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK46-3535-2x2-25°



SPECIFICATIONS:

LXWXH (mm) 50x50x8.5


FWHM 25°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK52-3737-8x1-90°



LIGHT SOURCE

LXWXH (mm) 49.5x49.5x4.97


FWHM 90°

LED PACKAGE 3737

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK53-5050-3X3-90°



LIGHT SOURCE

LXWXH (mm) 49.9x49.9x8


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK59-5050-3x3-60°



LIGHT SOURCE

LXWXH (mm) 49.9x49.9x9.9


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK56-3030-16x1-60°



LIGHT SOURCE

LXWXH (mm) 49.25x49.25x5.5


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK65-3535-115x1-90°



LIGHT SOURCE

D X H (mm) 135x9.8


FWHM 90°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK57-3030-16x1-90°



SPECIFICATIONS:

LXWXH (mm) 49.25x49.25x3.97


FWHM 90°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK67-3535,5050-2x2-60°



LIGHT SOURCE

LXWXH (mm) 50x50x7.95


FWHM 60°

LED PACKAGE 3535, 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK68-3535,5050-2x2-90°



LIGHT SOURCE

LXWXH (mm) 49.8x49.8x7.0


FWHM 90°

LED PACKAGE 3535, 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK95-3535-1x1-30°



LIGHT SOURCE

DXH (mm) 11.95x7.4


FWHM 30°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK79-5050-1x1-45°



LIGHT SOURCE

LXWXH (mm) 15.1x11.4x7.2


FWHM 45°

LED PACKAGE 3535, 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK96-3030-1x1-40°



LIGHT SOURCE

LXWXH (mm) 14.5x14.5x8.4


FWHM 40°

LED PACKAGE 2835, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK84-5050-16x1-60°



SPECIFICATIONS:

LXWXH (mm) 107x107x11.9


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK97-5050-15x1-90°



LIGHT SOURCE

LXWXH (mm) 53.5x89.5x8


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK98-3030-12x1-60°



LIGHT SOURCE

LXWXH (mm) 49x49x6.3


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK100-5050-1x1-25°



LIGHT SOURCE

DXH (mm) 21.2x10.4


FWHM 25°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK107-3030-1x1-25°



LIGHT SOURCE

LXWXH (mm) 16x16x10


FWHM 25°

LED PACKAGE 2835, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK113-5050-30x1-60°



LIGHT SOURCE

LXWXH (mm) 204x84x8.4


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK129-5050-1x1-60°



LIGHT SOURCE

LXWXH (mm) 14x14x6.7


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK114-5050-30x1-90°



LIGHT SOURCE

LXWXH (mm) 204x84x8.4


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK134-3535-42x1-60°



SPECIFICATIONS:

LXWXH (mm) 173.2x75x8.10


FWHM 60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK124-5050-16x1-60°



LIGHT SOURCE

LXWXH (mm) 50x50x7


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK135-5050-2x2-120°



LIGHT SOURCE

LXWXH (mm) 25.40x49.80x49.80


FWHM 120°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK146-3030-200x1-60°



LIGHT SOURCE

D X H (mm) 308x6.55


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK147-3030-200x1-60°



LIGHT SOURCE

D X H (mm) 226x6.5


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK147-3030-200x1-90°



LIGHT SOURCE

D X H (mm) 226x6.5


FWHM 90°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK150-3030-60°



LIGHT SOURCE

D X H (mm) 218x9.4


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM162-5050-33x1-60°



SPECIFICATIONS:

LXWXH (mm) 300x80.9x9.7


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK151-3030-60°



LIGHT SOURCE

D X H (mm) 240x240


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM165-3030-54x1-90°



LIGHT SOURCE

LXWXH (mm) 237x104


FWHM 90°

LED PACKAGE 3030


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK155-5050-3x3-30°



LIGHT SOURCE

LXWXH (mm) 49.45x49.45x8.8


FWHM 30°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM167-5050-32x1-60°



LIGHT SOURCE

LXWXH (mm) 273x71.1x10.9


FWHM 60°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM169-2835,3535-33X1-60°



LIGHT SOURCE

LXWXH (mm) 286x60x7.8


FWHM 60°

LED PACKAGE 2835,3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM186-5050-54x1-60°



LIGHT SOURCE

DXH (mm) 265x4.3


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM174-5050-1x1-25°



LIGHT SOURCE

LXWXH (mm) 15x15x8.8


FWHM 25°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM189-3030-126X1-60°



LIGHT SOURCE

LXWXH (mm) 187.3x133.3x5.3


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM185-3030-50x1-60°



LIGHT SOURCE

LXWXH (mm) 197.1x91.1x8.1


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM190-3030-24x1-60°



SPECIFICATIONS:

LXWXH (mm) 49.9x1.8


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate





OM211-1x1-Single Holder Lens



LIGHT SOURCE

D X H (mm) 22.2x11.8


FWHM -

LED PACKAGE -

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM213-3030-24X1-90°



LIGHT SOURCE

LXWXH (mm) 50x50x4.5


FWHM 90°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM214-3030-1X1-20°



LIGHT SOURCE

DXH (mm) 20x13.3


FWHM 20°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM218-3535-1x1-60°



LIGHT SOURCE

DXH (mm) 19.5x12


FWHM 60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM223-3030-12x1-25°



LIGHT SOURCE

LXWXH (mm) 49.5x49.5x6.1


FWHM 25°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM221-5050-18x1-120°



LIGHT SOURCE

DXH (mm) 128.8x5.6


FWHM 120°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM226-5050-150X1-60°



LIGHT SOURCE

DXH (mm) 306.2x186.7x8


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM222-5050-9X1-60°



LIGHT SOURCE

LXWXH (mm) 49.9x49.9x8.3


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM231-5050-50X1-60°



LIGHT SOURCE

LXWXH (mm) 248.3x212.9x8.8


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM233-3535-8x1-60°



LIGHT SOURCE

LXWXH (mm) 50x50x6.8


FWHM 60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM244-5050-63X1-60°



LIGHT SOURCE

DXH (mm) 325x9.8


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM239-3535-1x1-45°



LIGHT SOURCE

LXWXH (mm) 19.6x19.6x11


FWHM 45°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM247-5050-30x1-90°



LIGHT SOURCE

DXH (mm) 159.8x18.5


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM241-3535-1X1-7°



LIGHT SOURCE

LXWXH (mm) 18.4x21.7x14.6


FWHM 7°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM249-18X1-3030X4-90°



LIGHT SOURCE

LXWXH (mm) 194.5X138X13


FWHM 90°

LED PACKAGE 3030X4

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM255-5050-45X1-60°



LIGHT SOURCE

DXH (mm) 208x10.1


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM266-5050-60°



LIGHT SOURCE

DXH (mm) 184x9.4


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM256-5050-36X1-60°



LIGHT SOURCE

DXH (mm) 175x9.4


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM267-5050-60X1-60°



LIGHT SOURCE

DXH (mm) 265.6x15


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM263-3535-66x1-60°



LIGHT SOURCE

DXH (mm) 170x136x10


FWHM 60°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM268-5050-FT-4x1-58°



LIGHT SOURCE

LXWXH (mm) 50x50x6.2


FWHM 58°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM269-5050-WFT-4X1-55°



LIGHT SOURCE

LXWXH (mm) 50x50x6.1


FWHM 55°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM270-5050-1X1-24°



LIGHT SOURCE

DXH (mm) 28.8x16.85


FWHM 24°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM271-5050-42X1-70X85°



LIGHT SOURCE

LXWXH (mm) 173.2x75x8


FWHM 70X85°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM279-5050-8x1-30x70°



LIGHT SOURCE

LXWXH (mm) 50x50x8.1


FWHM 30x70°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM282-5050-64X1-60°



LIGHT SOURCE

LXWXH (mm) 272.34x115.95x19.9


FWHM 60°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM287-3535-28X1-60°



LIGHT SOURCE

LXWXH (mm) 100x100x9.6


FWHM 60°

LED PACKAGE 3535


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM288-3030-1X1-160°



LIGHT SOURCE

DXH (mm) 14.6x5.4


FWHM 160°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM292-5050-1X1-60°



LIGHT SOURCE

DXH (mm) 19.7x10.4



FWHM 60°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



ARCHITECTURE LIGHTING



OM298-5050-12X1-20°



LIGHT SOURCE

LXWXH (mm) 172.9X71.3X11.9


FWHM 20°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM308-5050-60°



LIGHT SOURCE

DXH (mm) 225.6x10.4


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM310-3030-1X1-45°



LIGHT SOURCE

DXH (mm) 19.8x10.58


FWHM 45°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM311-3535,5050-2X1-95x15°



LIGHT SOURCE

LXWXH (mm) 50x50x9


FWHM 95x15°

LED PACKAGE 3535,5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM323-5050-60X1-90°



LIGHT SOURCE

DXH (mm) 265.6x15


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM313-12X1-5050-60°



LIGHT SOURCE

LXWXH (mm) 71.4X173X9.6


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM324-5050-36X1-60°



LIGHT SOURCE

DXH (mm) 175x9.7


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM314-12X1-5050-90°



LIGHT SOURCE

LXWXH (mm) 71.4X173X9.6


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM325-5050-36x1-90°



LIGHT SOURCE

DXH (mm) 175x8.8


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM331-5050-8x1-30°



LIGHT SOURCE

LXWXH (mm) 50x50x9


FWHM 30°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM333-5050-90°



LIGHT SOURCE

DXH (mm) 184x6.3


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM335-3030-1X1-20°



LIGHT SOURCE

DXH (mm) 19.8x10.5


FWHM 20°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM339-2835,3030-1X1-60°



LIGHT SOURCE

DXH (mm) 27.7x8.6


FWHM 60°

LED PACKAGE 2835, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM341-3030-1X1-30x15°



LIGHT SOURCE

LXWXH (mm) 17.3x18.7x12.2


FWHM 30x15°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM343-5050-1X1-30X70°



LIGHT SOURCE

LXWXH (mm) 12x15x9.5


FWHM 30x70°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM345-3030-2X2-120X20°



LIGHT SOURCE

LXWXH (mm) 50x50x12.8


FWHM 120x20°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM350-3535-68X1-30°



LIGHT SOURCE

LXWXH (mm) 85x300x12.4


FWHM 30°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM346-5050-1X1-90°



LIGHT SOURCE

DXH (mm) 225.6x11.1


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM351-68X1-3535-60°



LIGHT SOURCE

LXWXH (mm) 85x300x12.4


FWHM 60°

LED PACKAGE 3535


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM348-3535-16X1-30°



LIGHT SOURCE

LXWXH (mm) 50x50x7.4


FWHM 30°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM352-3535-68X1-120°



LIGHT SOURCE

LXWXH (mm) 85x300x12.4


FWHM 120°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM353-5050-28X1-60°



LIGHT SOURCE

LXWXH (mm) 71.11x229.11x12.05


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM359-5050-1X1-60°



LIGHT SOURCE

LXWXH (mm) 50x50x7.6


FWHM 60°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM361-5050-1X1-60°



LIGHT SOURCE

LXWXH (mm) 178x187.4x12.8



FWHM 60°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM363-1X1-3030-40°



LIGHT SOURCE

DXH (mm) 19.8X10.6


FWHM 40°

LED PACKAGE 3030


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM375-5050-8X1-90°



LIGHT SOURCE

LXWXH (mm) 50X50X5.7


FWHM 90°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM364-3535-64X1-60°



LIGHT SOURCE

LXWXH (mm) 70.8x228.8x8.4


FWHM 60°

LED PACKAGE 3535


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM376-5050-8X1-60°



LIGHT SOURCE

LXWXH (mm) 50X50X6.3


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM365-64X1-3535-90°



LIGHT SOURCE

LXWXH (mm) 70.77x228.77x8.4


FWHM 90°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM380-3030-28X1-10°



LIGHT SOURCE

LXWXH (mm) 229.1x71.1x15.4


FWHM 10°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM381-5050-33X1-90°



LIGHT SOURCE

LXWXH (mm) 80.9X300X9.4


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM382-5050-81X1-60°



LIGHT SOURCE

DXH (mm) 201X9.3


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM391-1X1-COB-36°



LIGHT SOURCE

DXH (mm) 44X8.5


FWHM 36°

LED PACKAGE COB

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM394-5050-1X1-60°



LIGHT SOURCE

DXH (mm) 19.4X12.0


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM395-5050-42X1-25°



LIGHT SOURCE

LXWXH (mm) 187.41X187.41X12


FWHM 25°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM397-90X1-3030-60°



LIGHT SOURCE

LXWXH (mm) 136.59X92.23X9.45


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM398-5050-1X1-10°



LIGHT SOURCE

DXH (mm) 21.0x14.20


FWHM 10°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM413-6X1-3535-15°



LIGHT SOURCE

DXH (mm) 68.9X9.83


FWHM 15°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM399-2835X4-1X1-25°



LIGHT SOURCE

DXH (mm) 19.95X11.3


FWHM 25°

LED PACKAGE 2835X4

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM414-9X1-3535-15°



LIGHT SOURCE

DXH (mm) 92.53X9.89


FWHM 15°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM412-3X1-3535-15°



LIGHT SOURCE

DXH (mm) 49.9X13.40 mm


FWHM 15°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM415-12X1-3535-15°



LIGHT SOURCE

DXH (mm) 91.50X9.83


FWHM 15°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM419-1X1-3535-90°



LIGHT SOURCE

LXWXH (mm) 187.41X187.41X11.40


FWHM 90°

LED PACKAGE 3535


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM430-96X1-5050-90°



LIGHT SOURCE

LXWXH (mm) 100X100X8.50


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM427-1X1-COB-36°



LIGHT SOURCE

DXH (mm) 35X7.9


FWHM 36°

LED PACKAGE COB

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM443-32X1-5050-90°



LIGHT SOURCE

DXH (mm) 158.4X5


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM429-2X2-5050-60°



LIGHT SOURCE

LXWXH (mm) 50X50X12.97


FWHM 60°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM444-40X1-5050-90°



LIGHT SOURCE

DXH (mm) 183X6


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM445-76X1-5050-90°



LIGHT SOURCE

DXH (mm) 225.1X6


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM448-1X1-5050-90°



LIGHT SOURCE

DXH (mm) 225.1X8.9


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM446-1X1-5050-90°



LIGHT SOURCE

DXH (mm) 158.4X10.2


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM449-1X1-COB-36°



LIGHT SOURCE

DXH (mm) 68.4X12.8


FWHM 36°

LED PACKAGE COB

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM447-1X1-5050-90°



LIGHT SOURCE

DXH (mm) 183.0X10.4


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM470-5050-108X1-60°



LIGHT SOURCE

DXH (mm) 325X9.4


FWHM 60°

LED PACKAGE 5050


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM471-24X1-5050-90°



LIGHT SOURCE

LXWXH (mm) 120X120X8.8


FWHM 90°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM476-64X1-5050-30°



LIGHT SOURCE

LXWXH (mm) 230.3X71.2X9.1


FWHM 30°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM454-1X1-3030-10°



LIGHT SOURCE

DXH (mm) 300.03X20


FWHM 10°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM455-1X1-3030-30°



LIGHT SOURCE

DXH (mm) 300X20


FWHM 30°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM456-1X1-3030-60°



LIGHT SOURCE

DXH (mm) 300.03X20


FWHM 60°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK90-3030-1x1-20°



SPECIFICATIONS:

LXWXH (mm) 19.6x10.45


FWHM 20°

LED PACKAGE 3030


CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK14-3030-1x1-160°



LIGHT SOURCE

DXH (mm) 15.6x6


FWHM 160°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK122-3535-1x1-90x20°



SPECIFICATIONS:

LXWXH (mm) 27.6x20x12.6


FWHM 90x20°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK101-3030-1x1-160°



LIGHT SOURCE

DXH (mm) 13x3.9


FWHM 160°

LED PACKAGE 2835, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



Ok125-3535-2x2-100x20°



LIGHT SOURCE

LXWXH (mm) 50x50x9


FWHM 100x20°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM328-1X1-3030-160°



LIGHT SOURCE

DXH (mm) 13.4x4.5


FWHM 160°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM289-3030-1X1-160°



SPECIFICATIONS:

DXH (mm) 13.3x5


FWHM 160°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK82-5050-2x2-25°



LIGHT SOURCE

LXWXH (mm) 49.7x49.7x11.7


FWHM 25°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK123-3535-2x2-15°



LIGHT SOURCE

LXWXH (mm) 50x50x8.8


FWHM 15°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK115-3535-1x1-9°



SPECIFICATIONS:

DXH (mm) 21x13


FWHM 9°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK128-3535-1X1-3°



LIGHT SOURCE

D X H (mm) 34.7x17


FWHM 3°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM161-3030-1x1-17°



LIGHT SOURCE

LXWXH (mm) 14x9.8


FWHM 17°

LED PACKAGE 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM201-5050-2x2-45°



LIGHT SOURCE

LXWXH (mm) 49.7x49.7x11.70


FWHM 45°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM212-5050-1x1-25°



LIGHT SOURCE

DXH (mm) 20x10.6


FWHM 25°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM274-3535-1x1-7°



SPECIFICATIONS:

DXH (mm) 21.7x11.5


FWHM 7°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM234-3535-1x1-3°



LIGHT SOURCE

DXH (mm) 35x22.3


FWHM 3°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM307-3535-18X1-10°



LIGHT SOURCE

LXWXH (mm) 74.86x74.86x10.96


FWHM 10°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM240-5050-4x1-15°



LIGHT SOURCE

LXWXH (mm) 50x50x16.3


FWHM 15°

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM396-3535-12X1-10°



LIGHT SOURCE

LXWXH (mm) 49.72x49.72x9.79


FWHM 10°

LED PACKAGE 3535

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OM235-1x1-TOWER LENS



LIGHT SOURCE

LXWXH (mm) 70.4x27.9x25.3


FWHM TOWER LENS

LED PACKAGE -

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK152-5050-PLAIN COVER



LIGHT SOURCE

LXWXH (mm) 156x125.6x16.5


FWHM PLAIN COVER

LED PACKAGE 5050

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



OK153-3535-3030-PLAIN COVER



LIGHT SOURCE

LXWXH (mm) 107.9x74.5x8.85


FWHM PLAIN COVER

LED PACKAGE 3535, 3030

CREE, OSRAM, SEOUL, SAMSUNG

Material

Polycarbonate



**For Your New Customized Development do not
Hesitate to Contact us Because we Want to Work
Together not only a Lens Manufacturer but a real
Partner in Your Project.**

100% Make in India.



OPTIKS MECHATRONICS PVT. LTD

**Address: Plot No. 360, Udyog Kendra 2, Ecotech III,
Greater Noida, Uttar Pradesh 201306**

Phone No. + 91 9736365019

E-mail: ps@optikskarkhana.net

Website: www.optiksmechatronics.com

