




BRIGHT TECHNOLOGY INDUSTRIAL LTD
深圳必锐科技有限公司

2/0/2/3

ABOUT US



COMPANY PROFILE

Shenzhen Bright Technology Industrial Limited is an innovative enterprise established in 2010. Our factory is 3000 square meters with more than 150 employees.

We are specialized in R&D, producing, selling and after-sell service of flexible LED strip, LED grow light, LED neon light, LED UV light, LED bar light, etc.

We are located in Longhua district, the center of Shenzhen city, which has very strong infrastructure for raw material supply, factory production, technical consulting and logistics service.

Our staff are all good trained and have rich experience in LED business. We are dedicated in providing "professional, high quality, innovative and perfect" products and one-stop customer service, and available to offer products according to the customers' requirements at any time to ensure superior customer satisfaction.

We have obtained a serial certificate for our products and company, including CE, RoHS, TUV, UL, BIS, ISO9001, etc. A variety of payment methods and shipping methods are available to meet different demands of customers all over the world. We are highly trusted and praised by our customers.

In addition to the regular products, we also provide OEM and ODM service. Besides selling the products in our catalog, we are looking forward to your good new idea and expecting jointly developing new products with you.

We sincerely hope that with our good reputation at home and abroad, we can establish long-term partner relation and mutually beneficial cooperation, and achieve substantial development with you. Looking forward to your visit at any time.

公司介绍

深圳必锐科技有限公司是专业从事新型半导体LED电光源与LED照明应用相结合的高新技术企业，集研发、生产、销售、服务为一体。公司拥有一批专业、精干、务实、精通LED半导体新光源的一流技术开发团队和国际视野市场的开拓人才。公司秉承“诚信、创新、共赢”的经营理念，积极进取，稳步发展，为用户提供高品质的LED照明产品和优质的售后服务。

实现节能降耗，技术进步是关键。目前必锐仍在不懈的努力，以诚信、务实、创新的精神不断的研发适用各种场所的LED系列新产品。公司依照ISO9001国际质量标准体系管理运作，建立了一套严谨的品质管理和保证体系。为国内外客商提供技术支持、产品配套、备品配件及相关服务。

必锐科技有限公司在LED半导体照明领域内拥有多项自主知识产权的技术，结合最新的电子科技推出了一系列的LED照明产品，功率从1W-200W广泛用于城市景观、公司办公楼、工业厂房、机场、车站、地铁、学校、医院、商场、超市、居民小区、街道、园林公园、消防警示、户外帐篷等各种场合中使用。目前公司的核心产品主要是植物灯、线条灯、灯带、杀菌灯、智能化LED照明等产品，该系列产品已经在同内外广泛应用，并得到一致的好评。

必锐科技秉承着技术是生命、质量是市场、交期是信用、成本是能力、服务是绩效的经营理念。用优质的产品满足社会对绿色节能光电产品的新需求，立志成为中国LED照明产业的领跑者。我们热切希望与国内外伙伴建立长期合作的伙伴关系，共创多赢市场。

ABOUT US



CE RoHS ISO9001:2015 SGS



CONTENTS/目录一

LED Strip	High Efficiency	01-02
	SMD2835	03-04
	SMD5050	05-06
	RGB(W/WW)	07-08
	SMD3014	09-10
	SMD3528	11-12
	SMD2220	13-14
	SMD2110	15-16
	SMD3535	17-18
	Addressable	19-20
	DMX512	21-22
	Constant Current	23-24
	Narrow	25-26
	High Voltage	27-28
	Kit	29-30
COB Strip	Roll To Roll	31-32
	Narrow	33-34
	Single Color	35-36
	Tunable White	37-38
	RGB(W/WW)	39-40
	Constant Current	41-42
	Free Cutting	43-44
	Addressable	45-46
	High Voltage	47-48
UV LED Strip		49-50
Neon Strip	Side View	51-52
	Top View	53-54
	Round View	55-56
	Free Style	57-58
Flex LED Wall Wash Light		59-60
Accessories		61-64

High Efficiency



SMD2835

	1800
	2200
	2700
	3000
	4000
	5000
	6000
	8000
	10000
	20000
	Red
	Green
	Blue





SMD2835 LED STRIP/2835 软灯条

LED: 0.8mm Strong base/厚度加强

CRI: >90/95/97

Application:

PCB material: FPC double sides copper

Interior design / 室内设计

PCB 材质: FPC 双面铜

Architectural design / 建筑设计

IP grade: IP20/IP65/IP66/IP68

Advertisement project / 广告项目

防水等级: IP20 / IP65 / IP66 / IP68

Display design / 展示设计


NO. 型号	VOLTAGE 电压(DC)	POWER 功率	LED QTY. 灯珠数量	PCB Width 板宽	CRI 显指	LUMEN FLUX 流明	Light Efficiency 光效	DIMENSIONS 剪切长度
BG-240-2835-300-S	12V	7.2 W	60 pcs/m	6mm	>90	590 Lm	86 Lm/w	12V 50mm
BG-240-2835-300	12V/24V	14.4 W	60 pcs/m	8mm	>90	1150 Lm	86 Lm/w	24V 100mm 12V 50mm
BG-241-2835-600	12V/24V	19.2 W	120 pcs/m	10mm	>90	1570 Lm	86 Lm/w	24V 50mm 12V 25mm
BG-256-2835-600	12V/24V	14.4 W	120 pcs/m	8mm	>90	1180 Lm	86 Lm/w	24V 50mm 12V 25mm
BG-257-2835-600	24V	7.2 W	120 pcs/m	6mm	>90	610 Lm	86 Lm/w	24V 50mm
BG-242-2835-300-CCT	12V/24V	14.4 W	60 pcs/m	10mm	>90	1150 Lm	86 Lm/w	24V 200mm 12V 100mm
BG-244-2835-600-CCT	12V/24V	19.2 W	120 pcs/m	12mm	>90	1570 Lm	86 Lm/w	24V 100mm 12V 50mm
BG-224-2835-300	24V	12W	60 pcs/m	10mm	>90	1080 Lm	90 Lm/w	24V 100mm
BG-225-2835-600	12V	9W	120 pcs/m	6mm	>90	855 Lm	95 Lm/w	24V 25mm
BG-226-2835-600	12V	12W	120 pcs/m	8mm	>90	1080 Lm	90 Lm/w	24V 25mm
BG-227-2835-600	24V	18 W	120 pcs/m	10mm	>90	1550 Lm	85 Lm/w	24V 50mm
BG-267-2835-900	24V	20W	180 pcs/m	10mm	>90	1800 Lm	90 Lm/w	24V 33.3mm
BG-268-2835-1200	24/48V	20W	240 pcs/m	10mm	>90	1900 Lm	95 Lm/w	48V 50mm 24V 25mm
BG-243-2835-1200	24V	24 W	240 pcs/m	12mm	>90	1920 Lm	86 Lm/w	24V 50mm
BG-245-2835-1200	24V	24 W	240 pcs/m	12mm	>90	1920 Lm	86 Lm/w	24V 25mm
BG-228-2835-500	12V	12W	100 pcs/m	8mm	>90	1032 Lm	86 Lm/w	12V 10mm
BG-229-2835-500	24V	12W	100 pcs/m	8mm	>90	1032 Lm	86 Lm/w	24V 10mm
BG-254-2835-600	12V	14.4 W	120 pcs/m	8mm	>90	1220 Lm	86 Lm/w	12V 8.3mm
BG-255-2835-600	24V	14.4 W	120 pcs/m	8mm	>90	1220 Lm	86 Lm/w	24V 8.3mm
BG-291-2835-600-RGB	24V	18 W	120 pcs/m	10mm	/	/	/	24V 50mm


SMD5050



防水等级：IP20 / IP65 / IP66 / IP68

Car decoration / 汽车装饰



NO. 型号	VOLTAGE 电压(DC)	POWER 功率	LED QTY. 灯珠数量	PCB Width 板宽	CRI 显指	LUMEN FLUX 流明	Light Efficiency 光效	DIMENSIONS 剪切长度
BG-112-5050-150	12V/24V	7.2 W	30 pcs/m	10mm	>80	650 Lm	90 Lm/w	
BG-113-5050-300	12V/24V	14.4 W	60 pcs/m	10mm	>80	1300 Lm	90 Lm/w	
BG-278-5050-300-CCT	12V	12W	60 pcs/m	8mm	>80	1080 Lm	90 Lm/w	
BG-115-5050-300-CCT	12V/24V	14.4W	60 pcs/m	10mm	>80	1300 Lm	90 Lm/w	
BG-119-5050-480	12V/24V	18 W	96 pcs/m	10mm	/	/	/	
BG-114-5050-600	12V/24V	24 W	120 pcs/m	15mm	>80	2160 Lm	90 Lm/w	
BG-279-5050-600	12V/24V	18W	120 pcs/m	10mm	>80	/	/	

RGB(W/WW)





Application:

Interior design / 室内设计

Architectural design / 建筑设计

Advertisement project / 广告项目

Outdoor illuminated signs / 户外照明标志


Billboard decoration / 广告牌装饰

Display design / 展示设计

Underwater lighting engineering / 水下照明工程

Car decoration / 汽车装饰

CCT Range/色温范围 <<<<<<<<<<<<<<<<<



www.bright-est.com

SMD3014






A roll of illuminated LED strip light is shown. The top part of the roll is coiled into a circular shape, revealing the underside of the flexible circuit board which has a black, cross-shaped pattern. The LEDs on the top surface are glowing with a warm white or yellowish light. The bottom part of the roll is uncoiled, showing the top surface where the individual LEDs are visible, though they are not yet illuminated.

防水等级：IP20 / IP65 / IP66 / IP68

Car decoration / 汽车装饰

1800 2200 2700 3000 4000 5000 6000 8000 10000 20000



Side View:

10


SMD3528






防水等级：IP20 / IP65 / IP66 / IP68

Car decoration / 汽车装饰

[illegible]

NO. 型号	VOLTAGE 电压(DC)	POWER 功率	LED QTY. 灯珠数量	PCB Width 板宽	CRI 显指	LUMEN FLUX 流明	Light Efficiency 光效	DIMENSIONS 剪切长度
BG-106-3528-300	12V/24V	4.8 W	60 pcs/m	8mm	>80	460 Lm	95 Lm/w	
BG-107-3528-600	12V/24V	9.6 W	120 pcs/m	8mm	>80	910 Lm	95 Lm/w	
BG-110-3528-900	24V	14.4 W	180 pcs/m	10mm	>80	1440 Lm	100 Lm/w	
BG-108-3528-1200	12V/24V	19.2 W	240 pcs/m	14mm	>80	1820 Lm	95 Lm/w	
BG-109-3528-1200	12V/24V	19.2 W	240 pcs/m	10mm	>80	1820 Lm	95 Lm/w	

SMD2220



A roll of warm white LED strip lights is shown. The strip is coiled into a circular shape, with the outer edge glowing with a warm white light. The flexible circuit board is visible, showing the individual LEDs and the printed text "SMD 3528" and "12VDC". The roll is set against a white background with a dashed border.

Led type: SMD2220, high brightness led
灯珠型号: SMD2220, 高亮LED
PCB material: FPC double sides copper
PCB材质: FPC 双面铜
Life Span: >36000hours
产品寿命: >36000 小时
IP grade: IP20/IP65/IP66/IP68
防水等级: IP20 / IP65 / IP66 / IP68

Interior design / 室内设计

Architectural design / 建筑设计

Advertisement project / 广告项目




Outdoor illuminated signs / 户外照明标志

Billboard decoration / 广告牌装饰

Display design / 展示设计

Underwater lighting engineering / 水下照明工程

Car decoration / 汽车装饰




NO. 型号	VOLTAGE 电压 (DC)	POWER 功率	LED QTY. 灯珠 数量	PCB Width 板 宽	CRI 显 指	LUMEN FLUX 流 明	Light Efficiency 光 效	DIMENSIONS 剪 切 长 度
BG-260-2220-1200	24V	18 W	240 pcs/m	10mm	>90	1650 Lm	92 Lm/w	
BG-261-2220-1750	24V	24 W	350 pcs/m	12mm	>90	2400 Lm	100 Lm/w	
BG-266-2220-1120-DTW	24V	15 W	224 pcs/m	10mm	>90	1350 Lm	100 Lm/w	

SMD2110




SMD3535



A coiled strip of LED tape and a square LED module. The LED tape is white with green and gold components, and the square module is silver with a black frame.

防水等级：IP20 / IP65 / IP66 / IP68

Car decoration / 汽车装饰




NO. 型号	VOLTAGE 电压(DC)	POWER 功率	LED QTY. 灯珠数量	PCB Width 板宽	CRI 显指	LUMEN FLUX 流明	Light Efficiency 光效	DIMENSIONS 剪切长度
BG-290-3535-600	24V	24 W	120 pcs/m	12mm	/	/	/	24V 50mm

Addressable



DMX512



Constant Current



Narrow




A large roll of illuminated LED strip lights is shown, coiled into a circular shape. The strip is black with numerous small, glowing orange-red LEDs. The roll is set against a white background, and a smaller, unlit roll of the same strip is visible at the bottom.


- 最窄板宽3mm -

防水等级：IP20 / IP65 / IP66 / IP68


Car decoration / 汽车装饰

1800 2200 2700 3000 4000 5000 6000 8000 10000 20000



NO. 型号	VOLTAGE 电压(DC)	POWER 功率	LED QTY. 灯珠数量	PCB Width 板宽	CRI 显指	LUMEN FLUX 流明	Light Efficiency 光效	DIMENSIONS 剪切长度
BG-259-2835-600	12V/24V	6 W	120 pcs/m	3mm	>90	600 Lm	100 Lm/w	
BG-262-2220-600	24V	6 W	120 pcs/m	4mm	>90	600 Lm	100 Lm/w	
BG-264-2220-1200	24V	7.2 W	240 pcs/m	4mm	>90	720 Lm	100 Lm/w	
BG-284-2110-1200	24V	7.2 W	240 pcs/m	4mm	>90	720 Lm	100 Lm/w	
BG-120-3528-300	12V/24V	4.8 W	60 pcs/m	5mm	>80	960 Lm	100 Lm/w	
BG-121-3528-600	12V/24V	9.6 W	120 pcs/m	5mm	>80	960 Lm	100 Lm/w	
BG-252-3014-600	12V/24V	9.6 W	120 pcs/m	5mm	>80	960 Lm	100 Lm/w	
BG-258-2835-600	12V	9.6 W	120 pcs/m	5mm	>90	960 Lm	100 Lm/w	

High Voltage



Kit





Kit LED Strip/套装灯条


Box/盒子
DC connector/连接器
5m led strip/5米灯带
Power supply/电源

PCB material: FPC double sides copper
 PCB 材质: FPC 双面铜
 Life Span: >36000hours
 产品寿命: >36000 小时
 IP grade: IP20/IP65/IP66/IP68
 防水等级: IP20 / IP65 / IP66 / IP68

Application:

Interior design / 室内设计
 Architectural design / 建筑设计
 Advertisement project / 广告项目
 Outdoor illuminated signs / 户外照明标志
 Billboard decoration / 广告牌装饰
 Display design / 展示设计
 Car decoration / 汽车装饰


Connection Diagram/连接图



NO. 型号	VOLTAGE 电压 (DC)	POWER 功率	LED QTY. 灯珠数量	PCB Width 板宽	CRI 显指	DIMENSIONS 剪切长度
BG-240-2835-300-K	12V/24V	14.4 W	60 pcs/m	10mm	>80	
BG-112-5050-150-K	12V/24V	7.2 W	30 pcs/m	10mm	>80	
BG-113-5050-300-K	12V/24V	14.4 W	60 pcs/m	10mm	>80	
BG-112-5050-150-RGB-K	12V/24V	7.2 W	30 pcs/m	10mm	/	
BG-113-5050-300-RGB-K	12V/24V	14.4 W	60 pcs/m	10mm	/	
BG-213-5050-300-RGB+W-K	24V	14.4 W	60 pcs/m	10mm	/	
BG-216-5050-150-RGBW-K	24V	8 W	30 pcs/m	12mm	/	
BG-214-5050-300-RGBW-K	12V/24V	16 W	60 pcs/m	12mm	/	

COB LED STRIP

Roll To Roll



COB LED STRIP

Narrow





Application:

Interior design / 室内设计

Life Span: >36000hours

Architectural design / 建筑设计

产品寿命: >36000 小时

Advertisement project / 广告项目


IP grade: IP20/IP65/IP66/IP68

Outdoor illuminated signs / 户外照明标志

防水等级：IP20 / IP65 / IP66 / IP68

Billboard decoration / 广告牌装饰

Display design / 展示设计

[illegible]

COB LED STRIP

Single Color





Application:

Interior design / 室内设计

Architectural design / 建筑设计

Advertisement project / 广告项目

Outdoor illuminated signs / 户外照明标志

Billboard decoration / 广告 牌 装 饰


Display design / 展示设计

[illegible]

3000

6000


CCT Range/色温范围(Customizable/可定制)<<<<<<<<<<<<<<<<<<



www.bright-est.com

COB LED STRIP

Tunable White




COB LED STRIP

RGB(W/WW)



COB LED STRIP

Constant Current



COB LED STRIP

Free Cutting



COB LED STRIP

Addressable



COB LED STRIP

High Voltage





Application:

Interior design / 室内设计

Architectural design / 建筑设计

Advertisement project / 广告项目

Outdoor illuminated signs / 户外照明标志

Billboard decoration / 广告 牌 装 饰

Display design / 展示设计

PCB material: FPC double sides copper


PCB材质：FPC双面铜

Life Span: >36000hours

产品寿命：>36000 小时

IP grade: IP20/IP65/IP66/IP68


防水等级：IP20 / IP65 / IP66 / IP68

[illegible]

NO. 型号	VOLTAGE 电压(AC)	POWER 功率	Chip QTY. 灯数	PCB Width 板宽	CRI 显指	LUMEN FLUX 流明	Efficiency 光效	DIMENSIONS 剪切长度
BG-3081-400	AC 110V	12 W	400 Chip/m	10 mm	>90	1080 Lm/m	90 Lm/w	
BG-3082-432	AC 230V	12 W	432 Chip/m	10 mm	>90	1080 Lm/m	90 Lm/w	

UV LED Strip





UV LED STRIP/UV软灯条

Dimensions: 5m/roll

产品尺寸: 5米/卷

PCB material: FPC double sides copper

PCB材质: FPC双面铜

IP grade: IP20

防水等级: IP20

Application:

Welding

固化

Disinfection

消毒杀菌

Anti-counterfeiting verification

防伪验证



Health
健康



Environmental Protection
环保



Sterilization
杀菌



Energy Saving
节能




Convenient
便携

NO. 型号	VOLTAGE 电压(DC)	POWER 功率	LED QTY. 灯珠数量	PCB Width 板宽	Wave length 波长	DIMENSIONS 剪切长度
SMD2835 UVA LED Strip						
BG-240-2835-300	12V/24V	10 W	60 pcs/m	8mm	365-375nm 380-390nm	24V 100mm 12V 50mm
BG-241-2835-600	12V/24V	15 W	120 pcs/m	10mm	390-400nm 400-410nm	24V 50mm 12V 25mm







NO. 型号	LED TYPE 灯珠型号	VOLTAGE 电压(DC)	POWER 功率	Padiant Power 辐射功率	LED QTY. 灯珠数量	PCB Width 板宽	Wave length 波长	DIMENSIONS 剪切长度
SMD3535 UVC LED Strip								
BG-302-3535-120-UVC-A	3535+2835	12V	6 W	30 mW	UVC 12 pcs UVA 12 pcs	8mm	UVC 270-280 NM UVA 395-405 NM	12V 166mm
BG-304-3535-150-UVC-A	3535	12V	10 W	160 mW	UVC 30 pcs (2 in 1)	8mm	UVC 270-280 NM UVA 395-405 NM	12V 100mm
SMD3535 UVC LED Bar Light								
BG-1732C-3535-12-A	3535	12V	6 W	30 mW	UVC 12 pcs (2 in 1)	12mm	UVC: 270-280 NM UVA: 395-405 NM	510x17x7mm
BG-1732A-3535-12-A	3535	24V	6 W	30 mW	UVC 12 pcs	12mm	270-280 NM	510x17x7mm
BG-1732B-3535-12-A	3535	24V	10W	80 mW	UVC 12 pcs	12mm	270-280 NM	510x17x7mm
UVC Sterilize Lamp								
BG-DN-3535-UVC-20W-A	3535+2835	24V	20W	120 mW	UVC 18 pcs UVA 18 pcs	29mm	270-280 NM 395-405 NM	500x35x14mm

LED NEON STRIP

Side View




2200 2700 3000 4000 5000 6000 7000 8000 9000 10000 red green blue









DIMENSIONS 尺寸	NO. 型号	PCB Width 板宽	LED QTY. 灯珠数量
	BG-02TA-1020	10/12mm	120 pcs/m
		10mm	60 pcs/m
		12mm	72 pcs/m
	BG-02EA-1022	10mm	60 pcs/m
		12mm	60 pcs/m
	BG-02TA-1220	10mm	120 pcs/m
	BG-02TA-1023	10mm	120 pcs/m
	BG-02TA-1225	10/12mm	120 pcs/m
	BG-02EA-1515	10mm	120 pcs/m
	BG-02TA-1616	12mm	120 pcs/m
	BG-02TA-2020	10/12/15mm	120 pcs/m








LED NEON STRIP

Top View



[illegible]


DIMENSIONS 尺寸	NO. 型号	PCB Width 板宽	LED QTY. 灯珠数量
	BG-02TB-0606	4mm	120 pcs/m
	BG-02TB-1010	5mm	120 pcs/m
	BG-02TB1-1010	5mm	120 pcs/m
	BG-02TB-1212	8mm	120 pcs/m
	BG-02TB1-1212	8mm	120 pcs/m
	BG-02TB-1414	10mm	120 pcs/m
	BG-02TB-1515	10mm	120 pcs/m
	BG-02TB-1616	10mm	120 pcs/m






DIMENSIONS 尺寸	NO. 型号	PCB Width 板宽	LED QTY. 灯珠数量
	BG-02TB1-1616	10/12mm	120 pcs/m
	BG-02TB-2014	10/12mm	120 pcs/m
	BG-02TB-2020	10mm	120 pcs/m
	BG-02TB-2517	10mm	120 pcs/m
	BG-02TB-3020	15mm	240 pcs/m
	BG-02TB-5025	20mm	240 pcs/m
	BG-02TB-10030	20mm	240 pcs/m





LED NEON STRIP

Round View



[illegible][illegible]

DIMENSIONS 尺寸	NO. 型号	PCB Width 板宽	LED QTY. 灯珠数量
	BG-02TD-1313	8mm	120 pcs/m
	BG-02TD-1513	10mm	120 pcs/m
	BG-02TD-1614	8mm	120 pcs/m
	BG-02TD-1716	10mm	120 pcs/m
	BG-02TD-2222	5mm	120 pcs/m


DIMENSIONS 尺寸	NO. 型号	PCB Width 板宽	LED QTY. 灯珠数量
	BG-02TD-D20	10mm	120 pcs/m
	BG-02TD-D16	8mm	240 pcs/m
	BG-02TD-D22	8mm	240 pcs/m
	BG-02TD-D25	10mm	240 pcs/m
	BG-02TD-D40	10mm	240 pcs/m

LED NEON STRIP


Free Style





[illegible]

DIMENSIONS 尺寸	NO. 型号	PCB Width 板宽	LED QTY. 灯珠数量
	BG-02HD2-D25	8/10mm	240 pcs/m
	BG-02HD3-D25	8/10mm	240 pcs/m


CCT Range/色温范围<<<<<<<<<<<



Mounting / 安装



Flex Wall Washer light



A photograph showing a row of small, lit candles in a dark setting. The candles are arranged in a horizontal line, and their flames are visible. Below the candles, their reflections are clearly visible on a dark, reflective surface. The overall lighting is dim, with the primary light source being the candles themselves.

- 多角度透镜可选 -

质保时间：3年

展示设计

1800 2200 2700 3000 4000 5000 6000 8000 10000 20000 Red Green Blue



www.bright-est.com

Accessories/ 配件



POWER SUPPLY

— 电源 —

120W

240W

320W

480W




640W

960W



CONNECTOR/连接器

CONTROLLER/控制器



Accessories/配件



IR Controller/IR 控制器




RF Controller/RF 控制器




Wifi/Bluetooth Controller/Wifi/蓝牙控制器


Aluminium Profiles/铝型材




BG-0806




BG-0808




BG-0809




BG-0812B




BG-1207




BG-1220




BG-1215




BG-1010




BG-1510




BG-1606




BG-1606C




BG-1607




BG-1612B




BG-1612C




BG-1613




BG-1614




BG-1706




BG-1706D




BG-1714B




BG-1813




BG-1809




BG-1909A




BG-1911A




BG-2011A




BG-2015




BG-2020




BG-2310




BG-2320




BG-2328B




BG-2525A




BG-2525B




BG-3030




BG-3030C




BG-3535A




BG-3535B




BG-4035A




BG-1815




BG-2014




BG-1616B




BG-1616C




BG-1818




BG-1919




BG-3030A




BG-3030E




BG-3909



BG-1213D



BG-1515C



BG-2814A



www.bright-est.com

Bright Technology Industrial Limited

Professional LED strip designer and manufacturer

Tel: (+86)755 3689 2679/(+86)755 3686 2182

Fax: (+86)755 3686 2183

E-mail: info@bright-est.com

Add: Building A, Baifuli Industrial Area, Huahui Road, Dalang, Longhua District,
Shenzhen City, Guangdong Province, China