



**TATALUX**  
LIGHTING

[www.tatalux.com](http://www.tatalux.com)

# LED STREET LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALSL1



TALSL3

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL1-30	30W	85-277V	130-140lm/W	320*135*58
TALSL1-50	50W	85-277V	130-140lm/W	377*147*68
TALSL1-100	100W	85-277V	130-140lm/W	500*185*80
TALSL1-150	150W	85-277V	130-140lm/W	585*210*80
TALSL1-200	200W	85-277V	130-140lm/W	630*240*85
TALSL1-300	300W	85-277V	130-140lm/W	690*260*90

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL3-50	50W	85-277V	130-140lm/W	490*210*85
TALSL3-100	100W	85-277V	130-140lm/W	720*270*90
TALSL3-150	150W	85-277V	130-140lm/W	845*320*90
TALSL3-200	200W	85-277V	130-140lm/W	945*335*90
TALSL3-250	250W	85-277V	130-140lm/W	1095*330*100



# LED STREET LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALSL41



TALSL46

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL41-50	50W	85-277V	130-140lm/W	390*160*70
TALSL41-100	100W	85-277V	130-140lm/W	465*195*70
TALSL41-150	150W	85-277V	130-140lm/W	525*215*70
TALSL41-200	200W	85-277V	130-140lm/W	595*245*70

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL46-50	50W	85-277V	130-140lm/W	408*138*23
TALSL46-100	100W	85-277V	130-140lm/W	460*151*23
TALSL46-150	150W	85-277V	130-140lm/W	537*184*23
TALSL46-200	200W	85-277V	130-140lm/W	650*211*24

# LED STREET LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALSL55

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL55-50	50W	85-277V	130-140lm/W	520*200*95
TALSL55-100	100W	85-277V	130-140lm/W	570*220*95
TALSL55-150	150W	85-277V	130-140lm/W	645*240*95
TALSL55-200	200W	85-277V	130-140lm/W	670*290*95



# LED STREET LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALSL62

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL62-50	50W	85-277V	130-140lm/W	392*125*63
TALSL62-100	100W	85-277V	130-140lm/W	455*145*71
TALSL62-150	150W	85-277V	130-140lm/W	529*176*75
TALSL62-200	200W	85-277V	130-140lm/W	602*197*76
TALSL62-300	300W	85-277V	130-140lm/W	696*223*75

# LED STREET LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALSL63



TALSL64

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL63-50	50W	85-277V	130-140lm/W	465*153*100
TALSL63-100	100W	85-277V	130-140lm/W	560*183*100
TALSL63-150	150W	85-277V	130-140lm/W	678*213*100
TALSL63-200	200W	85-277V	130-140lm/W	730*233*100
TALSL63-300	300W	85-277V	130-140lm/W	781*263*100

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALSL64-50	50W	85-277V	130-140lm/W	370*153*62
TALSL64-100	100W	85-277V	130-140lm/W	467*183*72
TALSL64-150	150W	85-277V	130-140lm/W	582*213*72
TALSL64-200	200W	85-277V	130-140lm/W	645*233*72
TALSL64-300	300W	85-277V	130-140lm/W	710*263*72



# LED FLOOD LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALFS16

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALFS16-100	100W	85-277V	120-130lm/W	410*98*45
TALFS16-200	200W	85-277V	120-130lm/W	410*220*45
TALFS16-300	300W	85-277V	120-130lm/W	410*312*45
TALFS16-400	400W	85-277V	120-130lm/W	410*410*45
TALFS16-500	500W	85-277V	120-130lm/W	410*508*45
TALFS16-600	600W	85-277V	120-130lm/W	760*312*45
TALFS16-800	800W	85-277V	120-130lm/W	760*410*45
TALFS16-1000	1000W	85-277V	120-130lm/W	760*508*45

# LED FLOOD LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALFS17

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALFS17-10	10W	85-277V	120-130lm/W	110*100*32
TALFS17-20	20W	85-277V	120-130lm/W	130*115*32
TALFS17-30	30W	85-277V	120-130lm/W	170*150*35
TALFS17-50	50W	85-277V	120-130lm/W	240*210*44
TALFS17-100	100W	85-277V	120-130lm/W	270*260*45
TALFS17-150	150W	85-277V	120-130lm/W	310*280*55
TALFS17-200	200W	85-277V	120-130lm/W	345*330*55
TALFS17-300	300W	85-277V	120-130lm/W	385*365*63



# LED FLOOD LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALFS36

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALFS36-10	10W	85-277V	120-130lm/W	125*110*23
TALFS36-20	20W	85-277V	120-130lm/W	145*125*23
TALFS36-30	30W	85-277V	120-130lm/W	178*146*26
TALFS36-50	50W	85-277V	120-130lm/W	227*180*26
TALFS36-100	100W	85-277V	120-130lm/W	290*228*30
TALFS36-150	150W	85-277V	120-130lm/W	355*272*33
TALFS36-200	200W	85-277V	120-130lm/W	403*308*35
TALFS36-300	300W	85-277V	120-130lm/W	455*350*35
TALFS36-400	400W	85-277V	120-130lm/W	495*390*35

# LED FLOOD LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALFS32



Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALFS32-400	400W	85-277V	120-130lm/W	393.8*372*163
TALFS32-600	600W	85-277V	120-130lm/W	514.2*372*163
TALFS32-1000	1000W	85-277V	120-130lm/W	576.2*473*163



# LED FLOOD LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens



TALFS40

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALFS40-50	50W	85-277V	120-130lm/W	270*224*45
TALFS40-100	100W	85-277V	120-130lm/W	315*269*50
TALFS40-150	150W	85-277V	120-130lm/W	370*322*56
TALFS40-200	200W	85-277V	120-130lm/W	416*352*58
TALFS40-300	300W	85-277V	120-130lm/W	481*408*60
TALFS40-400	400W	85-277V	120-130lm/W	490*510*65

# LED FLOOD LIGHT SERIES

100% real power

Material: Casting alum body+Optical lens




TALFS41

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALFS41-50	50W	85-277V	120-130lm/W	200*158*36.1
TALFS41-100	100W	85-277V	120-130lm/W	280*220*36.1
TALFS41-150	150W	85-277V	120-130lm/W	320*250*38.1
TALFS41-200	200W	85-277V	120-130lm/W	370*280*38.1
TALFS41-300	300W	85-277V	120-130lm/W	410*330*38.6
TALFS41-400	400W	85-277V	120-130lm/W	490*350*38.6



# LED UFO HIGH BAY LIGHT SERIES

Material: Casting alum body



TALHB32

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALHB32-100	100W	100-265V	110-120LM/W	260*70
TALHB32-150	150W	100-265V	110-120LM/W	295*70
TALHB32-200	200W	100-265V	110-120LM/W	325*70
TALHB32-300	300W	100-265V	110-120LM/W	380*70

# LED UFO HIGH BAY LIGHT SERIES

Material: Casting alum body



TALHB33



TALHB34

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALHB33-100	100W	100-265V	110-120LM/W	270*94
TALHB33-150	150W	100-265V	110-120LM/W	310*96
TALHB33-200	200W	100-265V	110-120LM/W	345*96

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALHB34-100	100W	100-265V	110-120LM/W	263*26
TALHB34-150	150W	100-265V	110-120LM/W	305*28
TALHB34-200	200W	100-265V	110-120LM/W	335*32




# LED UFO HIGH BAY LIGHT SERIES

Material: Casting alum body



TALHB22



TALHB7

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALHB22-100	100W	100-265V	110-120LM/W	270*55
TALHB22-150	150W	100-265V	110-120LM/W	310*55
TALHB22-200	200W	100-265V	110-120LM/W	380*55

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALHB7-100	100W	100-265V	110-120LM/W	270*94
TALHB7-150	150W	100-265V	110-120LM/W	310*96
TALHB7-200	200W	100-265V	110-120LM/W	345*96

# ADJUSTABLE PANEL LIGHT SERIES



TALPA1-R



TALPA1-S

Item No.	Power	Volt	Lumenflux	Hole Size(mm)	Lamp Size(mm)
TALPA1-9R	8W	85-265V	90-100lm/W	50-85	90
TALPA1-12R	12W	85-265V	90-100lm/W	50-85	100
TALPA1-18R	18W	85-265V	90-100lm/W	50-100	120
TALPA1-24R	24W	85-265V	90-100lm/W	50-150	170
TALPA1-32R	32W	85-265V	90-100lm/W	50-205	220
TALPA1-36R	36W	85-265V	90-100lm/W	50-205	220

Item No.	Power	Volt	Lumenflux	Hole Size(mm)	Lamp Size(mm)
TALPA1-9S	8W	85-265V	90-100lm/W	50-85	90
TALPA1-12S	12W	85-265V	90-100lm/W	50-85	100
TALPA1-18S	18W	85-265V	90-100lm/W	50-100	120
TALPA1-24S	24W	85-265V	90-100lm/W	50-150	170
TALPA1-36S	36W	85-265V	90-100lm/W	50-205	220



# ADJUSTABLE PANEL LIGHT SERIES



TALPNF1-R



TALPNF1-S

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALPNF1-18R	18W	85-265V	90-100lm/W	120
TALPNF1-24R	24W	85-265V	90-100lm/W	170
TALPNF1-36R	36W	85-265V	90-100lm/W	220
TALPNF1-48R	48W	85-265V	90-100lm/W	300

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALPNF1-18S	18W	85-265V	90-100lm/W	120
TALPNF1-24S	24W	85-265V	90-100lm/W	170
TALPNF1-36S	36W	85-265V	90-100lm/W	220
TALPNF1-48S	48W	85-265V	90-100lm/W	300

# ULTRA THIN PANEL LIGHT SERIES



TALPT1-R



TALPT1-S

Item No.	Power	Volt	Lumen(Lm)	Hole Size(mm)	Lamp Size(mm)
TALPT1-3R	3W	85-265V	150+10%	75	84
TALPT1-6R	6W	85-265V	330+10%	110	118
TALPT1-9R	9W	85-265V	540+10%	135	145
TALPT1-12R	12W	85-265V	720+10%	155	168
TALPT1-15R	15W	85-265V	970+10%	175	190
TALPT1-18R	18W	85-265V	1200+10%	205	220
TALPT1-24R	24W	85-265V	1600+10%	280	292

Item No.	Power	Volt	Lumen(Lm)	Hole Size(mm)	Lamp Size(mm)
TALPT1-3S	3W	85-265V	150+10%	75	84
TALPT1-6S	6W	85-265V	330+10%	110	118
TALPT1-9S	9W	85-265V	540+10%	135	145
TALPT1-12S	12W	85-265V	720+10%	155	168
TALPT1-15S	15W	85-265V	970+10%	175	190
TALPT1-18S	18W	85-265V	1200+10%	205	218
TALPT1-24S	24W	85-265V	1600+10%	280	292



# ULTRA THIN PANEL LIGHT SERIES



TALPI1-R



TALPI1-S

Item No.	Power	Volt	Lumen(Lm)	Lamp Size(mm)
TALPI1-6R	6W	85-265V	330+10%	110
TALPI1-12R	12W	85-265V	720+10%	160
TALPI1-18R	18W	85-265V	1200+10%	212
TALPI1-24R	24W	85-265V	1600+10%	282

Item No.	Power	Volt	Lumen(Lm)	Lamp Size(mm)
TALPI1-6S	6W	85-265V	330+10%	110
TALPI1-12S	12W	85-265V	720+10%	160
TALPI1-18S	18W	85-265V	1200+10%	212
TALPI1-24S	24W	85-265V	1600+10%	282

# LED GLOBAL BULB SERIES

Material: Alum



TALBH5

Item No.	Power	Volt	Lumenflux	Lamp Size(mm)
TALBH5-30	30W	85-277V	100-130lm/W	100*182
TALBH5-40	40W	85-277V	100-130lm/W	120*210
TALBH5-50	50W	85-277V	100-130lm/W	120*210
TALBH5-60	60W	85-277V	100-130lm/W	140*250
TALBH5-80	80W	85-277V	100-130lm/W	150*260
TALBH5-100	100W	85-277V	100-130lm/W	160*280





## Tatalux Industry Co.,Ltd

**Sales Office:** Room 3A06, Block C, No.5888 Middle Jiasong Road, Qingpu , Shanghai, China

**Factory Addr:** No.33 Minghui Road, Jianghai Dist., Jiangmen City, Guangdong Prov., China

**Email:** info@tatalux.com

**Website:** www.tatalux.com

**Mobile:** 0086-15221473174

**T:** 0086-21-68782879/68783680



Wechat



Instagram