



gowin

Catalogue 2024

gowin

Hangzhou Linan Qianshi Lighting Co., Ltd.

杭州临安钱氏照明电器有限公司

Hangzhou Gowin Photoelectricity Co., Ltd.

杭州高盈光电有限公司

Add: Qianshi Industrial Park, Gaohong town, Lin'An, Hangzhou 311307, China

中国杭州市临安区高虹镇钱氏工业园

Tel: +86 571 6108 1908 E-mail: info@gowinled.com

www.gowinled.com

www.gowinled.com

Hangzhou Linan Qianshi Lighting Co., Ltd. is a high-tech enterprise specializing in developing, manufacturing and selling LED products.

With the cover area of 82,000sqm and building area of 28,500sqm, now we have 665 employees and more than 55 high-level senior engineers and technicians who are the main power of production, development and improvement. At present, the company has a full range of products covering LED Bulb, LED Smart Bulb, LED Spot Light, LED Flood Light, LED Panel Light, Energy Saving Lamp and so on.

Supplying to the world class customers regularly, we pay more attention to the product quality and always give a 2 year guarantee to all the customers. To strictly control cost and quality, we have got the ISO9001 and ISO14001 Certificates and UL, CE, RoHS, and IEC Approvals.

Guided by the enterprise spirit of "Credit the first, quality the first", we will always bring benefits to the customers and the society with top technique at most favorable price in best service.



DIRECTORY

1  SMART BULB

4  A60 BULB

6  T-BULB

7  CANDLE

8  GU10/GU5.3 LAMP

9  PAR LAMP

10  UFO LAMP

11  RECESSED CEILING LIGHT

12  CEILING LIGHT

14  FLOOD LIGHT




LED SMART BULB




LED IFR SENSORING BULB

IFR-9W
IFR-12W



9W 12W
810lm 1080lm




ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
IFR-9W	9W	100-240V	810lm	200°	50/60HZ	60*116mm	25000	2700-6500K
IFR-12W	12W	100-240V	1080lm	200°	50/60HZ	60*120mm	25000	2700-6500K

LED SMART BULB




LED 3-STEP BULB

3-Step-9W
3-Step-12W



9W 12W
810lm 1080lm

Lumen Value:



ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
3-Step-9W	9W	100-240V	810lm	200°	50/60HZ	60*116mm	25000	2700-6500K
3-Step-12W	12W	100-240V	1080lm	200°	50/60HZ	60*120mm	25000	2700-6500K

LED SMART BULB



LED CCT CHANGE BULB

CCTC-9W
CCTC-12W




LED A BULB




LED A BULB

G45-4W A60-9W
A55-5W A60-12W
A55-7W A60-15W



9W 12W
810lm 1080lm



7W 9W 12W 15W
630lm 810lm 1080lm 1350lm

Color Temperature:

6500K → 4000K → 2700K



ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
CCTC-9W	9W	100-240V	810lm	200°	50/60HZ	60*116mm	25000	2700-6500K
CCTC-12W	12W	100-240V	1080lm	200°	50/60HZ	60*120mm	25000	2700-6500K


ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
G45-4W	4W	100-240V	360lm	200°	50/60HZ	45*80mm	25000	2700-6500K
A55-5W	5W	100-240V	450lm	200°	50/60HZ	55*100mm	25000	2700-6500K
A55-7W	7W	100-240V	630lm	200°	50/60HZ	55*100mm	25000	2700-6500K
A60-9W	9W	100-240V	810lm	200°	50/60HZ	60*110mm	25000	2700-6500K
A60-12W	12W	100-240V	1080lm	200°	50/60HZ	60*116mm	25000	2700-6500K
A60-15W	15W	100-240V	1350lm	200°	50/60HZ	60*116mm	25000	2700-6500K

LED A BULB



LED A BULB

A80-20W A110-30W
A95-25W A120-40W



20W	25W	30W	40W
1800lm	2250lm	2700lm	3600lm

ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
A80-20W	20W	100-240V	1800lm	200°	50/60HZ	80*158mm	25000	2700-6500K
A95-25W	25W	100-240V	2250lm	200°	50/60HZ	95*182mm	25000	2700-6500K
A110-30W	30W	100-240V	2700lm	200°	50/60HZ	110*202mm	25000	2700-6500K
A120-40W	40W	100-240V	3600lm	200°	50/60HZ	120*275mm	25000	2700-6500K

LED T-BULB



LED T-BULB

T30-5W T45-12W
T37-9W T50-15W



ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
T30-5W	5W	100-240V	450lm	220°	50/60HZ	30*98mm	25000	2700-6500K
T37-9W	9W	100-240V	810lm	220°	50/60HZ	37*113mm	25000	2700-6500K
T45-12W	12W	100-240V	1080lm	220°	50/60HZ	45*130mm	25000	2700-6500K
T50-15W	15W	100-240V	1350lm	220°	50/60HZ	50*140mm	25000	2700-6500K



LED T-BULB

T80-20W T140-50W
T100-30W T150-60W
T120-40W

ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
T80-20W	20W	100-240V	1800lm	150°	50/60HZ	80*138mm	25000	2700-6500K
T100-30W	30W	100-240V	2700lm	150°	50/60HZ	100*179mm	25000	2700-6500K
T120-40W	40W	100-240V	3600lm	150°	50/60HZ	118*200mm	25000	2700-6500K
T140-50W	50W	100-240V	4500lm	150°	50/60HZ	140*234mm	25000	2700-6500K
T150-60W	60W	100-240V	5400lm	150°	50/60HZ	150*262mm	25000	2700-6500K

LED CANDLE

LED C35 CANDLE

C35-5W
C35-7W
C35-8W



ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
C35-5W	5W	100-240V	400lm	200°	50/60HZ	35*100mm	25000	2700-6500K
C35-7W	7W	100-240V	560lm	200°	50/60HZ	35*100mm	25000	2700-6500K
C35-8W	8W	100-240V	640lm	200°	50/60HZ	35*100mm	25000	2700-6500K

LED GU10/GU5.3 LAMP

LED GU10 LAMP

GU10-3W GU10-7W
GU10-5W GU10-8W



ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
GU10-3W	3W	100-240V	240lm	36°/100°	50/60HZ	50*56	25000	2700-6500K
GU10-5W	5W	100-240V	400lm	36°/100°	50/60HZ	50*56	25000	2700-6500K
GU10-7W	7W	100-240V	560lm	36°/100°	50/60HZ	50*56	25000	2700-6500K
GU10-8W	8W	100-240V	640lm	36°/100°	50/60HZ	50*56	25000	2700-6500K



LED C37 CANDLE

C37-5W
C37-7W
C37-8W

ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
C37-5W	5W	100-240V	400lm	200°	50/60HZ	37*100mm	25000	2700-6500K
C37-7W	7W	100-240V	560lm	200°	50/60HZ	37*100mm	25000	2700-6500K
C37-8W	8W	100-240V	640lm	200°	50/60HZ	37*100mm	25000	2700-6500K



LED GU5.3 LAMP

GU5.3-3W GU5.3-7W
GU5.3-5W GU5.3-8W

ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
GU5.3-3W	3W	100-240V	240lm	36°/100°	50/60HZ	50*56	25000	2700-6500K
GU5.3-5W	5W	100-240V	400lm	36°/100°	50/60HZ	50*56	25000	2700-6500K
GU5.3-7W	7W	100-240V	560lm	36°/100°	50/60HZ	50*56	25000	2700-6500K
GU5.3-8W	8W	100-240V	640lm	36°/100°	50/60HZ	50*56	25000	2700-6500K

LED PAR LAMP

LED PAR LAMP

PAR20-6W PAR38-12W
PAR30-9W PAR38-15W



ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
PAR20-6W	6W	100-240V	480lm	36°	50/60HZ	63*85mm	25000	2700-6500K
PAR30-9W	9W	100-240V	720lm	36°	50/60HZ	95*116mm	25000	2700-6500K
PAR38-12W	12W	100-240V	1080lm	36°	50/60HZ	120*135mm	25000	2700-6500K
PAR38-15W	15W	100-240V	1200lm	36°	50/60HZ	120*135mm	25000	2700-6500K



LED AR LAMP


AR70-8W
AR111-15W

ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
AR70-8W	8W	100-240V	640lm	40°	50/60HZ	70*61mm	25000	2700-6500K
AR111-15W	15W	100-240V	1200lm	36°	50/60HZ	111*67mm	25000	2700-6500K

LED UFO BULB

LED UFO BULB

UFO-20W UFO-70W
UFO-30W UFO-100W
UFO-40W UFO-150W
UFO-50W UFO-200W



20W	30W	40W	50W
1800lm	2700lm	3600lm	4500lm

ITEM NO	Power	Voltage	Lumen	Beam Angle	Frequency	Lamp Size	Lifetime	Color Temp
UFO-20W	20W	100-240V	1800lm	120°	50/60HZ	110*100mm	25000	2700-6500K
UFO-30W	30W	100-240V	2700lm	120°	50/60HZ	130*120mm	25000	2700-6500K
UFO-40W	40W	100-240V	3600lm	120°	50/60HZ	150*130mm	25000	2700-6500K
UFO-50W	50W	100-240V	4500lm	120°	50/60HZ	170*140mm	25000	2700-6500K
UFO-70W	70W	100-240V	6300lm	120°	50/60HZ	190*145mm	25000	2700-6500K
UFO-100W	100W	100-240V	10000lm	120°	50/60HZ	266*35mm	25000	2700-6500K
UFO-150W	150W	100-240V	15000lm	120°	50/60HZ	298*36.5mm	25000	2700-6500K
UFO-200W	200W	100-240V	20000lm	120°	50/60HZ	382*36.5mm	25000	2700-6500K

LED RECESSED CEILING LAMP

LED RECESSED CEILING LAMP (SQUARE)

6W 18W
10W 24W
12W



ITEM NO	Power	Voltage	Lumen	RA	Frequency	Lamp Size	Lifetime	Color Temp
SSPL-A-6W	6W	100-240V	540lm	80	50/60HZ	85*85*13mm	25000	2700-6500K
SSPL-A-12W	12W	100-240V	1080lm	80	50/60HZ	120*120*13mm	25000	2700-6500K
SSPL-A-18W	18W	100-240V	1620lm	80	50/60HZ	150*150*13mm	25000	2700-6500K
SSPL-B-10W	10W	100-240V	900lm	80	50/60HZ	100*100*20mm	25000	2700-6500K
SSPL-B-18W	18W	100-240V	1620lm	80	50/60HZ	120*120*20mm	25000	2700-6500K
SSPL-B-24W	24W	100-240V	2160lm	80	50/60HZ	170*170*20mm	25000	2700-6500K



LED RECESSED CEILING LAMP (ROUND)

6W 18W
10W 24W
12W

ITEM NO	Power	Voltage	Lumen	RA	Frequency	Lamp Size	Lifetime	Color Temp
RSPL-A-6W	6W	100-240V	540lm	80	50/60HZ	Φ 85*13mm	25000	2700-6500K
RSPL-A-12W	12W	100-240V	1080lm	80	50/60HZ	Φ 120*13mm	25000	2700-6500K
RSPL-A-18W	18W	100-240V	1620lm	80	50/60HZ	Φ 150*13mm	25000	2700-6500K
RSPL-B-10W	10W	100-240V	900lm	80	50/60HZ	Φ 100*20mm	25000	2700-6500K
RSPL-B-18W	18W	100-240V	1620lm	80	50/60HZ	Φ 120*20mm	25000	2700-6500K
RSPL-B-24W	24W	100-240V	2160lm	80	50/60HZ	Φ 170*20mm	25000	2700-6500K

LED CEILING LAMP

LED CEILING LAMP (SQUARE)

6W 24W
12W 36W
18W



ITEM NO	Power	Voltage	Lumen	RA	Frequency	Lamp Size	Lifetime	Color Temp
SMPL-A-6W	6W	100-240V	540lm	80	50/60HZ	120*120*24mm	25000	2700-6500K
SMPL-A-12W	12W	100-240V	1080lm	80	50/60HZ	170*170*24mm	25000	2700-6500K
SMPL-A-18W	18W	100-240V	1620lm	80	50/60HZ	225*225*24mm	25000	2700-6500K
SMPL-A-24W	24W	100-240V	2160lm	80	50/60HZ	300*300*24mm	25000	2700-6500K
SMPL-B-18W	18W	100-240V	1620lm	80	50/60HZ	120*120*38mm	25000	2700-6500K
SMPL-B-24W	24W	100-240V	2160lm	80	50/60HZ	170*170*38mm	25000	2700-6500K
SMPL-B-36W	36W	100-240V	3240lm	80	50/60HZ	220*220*38mm	25000	2700-6500K



LED CEILING LAMP (ROUND)

6W 24W
12W 36W
18W

ITEM NO	Power	Voltage	Lumen	RA	Frequency	Lamp Size	Lifetime	Color Temp
RMPL-A-6W	6W	100-240V	540lm	80	50/60HZ	Φ 120*24mm	25000	2700-6500K
RMPL-A-12W	12W	100-240V	1080lm	80	50/60HZ	Φ 170*24mm	25000	2700-6500K
RMPL-A-18W	18W	100-240V	1620lm	80	50/60HZ	Φ 225*24mm	25000	2700-6500K
RMPL-A-24W	24W	100-240V	2160lm	80	50/60HZ	Φ 300*24mm	25000	2700-6500K
RMPL-B-18W	18W	100-240V	1620lm	80	50/60HZ	Φ 120*38mm	25000	2700-6500K
RMPL-B-24W	24W	100-240V	2160lm	80	50/60HZ	Φ 170*38mm	25000	2700-6500K
RMPL-B-36W	36W	100-240V	3240lm	80	50/60HZ	Φ 220*38mm	25000	2700-6500K

LED FLOOD LIGHT

LED FLOOD LIGHT

FL-A-10W
FL-A-20W
FL-A-30W
FL-A-50W



ITEM NO	Power	Voltage	Lumen	PF	Frequency	Lamp Size	Lifetime	Color Temp
FL-A-10W	10W	100-240V	900lm	0.9	50/60HZ	110*90*29mm	25000	2700-6500K
FL-A-20W	20W	100-240V	1800lm	0.9	50/60HZ	135*110*29mm	25000	2700-6500K
FL-A-30W	30W	100-240V	2700lm	0.9	50/60HZ	158*126*29mm	25000	2700-6500K
FL-A-50W	50W	100-240V	4500lm	0.9	50/60HZ	181*151*33mm	25000	2700-6500K



LED FLOOD LIGHT

FL-A-100W
FL-A-150W
FL-A-200W

ITEM NO	Power	Voltage	Lumen	PF	Frequency	Lamp Size	Lifetime	Color Temp
FL-A-100W	100W	100-240V	9000lm	0.9	50/60HZ	257*211*40mm	25000	2700-6500K
FL-A-150W	150W	100-240V	13500lm	0.9	50/60HZ	310*256*43mm	25000	2700-6500K
FL-A-200W	200W	100-240V	18000lm	0.9	50/60HZ	360*296*43mm	25000	2700-6500K

LED FLOOD LIGHT

LED FLOOD LIGHT

FL-B-10W
FL-B-20W
FL-B-30W
FL-B-50W



ITEM NO	Power	Voltage	Lumen	PF	Frequency	Lamp Size	Lifetime	Color Temp
FL-B-10W	10W	100-240V	900lm	0.9	50/60HZ	90*27*70mm	25000	2700-6500K
FL-B-20W	20W	100-240V	1800lm	0.9	50/60HZ	115*30*90mm	25000	2700-6500K
FL-B-30W	30W	100-240V	2700lm	0.9	50/60HZ	150*30*115mm	25000	2700-6500K
FL-B-50W	50W	100-240V	4500lm	0.9	50/60HZ	195*30*140mm	25000	2700-6500K



LED FLOOD LIGHT

FL-B-100W
FL-B-150W
FL-B-200W

ITEM NO	Power	Voltage	Lumen	PF	Frequency	Lamp Size	Lifetime	Color Temp
FL-B-100W	100W	100-240V	9000lm	0.9	50/60HZ	261*32*195mm	25000	2700-6500K
FL-B-150W	150W	100-240V	13500lm	0.9	50/60HZ	330*35*221mm	25000	2700-6500K
FL-B-200W	200W	100-240V	18000lm	0.9	50/60HZ	340*32*252mm	25000	2700-6500K