



FOSHAN LAND LIGHTING CO.,LTD

XinSan Rd. XiebianVillage, DanZaoTown,Nanhai District,
528216 Foshan City,Guangdong,P.R.C


TEL
86-757-85436101


FAX
86-757-85418081


EMAIL
Land3@land-lighting.com

SMART MIRROR LAMP

COMBINE BEAUTIFUL AESTHETICS WITH OPTIMIZED PERFORMANCE TO SET A NEW BENCHMARK
FOR THE CATEGORY.

HOTEL LUXURY FOR THE HOME

TABLE OF CONTENT

Front Glow Mirrors	01
RGB Mirrors	05
Bordered Front glow Mirrors	08
Backlit Mirrors	12
Cosmetic Mirrors	18
Mirror Cabinet	25
Pivot-N-View Mirrors	35
Rounded Edge Pivot Mirrors	36
TV Mirrors	37
Wardrobe Mirrors	41
Storage Mirrors	48
Infinite mirror Tunnel light	50
Customizedbathroom Mirror	51



FOSHAN LAND LIGHTING CO.,LTD
17 year manufacturer
Professional manufacturing, strength certification


Foshan Nanhai Land Lighting Co., Ltd is a factory of export style which was set up in 2006, specialized in R&D, production and marketing of all kinds of lighting fixtures. There are 8 production lines in our factory, including stamping, spinning, injection molding, powder-coating and general assembling. The annual ture over reaches USD30,000,000 and the production capacity is increasing bu 30% every year so as to meet increasing market demands.



Front Glow Mirror lamp

High color performance, restore the real life

LED Front glow Mirror



Size(w"xh"xd")	Buttonselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS




- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS


- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS




- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x28x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x36x3.5				
40x40x3.5				
42x42x3.5				
48x48x3.5				
60x60x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable





RGB MIRROR

High color performance, restore the real life

LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x28x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x36x3.5				
40x40x3.5				
42x42x3.5				
48x48x3.5				
60x60x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS


- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS





- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror



INSTALLATION SPECIFICATIONS


- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



Bordered Front Glow Mirrors

High color performance, restore the real life

LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x28x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x36x3.5				
40x40x3.5				
42x42x3.5				
48x48x3.5				
60x60x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



Backlit Mirrors

High color performance, restore the real life



LED Back glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS




- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



White light 5000K

Neutral light 4000K

Warm light 3000K



LED Front glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Back glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS





- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS


- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Back glow Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror



INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

LED Back glow Mirror



Size(w"xh"xd")	Buttonselection	Voltage	LightSource	Shape
28x28x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x36x3.5				
40x40x3.5				
42x42x3.5				
48x48x3.5				
60x60x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



White light 5000K

Neutral light 4000K

Warm light 3000K





Cosmetic Mirror

High color performance, restore the real life

LED Cosmetic Mirror



Size	Switch	Voltage	Light Source	Magnifying Glass
15cm	Konw Switch Touch Switch Hard Wire Battery	AC110-120V 60Hz	SMD2835	x3
17cm				x5
20cm				x10

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Cosmetic Mirror



Size	Switch	Voltage	Light Source	Magnifying Glass
15cm	Konw Switch Touch Switch Hard Wire Battery	AC110-120V 60Hz	SMD2835	x3
17cm				x5
20cm				x10

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsized
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Cosmetic Mirror



Size	Switch	Voltage	Light Source	Magnifying Glass
15cm	Konw Switch Touch Switch Hard Wire Battery	AC110-120V 60Hz	SMD2835	x3
17cm				x5
20cm				x10

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Cosmetic Mirror



Size	Switch	Voltage	Light Source	Magnifying Glass
15cm	Konw Switch Touch Switch Hard Wire Battery	AC110-120V 60Hz	SMD2835	x3
17cm				x5
20cm				x10

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Cosmetic Mirror



SPECIFICATION

Style	Hollywood Style LED Vanity Mirror with Touch Dimmer LED Bulbs for Makeup Dressing Table
Material + Workmanship	Metal + Led Strips+Glass
Product Size	46x13x52 cm or Customized
Product Color	White/Black/Pink/Sliver
Configuration	UL certificated Power,Remote Control
Functions	Single-sided mirror with illuminated front sanding position
Color Temperature	3000k/4000k/6500k or as per Request
Voltage Option	120V
Power	Certificated
Plug	USA/UK/EU/AU

3CCT Touch control

3CCT high display, effectively cope with different scenarios. Cold light Suitable for the workplace makeup
Natural light Suitable for everyday shopping makeup. Warm light Perfect for date party makeup.



Cold light



Natural light



Warm light

Fashion Makeup Mirror

LED soft light mirror/Safety and environmental protection



LED Cosmetic Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

TWO WAYS OF INSTALLATION

- Free-standing
- Wall-mounted

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



Mirror Cabinet

High color performance, restore the real life



LED Mirror Cabinet



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth



LED Cosmetic Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

TWO WAYS OF INSTALLATION

- Free-standing
- Wall-mounted


INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable





LED Mirror Cabinet



Size(w"xh"x"d")	Buttonsselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror


INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable





LED Mirror Cabinet



Size(w"xh"xd")	Buttonselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable





LED Mirror Cabinet



PRODUCTS

Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS


- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED Mirror Cabinet



Size(w"xh"x"d")	Buttonsselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror


INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable





LED Mirror Cabinet



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
50x30x3.5	Digitalclock	AC110-120V60Hz	SMD2835	Customize
60x40x3.5	Defogger			
70x50x3.5	Colortemperature			
80x60x3.5	RGB			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

- INSTALLATION SPECIFICATIONS**
- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
 - Chassis should be mounted to wall studs; mounting holes are provided
 - Controlled by forward-phase dimming wall switch
 - Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable





LED Mirror Cabinet



PRODUCTS





Your Choice Of Mounting Option Open either LEFT or RIGHT

- Door is hinged on the left side only but the entire unit can be flipped for reverse installation
- Cabinets made of premium metal as well for Moisture and Water Resistant

Recessed Mounting Option

Construction Made Especifically to Support the Recessed Flush Mount

- Recessed Mounting
- Stay flush to the wall after wall mounted



Metal Door with Bevel Mirror More Sturdy and Safe for bathroom


- Premium aluminum metal door with an elegantly beveled mirror.
- Door is coming with self closing hinges
- Seamless frame with smooth edge even in corner



TEMPERED GLASS SHELVES

Adjustable shelves to storage your toiletries better

- Manufactured through a process of extreme heating followed by rapid cooling,
- making it much harder than normal glass and resistant to breakage.



Declutter your bathroom today

Meet Best Sellers, the Farmhouse Medicine Cabinets

- Tempered Adjustable Glass Shelves: Including 2~4 adjustbale tempered-glass shelves which is anufactured through a process of extreme heating followed by rapid cooling, making it much harder than normal glass and resistant to breakage.
- Door is hinged on the left side only but the entire unit can be flipped for reverse installation.
- Almost No Assembly Required: This bathroom medicine cabinet comes 95% assembled, customers only need to set the glass shelves into the cabinet.



Total 5 Color Avaliable

- The full range is available in 5 colors: Matt Black/Brushed Gold/Polished Nickel/Brushed Nickel/Oil Rubbed Bronze. Easily achieve an expensive and metallic look with our electro-plated medicine cabinets.



Matt Black



Brushed Gold



Polished Nickel



Brushed Nickel



Oil Rubbed Bronze



LED Mirror Cabinet



PRODUCTS

Dims	Overall Dims (inches)	Cabinet Dims (inches)	Wall-Cut (inches)	Shelves Size (inches)	Number of Shelves
16x24"	16"Wx24"Hx4.72"D	14.96"Wx19.49"Hx3.86"D	13.74"Wx18.30"Hx3.25"D	13.23x3.74x0.16	2
20x30"	20"Wx30"Hx4.76"D	18.98"Wx26.77"Hx3.86"D	17.78"Wx25.58"Hx3.25"D	17.24x3.74x0.16	4



Your Choice Of Mounting Option Open either LEFT or RIGHT

- Door is hinged on the left side only but the entire unit can be flipped for reverse installation
- Cabinets made of premium metal as well for Moisture and Water Resistant

Recessed Mounting Option

Construction Made Especifically to Support the Recessed Flush Mount

- Recessed Mounting
- Stay flush to the wall after wall mounted



Metal Door with Bevel Mirror More Sturdy and Safe for bathroom

- Premium aluminum metal door with an elegantly beveled mirror.
- Door is coming with self closing hinges
- Seamless frame with smooth edge even in corner



TEMPERED GLASS SHELVES

Adjustable shelves to storage your toiletries better

- Manufactured through a process of extreme heating followed by rapid cooling,
- making it much harder than normal glass and resistant to breakage.

Declutter your bathroom today

Meet Best Sellers, the Farmhouse Medicine Cabinets

- Tempered Adjustable Glass Shelves: Including 2~4 adjustbale tempered-glass shelves which is anufactured through a process of extreme heating followed by rapid cooling, making it much harder than normal glass and resistant to breakage.
- Door is hinged on the left side only but the entire unit can be flipped for reverse installation.
- Almost No Assembly Required: This bathroom medicine cabinet comes 95% assembled, customers only need to set the glass shelves into the cabinet.



Total 4 Color Avaliable

- The full range is available in 4 colors: Matt Black/Brushed Gold/Brushed Nickel/Chrome. Easily achieve an expensive and metallic look with our electro-plated medicine cabinets.



Matt Black



Brushed Nickel



Brushed Gold



Chrome



Pivot-N-View Mirrors



Material	Pivot Hardware Included	Elegible for hardware replacement	Stay Positoned when pivoting?	Mirror Size (inches)
Stainless steel	YES	YES	YES	14"x22"
Metal				

Premium Quality Metal Frame and Hardware

90% of mirrors to prevent mirrors from rusted when hung in the bathroom. Meanwhile all the mirrors are one piece seamless frame, even the corner of the mirror is handled with enough patience and care, securing the mirror frame extremely smooth and super sturdy.




Circular Angle



Square



Round



Pivot-N-View

Rotating 360 degree, let this mirror stay at any angle you desire, absolute hands free

Almost No Installation Required

95% of this mirror come assembled, all the tilting brackets are been secured on the mirror You will only need to simply mount this mirror to the wall with included screws & anchors



Use this as a Corner Mirror

When you have a cornered vanity, this mirror is perfect for you.



Hang this mirror on the side of the bathroom wall

When you have a vanity above the window, hang this mirror at the side of the wall



Stainless steel



Matt Black



Brushed Gold



Chrome

Total 4 Color Availiable

- The full range is available in 4 colors: Matt Black/Brushed Gold/Stainless steel/Chrome.Easily achieve an expensive and metallic look with our electro-plated medicine cabinets.




Rounded Edge Pivot Mirrors



Dimension	20 x 30'' (excluding pivot brackets); 23 x 30'' (including the hardware)
Material	Premium Metal Frame + HD glass
Tilting Angel	3 inches
Stay positioned?	The mirror will stay positioned when pivoting, won't pivot down
Hardware Included	2 metal brackets, 2 ball finials, screws and anchors, mounting template and hanging video guide
How to secure the mirror?	The included ball finials will help loose or tighten the mirror anytime

Premium Quality Metal Frame and Hardware

90% of mirrors to prevent mirrors from rusted when hung in the bathroom. Meanwhile all the mirrors are one piece seamless frame, even the corner of the mirror is handled with enough patience and care, securing the mirror frame extremely smooth and super sturdy.



Elegible for hardware replacement	Yes	Yes	Yes	Yes	Yes	Yes
Shape	Oval	Rectangle	Pill	Pill	Pill	Pill
Beveled Mirror?	No	Yes	No	No	No	No

Total 4 Color Avaliable

- The full range is available in 4 colors: Black/Brush Gold/Brushed Nickel/Chrome.Easily achieve an expensive and metallic look with our electro-plated medicine cabinets.



Black



Chrome



Brush Gold




Brush Nickel



TV Mirror

High color performance

LED TV Mirror



Size(w"xh"xd")	Buttonselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS





- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS


- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED TV Mirror



Size(w"xh"x"d")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS




- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS


- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable



LED TV Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS


- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable






Wardrobe Mirror

High color performance, restore the real life

LED Wardrobe Mirror



Size(w"xh"xd")	Buttonselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsized
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan


SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror


INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Adjustment _____



LED Wardrobe Mirror



Size(w x h x d)	Buttonsselection	Voltage	LightSource	Shape
120x80x10cm	Digitalclock Defogger Colortemperature	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
150x60x10cm				
120x60x10cm				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan


SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Adjustment _____



LED Wardrobe Mirror



Size(WxH)	Fucntion	Voltage	Material	CCT
24"x65"	Defogger Colortemperature Touch Sensor switch USB and Socket Smart Music Loudspeaker	AC110-120V 60Hz / AC220V 60Hz	aluminum	3000K-6000K
28"x71"				
or custom				

FEATURES AND BENEFITS

- 5MM three-generation ecofriendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty


AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth
- USB and Socket
- Smart Music Loudspeaker

SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror


FEATURES AND BENEFITS



INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Adjustment



LED Wardrobe Mirror



Size(w"xh"xd")	Buttonselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan


SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Adjustment _____



LED Wardrobe Mirror



Size(w"xh"xd")	Buttonsselection	Voltage	LightSource	Shape
28x36x3.5	Digitalclock Defogger Colortemperature RGB	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
36x40x3.5				
36x42x3.5				
36x36x3.5				
48x36x3.5				
60x36x3.5				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan


SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Adjustment _____



LED Storage Mirror



Size (cm)	Buttonselection	Voltage	LightSource	Shape
120x41x38	Digitalclock Defogger Colortemperature	AC110-120V 60Hz / AC220V 60Hz	SMD2835	Customize
155x41x38				
120x37x38				
155x37x38				

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Suitable for damp bathroom environments
- Environmentally sustainable
- Energy efficient
- Easy installation
- 3-year limited warranty

AVAILABLE OPTIONS

- Technology (upgrade)
- Defogger
- Customsize
- Touch switch
- Sensor switch
- Bluetooth

LIGHTING SPECIFICATIONS

- Natural-looking LED lightcolor
- CRI: 90+
- CCT: 2700K / 3000K / 3500K / 4000K / 5000K
- Replaceable LEDs
- Maximum 100 lumens per watt efficacy
- CalculatedL70 52,000-hour LED lifespan


SAFETY SPECIFICATIONS

- Entire assembly meetsUL/cUL standards
- International certifications
- Safety-backed mirror

INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36"whip; junction box not required
- Chassis should be mounted to wall studs; mounting holes are provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Adjustment _____



FEATURES AND BENEFITS


- 5MM three-generation eco-friendly silver mirror
- Built-in jewelry box
- Multi-layer reserve compartment can sort various jewelry
- Can be locked to protect personal belongings
- Environmentally sustainable
- Easy installation
- 3-year limited warranty



Size (cm)	120x41x38	155x41x38	120x37x38	155x37x38
Mirror	5MM three-generation ecofriendly silver mirror			

FEATURES AND BENEFITS

- 5MM three-generation eco-friendly silver mirror
- No frame and wide view
- Built-in jewelry box
- Multi-layer reserve compartment can sort various jewelry
- Can be locked to protect personal belongings
- Environmentally sustainable
- Easy installation
- 3-year limited warranty



Size (cm)	120x41x38	155x41x38	120x37x38	155x37x38
Mirror	5MM three-generation ecofriendly silver mirror			



Infinite mirror Tunnel light


About the product

Unique design, cute 3D mirror tunnel lights, fantastic LED lights, create a warm atmosphere for your space.

Function:
It can be used as a mirror after the switch is turned off, and can be used after the switch is turned on.



Easy to use:
With switch,3x1.5V AA(without battery) for lighting mirrored tunnel lights.Easy to install: The 3D mirror tunnel light has a hole behind it, you can hang it on the wall, or you can place it on a table or table.

Decor:
The perfect center for parties, events and all the other annual celebrations. Eye-catching and unique styling design, suitable for party themes. This is ideal for home or holiday decorations.
Perfect for children's rooms, bedrooms, weddings, holidays, Christmas, New Year, parties, birthdays or other special occasions, it is the perfect gift for children or family.




Christmas tunnel light	Product size (cm)	Power supply	Light Source	Material	Style
01	20*12*4.5	3*AAA battery +USB	LED	PS	Christmas
02	20*12.5*4.5				
03	16.5*16.5*4.5				
04	20*10.5*4.5				
05	20*13*4.5				
06	20*16*4.5				
07	20*13*4.5				
08	20*15.5*4.5				
09	20*17*4.5				

About the product



Product name	Product size (cm)	Power supply	Light Source	Material	Style
Flamingo	9.5*20.5*3.4 12*20.5*5.6	3*AAA电池 +USB	LED	PS	Modern
Pineapple	11.5*20*3.4 12*20*5.6				
Love	14.6*17.5*3.40 14.6*17.5*5.6				
Animal head	15*19.2*3.4 15*19.2*5.6				
Cactus	12.2*21*3.4 12.2*21*5.6				
Christmas tree	12.8*19.6*3.4 12.8*19.6*5.6				
Coconut palm	13.2*20*3.4 13.2*20*5.6				
Cloud	18*14.6*3.4 18*14.6*5.6				
Animal	20.5*19*3.4 20.5*19*5.6				
Mermaid	11.8*21*3.4 12*21*5.6				
Star	15.3*18.3*3.4 15.3*18.3*5.6				
Text	21.5*13*3.4 21.5*13*5.6				

- Double key touch + fog removal
- Single key touch switch
- Hand sweep sensing
- Double key touch + fog removal + time
- Six-key Bluetooth
- Human body sensing

[illegible]

Sample