


MF Smart Kylin Ltd

Gypsum Light



Environmentally friendly plaster, gentle hand

Environmental protection, handmad,

Replaceable, Anti-mildew, Anti-tarnish, Anti-deformation

GYPSUM LIGHT
石膏灯系列



GYPSUM LIGHT
石膏灯系列



MF400001




尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
200*200*60mm	100lm	6~10W	60°	20.5mm

MF400019



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ80*80mm	100lm	35W	60°	80.5*80.5mm

MF400002



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
200*200mm	100lm	6~10W	30°	200.5mm

MF400043



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
80*80*80mm	100lm	35W	30°	80.5*80.5mm

GYPSUM LIGHT

石膏灯系列



GYPSUM LIGHT

石膏灯系列




MF400003



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
400*400*40mm	1100lm	7W	90°	403*403mm

MF400012




尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
270*160*50mm	100lm	1W	30°	208*161mm

MF400004




尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
100*100*42mm	100lm	10W	60°	105*105mm

MF400013



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
350*100*75mm	100lm	35W	60°	355*105mm



MF400005



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
214*114*60mm	100lm	6-8W	24°	17*9mm

MF400014



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120x120x55mm	100lm	35W	24°	121*121mm

MF400006



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120*120*62mm	100lm	6-8W	24°	121*121mm

MF400015



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120x120x65 mm	100lm	35W	24°	121*121mm

GYPSUM LIGHT

石膏灯系列



GYPSUM LIGHT

石膏灯系列

MF400007



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ140*55mm	100lm	35W	30°	140*55mm

MF400016



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120*120*60mm	100lm	35W	30°	121*121mm

MF400008



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ100*40mm	100lm	35W	30°	Φ140*55mm

MF400017



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Ø155x66m	100lm	35W	30°	Ø156x66 mm



MF400009



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
204*204*66mm	100lm	7-12W	30°	40*35mm

MF400011



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ100*30 mm	100lm	10W	30°	103*103mm

MF400010



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120*120*45mm	100lm	7-12W	30°	40*35mm

MF400018



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ100*30mm	100lm	3 5 W	30°	40*35mm

GYPSUM LIGHT

石膏灯系列



GYPSUM LIGHT

石膏灯系列

MF400019



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Ø90*50mm	100lm	35W	30°	Ø90.5mm

MF400020



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
80*80*40mm	100lm	35W	30°	80.5*80.5mm

MF400021



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
200*200*60mm	100lm	35W	30°	200.5*200.5mm

MF400022



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
155×155×66mm	100lm	35W	30°	155.5*155.5mm



MF400023



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
250x150x60mm	100lm	70W	30°	250.5*150.5mm

MF400024



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
250*235*56mm	100lm	70W	30°	250.5*236mm

MF400025



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
255x155x60mm	100lm	70W	30°	255.5*155.5mm

MF400026



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
280x155x55mm	100lm	75W	30°	280.5*155.5mm

GYPSUM LIGHT

石膏灯系列



GYPSUM LIGHT

石膏灯系列

MF400027



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
70*70*140mm	100lm	35W	30°	70.5*70.5mm

MF400028



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
70*70*110mm	100lm	35W	30°	70.5*70.5mm

MF400029



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
70*70*70mm	100lm	35W	30°	70.5*70.5mm

MF400030



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ70*140mm	100lm	35W	30°	70.5*70.5mm

GYPSUM LIGHT

石膏灯系列



GYPSUM LIGHT

石膏灯系列

MF400031



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ70*110mm	100lm	35W	30°	70.5*70.5mm

MF400032



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ70*70mm	100lm	35W	30°	70.5*70.5mm

MF400033



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
80*80*110mm	100lm	35W	30°	80.5*80.5mm

MF400034



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
80*80*80mm	100lm	35W	30°	80.5*80.5mm



MF400035



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ80*110mm	100lm	35W	30°	80.5*80.5mm

MF400036



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ80*80mm	100lm	35W	30°	80.5*80.5mm

MF400037



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
320*120*72mm	100lm	35W	30°	320.5*120.5mm


MF400038



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
350*290*70mm	100lm	35W	30°	351*291mm

GYPSUM LIGHT

石膏灯系列



GYPSUM LIGHT


石膏灯系列

MF400039



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
250*210*70mm	100lm	35W	30°	250.5*210.5mm

MF400040



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
350*100*75mm	100lm	35W	30°	351*101mm

MF400041



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
270*160*50mm	100lm	35W	30°	270.5*160.5mm




MF400061 Replaceable GX53 bulbs




尺寸DIAMETER 流明LUMEN 功率POWER 角度BEAMANGLE 开孔CELLING HOLE

φ 150*52mm




MF400062 Replaceable GX53 bulbs




尺寸DIAMETER 流明LUMEN 功率POWER 角度BEAMANGLE 开孔CELLING HOLE

φ 150*52*2mm




MF400063 Replaceable GX53 bulbs




尺寸DIAMETER 流明LUMEN 功率POWER 角度BEAMANGLE 开孔CELLING HOLE

110*110mm




MF400064 Replaceable GX53 bulbs



尺寸DIAMETER 流明LUMEN 功率POWER 角度BEAMANGLE 开孔CELLING HOLE

210*110mm



GYPSUM LIGHT

石膏灯系列



GYPSUM LIGHT

石膏灯系列

MF400043



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ155*70mm	100lm	35W	30°	156*156mm

MF400044



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
155×155×66mm	100lm	35W	30°	156*156mm

MF400045



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120*120*60mm	100lm	35W	30°	121*121mm

MF400046



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120*120*60mm	100lm	35W	30°	121*121mm




MF400047



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Ø90*50mm	100lm	35W	30°	91*91mm

MF400048



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120x120x65mm	100lm	35W	30°	121*121mm

MF400049



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
120x120x45 mm	100lm	35W	30°	121*121mm

MF400050



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ100x26mm	100lm	35W	30°	100.5*100.5mm



MF400060



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
100*100*45mm	100lm	35W	30°	100.5*100.5mm

MF400052




尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
80x80x55mm	100lm	35W	30°	80.5*80.5mm

MF400053



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ100x40mm	100lm	35W	30°	101*101mm

MF400054




尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
Φ120x55mm	100lm	35W	30°	121*121mm



MF400042



尺寸DIAMETER	流明LUMEN	功率POWER	角度BEAMANGLE	开孔CELLING HOLE
100*100*45mm	100lm	35W	30°	100.5*100.5mm



广东睿麒科技有限公司



CE

MF Smart Kylin Ltd



MFlux[®]
Established on 2000

极简石膏壁灯

Italy's core products with the same level of process quality
complete EU certificates, and no worries for export.

广东睿麒科技有限公司



CE

MF Smart Kylin Ltd

