

waterfeeling

HANSA BATHROOM COLLECTION.

hansa.com







BEFORE YOU PLUNGE RIGHT IN ...

... A FEW WORDS ABOUT HANSA.

The customer is at the focus of everything that HANSA undertakes – and that has been our company's premise right from the start. Since then, over 100 years have gone by. One thing has not changed at all during that period: our determination to inspire our customers and partners and to make their daily lives easier thanks to our many years of experience and our know-how. For our business is not just about faucets or shower thermostats – at its core it is about not just meeting your expectations, but exceeding them. And in that spirit we are very pleased to invite you to find out what is special about what we have to offer and what you can expect from us.

WHAT SETS HANSA APART.

Philosophy	06
History	10
References	12

OUR BATHROOM WORLD.

BATHROOM FITTINGS

HANSA | EDITION

HANSAMURANO X	16
HANSAMURANO	18
ALESSI SENSE BY HANSA	20

HANSA | LIVING

NEW	HANSADesigno	24
	HANSASignatur	30
	HANSALoft	34
	HANSALigna	38
	HANSASTELA	42
	HANSARONDA	46
NEW	HANSACliff	48

HANSA | HOME

HANSAMIX	52
HANSAFIT	54
HANSATWIST	56
HANSAVANTIS	60
HANSAPINTO	64
HANSAPRIMO	65
HANSAPOLO	66
HANSAPICO	68
HANSANOVA	69

TOUCHLESS FITTINGS

Private bathroom	72
HANSAELECTRA	74

EXPOSED VERSUS CONCEALED

Exposed	78
Concealed	79

THERMOSTATS, SHOWERS & SHOWER FITTINGS

COMBINATIONS FOR PERFECT SHOWERING

NEW	HANSA EMOTION & HANSA ACTIVEJET	84
	HANSA TEMPRA STYLE • HANSA PRISMA & HANSA UNITA • HANSA VIVA	88
	HANSA MICRA • HANSA FIT & HANSA BASICJET • HANSA CLASSICJET	90
	HANSA CARE & HANSA MEDIPRO FLEX	92

SHOWER SYSTEMS

Renovating	94
Complete packages	96

OVERHEAD SHOWERS

HANSA VIVA	98
HANSA RAIN	99

RIM-MOUNTED AND WALL-MOUNTED FITTINGS

HANSA ROLLBOX	102
HANSA COMPACT installation units	103

OUR AREAS OF COMPETENCE.

PARTNERSHIP & SERVICE

3-tier distribution	106
HANSA BLUEBOX & HANSA MATRIX	108
HANSA App	109
Commitment to quality	110
HANSA SERVICE PLUS	111

OUR GOALS & OUR KNOW-HOW

Technology & design	114
Health & safety	120
Ecology & sustainability	126

EVERYTHING AT A GLANCE.


Scope of the HANSA range of fittings	128
Product range - overview	130

WHAT SETS US APART? WELL, WHEN WE CREATE A BATHROOM FOR YOU, IT BECOMES


EXACTLY YOUR BATHROOM.

Technology & design

We make an impression with forms and functionality that are state-of-the-art and innovative. And not only does this bring us national and international recognition – the high quality of our products is something that can be also seen, felt and appreciated by anyone. It is basically a logical consequence of our passion for detail and our stringent product quality standards. So that you can enjoy using them every single day.



- A thought-through range of different sizes, operating concepts and functional extras mean that no wish is left unfulfilled
- For instance, with a strong feeling for individuality we work together with the Italian creative 'design factory' **ALESSI** and on top of that we also offer **HANSASERVICE PLUS** for special orders.



Ecology & sustainability

HANSA stands for responsible use of resources. Our energy and raw-materials policy for careful stewardship is already actively implemented during the product development stage. From there it moves on to production methods involving the lowest possible consumption of water and energy – without making any compromises in terms of comfort. That way, we voluntarily meet the strictest international requirements – and go on to set our own new standards.



- **A plus point for the environment** is that we manage, amongst other things, to reduce the flow rates of our fittings to as little as 2 l/min.
- **While we keep up standards of comfort** with our touchless products, for instance: This not only raises standards of hygiene because you don't need to touch the faucet, but also helps to save water.

Health & safety

We use only high-quality, durable materials that exclude any kind of health hazards.

In addition, we provide our products with thought-through features that intuitively and reliably protect the user from over-hot water, for instance. In brief: We do everything to ensure that a decision in favour of HANSA delivers nothing but satisfaction.



- **For the sake of pure shower enjoyment** we not only develop innovative global firsts that actively promote regeneration, for instance, but also design our products in such a way that cleaning them, disinfecting them and maintaining them is completely straightforward.
- **Our products score even where the benefits are invisible.** For instance, some of our fittings feature a nickel-free water supply or minimal lead content. Most of our thermostats have been developed with special hot water ducting to prevent the outer surfaces from overheating (THERMO COOL).

**100 %
UBA-
conformity***



* At an early stage, HANSA adapted all its materials to ensure product compliance with the Federal Environment Agency's positive list for metals (UBA).

Partnership service

It is important to us to be completely reliable. And not just in the short term. On the one hand this means making it noticeably easier for professional partners to plan, install and maintain systems thanks to innovative solutions. On the other hand, it means providing guarantees and customer support second to none.



» You will find more details on our ability to transform bathrooms into wellness oases on [page 104](#).

- **We make for plenty of scope for creativity** with a wide range of models for concealed and exposed solutions. Our thought-through professional system ensures flexible, fast, safe and technologically flawless installation.
- **We take reliability seriously.** In order to make sure that we can still provide support after many years. If an issue should arise after all, we provide a 10-year availability guarantee for spare parts.

WE SERVE TRADITION AS A SOURCE FOR

NNN

V



Award of the **first patent** for our **hand shower** with regulating and mixing valve. Also, this became the model for **HANSA'S** logo: the crown handle of our two-handle mixer.



A classic is born: the **HANSAMIX**-single-lever mixer.



Karl Göhring founds the company as the **Preß- und Stanzwerke GmbH**. The first location is in Ufenhausen near Stuttgart.

1911



Introduction of the innovative **HANSAMAT** thermostat (picture left). Also, HANSA launches a minor sensation in terms of ease of operation: the **HANSATASTAMAT** push-button faucet.

1971-1973

1913



The company takes over the new factory building in the Mhringen district of Stuttgart: as **M.P.W. GmbH**. This location has remained the company's headquarters to this day. In **1921**, it was renamed as the **HANSA Metallwerke AG**.

1962



HANSA produces **Europe's first single-lever mixer** - entirely on the basis of its own design.

1976



Start of production and sale of touchless faucets for washbasins, showers and urinals using **infrared technology**.

1984



ATION

History is always in flow, and that applies to our company as well. What has remained with us over the decades is the determination to keep on getting better, coupled with our capacity to stay ahead of the crowd when it comes to bringing something as fundamental as water into people's lives. And a glance at our timeline with its milestones shows what happens when tradition flows together with proficiency – yesterday, today and tomorrow.



The HANSA Aquapunkt showroom **opens its doors at the headquarters location** and brings the brand closer to visitors, from the story of the company to the individual product series.



With the HANSAEMOTION Wellt shower system, HANSA presents a true world's first, **featuring three regeneration programmes at the touch of a button** to give body and spirit a boost – simply while showering.



HANSAMURANO revolutionizes the **faucets market** and electrifies the design world: a single-lever mixer with an open flow of water that combines chrome and glass in a new and elegant way.

2003

2010



The long-established **Oras Group from Finland takes over HANSA:** Since then, the two brands have been a powerful, globally active team.

2013

2018

2007



The joystick operation of the HANSASTELE faucet not only provides for a new and contrast-rich design language, but also **gives the sector a clear signal of where the future lies.**

2011

2016



The HANSABLUEBOX concealed system enters the market, bringing hitherto unheard-of advantages with respect to the speed and quality of installation and benefiting both installers as well as end customers.

The company acquires a majority holding in the renowned Swiss sanitary ware manufacturer **Karrer, Weber & Cie., KWC based in Unterkulm / Switzerland.**



The new HANSAMATRIX modular concealed system creates space for **almost unlimited creativity and flexibility** on the path towards the dream bathroom.

WHAT WE DO IS A MEASURE OF EXCELLENCE THROUGHOUT THE WORLD.

Our products feel at home all over the world: in countless private bathrooms – but also in many hotels, renowned theatres, upmarket theme parks and holiday resorts. Of course, that represents an excellent visiting card that allows us to connect with the guests and visitors to these locations. Mainly, however, we see this as an opportunity and a stage to provide people with a true HANSA experience. And for preference, one that has an especially sustainable slant. That is why we are also taking part in the FutureHotel joint research project hosted by the Fraunhofer Institute with the aim of making trailblazing contributions to ecologically sound progress.



AMSTERDAM, BEST WESTERN PREMIER HOTEL COUTURE

BERLIN, ESTREL CONGRESS CENTER



MANILA, EDSA SHANGRI-LA



AMSTERDAM, ROYAL THEATRE CARRÉ



FIJI, WANANAVU BEACH RESORT



HONG KONG, CONRAD HOTEL



CELEBRITY ECLIPSE CRUISE SHIP





HANSA | EDITION

The highest level of visionary individuality: the faucet as a fascinating object in itself – technologically consummate, visually sensational and sophisticated in its details.



FOR A SMARTER BATHROOM: HANSAMURANO X.



The eye-catching feature of the HANSAMURANO X is an apparently floating, glass and metal water dispenser from which a miniature waterfall flows into the sink. The floating is controlled by means of invisible sensors in the glass plate. The sensors respond in two stages: When you first approach the floating, the integrated lamp in the water dispenser lights up. The illuminated flow of water then starts when you put your hands close to the floating.



» You will find all the variants and combination products in the product overview on pages 130 ff.

The metal and glass plate functions both as the water dispenser and operating unit via the invisible sensors.



MATCHING UNIT FOR THE BATHTUB AND SHOWER:



HANSAMATRIX

THE ESSENTIALS AT A GLANCE:

- Clear laminar stream of water with only 9 l/min water consumption.
- Touchless operation and temperature setting via short-distance IR sensor.
- Lighting effects and visual feedback.

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|--|
| ☐ TOP-CONTROLLED | ☐ WALL FITTING HAND |
| ☐ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☒ ELECTRONICALLY CONTROLLED | ☐ BATH / SHOWER |
| ☒ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☐ EXPOSED |
| | ☐ CONCEALED |

MATCHING INSTALLATION SYSTEMS:

+ HANSAMATRIX / TIPTRONIK

ENVIRONMENT & SUSTAINABILITY



HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN





CLEAR AS GLASS A MODERN CLASSIC: HANSAMURANO.

The HANSAMURANO series of faucets. The design acknowledges classical epochs, while the inner workings could not be more modern. The stylish mix of the materials glass and chrome and the striking shape enhance any washbasin and give your whole bathroom a hint of luxury.





THE ESSENTIALS AT A GLANCE:

- pen flow of water; a fascinating experience.
- nique flow optics.

COMFORT



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|--|--|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☐ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☐ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☐ EXPOSED |
| | ☐ CONCEALED |

MATCHING INSTALLATION SYSTEMS:

+ HANSAMATRIX / TIPTRONIK

» o u will nd all the variants and combination products in the product overview on **pages 130 ff.**

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



HANSAMATRIX



ESN WITH AN ITALIAN ACCENT: **ALESSI SENSE BY HANSA.**



ur **ALESSI SENSE** design faucet, developed in cooperation with the Italian **ALESSI** 'design factory, is as economical with water as it is elegant in its looks. The state-of-the-art technology guarantees minimal water consumption.



» You will find all the variants and combination products in the product overview on [pages 130 ff.](#)



The water quantity and temperature can be set using the control at the side of the faucet (see above). The LED strip shows the remaining flow time directly on the faucet (see left).

ALESSIsense

design Rodrigo Torres

by

 **HANSA**



"ALESSI SENSE BY HANSA is a family of elegant faucets that share a holistic view of 'beauty'. This can be seen both in the way the faucet presents itself – and also in how it functions.

The sculptural objects wish to motivate the user to develop positive rituals that save water and benefit the environment."

Rodrigo Torres, Designer



SINGLE-LEVER MIXER

for washbasins, side-controlled,
with shower function

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



HANSAMATRIX



HANSAEMOTION WELLFIT

THE ESSENTIALS AT A GLANCE:

- Easy operation via touch control.
- High-grade glass interface for flow duration display.
- Highly modern water saving technology.
- Flow duration can be set: 6 or 60 seconds.
- Individual flow rate control.

ECOLOGY & SUSTAINABILITY



HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☐ TOP-CONTROLLED | ☐ WALL FITTING |
| ☐ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☒ ELECTRONICALLY CONTROLLED | ☐ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☐ EXPOSED |
| | ☐ CONCEALED |

MATCHING INSTALLATION SYSTEMS:

+ HANSAMATRIX / TIPTRONIK





HANSA | LIVING

Character meets style: an expressive, modern series of faucets that provide an individualist note while fulfilling high expectations.



TIMELESS BEAUTY IN ALL ITS VARIETY: HANSADESIGNO STYLE.

NEW



The HANSADESIGNO STYLE series presents an impressive, harmonious composition of stylish lines. Clever and functional features as well as visual highlights combine to win over people of discriminating and developed taste.

» You will find all the variants and combination products in the product overview on [pages 130 ff.](#)



SINGLE-LEVER MIXER
for washbasins,
side-controlled



SINGLE-LEVER MIXER
for washbasins,
top-controlled,
XL variant



SINGLE-LEVER MIXER
for washbasins,
top-controlled



TOUCHLESS FAUCET
for washbasins



SINGLE-LEVER MIXER
for washbasins, side-controlled, swivel spout



CONCEALED WALL FITTING
for washbasins



"HANSADESIGNO STYLE blends the realms of architecture and nature. The three-dimensional combination of basic geometric elements (circle and rectangle) reflects the smoothness of pebbles shaped by flowing water. This synthesis is what turns HANSADESIGNO STYLE into a trend-oriented, individual lifestyle object." **Michael Lammel, Designer & Engineer**



Visually intriguing:
HANSADESIGNO STYLE as an eye-catcher
variant in rosé-gold. The series also includes
the optional **Mikado® stream** that gives even
the water itself a special visual appeal.



ALSO AVAILABLE AS
**TOUCHLESS
FAUCET**

HANSADESIGNO



SINGLE-LEVER MIXER
for washbasins, side-con-
trolled



SINGLE-LEVER MIXER
for washbasins, top-controlled,
XL variant



SINGLE-LEVER MIXER
for washbasins,
top-controlled

THE ESSENTIALS AT A GLANCE:

- Trend-oriented designer series of faucets.
- Unique and exquisite rosé-gold design together with the fascinating Mikado® stream.
- Conserves water with only 6 l / min.
- Multidimensional system includes various heights, control options and solutions for shower areas.
- Extended comfort thanks to high spout.
- With optional swivel spout and types of stream.

AVAILABLE IN THE FOLLOWING
VARIATIONS:

- | | |
|--|---|
| ☒ TOP-CONTROLLED | ☒ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☒ ELECTRONICALLY
CONTROLLED | ☒ BATH / SHOWER |
| ☒ TOUCHLESS | ☒ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSASTILO hand shower
- + HANSAACTIVEJET
- + HANSAEMOTION WELLFIT

MATCHING INSTALLATION
SYSTEMS:

- + HANSAMATRIX
- + HANSABLUEBOX

ECOLOGY & SUSTAINABILITY



HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN





MATCHING UNIT FOR THE BATHTUB AND SHOWER:



EXPOSED SINGLE-LEVER MIXER
for bathtub



EXPOSED SINGLE-LEVER MIXER
for shower



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSAMATRIX



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSABBLUEBOX



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSABBLUEBOX



4-HOLE RIM-MOUNTED SYSTEM



3-HOLE RIM-MOUNTED SYSTEM



SINGLE-LEVER MIXER
for bathtub, free-standing

FURTHER COMBINATION OPTIONS:



Placed on the rim of the bathtub, the **HANSASTILO** hand shower sets a timelessly elegant accent.

» You will find more information in the product overview on **pages 130 ff.**



The **HANSAEMOTION** thermostat with Wellt button for three different regeneration programmes to give body and spirit a boost.

» More information on **pages 84 ff.**



The **HANSAACTIVEJET** hand shower with three spray types, selectable via switch on handle.

» More information on **pages 85 ff.**

EXPOSED VERSUS CONCEALED

The term **exposed** is used for installations that remain visible, i.e. are not hidden behind plaster etc. This means that pipes and fittings are simply fixed onto the wall, on top of the plaster.

If the pipes are laid inside the wall and then plastered or otherwise covered, the installation is said to be **concealed**. In such a case, the pipes and connections remain invisible.

CLEVER CAN BE BEAUTIFUL: HANSASIGNATUR.



The faucets of the HANSASIGNATUR series don't simply look futuristic: Their functionality is pretty forward-looking as well. From the intuitive operating concept with separate lever and spout to the excellent drinking water hygiene – thanks to nickel-free water ways. And all that in a prizewinning design.



HYBRID WASHBASIN MIXER

Side-controlled, swivel spout, pull-out shower hose



SINGLE-LEVER MIXER

for washbasins, side-controlled, swivel spout



SINGLE-LEVER MIXER

for washbasins, side-controlled, swivel spout, with shower function



CONCEALED WALL FITTING

for washbasins



» The faucets of the HANSASIGNATUR series are also available for bidets. You will find more information in the product overview on **pages 130 ff.**



The extra highlight is the innovative hybrid model with integrated pull-out shower, also available as a single-lever mixer with conventional manual control.



Optional as practical aid:
our shower extension for personal
hygiene, lling tall vases etc.

The name says it all: HANSA**SIGNATUR** HYBRID bears
that name because it is a single-lever mixer as well hav-
ing a touchless option.



MATCHING UNIT FOR THE BATHTUB AND SHOWER:



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSAB[®]BLUEBOX



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSAB[®]BLUEBOX

» You will find all the variants and
combination products in the product
overview on **pages 130 ff.**

FURTHER COMBINATION OPTIONS:



The HANSA**EMOTION** thermostat with Wellt but ton for three different regeneration programmes to give body and spirit a boost.

» More information on [pages 84 ff.](#)



The HANSA**ACTIVEJET** hand shower with three spray types, selectable via switch on the handle.

» More information on [pages 85 ff.](#)



Placed on the rim of the bathtub, the HANSA**STILO** hand shower sets a timelessly elegant accent.

» You will find more information in the product overview on [pages 130 ff.](#)

THE ESSENTIALS AT A GLANCE:

- Unique hybrid control for optimal operating comfort.
- Conserves water with only 6 l/min.
- Generous moving space thanks to swivel spout and hand spray
- Best drinking water hygiene thanks to nickel-free water ways.

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☐ TOP-CONTROLLED | ☒ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☒ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☒ TOUCHLESS | ☐ RIM-MOUNTED |
| ☒ HYBRID | ☐ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSA**STILO** hand shower
- + HANSA**ACTIVEJET**
- + HANSA**EMOTION WELLFIT**

MATCHING INSTALLATION SYSTEMS:

- + HANSA**MATRIX**
- + HANSA**BLUEBOX**

ECOLOGY & SUSTAINABILITY




HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN





CLEAR CUT: HANSALOFT.

The HANSALOFT series of faucets may speak a very uncompromising design language – but it is still no problem to integrate them into bathroom design. Clear, cuboidal shapes, high-gloss and plane surfaces, several angle sizes and perfect edges add up to a functional work of art that convinced the juries of renowned design awards.





» The HANSALOFT series of faucets are also available for bidets, operated from the top or from the side. You will find more information in the product overview on **pages 130 ff.**

ALSO AVAILABLE AS
**TOUCHLESS
FAUCET**



SINGLE-LEVER MIXER
for washbasins,
side-controlled



TOUCHLESS FAUCET
for washbasins



SINGLE-LEVER MIXER
for washbasins,
top-controlled



SINGLE-LEVER MIXER
for washbasins,
top-controlled, L version



**CONCEALED WALL
FITTING**
for washbasins



3-HOLE FITTING
for washbasins



MATCHING UNIT FOR THE BATHTUB AND SHOWER:



EXPOSED SINGLE-LEVER MIXER
for bathtub



EXPOSED SINGLE-LEVER MIXER
for shower



CONCEALED SINGLE-LEVER MIXER
on the basis of **HANSAMATRIX**



CONCEALED SINGLE-LEVER MIXER
on the basis of **HANSABLUEBOX**



CONCEALED SINGLE-LEVER MIXER
on the basis of **HANSABLUEBOX**



4-HOLE RIM-MOUNTED SYSTEM



3-HOLE RIM-MOUNTED SYSTEM



SINGLE-LEVER MIXER
for bathtub, free-standing



» You will find all the variants and combination products in the product overview on **pages 130 ff.**

FURTHER COMBINATION OPTIONS:



Placed on the rim of the bathtub, the HANSASTILO hand shower sets a timeless elegant accent.

» You will find more information in the product overview on **pages 130 ff.**



The HANSAACTIVEJET hand shower with three spray types, selectable via switch on handle.

» More information on **pages 85 ff.**



The HANSASMARTSHOWER shower system allows you to turn showering into a completely individual pleasure thanks to a number of push-button options.

» More information on **pages 94 ff.**

THE ESSENTIALS AT A GLANCE:

- Design line with basic geometry and cuboidal or rounded emphasis.
- Minimalistic geometric style for all bathrooms with an architectural orientation.
- Optimal comfort thanks to high projection and swivelable spray former.
- Conserves water with only 6 l/min.

ECOLOGY & SUSTAINABILITY




HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☒ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☒ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☒ TOUCHLESS | ☒ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSASTILO hand shower
- + HANSAACTIVEJET
- + HANSASMARTSHOWER

MATCHING INSTALLATION SYSTEMS:

- + HANSAMATRIX
- + HANSABLUEBOX

CLASSICALLY GOOD STYLE: HANSALIGNA.

The HANSALIGNA series of faucets give the bathroom a 'classical-modern' design. Also, the tried-and-tested HANSA technology behind the elegant shape ensures optimal functionality, promotes more aware and economical use of water and makes HANSALIGNA a pleasure to use, sustainably and over time.



ALSO AVAILABLE AS
**TOUCHLESS
FACET**



Hygienic, economical and a real eye-catcher: The HANSALIGNA touchless version.



SINGLE-LEVER MIXER
for washbasins, side-controlled, swivel
spout



SINGLE-LEVER MIXER
for washbasins, top-controlled



TOUCHLESS FAUCET
for washbasins



SINGLE-LEVER MIXER
for washbasins, top-controlled,
L variant



CONCEALED WALL FITTING
for washbasins



CONCEALED WALL FITTING
for washbasins



3-HOLE WALL FITTING
for washbasins



3-HOLE FITTING
for washbasins

» You will find all the variants and combination products in the product overview on [pages 130 ff.](#)

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



3-HOLE RIM-MOUNTED SYSTEM



4-HOLE RIM-MOUNTED SYSTEM



EXPOSED SINGLE-LEVER MIXER
for bathtub



EXPOSED SINGLE-LEVER MIXER
for shower



SINGLE-LEVER MIXER
for bathtub, free-standing



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSAMATRIX



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSABUEBOX



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSABUEBOX



Makes free-standing bathtubs even more stylish: the **HANSALIGNA** single-lever mixer with pedestal.



Options for combination:
the HANSALIGNA concealed single-lever mixer in combination with HANSASTILO hand shower and HANSARAIN overhead shower.

THE ESSENTIALS AT A GLANCE:

- Optimal comfort and optimal safety including marked sustainability: largely hands-free, easily replaced cartridge and theft-proof spray former.
- High-quality looks with carefully machined surfaces and clear lines.
- Conserves water with only 6 l/min.

ECOLOGY & SUSTAINABILITY



HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN



FURTHER COMBINATION OPTIONS:



Placed on the rim of the bathtub, the HANSASTILO hand shower sets a timelessly elegant accent.

» You will find more information in the product overview on [pages 130 ff.](#)



The HANSAACTIVEJET hand shower with three spray types, selectable via switch on handle.

» More information on [pages 85 ff.](#)



The HANSAEMOTION thermostat with Wellt button for three different regeneration programmes to give body and spirit a boost.

» More information on [pages 84 ff.](#)

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☒ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☒ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☒ TOUCHLESS | ☒ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSASTILO hand shower
- + HANSAACTIVEJET
- + HANSAEMOTION WELLFIT

MATCHING INSTALLATION SYSTEMS:


- + HANSAMATRIX
- + HANSABLUEBOX



STRIKING AND YET STILL HARMONIOUS: HANSASTECLA.

The HANSASTECLA series can look back on a long tradition as part of the HANSA range. It has seen several redesigns, but always remained true to its core attribute: With its characteristic design feature, the broad, rectangular spout, HANSASTECLA is a bathroom highlight – without forcing its way into the foreground. HANSASTECLA is also available in a touchless version on request.

» You will find all the variants and combination products in the product overview on [pages 130 ff.](#)





HANSATELA harmonizes perfectly with the overall picture – also in the side-controlled version.



SINGLE-LEVER MIXER
for washbasins, side-controlled,
swivel spout



SINGLE-LEVER MIXER
for washbasins, top-controlled, XL variant



SINGLE-LEVER MIXER
for washbasins, top-controlled



TOUCHLESS FAUCET
for washbasins



3-HOLE FITTING
for washbasins



CONCEALED WALL FITTING
for washbasins



3-HOLE WALL FITTING
for washbasins



Everything in its place: **HANSATELA** as 4-hole rim-mounted system.



A classic pair: the **HANSATELA** concealed single-lever mixer in combination with the **HANSARAIN** overhead shower.

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



4-HOLE RIM-MOUNTED SYSTEM



3-HOLE RIM-MOUNTED SYSTEM



EXPOSED SINGLE-LEVER MIXER
for shower



EXPOSED SINGLE-LEVER MIXER
for bathtub



CONCEALED SINGLE-LEVER MIXER
on the basis of **HANSAMATRIX**



CONCEALED SINGLE-LEVER MIXER
on the basis of **HANSABBLUEBOX**



CONCEALED SINGLE-LEVER MIXER
on the basis of **HANSABBLUEBOX**

FURTHER COMBINATION OPTIONS:



Placed on the rim of the bathtub, the **HANSASTILO** hand shower sets a timelessly elegant accent.

» You will find more information in the product overview on **pages 130 ff.**



The **HANSAVIVA** overhead shower is especially a lot, but so intelligently constructed that it remains very robust and easy to clean as well.

» More information on **pages 98 ff.**



With its characteristic side view, the **HANSA TEMPRA STYLE** thermostat enhances any modern bathroom.

» More information on **pages 88 ff.**

THE ESSENTIALS AT A GLANCE:

- Contrast-rich design language that goes with a wide range of interior design styles.
- Conserves water with only 6 l/min.
- A high level of comfort thanks to swivel spray former and high spout.

ECOLOGY & SUSTAINABILITY



HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☒ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☒ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☒ TOUCHLESS | ☒ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + **HANSASTILO** hand shower
- + **HANSAVIVA**
- + **TEMPRA STYLE**

MATCHING INSTALLATION SYSTEMS:

- + **HANSAMATRIX**
- + **HANSABBLUEBOX**

SIMPLY VERSATILE: HANSARONDA.

The HANSARONDA series of faucets captivates through simplicity of form, while presenting itself in a range of variants. For the rounded base unit can be fitted with various handles, surfaces and showers as desired. This makes HANSARONDA the ideal all-rounder for all bathroom styles.



» You will find all the variants and combination products in the product overview on pages 130 ff.



**SINGLE-LEVER MIXER**

for washbasins, top-controlled,
pull-out shower hose

**SINGLE-LEVER MIXER**

for washbasins, top-controlled,
XL variant

**SINGLE-LEVER MIXER**

for washbasins, top-controlled

**SINGLE-LEVER MIXER**

for washbasins, side-controlled,
swivel spout

**CONCEALED WALL FITTING**

for washbasins

» You will find all the variants and combination products in the product overview on [pages 130 ff.](#)

MATCHING UNIT FOR THE BATHTUB AND SHOWER:

**4-HOLE RIM-MOUNTED SYSTEM****3-HOLE RIM-MOUNTED SYSTEM****EXPOSED SINGLE-LEVER MIXER**

for bathtub

**EXPOSED SINGLE-LEVER MIXER**

for shower

**SINGLE-LEVER MIXER**

for bathtub, free-standing

**CONCEALED SINGLE-LEVER MIXER**

on the basis of
HANSAMATRIX

**CONCEALED SINGLE-LEVER MIXER**

on the basis of
HANSABUEBOX

**CONCEALED SINGLE-LEVER MIXER**

on the basis of
HANSABUEBOX

FURTHER COMBINATION OPTIONS:



Placed on the rim of the bathtub, the **HANSASTILO** hand shower sets a timelessly elegant accent.



The **HANSAVIVA** hand shower is especially a lot, but so intelligently constructed that it remains very robust and easy to clean as well.



With its characteristic side view, the **HANSA TEMPRA STYLE** thermostatic enhances any modern bathroom.

» You will find more information in the product overview on [pages 130 ff.](#)

» More information on [pages 89 ff.](#)

» More information on [pages 88 ff.](#)

THE ESSENTIALS AT A GLANCE:

- Stylistically appropriate variants for all bathroom areas.
- Rounded base unit for a harmonious bathroom ambience with a softly sculptured appearance.
- Conserves water with only 6 l/min.

ECOLOGY & SUSTAINABILITY



COMFORT



TECHNOLOGY & DESIGN



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☒ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☒ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + **HANSASTILO** hand shower
- + **HANSAVIVA**
- + **TEMPRA STYLE**

MATCHING INSTALLATION SYSTEMS:

- + **HANSAMATRIX**
- + **HANSABUEBOX**



NEW

TIMELESSLY ATTRACTIVE: HANSACLIFF.

The HANSACLIFF series of faucets build a bridge between then and now: Tested HANSA quality with highly modern technology meets retro-inspired design with two cross handles. The faucets in this series were developed in cooperation with the JOI-Design interior design bureau – an especially reliable choice for exclusive bathrooms.





» The HANSACLIFF series of faucets are available for operation both from the side and from the top. You will find more information in the product overview on pages 130 ff.



2-HANDLE WASHBASIN MIXER

Swivel spout



3-HOLE WASHBASIN MIXER

Swivel spout



3-HOLE WALL FITTING

THE ESSENTIALS AT A GLANCE:

- Optimal ease of use thanks to authentic cross handles.
- Overarching quality across the series for washbasins, showers and bathtubs.
- Conserves water with only 6 l/min.

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☒ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☐ EXPOSED |
| | ☒ CONCEALED |

MATCHING INSTALLATION SYSTEMS:

+ Only thermostat set, no lever variant

COMFORT



HEALTH & SAFETY



TECHNOLOGY & DESIGN







HANSA | HOME

Universal, and with that little extra: tried-and-tested, high-quality series of faucets that score points both from the ecological as well as technological points of view.



A BEST-SELLER SINCE 1979: HANSAMIX.



Now in its fourth generation, the HANSAMIX series continues to reflect our essential values in a way that is matched by hardly any other faucet: well-developed technology, high quality, economical and sustainable. The various forms and functional variants ensure that the faucets meet all demands, so they can be perfectly integrated into any bathroom.



SINGLE-LEVER MIXER
for washbasins, top-controlled



SINGLE-LEVER MIXER
for washbasins, top-controlled,
swivel spout



SINGLE-LEVER MIXER
for washbasins, top-controlled,
XS variant

» You will find all the variants and combination products in the product overview on [pages 130 ff.](#)

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



EXPOSED SINGLE-LEVER MIXER
for shower



EXPOSED SINGLE-LEVER MIXER
for bathtub



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSABLUEBOX

FURTHER COMBINATION OPTIONS:



Thanks to a function that sets its own standards, the HANSAPRISMA range makes having a bath and shower both safer and noticeably more convenient.

» More information on [pages 88 ff.](#)



The HANSAVIVA hand shower is happy to display its visual charms and functional capabilities as a concealed solution.

» More information on [pages 89 ff.](#)

THE ESSENTIALS AT A GLANCE:

- Timeless design in three variations with several sizes and functionalities.
- More space for the hands in the basin thanks to more accommodating heights and projections.
- High-quality, striking draw-rod.
- Low water consumption of only 8 l/min.

ECOLOGY & SUSTAINABILITY



COMFORT



TECHNOLOGY & DESIGN



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|--|---|
| ☒ TOP-CONTROLLED | ☒ WALL FITTING |
| ☐ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSAPRISMA thermostat
- + HANSAVIVA shower range

MATCHING INSTALLATION SYSTEMS:

- + HANSABLUEBOX

MADE FOR ALL GENERATIONS: HANSAFIT.



TOUCHLESS FAUCET
for washbasins



SINGLE-LEVER MIXER
for washbasins, top-controlled

The HANSAFIT series includes a whole set of clever solutions. Colour-contrasting, easy-to-use control elements with the Soft-Touch surface, variable temperature limitation and the Tiptronik Flex-button for remote control from the basin itself all make HANSAFIT an ergonomically optimized and, especially, safe solution for young and old.

» You will find all the variants and combination products in the product overview on **pages 130 ff.**



**SINGLE-LEVER MIXER**

for washbasins, top-controlled, with
Tiptronik Flex-button

SINGLE-LEVER MIXER

for washbasins, top-controlled, with
shower function



Specially practical for younger people: With the separate Tiptronik Flex-button, the HANSAFIT faucet can be remotely controlled from the front of the washbasin.

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



EXPOSED THERMOSTAT
for bathtub

FURTHER COMBINATION OPTIONS:



A specially designed, ergonomic handle and the classically stylish looks make the HANSACLASSICJET the perfect hand shower for the cross-generation bathroom.

» More information on [pages 91 ff.](#)



The HANSAFIT thermostat has been consistently optimized from the ergonomic point of view, making it easy to use and as safe as possible thanks to a number of thought-through features.

» More information on [pages 90 ff.](#)

THE ESSENTIALS AT A GLANCE:

- Eco-lever with Soft-Touch surface for reducing water consumption by 50%.
- Adjustable temperature limitation.
- Can be operated at the washbasin via the Tiptronik Flex-button.

**AVAILABLE IN THE FOLLOWING
VARIATIONS:**

- | | |
|--|---|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☐ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☒ ELECTRONICALLY
CONTROLLED | ☒ BATH / SHOWER |
| ☒ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☐ CONCEALED |

COMBINATION OPTIONS:

- + HANSACLASSICJET shower range
- + HANSAFIT thermostat

ECOLOGY & SUSTAINABILITY**HEALTH & SAFETY****COMFORT****TECHNOLOGY & DESIGN**

CLEARLY MANY-FACETED: HANSATWIST.



Our HANSATWIST series is a real quick-change artist and one of the most e xible series in our collection. The washbasin t ting alone is available in two sizes and with two different operating concepts and lever variants. This allows you to configure the whole bathroom just as you want with very little effort.

» You will nd all the variants and combina tion prod- ucts in the product overview on [pages 130 ff.](#)



**SINGLE-LEVER MIXER**

for washbasins, side-controlled, with loop lever, swivel spout

**SINGLE-LEVER MIXER**

for washbasins, side-controlled, with solid lever, swivel spout

**SINGLE-LEVER MIXER**

for washbasins, top-controlled, with solid lever, XL variant

**SINGLE-LEVER MIXER**

for washbasins, top-controlled, with solid lever

**SINGLE-LEVER MIXER**

for washbasins, top-controlled, with loop lever, XL variant

**SINGLE-LEVER MIXER**

for washbasins, top-controlled, with loop lever

**SINGLE-LEVER MIXER**

for washbasins, top-controlled, with loop lever and shower function

**SINGLE-LEVER MIXER**

for washbasins, top-controlled, with solid lever and shower function



HANSATWIST in the side-controlled version with loop lever.



Top: The top-controlled version makes its mark at the washbasin.

Left: HANSATWIST exposed single-lever mixer with HANSAVIVA hand shower.

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



EXPOSED SINGLE-LEVER MIXER
for shower, with solid lever



EXPOSED SINGLE-LEVER MIXER
for shower, with loop lever



EXPOSED SINGLE-LEVER MIXER
for bathtub, with solid lever



EXPOSED SINGLE-LEVER MIXER
for bathtub, with loop lever



CONCEALED SINGLE-LEVER MIXER
with solid lever on the basis of
HANSABLUEBOX



CONCEALED SINGLE-LEVER MIXER
with loop lever on the basis of
HANSABLUEBOX

FURTHER COMBINATION OPTIONS:



The HANSAUNITA thermostat not only has slimline looks, but a particularly attractive price-performance ratio.



The HANSAVIVA hand shower is happy to display its visual charms and functional capabilities as a concealed solution.

» More information on pages 89 ff.

» More information on pages 89 ff.

THE ESSENTIALS AT A GLANCE:

- Wide range of choice with different lever variants and sizes.
- Modern, characteristic and easy-to-operate loop levers for every generation.
- Modern meets traditional.
- Only 6 l/min pressure-independent water consumption.

ECOLOGY & SUSTAINABILITY



COMFORT



TECHNOLOGY & DESIGN



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☐ ELECTRONICALLY
CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSAUNITA thermostat
- + HANSAVIVA shower range

MATCHING INSTALLATION SYSTEMS:

- + HANSABLUEBOX
- + HANSAVARIO



A TOUCH OF LIGHT-HEARTEDNESS: HANSAVANTIS.

Pleasantly modest, but with plenty of options for giving your bathroom a modern look: That is our HANSAVANTIS series in a nutshell. With its range of models for the washbasin, individual comfort requirements can be fulfilled perfectly. On top of that, the high-quality HANSA technology guarantees satisfying usage, easy cleaning and care as well as low consumption of water and power.





Brings zest to the washbasin: the side-controlled HANSAVANTIS version.



SINGLE-LEVER MIXER
for washbasins, side-controlled,
swivel spout



SINGLE-LEVER MIXER
for washbasins, top-controlled



SINGLE-LEVER MIXER
for washbasins, top-controlled, XL variant



SINGLE-LEVER MIXER
for washbasins, top-controlled



SINGLE-LEVER MIXER
for washbasins, top-controlled,
with raised pedestal



SINGLE-LEVER MIXER
for washbasins, top-controlled,
with shower function



SINGLE-LEVER MIXER
for washbasins, top-controlled,
with shower function

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



EXPOSED SINGLE-LEVER MIXER
for bathtub



EXPOSED SINGLE-LEVER MIXER
for bathtub



EXPOSED SINGLE-LEVER MIXER
for shower



EXPOSED SINGLE-LEVER MIXER
for shower



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSABLUEBOX



CONCEALED SINGLE-LEVER MIXER
on the basis of HANSABLUEBOX

» You will find all the variants and combination products in the product overview on [pages 130 ff.](#)



in a stylish combination with the HANSAVIVA hand shower.



Style in series – also as a variant on the bathtub.

FURTHER COMBINATION OPTIONS:



The HANSAUNITA thermostat not only has slimline looks, but a particularly attractive price-performance ratio.

» More information on [pages 89 ff.](#)



The HANSAVIVA overhead shower is especially a t, but so intelligently constructed that it remains very robust and easy to clean as well.

» More information on [pages 98 ff.](#)

THE ESSENTIALS AT A GLANCE:

- Universal design with a large range of functions.
- Pressure-independent ow rate reduction.
- Only 6 l/min pressure-independent water consumption.

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSAUNITA thermostat
- + HANSAVIVA shower range

MATCHING INSTALLATION SYSTEMS:

- + HANSABLUEBOX
- + HANSAVARIO

ECOLOGY & SUSTAINABILITY



COMFORT



TECHNOLOGY & DESIGN



ALL-ROUND ELEGANCE: HANSAPINTO.

The HANSAPINTO series makes bathroom planning easy – and the result is simply attractive. The large range of faucets provides all kinds of options for high-quality bathroom design from beginning to end. The smooth surfaces and mellow, rounded forms have an air of elegance that perfectly suits modern bathroom styles with a softer design language. Contemporary features are available that also give this series that special finishing touch.



SINGLE-LEVER MIXER
for washbasins, side-controlled,
swivel spout



SINGLE-LEVER MIXER
for washbasins, top-controlled,
XL variant



SINGLE-LEVER MIXER
for washbasins, top-controlled



EXPOSED SINGLE-LEVER MIXER
for shower



» You will find all the variants and combination products in the product overview on [page 130 ff.](#)



THE ESSENTIALS AT A GLANCE:

- Universal design for every bathroom style with many options.
- Extra safety with hot water stop and check screw.
- Maximum comfort thanks to raised spout. Conserves water with only 6 l/min operating rate.
- Easy cleaning thanks to minimized joints and fewer seams.
- Optionally with swivel spout.

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSAUNITA thermostat
- + HANSABASICJET

MATCHING INSTALLATION SYSTEMS:

- + HANSABUEBOX
- + HANSAVARIO

ECOLOGY & SUSTAINABILITY



COMFORT



TECHNOLOGY & DESIGN



EFFICIENCY THROUGH AND THROUGH: HANSAPRIMO.

Our HANSAPRIMO's main feature is its capacity to promote responsible use of water – without the need to skimp on comfort. But the visual and haptic aspects are well worth mentioning as well: the classic lines and exciting contrasts between plane and softly rounded forms.



SINGLE-LEVER MIXER
for washbasins, side-controlled,
swivel spout



SINGLE-LEVER MIXER
for washbasins, top-controlled,
XL variant



SINGLE-LEVER MIXER
for washbasins, top-controlled



SINGLE-LEVER MIXER
for washbasins, top-controlled, with
shower function

» The HANSAPRIMO series of faucets are available for operation both from the side and from the top. You will find more information in the product overview on **pages 130 ff.**

THE ESSENTIALS AT A GLANCE:

- Promotes careful use of water without loss of performance.
- Optimized size for more freedom of movement in the basin.
- Charming appearance: dynamic transitions, gentle inclinations, soft shapes.

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSAMICRA thermostat
- + HANSABASICJET shower range

MATCHING INSTALLATION SYSTEMS:

- + HANSABBLUEBOX
- + HANSAVARIO

ECOLOGY & SUSTAINABILITY



COMFORT





CLEAR LINES: HANSAPOLLO.

The HANSAPOLLO series sets a new standard. It stands out with its dynamic, contemporary design: A certain straightforwardness, with small-radius edges for modern bathroom design, is characteristic of the whole product assortment. HANSAPOLLO represents best HANSA brand quality, using the latest materials and technology, and even when subjected to years of intensive use it continues to deliver what it promises.



**SINGLE-LEVER MIXER**

for washbasins, side-controlled,
swivel spout

**SINGLE-LEVER MIXER**

for washbasins, top-controlled,
XL variant

**SINGLE-LEVER MIXER**

for washbasins, top-controlled

**SINGLE-LEVER MIXER**

for washbasins, top-controlled,
with shower function

» You will find all the variants and combination
products in the product overview on **pages 130 ff.**

MATCHING UNIT FOR THE BATHTUB AND SHOWER:

**EXPOSED SINGLE-LEVER MIXER**

for bathtub

**EXPOSED SINGLE-LEVER MIXER**

for shower

**CONCEALED SINGLE-LEVER MIXER**

on the basis of HANSABLUEBOX

FURTHER COMBINATION OPTIONS:



The HANSAMICRA exposed thermostat perfectly
meets modern demands.

» More information on **pages 90 ff.**



The new HANSABASICJET family includes two fresh
hand shower models which can be combined ideally
with all modern t ting ranges.

» More information on **pages 91 ff.**

THE ESSENTIALS AT A GLANCE:

- Dynamic design at an attractive price.
- Long, convenient lever for smooth operation.
- Maximum comfort thanks to specially high spout.
- Conserves water with only 6 l/min ow r ate.

ECOLOGY & SUSTAINABILITY**COMFORT****TECHNOLOGY & DESIGN**
**AVAILABLE IN THE
FOLLOWING VARIATIONS:**

- | | |
|---|---|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☒ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☐ ELECTRONICALLY
CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSAMICRA thermostat
- + HANSABASICJET shower range

MATCHING INSTALLATION SYSTEMS:

- + HANSABLUEBOX
- + HANSAVARIO

SPIRITED AND THRIFTY: HANSAPICO.

Small is beautiful: With its arched lever, its flowing contours and the soft transitions, our HANSAPICO washbasin fitting is an attractive sight.

At the same time, it features especially economical water consumption. With a maximum flow rate of 6 l / min, HANSAPICO helps to keep water costs down.



» You will find more information in the product overview on **pages 130 ff.**

THE ESSENTIALS AT A GLANCE:

- Promotes careful use of water without loss of performance.
- Optimized size for more freedom of movement in the basin.
- Charming appearance: dynamic transitions, gentle inclinations, soft shapes.
- High-quality DZR brass alloy for a long service life.

AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|--|---|
| ☒ TOP-CONTROLLED | ☐ WALL FITTING |
| ☐ SIDE-CONTROLLED | ☒ SHOWER FUNCTION |
| ☐ ELECTRONICALLY CONTROLLED | ☐ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

COMBINATION OPTIONS:

- + HANSAUNITA thermostat
- + HANSAVIVA shower range

MATCHING INSTALLATION SYSTEMS:

- + HANSABLUEBOX
- + HANSAVARIO

ECOLOGY & SUSTAINABILITY



COMFORT



DESIGN THAT LEAVES NOBODY OUT IN THE COLD: HANSANOVA.

The HANSANOVA series has nothing superfluous about it, while retaining all that it needs in terms of tried-and-tested HANSA technology. A variety of colours and an optional thermostat extend the already broad range of uses.

» The HANSANOVA series of faucets are available for operation both from the side and from the top. You will find more information in the product overview on pages 130 ff.



THE ESSENTIALS AT A GLANCE:

- Body of dezincification-resistant MS 63 brass.
- Visually appealing, theft-proof spray former.
- Conserves water with only 6 l/min flow rate.
- Minimalist design.
- 38 °C scald protection for a pleasant temperature (only in combination with HANSAMINIMAT).

COMFORT



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|--|
| ☒ TP -CNTRLLE | ☒ WALL FITTING |
| ☐ SE-C NTRLLE | ☐ SHWER FNC TN |
| ☐ ELECTRCALL Y | ☐ BATH / SHWER |
| ☐ CNTRLLE | ☐ RM-MNTE |
| ☐ TOUCHLESS | ☐ EXPOSED |
| ☐ HBR | ☐ CONCEALED |



PILLAR TAP
for washbasins



WALL-MOUNTED TAP
for washbasins



PILLAR TAP
for washbasins



WALL-MOUNTED TAP
for washbasins





TOUCHLESS FAUCETS FROM HANSA.

Eye-catching, environmentally friendly and hygienic: our touchless faucets.

THIS MUST BE THE MOST PRACTICAL VERSION OF:

"DON'T TOUCH,
JUST LOOK."

You don't need telepathic powers to get the water flowing without touching the faucet: Instead, we have now been implementing intelligent technology for around four decades – and we are continually improving it with thought-through concepts for touchless operation.



A clean solution.

When you no longer need to touch the faucet to operate it, that is not only visually appealing: It is also quite simply more hygienic. Germs and other harmful substances have no chance of transferring from hand to hand via the faucet, and it needs less cleaning. That makes our touchless faucets the perfect solution for the guest bathroom or toilet – both in private homes as well as in buildings open to the public such as restaurants etc.

More scope for appeal: and good for the environment.

With touchless faucets, it's clear that operating levers or similar are superfluous. Equally obvious: this affects the design. To be specific, much more straightforward and purist lines become possible. But there are not just aesthetic benefits – touchless operation helps save water as well, for it never flows longer than needed. In particular, there is no danger that the faucet just keeps running because someone has forgotten to turn it off (something that can easily happen, especially with children or older people).



ON PARADE:
TOUCHLESS FAUCETS
FROM THE
HANSA | LIVING AND
HANSA | HOME
SEGMENTS

» More information on the various operating variants within the respective product series can be found on **pages 22 ff.**

With built-in intelligence.

The fact that using our touchless faucets is intuitive and easy scores points with both young and old. The sophisticated control sensors ensure that our touchless devices excel not just in their looks, but also their position-sensitive detector technology. It won't be misled by anything like drops, reflections or shiny surfaces: So the water really only flows when you want it to – and no longer than is necessary.

» More information on the visual and technological highlights of our products can be found in the Technology & Design section on **pages 114 ff.**

SIMPLE, SMART AND HYGIENIC: HANSAELECTRA.

Our HANSAELECTRA series is a real all-rounder – both for private use as well as in public areas. With its clear, reduced form, it feels at home in all surroundings, and thanks to the touchless technology it is easy, reliable and hygienic to operate. And as the water is always supplied in the required quantity and at the preset temperature, no resources are wasted.





TOUCHLESS FAUCET
for washbasins



TOUCHLESS FAUCET
for washbasins



TOUCHLESS FAUCET
for washbasins



TOUCHLESS WALL FAUCET
for washbasins

» You will find all the variants and combination products in the product overview on **pages 130 ff.**

MATCHING UNIT FOR THE BATHTUB AND SHOWER:



TOUCHLESS CONCEALED THERMOSTAT
on the basis of HANSABLUEBOX



CONCEALED THERMOSTAT
with electronic control on the basis of HANSABLUEBOX

The sensor with position-sensitive detector technology ensures safe, reliable and intuitive operation.

THE ESSENTIALS AT A GLANCE:

- Touchless faucet with high-tech PS sensor.
- No nickel coating.
- With laminar water stream that minimizes the spread of microorganisms.
- Vandal-proof stream former.
- Flow rate of only 6 l/min.

ECOLOGY & SUSTAINABILITY



HEALTH & SAFETY



COMFORT



TECHNOLOGY & DESIGN



AVAILABLE IN THE FOLLOWING VARIATIONS:

- | | |
|---|---|
| ☐ TOP-CONTROLLED | ☒ WALL FITTING |
| ☐ SIDE-CONTROLLED | ☐ SHOWER FUNCTION |
| ☒ ELECTRONICALLY CONTROLLED | ☒ BATH / SHOWER |
| ☐ TOUCHLESS | ☐ RIM-MOUNTED |
| ☐ HYBRID | ☒ EXPOSED |
| | ☒ CONCEALED |

MATCHING INSTALLATION SYSTEMS

+ HANSABLUEBOX



HANSA App

HANSAELECTRA faucets can be set and controlled conveniently via Bluetooth and an app. The HANSA app can be used to program parameters such as flow duration and flow rate, and to trigger automatic anti-legionella flushing. More information on this on page 109 (Partnership & Service).





EXPOSED
VERSUS
CONCEALED.

PERFECTION IN FULL VIEW.
OR JUST TO BE EXPERIENCED:
**THE HANSA EXPOSED AND
CONCEALED SOLUTIONS.**

HANSA has the perfect solution for any structural conditions: So just as customers appreciate the functionality and design of HANSA's exposed solutions, the same applies to the broad selection of concealed solutions. To this end, we supply both the modular, grid-based HANSAMATRIX system for optimal spatial planning, as well as the flexible and versatile HANSABLUEBOX universal system. Both solutions are based on a consistent concept designed for variability, and they share an integrated and innovative technology as well as being reliably quick to install.

» You will find more detailed information about
HANSABLUEBOX, HANSAMATRIX and Co.
on **pages 108 ff.**



HANSASTE~~LA~~ exposed

The term 'exposed' is used for installations that remain visible, i.e. are not hidden behind plaster etc. This means that pipes and fittings are simply fixed onto the wall, on top of the niche.



HANSATEMPRA STYLE exposed

HANSA**STELA** with universal HANSAB**BLUEBOX**
concealed technology



If the pipes are laid inside the wall and then plastered or otherwise covered, the installation is said to be 'concealed'. In such a case, the pipes and connections remain invisible.

HANSA**DESIGNO** with grid-based
HANSAM**MATRIX** concealed
technology







THERMOSTATS,
SHOWERS &
SHOWER FITTINGS.





A HOLIDAY FOR ALL THE SENSES.

Turning the daily shower ritual into enjoyment for body and spirit – that works specially well with a HANSA shower. What is common to all our shower combinations: You can rely on proven HANSA quality. For instance, all of our showers are particularly quiet (noise protection class 1), the shower sliders are simple and safe to use, the shower heads can easily be adjusted via a ball joint, and the installation is also unproblematic and fast thanks to intelligent technical solutions such as integrated tolerance compensation.

You will find our comfortable combinations on the following pages, i.e. the ideal combination of thermostat and shower for individual requirements. Also, we present a large number of options for converting or extending existing showers. In addition, of course, you can always decide in favour of a HANSA complete shower system.

WELLNESS MEETS FITNESS: HANSA**EMOTION** AND HANSA**ACTIVEJET**.

A WORLD'S FIRST FOR WELLBEING
IN BODY AND SPIRIT.

HANSA**EMOTION** and HANSA**ACTIVEJET** turn a shower into a Well t shower ,
i.e. a space for recuperation, relaxation and regaining strength.

At the touch of a button, the bene cial regeneration programmes help body and
spirit to revive quickly after a period of physical strain, stress, tiredness or lethargy.

HANSA**EMOTION**-WELLFIT THERMOSTAT



The heart of the matter: the Well t button. This button is used to
start the regeneration programmes. The intervals of the hot/cold
phases vary according to the programme. Each programme runs
for 120 seconds.

The controls on the front are simple to operate; the Well t
button reacts when you tap it with your finger and the 38 C
hot water stop guarantees that things don't get too hot.



THERMO COOL: Since the water
duct and housing are separate,
the surface of the thermostat
does not heat up.



HANSA**ACTIVEJET** HAND SHOWER

PULSE SPRAY



SENSITIVE SPRAY



INTENSE SPRAY

The Wellfit programme selected on the thermostat is started via the hand shower. The three adjustable sprays on the shower guarantee a sense of maximum well-being.

This button activates the PULSE function. The two other spray types are selected using the rocker switch on the shower handle.



The shower heads of the HANSA**ACTIVEJET** showers are available in a completely round format or with rounded corners in the HANSA**ACTIVEJET STYLE** version to suit all modern bathroom designs.

THREE PROGRAMMES FOR YOUR WELL-BEING.



The upper section of easy-to-clean safety glass, available in white or anthracite, also serves as a practical shelf for shampoo and Co.

» You will find all the variants and combination products in the product overview on **pages 130 ff.**



RECOVER

After you've pushed your body to its limits, this programme with its intensive cold water intervals helps you to regenerate and feel fit and vital again. It prevents aching muscles and can even boost the cardiovascular system in the long term.

RECOVER PROGRAMME:



RELOAD

The day starts with a shower to get you going. The balanced hot and cold RELOAD programme stimulates blood circulation, wakes you up and gets you moving – the perfect start to an active day.

RELOAD PROGRAMME:



HANSAEMOTION
WELLFIT THERMOSTAT

THE ESSENTIALS AT A GLANCE:

- Integrated Wellfit button with 3 regeneration programmes.



RELAX

The name says it all – this programme is all about well-being. The gentle temperature shifts with lots of hot water phases help you to relax, wind down and let go. Just switch on to switch off.

RELAX PROGRAMME:



HANSAACTIVEJET
HAND SHOWER

THE ESSENTIALS AT A GLANCE:

- Shower with rounded shape or with rounded corners in the HANSAACTIVEJET STYLE version.
- Three spray types, can be selected on the shower head



COMFORT MEETS JOIE DE VIVRE: HANSATEMPRA STYLE, HANSAPRISMA, HANSAUNITA AND HANSAVIVA.



HANSATEMPRA STYLE

The elegant combination of cylindrical and cuboidal shapes. Smooth surfaces merge clearly and harmoniously, matching the style of modern bathrooms. This makes it easy to combine HANSATEMPRA STYLE with many kinds of bathroom types.



HANSAPRISMA

The modern classic amongst thermostats. Timelessly elegant and at the same time extremely practical. For instance, HANSAPRISMA features ThermoCool, a special ducting that prevents the hot water from overheating the metal casing.



EXPOSED THERMOSTAT
for bathtub



EXPOSED THERMOSTAT
for bathtub



HANSAUNITA

The precisely defined edge radii and an extremely slim diameter of just 38mm perfectly complement the aesthetic effect produced by the modern, cylindrical basic shape. This means that HANSAUNITA can be used almost anywhere, combining very well with extremely different interior decoration styles.



EXPOSED THERMOSTAT
for bathtub

HANSAVIVA

From shower systems to individual shower hoses, HANSAVIVA provides a range of products that look forward to making showering especially enjoyable in combination with other items. The shower range is not just pleasing to the eye: It also makes sense with functions such as the integrated flow limiter that can save up to 50% water.



HANSA TEMPRA STYLE

THE ESSENTIALS AT A GLANCE:

- Design-oriented with cylindrical and cuboidal design language.
- Concealed connections.
- Intuitively recognizable settings.
- Thermal disinfection.
- Temperature lock for approx. 38 °C can be retrofitted.



HANSAUNITA

THE ESSENTIALS AT A GLANCE:


- Slimline design for every style.
- Finely adjustable temperature setting with easy-to-operate control unit.
- Thermal disinfection.
- Temperature lock for approx. 38 °C can be retrofitted.



HANSA PRISMA

THE ESSENTIALS AT A GLANCE:

- Universal design.
- Large ergonomic push button.
- Concealed connections.
- Thermal disinfection.
- Temperature lock for approx. 38 °C can be retrofitted.



HANSAVIVA

THE ESSENTIALS AT A GLANCE:

- High degree of stylistic versatility.
- Soft, design-accented transitions.
- Integrated flow limiter for saving up to 50% water.



SIMPLICITY MEETS FUNCTIONALITY: HANSAMICRA, HANSAFIT, HANSABASICJET AND HANSACLASSICJET.



HANSAMICRA

The HANSAMICRA thermostat may be small in size, but it's big in functionality: e.g. with the EcoFlow Control function that allows exact setting of the flow quantity. The slim, undemonstrative design feels perfectly at home in modern bathrooms.



HANSAFIT

Developed in co-operation with the GGT Deutsche Gesellschaft für Gerontotechnik® (German Association for Gerontechnology), HANSAFIT is specially designed to meet the needs of the 50-plus generation. The faucets are ergonomically optimized in every respect, making them easy to use and as safe as possible. Whether in private bathrooms or care facilities, for new buildings or renovation projects: HANSAFIT makes a perfect functional enrichment for any bathroom.



EXPOSED THERMOSTAT
for bathtub



EXPOSED THERMOSTAT
for bathtub



HANSABASICJET

The new HANSABASICJET family includes two fresh young hand shower models which can be combined with all modern t t ing ranges. With a diameter of 95 mm, the shower head meets modern requirements and yet it remains extremely handy to use. Anyone looking for the purist option can choose the one-spray variant; the 3-spray model offers more variety.



HANSACLASSICJET

The special shape means you can grip the shower head securely even with wet hands without it twisting round. This highly ergonomic handle, together with the high-contrast visual design, makes HANSACLASSICJET the perfect hand shower for cross-generation bathroom solutions. It is also available as a set with a shower rail featuring an integrated handle.



HANSAMICRA

THE ESSENTIALS AT A GLANCE:

- High-performance entry-level model.
- Slimline design.



HANSAFIT

THE ESSENTIALS AT A GLANCE:

- Easy to use.
- Ergonomically optimized.
- Recommended for generation 50 plus.



HANSABASICJET

THE ESSENTIALS AT A GLANCE:

- Can be combined with all modern t t ings ranges.
- Easy switching between spray types.
- Available as one or 3-spray version.



HANSACLASSICJET

THE ESSENTIALS AT A GLANCE:

- Specially ergonomic handle.
- ener ously sized shower head.
- Comfort across generations.
- High contrast values.
- Easy switching between spray types.
- Available as one or 3-spray version.



A PERFECT DUO FOR THE GENERATION BATHROOM: HANSACARE AND HANSAMEDIPRO FLEX.



HANSACARE

The HANSACARE exposed thermostat with concealed connections and new connection technology is especially user-friendly thanks to its special low rate control, temperature stop and temperature selection control. The preset maximum desired temperature cannot be accidentally unlocked during use. HANSACARE is suitable for simple thermal disinfection in accordance with the DVGW W 551 standard.



EXPOSED THERMOSTAT
for bathtub



HANSAMEDIPRO FLEX

The unusual **HANSAMEDIPRO FLEX** hand shower is particularly convenient to use thanks to its ergonomically formed handle that can be turned through 360°. Laminar technology makes showering pleasantly quiet and ensures clear, soft and therefore especially suitable stream formation. In addition, THERMO COOL prevents excessive heating of the shower housing. **HANSAMEDIPRO** can be thermally disinfected and can withstand up to 95 °C. Also, the shower head base can be removed for easy cleaning. This ensures optimal hygiene and a longer service life.

HANSACARE

THE ESSENTIALS AT A GLANCE:

- Generation-oriented.
- Especially ergonomic.
- No sharp edges.
- Thermal disinfection.



HANSAMEDIPRO FLEX

THE ESSENTIALS AT A GLANCE:

- Ergonomically shaped bow handle, can be turned through 360°.
- Laminar soft spray.
- Low aerosol emission.
- Removable shower head base for easy cleaning.
- Thermal disinfection.
- Water consumption max. 12 l/min.



TIME FOR A BATHROOM CONVERSION? TIME FOR HANSA.

Whether renovation, a complete redesign or modernization: It goes without saying that HANSA also has individual solutions for showers and baths. For instance, our **HANSAVIVA** shower system is available both for connection with all exposed or concealed fittings as well as for direct connection to the wall connection elbow. The **HANSASMARTSHOWER** system can be connected to all exposed fittings and features a range of intelligent functions as well as futuristic design.



» You will find all the variants and combination products in the product overview on pages 130 ff.



HANSAVIVA WALL CONNECTION

THE ESSENTIALS AT A GLANCE:

- For connection to all concealed fittings.
- Integrated flow limiter for saving up to 50% water.
- With 3-spray HANSAVIVA hand shower.



HANSAVIVA EXPOSED OR CONCEALED

THE ESSENTIALS AT A GLANCE:

- For connection to all exposed or concealed fittings.
- Integrated flow limiter for saving up to 50% water.
- With 3-spray HANSAVIVA hand shower.



HANSASMARTSHOWER EXPOSED

THE ESSENTIALS AT A GLANCE:

- For connection to all exposed or concealed fittings.
- High-grade glass surface.
- Water stream and splash stream.
- Push-button operation.
- With HANSASTILO hand shower.



A SINGLE DECISION, EVERYTHING SORTED OUT? HANSA'S ALL-IN-ONE SHOWER SYSTEMS.


Overhead shower, hand shower, thermostat, shower rod ... a simple shower has quite a number of different components. At HANSA they are all available individually and can be combined in almost unlimited ways. But you don't have to buy them one by one.



HANSAEMOTION

THE ESSENTIALS AT A GLANCE:


- Integrated Well t button with 3 regeneration programmes.
- With 3-spray HANSA**ACTIVEJET STYLE** hand shower.
- Can be operated via app.



HANSASMARTSHOWER

THE ESSENTIALS AT A GLANCE:


- High-grade glass surface.
- Water stream and splash stream.
- Push-button operation.
- With HANSA**STILO** hand shower.



HANSATEMPRA STYLE

THE ESSENTIALS AT A GLANCE:

- Design-oriented with cylindrical and cuboidal design language.
- Intuitively recognizable settings.
- With HANSA**STILO** hand shower.





» You will find all the variants and combination products in the product overview on pages 130 ff.



HANSAPRISMA

THE ESSENTIALS AT A GLANCE:

- Universal design.
- With 3-spray HANSAVIVA hand shower.



HANSAFIT

THE ESSENTIALS AT A GLANCE:

- Easy to use.
- Ergonomically optimized.
- Recommended for generation 50 plus.
- With 3-spray HANSACLASSICJET hand shower.



HANSAUNITA

THE ESSENTIALS AT A GLANCE:

- Slimline design for every style.
- Finely adjustable temperature setting with easy-to-operate control unit.
- With 3-spray HANSAVIVA hand shower.



HANSA'S OVER-HEAD SHOWERS.



HANSAVIVA

The HANSAVIVA overhead shower with full metal housing is particularly flat yet extremely robust and stylish. Available in a square or round design as well as different sizes.



» You will find all the variants and combination products in the product overview on pages 130 ff.



HANSAVIVA

THE ESSENTIALS AT A GLANCE:

- Flexible use thanks to a wide range of variants.
- Easy to clean thanks to integrated anti-limescale technology.
- Wall or ceiling mounted.
- Integrated flow limiter for saving up to 50% water.





» You will find all the variants and combination products in the product overview on **pages 130 ff.**



HANSARAIN

Whether at home, in the fitness studio, in the wellness area of a hotel or in the daily Spa: HANSARAIN'S warm and soft stream of water has the effect of a gentle massage. The integrated anti-limescale technology reliably prevents limescale deposits forming on the fine shower pores. That turns cleaning and maintenance into pleasant activities.

HANSARAIN

THE ESSENTIALS AT A GLANCE:

- Easy to clean thanks to integrated anti-limescale technology.
- Wall or ceiling mounted.







RIM AND WALL-MOUNTED
FITTINGS FROM HANSA.

GIVING BATH ENJOYMENT CENTRE STAGE.

Why not simply put the bathtub in the middle of the room? No problem with rim-mounted and tile edge solutions from HANSA. They look good, they're practical and there are many different variations: compact or individual solutions, 3-hole or 4-hole variants, with a range of spouts with thermostats or single-lever mixers. nlik ely that you wont nd wha t you want

HANSAROLLBOX

The HANSAROLLBOX is practical from two points of view: Firstly, when you pull out the hose it stays wherever you want it to thanks to a large number of xtur e points. Secondly, rewinding the hose is just as easy: You just jerk it a little and the hose rewinds into the roll box completely. The roll box is not only a practical component for rim-mounted systems, but also available as a separate product for combination with any range of t tings.





HANSACOMPACT

The HANSACOMPACT wall-mounted concealed body is supplied as a complete set in a metal frame. Integrated invisibly under the tiles, it can be adjusted individually and flexibly for any bathtub and tile height.

THE LUXURIOUS
VARIANT FOR ALL
HANSA | LIVING
SERIES





PARTNERSHIP SERVICE.

Above and beyond the quality of our products, you can rely on a great deal more with HANSA: from the installation to the maintenance.

HOW EFFECTIVELY THE FTTNS WANT
 GET FROM THE BROCHURE INTO M

DREAM

We rely completely on our professional partners.

On the one hand, we have our own experts at our four European locations who process highest-quality materials with the best possible precision to absolutely top-class products (yes - we are aware of the number of superlatives, and regular, independent quality tests and certification shows that that's how it really is ...).

On the other hand, we make sure that when you choose HANSA, the planning, installation and maintenance of our fittings is only carried out by professionals. How do we manage that? Well, our fittings are **available in your professional trade outlet** - with all the **competent advice and customer care** that goes with it. Because in our opinion a fitting can only really claim to be of high quality if it is installed and commissioned by someone who can do this with corresponding skill and reliability. And our so-called three-stage marketing path is the best way of guaranteeing that - especially when it comes to maintenance and any service provision that might prove to be necessary after installation.



BATHROOM?



The plumbing company that enjoys your trust is your partner for turning your ideas into reality. The plumber obtains the required HANSA fittings for your bathroom from a wholesaler. Equally, you can visit the wholesaler's showroom yourself to view the products directly and obtain - literally - hands-on inspiration and advice. The wholesaler will also be pleased to point you towards a local professional tradesman.

That's what we mean by consistent professionalism.

ONLY THE VERY BEST, EVEN BEHIND THE SCENES:
THAT MEANS DAY FOR DAY

WORLD-CLASS PERFORMANCE!

We are not only continually improving the visible products such as washbasin fittings, thermostats or shower and bathroom systems. We also put a great deal of thought and energy into providing support for plumbers so they can do their job even better: So everything works and looks just as you would like it to. Right from the start and then for a long, long time.



In 2016, HANSA was voted 'sector favourite' by the readers of markt intern, the sector information service for the German professional plumbing industry – and that was the 20th time in a row.

We are the plumber's darling –
because we want to win you over.

You have the wishes and the choice. The plumber has HANSA to implement them for you as simply, quickly and flexibly as possible – for instance with our **HANSABLUEBOX**. This newly developed complete set for concealed installation of products from the **HANSA | LIVING** and **HANSA | HOME** series simplifies and speeds up everything from the basics to the function units – and makes it more flexible as well. So you get to enjoy your dream bathroom sooner. And the result: is practically indestructible, looks exactly right and is a piece of high-precision engineering. For it can be integrated perfectly into any system thanks to the standard correction option and our screwless round, angular or 'soft-edge' collars.



The key to a great deal of design freedom: HANSAMATRIX.

Using this simple but very ingenious grid, the professional plumber can create concealed solutions with a clear-cut and purist look for all our **HANSA|LIVING** product segment series. Whether square or rectangular, all components can be incorporated into it according to architectural requirements: in vertical or horizontal formats and, optionally, even with intuitive electronic control elements (HANSAMATRIX Tiptronik).



Various lever mixer variants for washbasins, bathtub or shower (depending on the series)



Thermostats with direct activation of one or two outlets



Various thermostat versions for bath or shower (irrespective of the series)



Various wall outlet variants (irrespective of the series)



Electronic basin mixer (HANSASIGNATUR)



Cover collar (irrespective of the series)



» You will find more information in the Technology & Design section on **pages 119 ff.**

HANSA App



The clever smartphone interface for setting and maintaining HANSA electronic settings via Bluetooth®: Easy and intuitive to operate, our app also provides details of battery states and overall consumption that can be documented and communicated via the email report function. With password protection of course.



The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc. and HANSA Armaturen GmbH is licensed to use them. Other marks and trade names are the property of their respective owners.



GUARANTEED RELIABILITY.
GUARANTEED LONG-TERM

SATISFACTION.

The quality and machining of our products effectively constitute a guarantee in themselves. But we provide even more reliability than that. To be precise: a two-year warranty on product function and a ten-year availability guarantee for spare parts.



Anything else? No problem!

HANSASERVICE PLUS gives you plenty of scope for individualizing our faucets so they match your taste even better. From individual engraving to special materials or colours, we will be only too pleased to help you put your own special stamp on the products of your choice.







OUR GOALS & OUR KNOW-HOW.

And especially: how they can be of benefit to you.

LOOKING GOOD IS GOOD.
BUT GOOD LOOKS PLUS
INTELLIGENCE SHINE EVEN
BRIGHTER.



‘Form follows function’ - one of the design world’s most famous maxims. And for us, the paramount function of our products is to earn our customers’ approval each and every day. So much so, that they are tempted to pat themselves on the shoulder simply for having selected HANSA.

Our engineers, designers and constructors work hand in hand to achieve exactly that - by blending technological and design skills to produce pacemakers and trailblazers for the sector.

» More information about the
HANSAMURANO X model on
pages 16 ff.

At the end of the day, you are the most important jury.

But of course that doesn't stop us from celebrating regularly when the most important international design experts find reasons to present awards for the results of our efforts. In all modesty, that still makes us very proud. Nevertheless, it is clear to us that sustainable success can only be maintained as long as our partners in the sector as well as you who choose HANSA products continue to say: "Yes, that's exactly to my taste!"



reddot design award
winner

DESIGN **PLUS**



product
design
award



Design Center
Stuttgart



PLUS X AWARD

ausgezeichnet als:

BESTES PRODUKT

2016/2017



» More information about the
HANSASIGNATUR model on [pages 30 ff.](#)

A question of character to which we always have a fitting answer.



» More information about the HANSAMURANO X model on pages 16 ff.



» More information about the HANSADESIGNO STYLE model on pages 24 ff.

One of our maxims is to give you enough room to manoeuvre that you can give all your ideas that natural polish: by means of a huge range of shapes, installation options, operating concepts and functionalities – even within a single product series. What they all have in common: utility, quality and more quality. In all respects.



» More information about the HANSAVIVA model on pages 98 ff.



» More information about the HANSAACTIVEJET and HANSAEMOTION models on pages 84 ff.

How would you like to be in control?

Our faucet series include optional operating concepts that give 'hands off' a whole new meaning. One of the secrets of our touchless faucets is the extremely sophisticated PS technology that delivers significant benefits in terms of reliability compared with standard infra-red sensors. But if you prefer the more traditional hands-on approach, you will certainly find your favourite option amongst the many and various side-controlled or top-controlled faucets.



Another option: the Tiptronik Flex button as a kind of 'remote control' located on the washbasin itself. Just press it, and the water starts to flow at a pleasant temperature. It features an automatic switch-off function after 6 seconds, making it especially suitable for children.



HANSASIGNATUR HYBRID combines two different operating concepts in a unique faucet: both touchless as well as traditional side-control.

Water itself can be shaped,
formed and mise en scène in a
very special way.

Our ambition to create effective design does not necessarily stop at the spout of the faucet. For instance, our **HANSADESIGNO STYLE** line includes the optional Mikado® stream to provide a striking accent through the manner in which the water comes out of the faucet.



» A clear, tiny waterfall for the washbasin:
HANSAMURANO.
More information on **pages 18 ff.**



» **HANSADESIGNO STYLE** in rosé-gold
with Mikado stream. You will find this
line presented on **pages 24 ff.**



If you would like a little more extravagance, you will find the **HANSAMURANO X** even more impressive. Controlled by sensors integrated into the glass plate, the solitary lighting responds touchlessly to an approaching hand by delivering a broad stream of water, while the integrated lighting turns in into a clear curtain of illuminated water.

» More information about the
HANSAMURANO X model on
pages 16 ff.

Beautiful proportions, a beautiful presentation.



HANSAMATRIX is an innovative product system within the **HANSA | LIVING** segment. It allows for concealed solutions with the highest possible degree of flexibility, quality, and straightforwardness. All components can be arranged and collated within the scope of a geometric grid. This makes for a clear and composed arrangement of fittings and provides a consistent look at the washbasin, at the bathtub or in the shower.

The electronically controlled **HANSAMATRIX** Tiptronik variant is a technological highlight. The control system is simple, reliable and invisibly located in the wall, but no less ingenious for that. The intuitive Tiptronik control buttons not only allow for convenient execution of all the functions. In addition, the system's visual feedback promotes responsible and sustainable use of resources, amongst other things. For example: if you switch off the water within four minutes, a flashing green ring of light gives you visual confirmation that the length of the showering period was ecologically sound. You can also set the timing to stop the flow of water after eight minutes – as a reminder that the showering period is tending in the direction of wastefulness.



WHAT IS THE GOLDEN BATHROOM RULE? LOTS OF RELAAAAAXATION ...



Water is essential. We at HANSA have no intention of changing that. But what we can do is to make this essential resource even more beneficial to us than it already is, as a source of health and well-being. So on the one hand we think about how to minimize risks (including ones that people may not even know about). And on the other hand it is very important to us that the way people use water does them the greatest possible good - e.g. through features that not only guarantee reliability and convenience, but also have the potential to influence body and spirit in an especially positive way.

We have good reasons why you can relax under the shower.



For instance, there is the laminar water stream (available with **HANSAMEDIJET** and **HANSAMEDIPRO**, for instance). We developed this to ensure that no air gets mixed into the stream of water coming from the shower or faucet. This not only makes for a clean-cut and considerably quieter stream of water. It also minimizes the distribution of microorganisms by preventing turbulence. Another small but significant hygiene aspect: Anti-limescale nodules on the shower head prevent limescale from being deposited on the shower pores, which also lowers the long-term cleaning requirements (e.g. with our **HANSAVIVA**).



» Left: **HANSAMEDIJET** with an especially smooth stream. You will find more information in the product overview on **pages 130 ff.** Top: **HANSAVIVA** with its elegant, anti-limescale design that also prevents limescale deposits. More information on **page 98**.

Best drinking water quality That's crystal clear to us.

As part of our commitment to select exclusively high-quality, durable materials for our HANSA products, we only use dezincification-resistant and corrosion-resistant brass alloys for all water-ducting components. We also supply washbasin fittings with nickel-free surfaces in drinking water quality as well as brass with less than 0.3% lead content. In addition, only TW and W270 certified plastics are used that give bacteria practically no chance of propagating.



» A graphic representation of the core of our HANSA MIX washbasin fitting.
You will find this line presented on **pages 52 ff.**

WORLD'S FIRST

The cure: good for the body, good for the feelings.



» More information on
HANSAEMOTION on
pages 84 ff or in the video
that you can call up via the
QR code.



Just imagine: your shower at home as a little oasis of wellness.

Well, that's exactly what we did. But we didn't leave it at that – we simply developed the idea into the world's first Well-t shower system: HANSA**EMOTION** with three beneficial regeneration programmes at the touch of a button. Each of these programmes includes varying hot-cold phases, e.g. to promote faster regeneration after a work-out, for a specially relaxing time-out or to provide a good-mood start to an active day.

RECOVER PROGRAMME:



RELAX PROGRAMME:




RELOAD PROGRAMME:




Another good character trait:
always keeping nice and clean and cool.

We never get closer to experiencing the effect of water than when we take a shower or a bath. And that's where we most often let out a relaxed and delighted "Aaaaah!". The most important and perhaps most underestimated contributory element: the thermostat. It is not only there in the bathroom for its good looks. More importantly, it makes for comfort, safety and especially for hygienic conditions. At least, it does if it is supplied by HANSA.



Conventional thermostat



HANSA thermostat with THERMO COOL

Keeping itself cool to keep you feeling comfortable. THERMO COOL: That's the magic word to prevent any possibility of hurting yourself by touching an over-hot t ting. A special ducting system for the hot water inside the thermostat ensures that the outer metal casing hardly heats up. Also, the safety stop, preset at 38 °C, reliably prevents scalding through hot water.



Without thermal
disinfection



With thermal
disinfection

No chance for bacteria and other microorganisms - right from the start.

Our exposed thermostats are equipped to keep health-threatening legionella bacteria at bay because they are suitable for thermal disinfection by ducting water with a minimum temperature of 70 °C through the thermostat for at least 3 minutes (with spout open).



One button and everything under control. Ergonomically shaped, easily and intuitively operated by pressing: With bathtub thermostats, this switches from the bathtub spout to the hand shower. Shower thermostats can also be used to limit the flow where the more aware and economical water consumption is an issue. Simple, isn't it?

THE BEST WAY TO APPRECIATE WATER: PRESENTING IT EFFECTIVELY.



The fact that we put such store by the quality of the materials we use and by robust, durable technology also has something to do with the ecology. Because what lasts for a long time puts less strain on the environment in the long term. So we make sure that our fittings have timeless designs that are not oriented to short term fads of fashion. But our responsible attitude to valuable resources becomes most evident when one actually puts the products to use: For that is where our maxim of 'use as little water and energy as possible' becomes clear. Even without compromises in terms of convenience and comfort. Thus our fittings are completely oriented towards sustainability from the development phase to their daily usage - including environmentally aware production in accordance with DIN EN ISO 50001:2011.


Taking the environment into account is not just a trend for us – it is part of our DNA.

In our view, technology succeeds where it serves not only people, but also the planet. That is why we devote a large part of our development and know-how to technologies that minimize water and energy consumption. And we do that very successfully: Our solutions don't simply come up to the most stringent international standards. While achieving that, we also demonstrate that you don't have to do without high standards of comfort – nor indeed without fantastic design highlights.

Intelligent functions such as an automatic flow stop help to save a lot of water in daily operation: for instance with our touchless faucets. In addition, visual feedback such as the light signals issued by HANSAMATRIX Tiptronik help to combine enjoyable showering with environmental awareness.



» More information about the HANSAELECTRA model on [pages 74 ff.](#)



» More information about the HANSAPINTO model on [pages 64 ff.](#)

A special spray regulator that also saves water and acts as a pressure balancer limits the flow rate to 6 litres per minute for many of our washbasin products.

At 4 litres per minute, up to 65% less water consumption than conventional faucets: Our products represent hard evidence that you can keep consumption remarkably low despite impressive visual effects.




» More information about the ALESSI SENSE BY HANSA model on [pages 20 ff.](#)

CONTENT OF THE HANSA SERIES OF FITTINGS

	Basin lever mixer	Electronic washbasin	Washbasin fitting XL	Washbasin fitting XS	Side-controlled washbasin	Two-handle fitting	Wall fitting	Open water heater	Cold water pillar valve
ALESSI SENSE BY HANSA		☐							
HANSAMURANO X		☐							
HANSAMURANO	☐								
HANSADesigno	☐	☐	☐		☐	☐	☐	☐	☐
HANSASignatur	☐	☐					☐		
HANSALoft	☐	☐	☐		☐	☐	☐	☐	
HANSALigna	☐	☐	☐	☐	☐	☐	☐	☐	
HANSASTELA	☐	☐	☐		☐	☐	☐	☐	
HANSARONDA	☐		☐		☐		☐	☐	
HANSACliff						☐	☐		
HANSAMix	☐						☐	☐	
HANSAFIT	☐	☐							
HANSAVANTIS	☐		☐		☐			☐	
HANSATWIST	☐		☐		☐			☐	
HANSAPINTO	☐		☐					☐	
HANSAPRIMO	☐		☐		☐			☐	
HANSAPOLO	☐							☐	
HANSAPICO	☐								
HANSA PUBLIC	☐	☐					☐		
HANSANOVA STYLE							☐		☐
HANSAELECTRA		☐	☐				☐		☐

Hansa's fittings ranges vary in scope. The overview shows you at a glance what products are included in the individual fitting series.



OUR PRODUCT RANGE.

BATHROOM FITTINGS

ALESSI | SELECTION

ALESSI SENSE BY HANSA	132
-----------------------	-----

HANSA | EDITION

HANSAMURANO X	132
---------------	-----

HANSAMURANO	132
-------------	-----

HANSA | LIVING

NEW	HANSADesigno STYLE	133
-----	--------------------	-----

	HANSADesigno	136
--	--------------	-----

	HANSASignatur	138
--	---------------	-----

	HANSALoFT	139
--	-----------	-----

	HANSALIGNA	142
--	------------	-----

	HANSASTEla	144
--	------------	-----

	HANSARONDA	147
--	------------	-----

NEW	HANSACliff	149
-----	------------	-----

	Concealed thermostats	150
--	-----------------------	-----

HANSA | HOME

	HANSAMIX	151
--	----------	-----

	HANSAFIT	152
--	----------	-----

	HANSATWIST	152
--	------------	-----

	HANSAVANTIS	154
--	-------------	-----

	HANSAPINTO	155
--	------------	-----

	HANSAPRIMO	156
--	------------	-----

	HANSAPOLO	157
--	-----------	-----

	HANSAPICO	159
--	-----------	-----

	Concealed thermostats	159
--	-----------------------	-----

THERMOSTATS, SHOWERS & SHOWER FITTINGS

Exposed thermostats	160
Shower systems	162
Shower series	163
Non-series shower range	167
Accessories	168

PUBLIC AREAS

Public areas	171
Touchless	172

CONCEALED COMPONENTS

HANSAM MATRIX installation system	175
HANSAB BLUEBOX concealed system	178
HANSAB VARIO Concealed system /	
Other concealed modules	178
Rim-mounted system	180

ALESSI Sense by HANSA

Washbasin



ALESSI Sense by HANSA
electronic basin faucet,
DN 15
battery-operated
0773 2201 chrome / white
HANSATIPTRONIK with LED
indicator
projection: 118 mm

ALESSI Sense by HANSA
electronic basin faucet,
DN 15
battery-operated
0774 2201 chrome / white
HANSATIPTRONIK with LED
indicator
projection: 118 mm

HANSA | EDITION

HANSAMURANO X

Washbasin



HANSAMURANO X
electronically operated
mixer for basin, **DN 15**
mains supply¹
5605 2200
flexible hoses, push-pop-up
waste, incl. power supply and
connection cable
projection: 85 mm

HANSAMURANO

Washbasin



HANSAMURANO
one-hole single-lever basin
mixer, **DN 15**
5609 2101 78 chrome,
glass clear
flexible hoses, pop-up waste
(metal)
projection: 164 mm

¹ Power supply und connection cables are included in scope of delivery
All flexible hoses G 3/8 are DVGW W270 approved.

HANSADESIGNO STYLE Washbasin



HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5189 2283 34 rose gold Mikado® Aerator, pop-up waste (metal), connection with flexible pressure hoses projection: 130 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5189 2283 chrome pop-up waste (metal), connection with flexible pressure hoses projection: 130 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5192 2283 chrome without pop-up waste, connection with flexible pressure hoses projection: 130 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5103 2283 chrome pop-up waste (metal), connection with flexible pressure hoses projection: 150 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5149 2283 chrome without pop-up waste, HANSA 3S-Installation, connection with flexible pressure hoses projection: 150 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5107 2281 chrome with remotely operated function handshower, without pop-up waste, connection with flexible pressure hoses projection: 150 mm



HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5134 2201 chrome without pop-up waste, connection with flexible pressure hoses projection: 150 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5183 2283 chrome pop-up waste (metal), connection with flexible pressure hoses projection: 128 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5188 2283 chrome without pop-up waste, connection with flexible pressure hoses projection: 128 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5171 2283 chrome pop-up waste (metal), HANSA 3S-Installation, connection with flexible pressure hoses projection: 119 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5172 2283 chrome without pop-up waste, HANSA 3S-Installation, connection with flexible pressure hoses projection: 119 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5169 2283 chrome for washbowls, without pop-up waste, connection with flexible pressure hoses projection: 150 mm

HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5168 2281 chrome with remotely operated function handshower, without pop-up waste, connection with flexible pressure hoses projection: 119 mm



HANSADESIGNO STYLE one-hole single-lever basin mixer, DN 15
5170 2201 chrome without pop-up waste, connection with flexible pressure hoses projection: 119 mm

HANSADESIGNO STYLE electronic basin faucet, DN 15 battery-operated
5193 2201 chrome sensory operation (infrared), Mikado® Aerator, without pop-up waste projection: 100 mm

HANSADESIGNO STYLE electronic basin faucet, DN 15 mains supply
5193 2211 chrome incl. power supply and connection cable, Mikado® Aerator, without pop-up waste, hygienic flush after 72 h for 30 sec. at factory preset projection: 100 mm

HANSADESIGNO STYLE electronic basin faucet, DN 15 battery-operated
5179 2201 chrome sensory operation (infrared), push-pop-up waste, flexible hoses projection: 138 mm

HANSADESIGNO STYLE electronic basin faucet, DN 15 mains supply
5179 2221 chrome sensory operation (infrared), incl. power supply and connection cable, push-pop-up waste, flexible hoses projection: 138 mm

HANSADESIGNO STYLE electronic basin faucet, DN 15 high spout battery-operated
5194 2201 chrome sensory operation (infrared), push-pop-up waste, flexible hoses projection: 164 mm

HANSADESIGNO STYLE electronic basin faucet, DN 15 mains supply
5194 2211 chrome sensory operation (infrared), incl. power supply and connection cable, push-pop-up waste, flexible hoses projection: 164 mm

Bidet



HANSADESIGNO STYLE trim kit wall-mounted single-lever basin mixer, DN 15
suitable for HANSAMATRIX installation unit suitable for installation unit HANSAVARIO*
5109 2183 chrome projection: 194 mm

HANSADESIGNO STYLE trim kit concealed electronic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit*
4492 2010 chrome with thermostatic temperature mixing device, sensory operation (infrared), incl. power supply and connection cable projection: 195 mm

HANSADESIGNO STYLE three-hole basin mixer, DN 15
5105 2183 chrome pop-up waste (metal) projection: 141 mm

HANSADESIGNO STYLE one-hole single-lever mixer, DN 15
5198 3283 chrome for bidet, pop-up waste (metal), connection with flexible pressure hoses projection: 119 mm

HANSADESIGNO STYLE one-hole single-lever mixer, DN 15
5173 3283 chrome for bidet, pop-up waste (metal), connection with flexible pressure hoses projection: 117 mm

Bath/Shower



HANSADESIGNO STYLE
single-lever bath mixer,
DN 15 G1/2
5185 2183 chrome
projection: 146 mm



HANSAACTIVEJET STYLE
Set for bath faucets
8438 0213 white/chrome
HANSAACTIVEJET Style hand
shower, 1-spray, shower head
size 110 mm x 120 mm,
shower hose, 1500 mm



HANSAACTIVEJET
Set for bath faucets
8438 0113 light grey/chrome
HANSAACTIVEJET hand
shower, 1-spray, shower head
size 120 mm, shower hose,
1500 mm



HANSADESIGNO STYLE
single-lever bath mixer,
DN 15 G1/2
5327 2083 chrome
ground-standing
projection: 209 mm

Concealed Bath/Shower



HANSADESIGNO STYLE
trim kit with function unit
single-lever bath mixer
suitable for HANSABLUEBOX
concealed unit*
8111 9593 chrome
rosette without screws,
Rosette soft edge - rounded,
function unit with BLUESWITCH
diverter



HANSADESIGNO STYLE
trim kit with function unit
single-lever bath mixer
suitable for HANSABLUEBOX
concealed unit*
8111 9563 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSADESIGNO STYLE
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for HANSABLUEBOX
concealed unit*
8111 3593 chrome
rosette without screws,
Rosette soft edge - rounded,
function unit with BLUESWITCH
diverter

Bath



HANSADESIGNO STYLE
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for HANSABLUEBOX
concealed unit*
8111 3563 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSADESIGNO STYLE
bathtub spout, DN 15
5116 2180 chrome
also compatible with
HANSAMATRIX, square
rosette, 75 x 75 mm
additionally included,
Rosette soft edge - rounded,
round rosette, Ø 75 mm
additionally enclosed
projection: 195 mm



HANSADESIGNO STYLE
trim kit single-lever mixer
for all 4-hole installation
units*
5312 2083 chrome
Rosette soft edge - rounded
projection: 189 mm



HANSADESIGNO STYLE
trim kit single-lever mixer
for all 4-hole installation
units*
5312 2063 chrome
round rosette
projection: 190 mm




HANSADESIGNO STYLE
trim kit single-lever mixer
for all 3-hole installation
units*
5325 9083 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and
drain assembly, Rosette soft
edge - rounded




HANSADESIGNO STYLE
trim kit single-lever mixer
for all 3-hole installation
units*
5325 9063 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, round rosette


Concealed Bath/Shower




HANSADESIGNO STYLE
trim kit installation set 2.1
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0101 chrome
with shower set, with bathtub
spout, DN 15



HANSADESIGNO STYLE
trim kit installation set 4.1
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0131 chrome
with shower set, for distant
positioned bathtub spout
(HANSAFILL)



HANSADESIGNO STYLE
trim kit installation set 6.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0121 chrome
with shower set, with bathtub
spout, DN 15



HANSADESIGNO STYLE
trim kit installation set 7.7
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 4001 chrome
with shower set, bathtub spout



HANSADESIGNO STYLE
single-lever shower mixer,
DN 15 (G 1/2)
5186 0183 chrome



HANSAACTIVEJET
wall bar set 970 mm
8437 0130 light grey/chrome
HANSAACTIVEJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish



HANSAACTIVEJET STYLE
wall bar set 970 mm
8437 0230 chrome
HANSAACTIVEJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish

Shower

Concealed Shower



HANSADESIGNO STYLE
trim kit with function unit
single-lever shower mixer
suitable for HANSABLUEBOX
concealed unit*
8110 9593 chrome
rosette without screws, Rosette
soft edge - rounded, function
unit without diverter




HANSADESIGNO STYLE
trim kit with function unit
single-lever shower mixer
suitable for HANSABLUEBOX
concealed unit*
8110 9563 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter

Concealed Shower



HANSADESIGNO STYLE
trim kit installation set 9.1
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0031 chrome
with wall-bar set, with
HANSARAIN overhead shower,
DN 15



HANSADESIGNO STYLE
trim kit installation set 9.2
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0041 chrome
with shower set, with
HANSARAIN overhead shower,
DN 15




HANSADESIGNO STYLE
trim kit
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0011 chrome
with solid-metal shower bar
1100 mm



HANSALIVING
trim kit installation set 11.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0072 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0073 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSALIVING
trim kit installation set 11.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0082 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0083 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSALIVING
trim kit installation set 13.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0051 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0061 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSALIVING
trim kit installation set 14.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0160 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 14.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0161 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSALIVING
trim kit installation set 14.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0170 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSALIVING
trim kit installation set 14.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0171 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0180 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0190 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

* plus concealed body, see corresponding chapter, from page 175
All flexible hoses G 3/8 are DVGW W270 approved.

HANSADESIGNO

Washbasin



HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5103 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 166 mm

HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5103 2173 chrome
pop-up waste (metal),
connection using copper pipes
projection: 166 mm

HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5149 2173 chrome
without pop-up waste,
connection using copper pipes
projection: 166 mm

HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5171 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 125 mm

HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5171 2173 chrome
pop-up waste (metal),
connection using copper pipes
projection: 125 mm


HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5172 2173 chrome
without pop-up waste,
connection using copper pipes
projection: 125 mm



HANSALIVING
X - Plate
6637 0000 chrome
X square washer 55 x 55 mm,
1 piece



HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5169 2173 chrome
for washbowls, without pop-
up waste, connection using
copper pipes
projection: 150 mm



HANSALIVING
X - Plate
6636 0000 chrome
X square washer 55 x 55 mm,
1 piece



HANSADESIGNO
basin pillar valve, DN 15
5135 2172 chrome
flexible hose
projection: 100 mm



HANSADESIGNO
trim kit wall-mounted single-lever basin mixer, DN 15
suitable for HANSAMATRIX installation unit*
suitable for installation unit HANSAVARIO*
5109 2173 chrome
projection: 200 mm



HANSADESIGNO
trim kit wall-mounted basin mixer, DN 15
5106 2173 chrome
projection: 200 mm



HANSADESIGNO
three-hole basin mixer, DN 15
5105 2173 chrome
pop-up waste (metal)
projection: 166 mm

Bidet




HANSADESIGNO
one-hole mixer, DN 15 for bidets
5173 3273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 100 mm



HANSALIVING
X - Plate
6637 0000 chrome
X square washer 55 x 55 mm,
1 piece



HANSADESIGNO
single-lever bath mixer, DN 15 G1/2
5185 2173 chrome
projection: 184 mm



HANSASTILO
hand shower
5439 0100 chrome



HANSADESIGNO
single-lever bath mixer, DN 15 G1/2
5327 2073 chrome
ground-standing
projection: 200 mm

Concealed Bath/Shower



HANSADESIGNO
trim kit with function unit single-lever bath mixer suitable for HANSABLUEBOX concealed unit*
8111 9573 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter



HANSADESIGNO
trim kit with function unit single-lever bath mixer suitable for HANSABLUEBOX concealed unit*
8111 9583 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSADESIGNO
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABLUEBOX concealed unit*
8111 3573 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter



HANSADESIGNO
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABLUEBOX concealed unit*
8111 3583 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSADESIGNO
bathtub spout, DN 15
5116 2170 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSADESIGNO
trim kit single-lever mixer for all 4-hole installation units*
5312 2093 chrome
angled rosette
projection: 190 mm



HANSADESIGNO
trim kit single-lever mixer for all 4-hole installation units*
5312 2073 chrome
projection: 190 mm

Bath


Concealed Bath/Shower




HANSADESIGNO
trim kit single-lever mixer
for all 3-hole installation
units*
5325 9093 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, angled rosette



HANSADESIGNO
trim kit single-lever mixer
for all 3-hole installation
units*
5325 9073 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly




HANSADESIGNO
trim kit installation set 1.2
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0100 chrome
with shower set, with bathtub
spout, DN 15



HANSADESIGNO
trim kit installation set 3.2
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0130 chrome
with shower set, for distant
positioned bathtub spout
(HANSAFILL)



HANSADESIGNO
trim kit installation set 7.3
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 4000 chrome
with shower set, bathtub spout



HANSADESIGNO
single-lever shower mixer,
DN 15 (G 1/2)
5186 0173 chrome



HANSASTILO
hand shower
5439 0100 chrome

Concealed Shower



HANSADESIGNO
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8110 9573 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
without diverter



HANSADESIGNO
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8110 9583 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter


Concealed Shower



HANSADESIGNO
trim kit installation set 8.3
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0030 chrome
with wall-bar set, with
HANSARAIN overhead shower,
DN 15



HANSADESIGNO
trim kit installation set 8.4
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0040 chrome
with shower set, with
HANSARAIN overhead shower,
DN 15



HANSADESIGNO
trim kit
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 0010 chrome
with solid-metal shower bar
1100 mm



HANSALIVING
trim kit installation set 11.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0072 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15




HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0073 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSALIVING
trim kit installation set 11.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0082 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0083 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0061 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSA LIVING
trim kit installation set 14.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0160 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSA LIVING
trim kit installation set 14.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0161 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSA LIVING
trim kit installation set 14.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0170 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSA LIVING
trim kit installation set 14.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0171 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSA LIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0180 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSA LIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0190 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

HANSASIGNATUR

Washbasin



HANSASIGNATUR
one-hole single-lever basin
mixer, DN 15
5501 2201 chrome
spout: swivel, push-pop-up
waste
projection: 168 mm




HANSASIGNATUR
one-hole single-lever basin
mixer, DN 15
5502 2201 chrome
spout: swivel, push-pop-up
waste, hand shower
projection: 168 mm



HANSASIGNATUR
one-hole single-lever basin
mixer, DN 15
5505 2281 chrome
spout: swivel, push-pop-up
waste, extractable hand spray
projection: 168 mm



HANSASIGNATUR
one-hole single-lever
hybrid basin mixer, DN 15
battery-operated
5510 2281 chrome
spout: swivel, extractable hand
spray, push-pop-up waste
projection: 168 mm



HANSASIGNATUR
one-hole single-lever
hybrid basin mixer, DN 15
battery-operated
5511 2201 chrome
push-pop-up waste, with
remotely operated function
handshower
projection: 168 mm



HANSASIGNATUR
concealed electronic mixer,
DN 15 (G1/2)
mains supply
suitable for HANSAMATRIX
installation unit*
4491 2010 chrome
with thermostatic temperature
mixing device, sensory
operation (infrared), incl.
power supply and connection
cable
projection: 195 mm

Bidet



HANSASIGNATUR
one-hole single-lever bidet
mixer
5508 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 144 mm

Concealed Bath/Shower



HANSASIGNATUR
trim kit with function unit
single-lever bath mixer
suitable for
HANSABLUEBOX concealed
unit*
8063 9013 chrome
rosette without screws, Rosette
soft edge - rounded, function
unit with BLUESWITCH diverter



HANSASIGNATUR
trim kit with function unit
single-lever bath mixer
suitable for
HANSABLUEBOX concealed
unit*
8063 9003 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter



HANSASIGNATUR
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABLUEBOX concealed
unit*
8063 3013 chrome
rosette without screws, Rosette
soft edge - rounded, function
unit with BLUESWITCH diverter




HANSASIGNATUR
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABLUEBOX concealed
unit*
8063 3003 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter

Bath



HANSASIGNATUR
bathtub spout, DN 15
(G 1/2)
5572 2100 chrome
also compatible with
HANSAMATRIX
projection: 194 mm

HANSASIGNATUR Concealed Bath/Shower



HANSASIGNATUR
trim kit installation set 7.1
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 2000 chrome
with shower set, bathtub spout

Concealed Shower



HANSA SIGNATUR
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8064 9013 chrome
rosette without screws, Rosette
soft edge - rounded, function
unit without diverter



HANSA SIGNATUR
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8064 9003 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
without diverter


HANSALIVING Concealed Shower



HANSALIVING
trim kit installation set 11.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0072 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0073 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, HANSAVIVA
overhead shower



HANSALIVING
trim kit installation set 11.3
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0082 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0083 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSALIVING
trim kit installation set 13.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0051 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0061 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSALIVING
trim kit installation set 14.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0160 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 14.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0161 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, HANSAVIVA
overhead shower



HANSALIVING
trim kit installation set 14.3
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0170 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSALIVING
trim kit installation set 14.4
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0171 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0180 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0190 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

HANSALOFT

Washbasin



HANSALOFT
one-hole single-lever basin
mixer, DN 15
5755 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 146 mm



HANSALOFT
one-hole single-lever basin
mixer, DN 15
5755 2103 chrome
pop-up waste (metal),
connection using copper pipes
projection: 146 mm



HANSALOFT
one-hole single-lever basin
mixer, DN 15
5752 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 146 mm



HANSALOFT
one-hole single-lever basin
mixer, DN 15
5769 2103 chrome
for flat countertop washbasins,
without pop-up waste,
connection using copper pipes
projection: 151 mm



HANSALOFT
electronic basin faucet,
DN 15
mains supply
5748 2201 chrome
sensory operation (infrared),
incl. power supply and
connection cable, push-pop-up
waste
projection: 143 mm



HANSALOFT
electronic basin faucet,
DN 15
battery-operated
5749 2211 chrome
sensory operation (infrared),
push-pop-up waste
projection: 143 mm



HANSA LOFT
one-hole single-lever basin mixer, DN 15
5754 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 114 mm



HANSA LOFT
one-hole single-lever basin mixer, DN 15
5754 2103 chrome
pop-up waste (metal),
connection using copper pipes
projection: 114 mm



HANSA LOFT
one-hole single-lever basin mixer, DN 15
5753 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 114 mm




HANSA LOFT
one-hole single-lever basin mixer, DN 15
5756 2103 chrome
for flat countertop washbasins,
without pop-up waste,
connection using copper pipes
projection: 114 mm



HANSA LOFT
trim kit
wall-mounted single-lever basin mixer, DN 15
suitable for HANSAMATRIX
installation unit
5757 2103 chrome
projection: 197 mm



HANSA LOFT
trim kit
wall-mounted single-lever basin mixer, DN 15
suitable for installation
unit HANSAVARIO*
5777 2103 chrome
projection: 193 mm



HANSA LOFT
three-hole basin mixer, DN 15
5768 2103 chrome
incl. push-pop-up waste
projection: 141 mm

Bidet



HANSA LOFT
one-hole single-lever bidet mixer, DN 15
5758 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 141 mm



HANSA LOFT
one-hole single-lever bidet mixer
5766 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 98 mm

Bath/Shower



HANSA LOFT
single-lever bath mixer, DN 15 G1/2
5770 2103 chrome
projection: 162 mm



HANSA ACTIVEJET STYLE
Set for bath faucets
8438 0213 white/chrome
HANSA ACTIVEJET Style hand
shower, 1-spray, shower head
size 110 mm x 120 mm, shower
hose, 1500 mm



HANSA LOFT
single-lever bath mixer, DN 15 G1/2
5776 2073 chrome
ground-standing
projection: 197 mm

Concealed Bath/Shower



HANSA LOFT
trim kit with function unit
single-lever bath mixer
suitable for
HANSABUEBOX concealed
unit*
8760 9003 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter



HANSA LOFT
trim kit with function unit
single-lever bath mixer
suitable for
HANSABUEBOX concealed
unit*
8772 9003 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

Bath




HANSA LOFT
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABUEBOX concealed
unit*
8760 3003 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter




HANSA LOFT
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABUEBOX concealed
unit*
8772 3003 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter




HANSA LOFT
bathtub spout, DN 15**
5765 2100 chrome
also compatible with
HANSAMATRIX
projection: 197 mm




HANSA LOFT
trim kit single-lever mixer
for all 4-hole installation
units*
5775 2083 chrome
suitable for installation unit
53020200 / 53040200 /
53080200, angled rosette
projection: 185 mm



HANSA LOFT
trim kit single-lever mixer
for all 4-hole installation
units*
5775 2073 chrome
suitable for installation unit
53020200 / 53040200 /
53080200
projection: 185 mm




HANSA LOFT
trim kit single-lever mixer
for all 3-hole installation
units*
5779 9083 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, angled rosette




HANSA LOFT
trim kit single-lever mixer
for all 3-hole installation
units*
5779 9073 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly

Concealed Bath/Shower




HANSA LOFT
trim kit installation set 1.1
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 4100 chrome
with shower set, with bathtub
spout, DN 15



HANSA LOFT
trim kit installation set 3.1
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 4130 chrome
for distant positioned bathtub
spout (HANSAFILL)



HANSA LOFT
trim kit installation set 6.1
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 4121 chrome
with shower set, with bathtub
spout, DN 15



HANSA LOFT
trim kit installation set 7.2
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptonik installation unit*
4487 3000 chrome
with shower set, bathtub spout



HANSA LOFT
single-lever shower mixer, DN 15 (G 1/2)
5771 0173 chrome



HANSA ACTIVEJET STYLE
wall bar set 970 mm
8437 0230 chrome
HANSA ACTIVEJET Style hand
shower, 3-spray, shower hose,
1750 mm, with soap dish

** round and square rosette in scope of delivery
* plus concealed body, see corresponding chapter, from page 175
All flexible hoses G 3/8 are DVGW W270 approved.

Concealed Shower




HANSALOFT
trim kit with function unit
single-lever shower mixer
suitable for
HANSABUEBOX concealed
unit*
8762 9003 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
without diverter



HANSALOFT
trim kit with function unit
single-lever shower mixer
suitable for
HANSABUEBOX concealed
unit*
8773 9003 chrome
rosette without screws,
function unit without diverter,
round rosette, Ø 170 mm

Concealed Shower



HANSALOFT
trim kit installation set 8.1
single-lever mixer, DN 15
suitable for **HANSAMATRIX**
installation unit*
4487 4030 chrome
with wall-bar set, with
HANSARAIN overhead shower,
DN 15




HANSALOFT
trim kit installation set 8.2
single-lever mixer, DN 15
suitable for **HANSAMATRIX**
installation unit*
4487 4040 chrome
with shower set, with
HANSARAIN overhead shower,
DN 15



HANSALIVING
trim kit installation set 11.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0072 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0073 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSALIVING
trim kit installation set 11.3
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0082 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0083 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSALIVING
trim kit installation set 13.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0051 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0061 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSALIVING
trim kit installation set 14.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0160 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 14.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0161 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSALIVING
trim kit installation set 14.3
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0170 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSALIVING
trim kit installation set 14.4
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0171 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0180 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0190 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

* plus concealed body, see corresponding chapter, from page 175
All flexible hoses G 3/8 are DVGW W270 approved.

HANSALIGNA

Washbasin



HANSALIGNA
one-hole single-lever basin mixer, DN 15
5530 2203 chrome
spout: swivel, pop-up waste (metal), connection with flexible pressure hoses
projection: 116 mm

HANSALIGNA
one-hole single-lever basin mixer, DN 15
5535 2203 chrome
spout: swivel, without pop-up waste, connection with flexible pressure hoses
projection: 116 mm

HANSALIVING
X - Plate
6636 0000 chrome
X square washer 55 x 55 mm,
1 piece

HANSALIGNA
one-hole single-lever basin mixer, DN 15
0609 2203 chrome
pop-up waste (metal), connection with flexible pressure hoses
projection: 108 mm

HANSALIGNA
one-hole single-lever basin mixer, DN 15
0609 2103 chrome
pop-up waste (metal), connection using copper pipes
projection: 108 mm

HANSALIGNA
one-hole single-lever basin mixer, DN 15
0608 2203 chrome
without pop-up waste, connection with flexible pressure hoses
projection: 108 mm



HANSALIGNA
one-hole single-lever basin mixer XS, DN 15
0607 2203 chrome
pop-up waste (metal), connection with flexible pressure hoses
projection: 94 mm

HANSALIVING
X - Plate
6637 0000 chrome
X square washer 55 x 55 mm,
1 piece

HANSALIGNA
one-hole single-lever basin mixer, DN 15
0603 2203 chrome
for washbowls, without pop-up waste, connection with flexible pressure hoses
projection: 150 mm

HANSALIGNA
electronic basin faucet, DN 15
mains supply
0614 2201 chrome
sensory operation (infrared), incl. power supply and connection cable, push-pop-up waste
projection: 110 mm

HANSALIGNA
electronic basin faucet, DN 15
battery-operated
0615 2211 chrome
sensory operation (infrared), push-pop-up waste
projection: 110 mm

HANSALIGNA
trim kit wall-mounted single-lever basin mixer, DN 15
suitable for HANSAMATRIX installation unit*
4489 2103 chrome
projection: 190 mm

HANSALIGNA
trim kit wall-mounted single-lever basin mixer, DN 15
suitable for installation unit HANSAVARIO*
0640 2103 chrome
projection: 185 mm

Bidet



HANSALIGNA
trim kit wall-mounted basin mixer, DN 15
0642 2103 chrome
projection: 186 mm

HANSALIGNA
three-hole basin mixer, DN 15
0645 2103 chrome
pop-up waste (metal)
projection: 108 mm

HANSALIGNA
one-hole mixer, DN 15 for bidets
0606 3203 chrome
pop-up waste (metal), connection with flexible pressure hoses
projection: 100 mm

HANSALIVING
X - Plate
6637 0000 chrome
X square washer 55 x 55 mm,
1 piece

HANSALIGNA
single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
0674 2103 chrome
projection: 152 mm

HANSA ACTIVEJET STYLE
Set for bath faucets
8438 0213 white/chrome
HANSA ACTIVEJET Style hand shower, 1-spray, shower head size 110 mm x 120 mm, shower hose, 1500 mm

HANSALIGNA
single-lever bath mixer, DN 15 G1/2
0646 2083 chrome
ground-standing
projection: 200 mm

Concealed Bath/Shower



HANSALIGNA
trim kit with function unit single-lever bath mixer suitable for HANSABUEBOX concealed unit*
8385 9513 chrome
rosette without screws, squared rosette, 150 x 150mm, function unit with BLUESWITCH diverter

HANSALIGNA
trim kit with function unit single-lever bath mixer suitable for HANSABUEBOX concealed unit*
8385 9503 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter

HANSALIGNA
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABUEBOX concealed unit*
8385 3513 chrome
rosette without screws, squared rosette, 150 x 150mm, function unit with BLUESWITCH diverter

HANSALIGNA
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABUEBOX concealed unit*
8385 3503 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter

HANSALIGNA
bathtub spout, DN 15 (G 1/2)**
0682 2102 chrome
also compatible with HANSAMATRIX
projection: 180 mm

HANSALIGNA
trim kit single-lever mixer for all 4-hole installation units*
0644 2093 chrome
angled rosette
projection: 180 mm

HANSALIGNA
trim kit single-lever mixer for all 4-hole installation units*
0644 2083 chrome
projection: 180 mm

Bath

** round and square rosette in scope of delivery
* plus concealed body, see corresponding chapter, from page 175
All flexible hoses G 3/8 are DVGW W270 approved.


Concealed Bath/Shower



HANSALIGNA
trim kit single-lever mixer
for all 3-hole installation
units*
0643 9093 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, angled rosette




HANSALIGNA
trim kit single-lever mixer
for all 3-hole installation
units*
0643 9083 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly



HANSALIGNA
trim kit installation set 1.3
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 1100 chrome
with shower set, with bathtub
spout, DN 15



HANSALIGNA
trim kit installation set 3.3
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 1130 chrome
with shower set, for distant
positioned bathtub spout
(HANSAFILL)



HANSALIGNA
Trim kit installation set 6.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 1121 chrome
with shower set, with bathtub
spout, DN 15



HANSALIGNA
trim kit installation set 7.4
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 5000 chrome
with shower set, bathtub spout

Shower



HANSALIGNA
single-lever shower mixer,
DN 15 (G 1/2)
for wall-mounting
0667 0103 chrome



HANSAACTIVEJET STYLE
wall bar set 970 mm
8437 0230 chrome
HANSAACTIVEJET Style hand
shower, 3-spray, shower hose,
1750 mm, with soap dish

Concealed Shower




HANSALIGNA
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8387 9513 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
without diverter



HANSALIGNA
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8387 9503 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter

Concealed Shower



HANSALIGNA
trim kit installation set 8.5
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 1030 chrome
with wall-bar set, with
HANSARAIN overhead shower,
DN 15



HANSALIGNA
trim kit installation set 8.6
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 1040 chrome
with shower set, with
HANSARAIN overhead shower,
DN 15




HANSALIGNA
trim kit
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 1010 chrome
with solid-metal shower bar
1100 mm



HANSALIVING
trim kit installation set 11.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0072 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0073 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, HANSAVIVA
overhead shower




HANSALIVING
trim kit installation set 11.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0082 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15




HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0083 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSALIVING
trim kit installation set 13.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0051 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0061 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSALIVING
trim kit installation set 14.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0160 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 14.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0161 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSALIVING
trim kit installation set 14.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0170 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSALIVING
trim kit installation set 14.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0171 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0180 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0190 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

HANSASTELA

Washbasin



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5715 2201 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 122 mm



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5714 2201 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 122 mm



HANSALIVING
X - Plate
6636 0000 chrome
X square washer 55 x 55 mm,
1 piece



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5709 2201 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 111 mm



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5708 2201 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 111 mm



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5710 2201 chrome
for washbowls, without
pop-up waste, connection with
flexible pressure hoses
projection: 144 mm



HANSASTELA
electronic basin faucet,
DN 15
mains supply
5712 2201 chrome
sensory operation (infrared),
incl. power supply and
connection cable, push-pop-up
waste
projection: 126 mm



HANSASTELA
electronic basin faucet,
DN 15
battery-operated
5716 2211 chrome
sensory operation (infrared),
push-pop-up waste
projection: 126 mm



HANSASTELA
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4490 2103 chrome
projection: 166 mm



HANSASTELA
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for installation
unit HANSAVARIO*
5783 2171 chrome
projection: 162 mm



HANSASTELA
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for installation
unit HANSAVARIO*
5785 2171 chrome
projection: 242 mm



HANSASTELA
trim kit
wall-mounted basin mixer,
DN 15
5721 2103 chrome
projection: 160 mm



HANSASTELA
trim kit
wall-mounted basin mixer,
DN 15
5722 2103 chrome
projection: 240 mm

* plus concealed body, see corresponding chapter, from page 175
All flexible hoses G 3/8 are DVGW W270 approved.

Bath/Shower



HANSASTELA
three-hole basin mixer,
DN 15
5720 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 111 mm



HANSASTELA
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting
5774 2101 chrome
projection: 165 mm



HANSAACTIVEJET
Set for bath faucets
8438 0113 light grey/chrome
HANSAACTIVEJET hand
shower, 1-spray, shower hose,
size 120 mm, shower hose,
1500 mm



HANSASTELA
trim kit with function unit
single-lever bath mixer
suitable for
HANSABLUEBOX concealed
unit*
8784 9051 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter



HANSASTELA
trim kit with function unit
single-lever bath mixer
suitable for
HANSABLUEBOX concealed
unit*
8784 9041 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSASTELA
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABLUEBOX concealed
unit*
8784 3051 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
with BLUESWITCH diverter




HANSASTELA
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABLUEBOX concealed
unit*
8784 3041 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter


Bath



HANSASTELA
bathtub spout, DN 15
(G 1/2)
5782 2100 chrome
also compatible with
HANSAMATRIX
projection: 160 mm




HANSASTELA
trim kit single-lever mixer
for all 4-hole installation
units*
5730 2021 chrome
angled rosette
projection: 177 mm



HANSASTELA
trim kit single-lever mixer
for all 4-hole installation
units*
5730 2011 chrome
projection: 177 mm




HANSASTELA
trim kit single-lever mixer
for all 3-hole installation
units*
5731 9012 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, angled rosette




HANSASTELA
trim kit single-lever mixer
for all 3-hole installation
units*
5731 9011 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly

Concealed Bath/Shower



HANSASTELA
trim kit installation set 1.4
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 3100 chrome
with shower set, with bathtub
spout, DN 15



HANSASTELA
trim kit installation set 3.4
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 3130 chrome
with shower set, for distant
positioned bathtub spout
(HANSAFILL)



HANSASTELA
trim kit installation set 6.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 3121 chrome
with shower set, with bathtub
spout, DN 15



HANSASTELA
trim kit installation set 7.5
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 6000 chrome
with shower set, bathtub spout



HANSASTELA
single-lever shower mixer,
DN 15 (G 1/2)
5767 0101 chrome



HANSAACTIVEJET
wall bar set 970 mm
8437 0130 light grey/chrome
HANSAACTIVEJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish

Shower

Concealed Shower




HANSASTELA
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8785 9051 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
without diverter




HANSASTELA
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8785 9041 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter


Concealed Shower



HANSASTELA
trim kit installation set 8.7
single-lever mixer, DN 15
suitable for **HANSAMATRIX**
installation unit*
4487 3030 chrome
with wall-bar set, with
HANSARAIN overhead shower,
DN 15



HANSASTELA
trim kit installation set 8.8
single-lever mixer, DN 15
suitable for **HANSAMATRIX**
installation unit*
4487 3040 chrome
with shower set, with
HANSARAIN overhead shower,
DN 15



HANSASTELA
trim kit
single-lever mixer, DN 15
suitable for **HANSAMATRIX**
installation unit*
4487 3010 chrome
with solid-metal shower bar
1100 mm



HANSALIVING
trim kit installation set 11.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0072 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, wall bar set
1100 mm, with **HANSARAIN**
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0073 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, wall bar
set 1100 mm, **HANSAVIVA**
overhead shower




HANSALIVING
trim kit installation set 11.3
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0082 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, with shower
set, with **HANSARAIN**
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0083 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, with shower
set, **HANSAVIVA** overhead
shower



HANSALIVING
trim kit installation set 13.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0051 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit*
4487 0061 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, shower set



HANSALIVING
trim kit installation set 14.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0160 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, wall bar set
1100 mm, with **HANSARAIN**
overhead shower, DN 15



HANSALIVING
trim kit installation set 14.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0161 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, wall bar
set 1100 mm, **HANSAVIVA**
overhead shower




HANSALIVING
trim kit installation set 14.3
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0170 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, with shower
set, **HANSARAIN** overhead
shower



HANSALIVING
trim kit installation set 14.4
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0171 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0180 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit*
4487 0190 chrome
suitable for **HANSASIGNATUR**,
HANSALOFT, **HANSADESIGNO**,
HANSALIGNA, **HANSASTELA**,
HANSARONDA, shower set

HANSARONDA

Washbasin



HANSARONDA
one-hole single-lever basin mixer, DN 15
5526 2203 chrome
spout: swivel, pop-up waste (metal), connection with flexible pressure hoses
projection: 115 mm

HANSARONDA
one-hole single-lever basin mixer, DN 15
5534 2203 chrome
spout: swivel, without pop-up waste, connection with flexible pressure hoses
projection: 115 mm

HANSALIVING
X - Plate
6636 0000 chrome
X square washer 55 x 55 mm,
1 piece

HANSARONDA
one-hole single-lever basin mixer, DN 15
0309 2273 chrome
pop-up waste (metal), connection with flexible pressure hoses
projection: 100 mm

HANSARONDA
one-hole single-lever basin mixer, DN 15
0309 2173 chrome
pop-up waste (metal), connection using copper pipes
projection: 100 mm

HANSARONDA
one-hole single-lever basin mixer, DN 15
0308 2273 chrome
without pop-up waste, connection with flexible pressure hoses
projection: 100 mm



HANSALIVING
X - Plate
6637 0000 chrome
X square washer 55 x 55 mm,
1 piece




HANSARONDA
one-hole single-lever basin mixer, DN 15
0303 2273 chrome
for washbowls, without pop-up waste, connection with flexible pressure hoses
projection: 148 mm



HANSARONDA
one-hole single-lever basin mixer, DN 15
0301 2173 chrome
extractable hand spray, pop-up waste (metal), connection using copper pipes
projection: 125 mm



HANSARONDA
trim kit wall-mounted single-lever basin mixer, DN 15
suitable for HANSAMATRIX installation unit*
4488 2103 chrome
projection: 186 mm



HANSARONDA
trim kit wall-mounted single-lever basin mixer, DN 15
suitable for installation unit HANSAVARIO*
0383 2273 chrome
projection: 182 mm

Bidet



HANSARONDA
one-hole single-lever mixer, DN 15
0306 3273 chrome
projection: 103 mm



HANSALIVING
X - Plate
6637 0000 chrome
X square washer 55 x 55 mm,
1 piece

Bath/Shower



HANSARONDA
single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
0374 2173 chrome
projection: 163 mm



HANSAVIVA
Set for bath faucets
4417 0210 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1750 mm



HANSAACTIVEJET
Set for bath faucets
8438 0113 light grey/chrome
HANSAACTIVEJET hand shower, 1-spray, shower head size 120 mm, shower hose, 1500 mm



HANSARONDA
single-lever bath mixer, DN 15 G1/2
0342 2073 chrome
ground-standing
projection: 200 mm

Concealed Bath/Shower



HANSARONDA
trim kit with function unit single-lever bath mixer suitable for HANSABUEBOX concealed unit*
8384 9583 chrome
rosette without screws, squared rosette, 150 x 150mm, function unit with BLUESWITCH diverter



HANSARONDA
trim kit with function unit single-lever bath mixer suitable for HANSABUEBOX concealed unit*
8384 9573 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter



HANSARONDA
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABUEBOX concealed unit*
8384 3583 chrome
rosette without screws, squared rosette, 150 x 150mm, function unit with BLUESWITCH diverter

Bath



HANSARONDA
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABUEBOX concealed unit*
8384 3573 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter



HANSARONDA
bathtub spout, DN 15 (G 1/2)**
0582 2172 chrome
also compatible with HANSAMATRIX
projection: 180 mm



HANSARONDA
trim kit single-lever mixer for all 4-hole installation units*
0340 2083 chrome
angled rosette
projection: 240 mm



HANSARONDA
trim kit single-lever mixer for all 4-hole installation units*
0340 2073 chrome
projection: 240 mm




HANSARONDA
trim kit single-lever mixer for all 3-hole installation units*
0341 9083 chrome
for distant positioned bathtub spout (HANSAFILL), without HANSAFILL tub filler and drain assembly, angled rosette




HANSARONDA
trim kit single-lever mixer for all 3-hole installation units*
0341 9073 chrome
for distant positioned bathtub spout (HANSAFILL), without HANSAFILL tub filler and drain assembly


Concealed Bath/Shower




HANSA RONDA
trim kit installation set 1.5
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 2100 chrome
with shower set, with bathtub
spout, DN 15



HANSA RONDA
trim kit installation set 3.5
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 2130 chrome
with shower set, for distant
positioned bathtub spout
(HANSAFILL)



HANSA RONDA
Trim kit installation set 6.5
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 2121 chrome
with shower set, with bathtub
spout, DN 15



HANSA RONDA
trim kit installation set 7.6
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 7000 chrome
with shower set, bathtub spout

Shower



HANSA RONDA
single-lever shower mixer,
DN 15 (G 1/2)
for wall-mounting
0367 0173 chrome



HANSAVIVA
wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower,
100 mm, 3-spray, shower
hose, 1750 mm



HANSA ACTIVEJET
wall bar set 970 mm
8437 0130 light grey/chrome
HANSA ACTIVEJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish


Concealed Shower




HANSA RONDA
trim kit with function unit
single-lever shower mixer
suitable for
HANSABUEBOX concealed
unit*
8386 9583 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
without diverter




HANSA RONDA
trim kit with function unit
single-lever shower mixer
suitable for
HANSABUEBOX concealed
unit*
8386 9573 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter



HANSA RONDA
trim kit installation set 8.9
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 2030 chrome
with wall-bar set, with
HANSARAIN overhead shower,
DN 15



HANSA RONDA
trim kit installation set 8.10
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 2040 chrome
with shower set, with
HANSARAIN overhead shower,
DN 15




HANSA RONDA
trim kit
single-lever mixer, DN 15
suitable for HANSAMATRIX
installation unit*
4487 2010 chrome
with solid-metal shower bar
1100 mm



HANSALIVING
trim kit installation set 11.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0072 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0073 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSALIVING
trim kit installation set 11.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0082 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0083 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSALIVING
trim kit installation set 13.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0051 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit*
4487 0061 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSALIVING
trim kit installation set 14.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0160 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSALIVING
trim kit installation set 14.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0161 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSALIVING
trim kit installation set 14.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0170 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSALIVING
trim kit installation set 14.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0171 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0180 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSALIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit*
4487 0190 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

HANSACLIFF

Washbasin



HANSACLIFF
three-hole basin mixer,
DN 15
5041 2201 chrome
pop-up waste (metal)
projection: 160 mm



HANSACLIFF
two handle/one-hole basin
mixer
5042 2201 chrome
projection: 160 mm



HANSACLIFF
trim kit
wall-mounted basin mixer,
DN 15
5043 2101 chrome
projection: 157 mm

Rim-Mounted System




HANSACLIFF
4-hole wall-/rim mounted
for 4-hole tiled rim
assembly with installation
unit, DN 20
5046 2071 chrome
projection: 180 mm

Concealed Bath/Shower



HANSACLIFF
trim kit installation set 12.3
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit
5044 9501 chrome
for one wall outlet, shower set



HANSACLIFF
trim kit installation set 10.5
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit
5045 9501 chrome
for two wall outlets, shower set

HANSA | LIVING
Concealed Thermostates
All series

HANSA | LIVING Thermostatic Bath Mixers



HANSALIVING
trim kit with function unit
thermostatic bath faucet,
DN 15 (G1/2)
suitable for
HANSABUEBOX concealed
unit*
8114 9562 chrome
with integrated ceramic
volume regulation, rosette
without screws, squared
rosette, 150 x 150mm,
function unit with
BLUESWITCH diverter and
volume control

HANSALIVING
thermostatic bath faucet,
DN 15 (G1/2)
suitable for
HANSABUEBOX concealed
unit*
8114 9572 chrome
with integrated ceramic
volume regulation, rosette
without screws, Rosette soft
edge - rounded, function unit
with BLUESWITCH diverter and
volume control

HANSALIVING
trim kit with function unit
thermostatic bath faucet,
DN 15 (G1/2)
suitable for
HANSABUEBOX concealed
unit*
8114 9552 chrome
with integrated ceramic
volume regulation, rosette
without screws, round rosette,
Ø 170 mm, function unit with
BLUESWITCH diverter and
volume control

HANSALIVING
thermostatic bath faucet,
DN 15 (G1/2)
with vacuum breaker
suitable for
HANSABUEBOX concealed
unit*
8114 3562 chrome
with integrated ceramic
volume regulation, rosette
without screws, squared
rosette, 150 x 150mm,
function unit with
BLUESWITCH diverter and
volume control

HANSALIVING
thermostatic bath faucet,
DN 15 (G1/2)
with vacuum breaker
suitable for
HANSABUEBOX concealed
unit*
8114 3572 chrome
with integrated ceramic
volume regulation, rosette
without screws, Rosette soft
edge - rounded, function unit
with BLUESWITCH diverter and
volume control

HANSALIVING
thermostatic bath faucet,
DN 15 (G1/2)
with vacuum breaker
suitable for
HANSABUEBOX concealed
unit*
8114 3552 chrome
with integrated ceramic
volume regulation, rosette
without screws, round rosette,
Ø 170 mm, function unit with
BLUESWITCH diverter and
volume control

HANSA | LIVING Thermostatic Shower Mixers



HANSALIVING
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSABUEBOX concealed
unit*
8113 9562 chrome
with integrated ceramic
volume regulation, function
unit with service stops, without
diverter, rosette without screws

HANSALIVING
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSABUEBOX concealed
unit*
8113 9572 chrome
with integrated ceramic
volume regulation, rosette
without screws, Rosette soft
edge - rounded, function unit
with service stops

HANSALIVING
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSABUEBOX concealed
unit*
8113 9552 chrome
with integrated ceramic
volume regulation, function
unit with service stops, without
diverter

HANSA | LIVING Central Thermostates



HANSALIVING
trim kit with function unit
thermostatic mixer,
DN 15 (G1/2)
suitable for
HANSABUEBOX concealed
unit*
8112 9573 chrome
rosette without screws,
squared rosette,
150 x 150mm, function unit
without diverter, without
volume control

HANSALIVING
thermostatic mixer,
DN 15 (G1/2)
suitable for
HANSABUEBOX concealed
unit*
8112 9583 chrome
rosette without screws,
function unit without diverter,
without volume control

HANSALIVING
trim kit with function unit
thermostatic mixer,
DN 15 (G1/2)
suitable for
HANSABUEBOX concealed
unit*
8866 9501 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter, without
volume control

HANSALIVING
trim kit with function unit
thermostatic mixer,
DN 20 (G3/4)
suitable for **HANSAVARIO***
5112 9172 chrome
without water volume control,
squared rosette 175 x 175 mm

HANSALIVING
trim kit with function unit
thermostatic mixer,
DN 20 (G3/4)
suitable for **HANSAVARIO***
0665 9105 chrome
without water volume control,
Rosette round, Ø 188 mm

HANSA | LIVING Concealed Thermostates DN 20 (G3/4)

* plus concealed body, see corresponding chapter, from page 175
All flexible hoses G 3/8 are DVGW W270 approved.

HANSAMIX

Washbasin



HANSAMIX
one-hole single-lever basin mixer, DN 15
0109 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0109 2183 chrome
pop-up waste (metal),
connection using copper pipes
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0109 2183 00006 chrome
energy saving variation, pop-
up waste (metal), connection
using copper pipes
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0104 2183 chrome
without pop-up waste,
weighted chain
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0108 2183 chrome
without pop-up waste,
connection using copper pipes
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0108 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 141 mm



HANSAMIX
one-hole single-lever basin mixer, DN 15
0119 2183 chrome
pop-up waste (metal), spout:
swivel, connection using
copper pipes
projection: 157 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0118 2183 chrome
without pop-up waste, spout:
swivel, connection using
copper pipes
projection: 157 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0110 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 127 mm

HANSAMIX
one-hole single-lever basin mixer XS, DN 15
0116 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 127 mm

Bidet

Bath/Shower



HANSAMIX
one-hole single-lever mixer, DN 15 for bidet
0106 3283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 113 mm

HANSAMIX
single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
0174 2183 chrome
projection: 162 mm

HANSAPRISMA
thermostatic bath faucet, DN 15 (G1 1/2)
5810 2101 chrome
THERMO COOL - function
projection: 182 mm

HANSAVIVA
Set for bath faucets
4417 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1250 mm, wall-mounted
shower bracket, moveable

HANSAMIX
trim kit with function unit single-lever bath mixer suitable for HANSABUEBOX concealed unit*
8184 9083 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

HANSAMIX
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABUEBOX concealed unit*
8184 3083 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

Shower



HANSAMIX
single-lever shower mixer, DN 15 (G 1/2) for wall-mounting
0167 0183 chrome

HANSAPRISMA
thermostatic shower faucet, DN 15 (G 1/2)
5808 0101 chrome
THERMO COOL - function

HANSAVIVA
wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower,
100 mm, 3-spray, shower
hose, 1750 mm

HANSAMIX
trim kit with function unit single-lever shower mixer suitable for HANSABUEBOX concealed unit*
8185 9083 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter

HANSAFIT

Washbasin



HANSAFIT
one-hole single-lever basin mixer, DN 15
6509 2203 chrome
incl. push-pop-up waste,
connection with flexible
pressure hoses
projection: 98 mm

HANSAFIT
one-hole single-lever basin mixer, DN 15
6507 2203 chrome
with function hand shower,
incl. push-pop-up waste,
connection with flexible
pressure hoses
projection: 98 mm


HANSAFIT
one-hole single-lever basin mixer, DN 15
6507 3203 chrome
with remotely operated
function handshower, without
pop-up waste, connection with
flexible pressure hoses
projection: 98 mm

HANSAFIT
electronic basin faucet, DN 15
mains supply
6541 2000 chrome
sensory operation (infrared),
without pop-up waste, incl.
power supply and connection
cable, flexible hoses
projection: 85 mm

HANSAFIT
electronic basin faucet, DN 15
battery-operated
6541 2210 chrome
sensory operation (infrared),
without pop-up waste, flexible
hoses
projection: 85 mm

HANSAFIT
one-hole single-lever basin mixer, DN 15
6504 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 98 mm

Bath/Shower



HANSAFIT
thermostatic bath faucet, DN 15 (G1/2)
6513 2101 chrome
THERMO COOL - function
projection: 127 mm

HANSAFIT
thermostatic shower faucet, DN 15 (G1/2)
6514 0101 chrome
THERMO COOL - function

HANSACLASSICJET
wall bar set 900 mm
6537 0120 chrome
hand shower, 3-spray, shower
hose, 1750 mm

HANSACLASSICJET
wall bar set 600 mm with grab handle
6536 0320 chrome
hand shower, 3-spray, shower
hose, 1750 mm

HANSACLASSICJET
hand shower, 3-spray
6532 0100 chrome

HANSATWIST

Washbasin



HANSATWIST
one-hole single-lever basin mixer, DN 15
0954 2205 chrome
loop lever (metal), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 130 mm

HANSATWIST
one-hole single-lever basin mixer, DN 15
0954 2203 chrome
Solid lever (Metall), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 130 mm

HANSATWIST
one-hole single-lever basin mixer, DN 15
0955 2205 chrome
loop lever (metal), without
pop-up waste, connection with
flexible pressure hoses
projection: 130 mm

HANSATWIST
one-hole single-lever basin mixer, DN 15
0955 2203 chrome
Solid lever (Metall), without
pop-up waste, connection with
flexible pressure hoses
projection: 130 mm

HANSATWIST XL
one-hole single-lever basin mixer, DN 15
0901 2285 chrome
loop lever (metal), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 123 mm

HANSATWIST XL
one-hole single-lever basin mixer, DN 15
0901 2283 chrome
Solid lever (Metall), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 123 mm



HANSATWIST
one-hole single-lever basin mixer, DN 15
0909 2185 chrome
loop lever (metal), pop-up
waste (metal), connection
using copper pipes
projection: 121 mm

HANSATWIST
one-hole single-lever basin mixer, DN 15
0909 2183 chrome
Solid lever (Metall), pop-up
waste (metal), connection
using copper pipes
projection: 121 mm

HANSATWIST
one-hole single-lever basin mixer, DN 15
0909 2285 chrome
loop lever (metal), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 121 mm

HANSATWIST
one-hole single-lever basin mixer, DN 15
0909 2283 chrome
Solid lever (Metall), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 121 mm

HANSATWIST XL
one-hole single-lever basin mixer, DN 15
0902 2285 chrome
loop lever (metal), connection
with flexible pressure hoses,
without pop-up waste
projection: 123 mm

HANSATWIST XL
one-hole single-lever basin mixer, DN 15
0902 2283 chrome
Solid lever (Metall), connection
with flexible pressure hoses,
without pop-up waste
projection: 123 mm

HANSATWIST
one-hole single-lever basin mixer, DN 15
0905 2285 chrome
loop lever (metal), connection
with flexible pressure hoses,
without pop-up waste
projection: 121 mm



HANSATWIST
one-hole single-lever basin mixer, DN 15
0905 2283 chrome
Solid lever (Metall), connection with flexible pressure hoses, without pop-up waste
projection: 121 mm



HANSATWIST
one-hole single-lever basin mixer, DN 15
0930 2205 chrome
with function hand shower, loop lever (metal), connection with flexible pressure hoses
projection: 121 mm



HANSATWIST
one-hole single-lever basin mixer, DN 15
0930 2203 chrome
with function hand shower, Solid lever (Metall), connection with flexible pressure hoses
projection: 121 mm



HANSATWIST
three-hole basin mixer, DN 15
0936 2101 chrome
pop-up waste (metal)
projection: 108 mm

Bidet



HANSATWIST
one-hole single-lever mixer, DN 15 for bidet
0906 3285 chrome
loop lever (metal), pop-up waste (metal), connection with flexible pressure hoses
projection: 112 mm




HANSATWIST
one-hole single-lever mixer, DN 15 for bidet
0906 3283 chrome
Solid lever (Metall), pop-up waste (metal), connection with flexible pressure hoses
projection: 112 mm



HANSATWIST
single-lever bath mixer, DN 15 (G 1/2)
0974 2185 chrome
loop lever (metal)
projection: 162 mm



HANSATWIST
single-lever bath mixer, DN 15 (G 1/2)
0974 2183 chrome
Solid lever (Metall)
projection: 162 mm



HANSAUNITA
thermostatic bath faucet, DN 15 (G 1/2)
5837 2101 chrome
THERMO COOL - function
projection: 180 mm



HANSAVIVA
Set for bath faucets
4417 0110 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1250 mm, wall-mounted shower bracket, moveable



HANSATWIST
trim kit with function unit single-lever bath mixer suitable for HANSABLUEBOX concealed unit*
8984 9085 chrome
rosette without screws, function unit with BLUESWITCH diverter



HANSATWIST
trim kit with function unit single-lever bath mixer suitable for HANSABLUEBOX concealed unit*
8984 9083 chrome
rosette without screws, function unit with BLUESWITCH diverter



HANSATWIST
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABLUEBOX concealed unit*
8984 3085 chrome
rosette without screws, function unit with BLUESWITCH diverter



HANSATWIST
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABLUEBOX concealed unit*
8984 3083 chrome
rosette without screws, function unit with BLUESWITCH diverter



HANSATWIST
trim kit with function unit single-lever bath mixer, DN 15 G1/2 for installation unit HANSAVARIO*
4976 7005 chrome
loop lever



HANSATWIST
trim kit with function unit single-lever bath mixer, DN 15 G1/2 for installation unit HANSAVARIO*
4976 7003 chrome

Bath



HANSATWIST
3-hole wall-/rim mounted
0937 2001 chrome
projection: 149 mm




HANSATWIST
4-hole wall-/rim mounted for 4-hole tiled rim assembly with installation unit, DN 20
0938 2071 chrome
projection: 149 mm



HANSATWIST
single-lever shower mixer, DN 15 (G 1/2)
0967 0185 chrome
loop lever



HANSATWIST
single-lever shower mixer, DN 15 (G 1/2)
0967 0183 chrome
Solid lever (Metall)



HANSAUNITA
thermostatic shower faucet, DN 15 (G 1/2)
5813 0101 chrome
THERMO COOL - function



HANSAVIVA
wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower, 100 mm, 3-spray, shower hose, 1750 mm



HANSATWIST
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8985 9083 chrome
rosette without screws,
function unit without diverter



HANSATWIST
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8985 9085 chrome
rosette without screws,
function unit without diverter



HANSATWIST
trim kit with function unit
single-lever shower mixer,
DN 15 (G 1/2)
for installation unit
HANSAVARIO*
4975 7005 chrome
loop lever



HANSATWIST
trim kit with function unit
single-lever shower mixer,
DN 15 (G 1/2)
for installation unit
HANSAVARIO*
4975 7003 chrome



HANSATWIST
trim kit with function unit
single-lever shower mixer
suitable for installation
unit **HANSAVARIO***
4977 7005 chrome
loop lever



HANSATWIST
trim kit with function unit
single-lever shower mixer
suitable for installation
unit **HANSAVARIO***
4977 7003 chrome

HANSAVANTIS

Washbasin



HANSAVANTIS STYLE
one-hole single-lever basin
mixer, DN 15
5254 2287 chrome
pin operating lever (metal),
connection with flexible
pressure hoses, pop-up waste
(metal)
projection: 139 mm



HANSAVANTIS STYLE
one-hole single-lever basin
mixer, DN 15
5255 2287 chrome
pin operating lever (metal),
connection with flexible
pressure hoses, without pop-
up waste
projection: 139 mm



HANSAVANTIS STYLE
one-hole single-lever basin
mixer, DN 15
with raised socket
5247 2277 chrome
pin operating lever, for
washbowls, connection with
flexible pressure hoses
projection: 200 mm



HANSAVANTIS STYLE XL
one-hole single-lever basin
mixer, DN 15
5256 2277 chrome
pin operating lever, connection
with flexible pressure hoses,
pop-up waste (metal)
projection: 110 mm



HANSAVANTIS XL
one-hole single-lever basin
mixer, DN 15
5256 2273 chrome
projection: 110 mm



HANSAVANTIS STYLE XL
one-hole single-lever basin
mixer, DN 15
5237 2277 chrome
pin operating lever, connection
with flexible pressure hoses,
without pop-up waste
projection: 110 mm



HANSAVANTIS XL
one-hole single-lever basin
mixer, DN 15
5237 2273 chrome
operating lever (metal)
projection: 110 mm



HANSAVANTIS STYLE
one-hole single-lever basin
mixer, DN 15
5240 2277 chrome
pin operating lever, connection
with flexible pressure hoses,
pop-up waste (metal)
projection: 102 mm



HANSAVANTIS
one-hole single-lever basin
mixer, DN 15
5240 2273 chrome
connection with flexible
pressure hoses, pop-up waste
(metal)
projection: 102 mm



HANSAVANTIS STYLE
one-hole single-lever basin
mixer, DN 15
5242 2277 chrome
pin operating lever, without
pop-up waste, connection with
flexible pressure hoses
projection: 102 mm



HANSAVANTIS
one-hole single-lever basin
mixer, DN 15
5242 2273 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 102 mm



HANSAVANTIS STYLE
one-hole single-lever basin
mixer, DN 15
5268 2207 chrome
with function hand shower,
connection with flexible
pressure hoses, without pop-
up waste
projection: 112 mm



HANSAVANTIS
one-hole single-lever basin
mixer, DN 15
5268 2203 chrome
with function hand shower,
connection with flexible
pressure hoses
projection: 112 mm

Bidet



HANSAVANTIS STYLE
one-hole single-lever bidet
mixer, DN 15
5243 3277 chrome
pin operating lever, pop-up
waste (metal), connection with
flexible pressure hoses
projection: 107 mm



HANSAVANTIS
one-hole single-lever bidet
mixer, DN 15
5243 3273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 107 mm



HANSAVANTIS STYLE
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting
5244 2177 chrome
pin operating lever
projection: 159 mm



HANSAVANTIS
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting
5244 2173 chrome
projection: 159 mm



HANSAVANTIS STYLE
single-lever bath mixer,
DN 15 (G 1/2)
sur gorge
5239 2277 chrome
pin operating lever, for rim-
mounting
projection: 164 mm



HANSAVANTIS STYLE
single-lever bath mixer,
DN 15 (G 1/2)
5239 2277 0038 chrome
projection: 164 mm



HANSAUNITA
thermostatic bath faucet,
DN 15 (G 1/2)
5837 2101 chrome
THERMO COOL - function
projection: 180 mm



HANSAVIVA
Set for bath faucets
4417 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1250 mm, wall-mounted
shower bracket, moveable



HANSAVANTIS STYLE
trim kit with function unit
single-lever bath mixer
suitable for
HANSABLUEBOX concealed
unit*
8260 9077 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAVANTIS
trim kit with function unit
single-lever bath mixer
suitable for
HANSABLUEBOX concealed
unit*
8260 9073 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAVANTIS STYLE
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABLUEBOX concealed
unit*
8260 3077 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAVANTIS STYLE
trim kit with function unit
single-lever bath mixer,
DN 15 G 1/2
for installation unit
HANSAVARIO*
5260 0177 chrome
pin operating lever



HANSAVANTIS
trim kit with function unit
single-lever bath mixer,
DN 15 G 1/2
for installation unit
HANSAVARIO*
5260 0173 chrome


Shower



HANSAVANTIS STYLE
single-lever shower mixer,
DN 15 (G 1/2)
for wall-mounting
5245 0177 chrome
pin operating lever



HANSAVANTIS
single-lever shower mixer,
DN 15 (G 1/2)
for wall-mounting
5245 0173 chrome



HANSAUNITA
thermostatic shower
faucet, DN 15 (G 1/2)
5813 0101 chrome
THERMO COOL - function



HANSAVIVA
wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower,
100 mm, 3-spray, shower
hose, 1750 mm



HANSAVANTIS STYLE
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8261 9077 chrome
rosette without screws,
function unit without diverter



HANSAVANTIS
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8261 9073 chrome
rosette without screws,
function unit without diverter



HANSAVANTIS STYLE
trim kit with function unit
single-lever shower mixer,
DN 15 (G 1/2)
for installation unit
HANSAVARIO*
5261 0177 chrome
pin operating lever



HANSAVANTIS
trim kit with function unit
single-lever shower mixer,
DN 15 (G 1/2)
for installation unit
HANSAVARIO*
5261 0173 chrome



HANSAVANTIS STYLE
trim kit with function unit
single-lever shower mixer
suitable for installation
unit **HANSAVARIO***
5064 9077 chrome
pin operating lever

HANSA PINTO

Washbasin



HANSA PINTO
one-hole single-lever basin
mixer, DN 15
4510 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 148 mm



HANSA PINTO
one-hole single-lever basin
mixer, DN 15
4509 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 148 mm



HANSA PINTO XL
one-hole single-lever basin
mixer, DN 15
4501 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 115 mm



HANSA PINTO
one-hole single-lever basin
mixer, DN 15
4504 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 107 mm



HANSA PINTO XL
one-hole single-lever basin
mixer, DN 15
4502 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 115 mm



HANSA PINTO
one-hole single-lever basin
mixer, DN 15
4506 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 107 mm

Bidet



HANSAPINTO
one-hole single-lever basin
mixer, DN 15
4515 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 133 mm



HANSAPINTO
one-hole single-lever basin
mixer, DN 15
4505 2283 chrome
with function hand shower,
connection with flexible
pressure hoses, without
pop-up waste, HANSA
3S-Installation
projection: 107 mm



HANSAPINTO
one-hole single-lever
mixer, DN 15
for bidet
4507 3283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses, HANSA
3S-Installation
projection: 106 mm

Bath/Shower



HANSAPINTO
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting
4511 2183 chrome
projection: 166 mm



HANSAPINTO
single-lever bath mixer,
DN 15 (G 1/2)
sur gorge
4537 2283 chrome
projection: 125 mm

Shower



HANSAUNITA
thermostatic bath faucet,
DN 15 (G 1/2)
5837 2101 chrome
THERMO COOL - function
projection: 180 mm



HANSABASICJET
Set for bath faucets
4468 0113 chrome
HANSABASICJET hand shower,
Ø 95 mm, 1-spray, shower
hose, 1500 mm



HANSAPINTO
trim kit with function unit
single-lever bath mixer
suitable for
**HANSABLUEBOX concealed
unit**
8526 9183 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAPINTO
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
**HANSABLUEBOX concealed
unit***
8528 3083 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAPINTO
single-lever shower mixer,
DN 15 (G 1/2)
4512 0163 chrome



HANSAPINTO
single-lever shower mixer,
DN 15 (G 1/2)
4512 0183 chrome
body: composite material,
THERMO COOL - function



HANSAPINTO
single-lever shower mixer,
DN 15 (G 1/2)
for renovations
4569 2183 chrome



HANSAUNITA
thermostatic shower
faucet, DN 15 (G 1/2)
5813 0101 chrome
THERMO COOL - function



HANSABASICJET
wall bar set 920 mm
4467 0133 chrome
HANSABASICJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish



HANSAPINTO
trim kit with function unit
single-lever shower mixer
suitable for
**HANSABLUEBOX concealed
unit***
8527 9183 chrome
rosette without screws,
without diverter



HANSAPINTO
trim kit
single-lever faucet
suitable for concealed unit
HANSAVARIO 5051 0100
5066 9083 chrome

HANSAPRIMO

Washbasin



HANSAPRIMO
one-hole single-lever basin
mixer, DN 15
4954 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 142 mm



HANSAPRIMO
one-hole single-lever basin
mixer, DN 15
4955 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 142 mm



HANSAPRIMO XL
one-hole single-lever basin
mixer, DN 15
4956 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 110 mm



HANSAPRIMO
one-hole single-lever basin
mixer, DN 15
4940 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 107 mm



HANSAPRIMO XL
one-hole single-lever basin
mixer, DN 15
4937 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 111 mm



HANSAPRIMO
one-hole single-lever basin
mixer, DN 15
4942 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 107 mm

Bidet



HANSAPRIMO
one-hole single-lever basin
mixer, DN 15
4946 2203 chrome
with function hand shower,
connection with flexible
pressure hoses, without pop-
up waste
projection: 107 mm




HANSAPRIMO
one-hole single-lever
mixer, DN 15
for bidet
4943 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 107 mm

Bath/Shower



HANSAPRIMO
single-lever bath mixer,
DN 15 (G 1/2)
4944 2103 chrome
projection: 155 mm



HANSAPRIMO
single-lever bath mixer,
DN 15 (G 1/2)
4944 2103 00003 chrome
with shower set
projection: 155 mm



HANSAMICRA
thermostatic bath faucet,
DN 15 (G 1/2)
5816 2171 chrome
THERMO COOL - function
projection: 159 mm



HANSAPRIMO
single-lever bath mixer,
DN 20 (G 3/4)
for wall-mounting
4944 2003 chrome
without eccentric connections



HANSAPRIMO
one-hole single-lever
mixer, DN 15
for rim-mounting
4951 2203 chrome
connection with flexible hoses
G 1/2, length 600 mm
projection: 164 mm



HANSABASICJET
Set for bath faucets
4468 0113 chrome
HANSABASICJET hand shower,
Ø 95 mm, 1-spray, shower
hose, 1500 mm



HANSAPRIMO
trim kit with function unit
single-lever bath mixer
suitable for
HANSABLUEBOX concealed
unit*
8990 9003 chrome
rossette without screws,
function unit with
BLUESWITCH diverter



HANSAPRIMO
trim kit with function unit
single-lever bath mixer
with vacuum breaker
suitable for
HANSABLUEBOX concealed
unit*
8990 3003 chrome
rossette without screws,
function unit with
BLUESWITCH diverter



HANSAPRIMO
trim kit with function unit
single-lever bath mixer,
DN 15 (G 1/2)
for installation unit
HANSAVARIO*
4997 7003 chrome

Shower



HANSAPRIMO
single-lever shower mixer,
DN 15 (G 1/2)
4945 0103 chrome



HANSAMICRA
thermostatic shower
faucet, DN 15 (G 1/2)
5815 0171 chrome
THERMO COOL - function



HANSABASICJET
wall bar set 920 mm
4467 0133 chrome
HANSABASICJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish



HANSAPRIMO
trim kit with function unit
single-lever shower mixer
suitable for
HANSABLUEBOX concealed
unit*
8991 9003 chrome
rossette without screws,
function unit without diverter



HANSAPRIMO
trim kit with function unit
single-lever shower mixer,
DN 15 (G 1/2)
for installation unit
HANSAVARIO*
4998 7003 chrome



HANSAPRIMO
trim kit with function unit
single-lever shower mixer
suitable for installation
unit **HANSAVARIO***
4999 7003 chrome

HANSAPOLO

Washbasin



HANSAPOLO
one-hole single-lever basin
mixer, DN 15
5155 2293 chrome
pop-up waste (metal),
connection with flexible
pressure hoses



HANSAPOLO
one-hole single-lever basin
mixer, DN 15
5154 2293 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 152 mm



HANSAPOLO XL
one-hole single-lever basin
mixer, DN 15
5150 2293 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 110 mm



HANSAPOLO XL
one-hole single-lever basin
mixer, DN 15
5150 2293 00676 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 110 mm



HANSAPOLO
one-hole single-lever basin
mixer, DN 15
5140 2293 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 103 mm



HANSAPOLO XL
one-hole single-lever basin
mixer, DN 15
5152 2293 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 110 mm

Bidet



HANSAPOLO
one-hole single-lever basin mixer, DN 15
5141 2293 chrome
without pop-up waste,
weighted chain, connection
with flexible pressure hoses
projection: 103 mm



HANSAPOLO
one-hole single-lever basin mixer, DN 15
5142 2293 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 103 mm



HANSAPOLO
one-hole single-lever basin mixer, DN 15
5146 2293 chrome
with function hand shower,
connection with flexible
pressure hoses, without pop-
up waste
projection: 103 mm



HANSAPOLO
three-hole basin mixer, DN 15
5293 2101 chrome
pop-up waste (metal)
projection: 103 mm



HANSAPOLO
one-hole single-lever mixer, DN 15 for bidet
5143 3293 chrome
pop-up waste (metal),
connection with flexible
hoses G 3/8
DVGW W270 approved
projection: 106 mm

Bath/Shower



HANSAPOLO
single-lever bath mixer, DN 15 (G 1/2)
5144 2193 chrome
projection: 157 mm



HANSAPOLO
single-lever bath mixer, DN 15 (G 1/2) sur gorge
5239 2293 chrome



HANSAMICRA
thermostatic bath faucet, DN 15 (G 1/2)
5816 2171 chrome
THERMO COOL - function
projection: 159 mm



HANSABASICJET
Set for bath faucets
4468 0113 chrome
HANSABASICJET hand shower,
Ø 95 mm, 1-spray, shower
hose, 1500 mm



HANSAPOLO
trim kit with function unit single-lever bath mixer suitable for HANSABUEBOX concealed unit*
8060 9093 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAPOLO
trim kit with function unit single-lever bath mixer with vacuum breaker suitable for HANSABUEBOX concealed unit*
8062 3093 chrome
rosette without screws,
function unit with
BLUESWITCH diverter

Bath



HANSAPOLO
3-hole wall-/rim mounted
5294 2001 chrome
projection: 135 mm



HANSAPOLO
4-hole wall-/rim mounted
5295 2071 chrome
projection: 135 mm



HANSAPOLO
trim kit with function unit single-lever bath mixer, DN 15 G1/2 for installation unit HANSAVARIO*
5060 7183 chrome

Shower



HANSAPOLO
single-lever shower mixer, DN 15 (G 1/2)
5145 0163 chrome
brass, chrome plated



HANSAPOLO
single-lever shower mixer, DN 15 (G 1/2)
5145 0193 chrome
body: composite material,
THERMO COOL - function



HANSAMICRA
thermostatic shower faucet, DN 15 (G 1/2)
5815 0171 chrome
THERMO COOL - function



HANSABASICJET
wall bar set 920 mm
4467 0133 chrome
HANSABASICJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish



HANSAPOLO
trim kit with function unit single-lever shower mixer suitable for HANSABUEBOX concealed unit*
8061 9093 chrome
rosette without screws,
function unit without diverter



HANSAPOLO
trim kit with function unit single-lever shower mixer, DN 15 (G 1/2) for installation unit HANSAVARIO*
5061 7183 chrome



HANSAPOLO
trim kit with function unit single-lever faucet suitable for installation unit HANSAVARIO*
5062 9093 chrome

HANSAPICO

Washbasin



HANSAPICO
one-hole single-lever basin mixer, DN 15
4604 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 108 mm

HANSAPICO
one-hole single-lever basin mixer, DN 15
4606 2273 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 108 mm

HANSAPICO
one-hole single-lever mixer, DN 15 for bidet
4607 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 102 mm

HANSAPICO
single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
4611 2103 chrome
projection: 155 mm

Shower



HANSAMICRA
thermostatic bath faucet, DN 15 (G 1/2)
5816 2171 chrome
THERMO COOL - function
projection: 159 mm



HANSABASICJET
Set for bath faucets
4468 0113 chrome
HANSABASICJET hand shower,
Ø 95 mm, 1-spray, shower
hose, 1500 mm



HANSAPICO
trim kit with function unit single-lever bath mixer suitable for HANSABBLUEBOX concealed unit*
8626 9103 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAPICO
single-lever bath mixer, DN 15 (G 1/2)
4637 2203 chrome
for rim-mounting
projection: 164 mm




HANSAPICO
single-lever shower mixer, DN 15 (G 1/2)
4612 0103 chrome



HANSABASICJET
wall bar set 920 mm
4467 0133 chrome
HANSABASICJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish



HANSAPICO
trim kit with function unit single-lever shower mixer suitable for HANSABBLUEBOX concealed unit*
8627 9103 chrome
rosette without screws,
function unit without diverter



HANSAPICO
trim kit with function unit single-lever faucet suitable for installation unit HANSAVARIO*
5070 9003 chrome

HANSAHOME Concealed
Thermostatic Mixers
All series

HANSAHOME Concealed Thermostatic Mixers



HANSAHOME
trim kit with function unit thermostatic bath faucet, DN 15 (G 1/2) suitable for HANSABBLUEBOX concealed unit*
8862 9045 chrome
with integrated ceramic
volume regulation, rosette
without screws, round rosette,
Ø 170 mm, function unit with
BLUESWITCH diverter and
volume control

HANSAHOME
thermostatic bath faucet, DN 15 (G 1/2) suitable for HANSABBLUEBOX concealed unit*
8862 3045 chrome
with integrated ceramic
volume regulation, rosette
without screws, round rosette,
Ø 170 mm, function unit with
BLUESWITCH diverter and
volume control

HANSAHOME
trim kit with function unit thermostatic shower faucet, DN 15 (G 1/2) suitable for HANSABBLUEBOX concealed unit*
8861 9045 chrome
with integrated ceramic
volume regulation, function
unit with service stops, without
diverter, rosette without screws

HANSAHOME
thermostatic mixer, DN 15 (G 1/2) without water volume control suitable for HANSABBLUEBOX concealed unit*
8860 9045 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter, without
volume control

HANSAMIX
trim kit thermostatic mixer suitable for HANSAVARIO*
0860 9175 chrome
Rosette round,
Ø 205 mm, suitable for
HANSAVARIO thermostat
0804 / 0805 DN 20 (G3/4)

Exposed Thermostates



HANSAEMOTION



**HANSAEMOTION WELLFIT
thermostatic shower faucet,
DN 15 (G 1/2)**
5863 0172 84 anthracite/chrome
with Wellfit body treatment,
with spacious shelf, safety glass,
colour anthracite



**HANSAEMOTION WELLFIT
thermostatic shower faucet,
DN 15 (G 1/2)**
5863 0172 82 white/chrome
with Wellfit body treatment,
with spacious shelf, safety glass,
colour white



**HANSAEMOTION WELLFIT
thermostatic bath faucet,
DN 15 (G1 /2)**
5864 2172 84 anthracite/chrome
with Wellfit body treatment,
with spacious shelf, safety glass,
colour anthracite



**HANSAEMOTION WELLFIT
thermostatic bath faucet,
DN 15 (G1 /2)**
5864 2172 82 white/chrome
with Wellfit body treatment,
with spacious shelf, safety glass,
colour white



**HANSAEMOTION WELLFIT
shower system thermostatic
shower faucet, DN 15 (G 1/2)**
5865 0172 84 anthracite/chrome
with shower system directly
connected, with Wellfit body
treatment, with spacious shelf,
safety glass, colour anthracite



**HANSAEMOTION WELLFIT
shower system thermostatic
shower faucet, DN 15 (G 1/2)**
5865 0172 82 white/chrome
with shower system directly
connected, with Wellfit body
treatment, with spacious shelf,
safety glass, colour white



**HANSAEMOTION
thermostatic shower faucet,
DN 15 (G 1/2)**
5863 0171 84 anthracite/chrome
with spacious shelf, safety glass,
colour anthracite



**HANSAEMOTION
thermostatic shower faucet,
DN 15 (G 1/2)**
5863 0171 82 white/chrome
with spacious shelf, safety
glass, colour white



**HANSAEMOTION
thermostatic bath faucet,
DN 15 (G1 /2)**
5864 2171 84 anthracite/
chrome
with spacious shelf, safety
glass, colour anthracite



**HANSAEMOTION
thermostatic bath faucet,
DN 15 (G1 /2)**
5864 2171 82 white/chrome
with spacious shelf, safety
glass, colour white



**HANSAEMOTION
shower system
thermostatic shower faucet,
DN 15 (G 1/2)**
5865 0171 84 anthracite/chrome
with shower system directly
connected, with spacious shelf,
safety glass, colour anthracite



**HANSAEMOTION
shower system
thermostatic shower faucet,
DN 15 (G 1/2)**
5865 0171 82 white/chrome
with shower system directly
connected, with spacious shelf,
safety glass, colour white

HANSAFIT




**HANSAFIT
thermostatic bath faucet,
DN 15 (G1 /2)**
6513 2101 chrome
THERMO COOL - function
projection: 127 mm



**HANSAFIT
thermostatic shower faucet,
DN 15 (G 1/2)**
6514 0101 chrome
THERMO COOL - function



**HANSAFIT
thermostatic bath faucet,
DN 15 (G1 /2)**
6518 0130 chrome
with shower system directly
connected



**HANSAFIT
thermostatic shower faucet,
DN 15 (G 1/2)**
6517 0110 chrome
with shower system directly
connected



**HANSAFIT
thermostatic bath faucet,
DN 15 (G1 /2)**
6516 2101 chrome
THERMO COOL - function,
with shower system directly
connected, length can be
shortened, headshower
rectangular, 257 x 197 mm




**HANSAFIT
thermostatic shower faucet,
DN 15 (G 1/2)**
6515 9101 chrome
THERMO COOL - function,
with shower system directly
connected, length can be
shortened, headshower
rectangular, 257 x 197 mm

HANSALANO



HANSALANO
thermostatic bath faucet,
DN 15 (G1/2)
6413 2101 chrome
THERMO COOL - function
projection: 170 mm



HANSALANO
thermostatic shower
faucet, DN 15 (G1/2)
6414 0101 chrome



HANSALANO
thermostatic shower
faucet, DN 15 (G1/2)
6415 9101 chrome
THERMO COOL - function,
with shower system directly
connected, length can be
shortened, Hydra head shower
Ø 238 mm


HANSATEMPRA STYLE



HANSATEMPRA STYLE
thermostatic bath faucet,
DN 15 (G1/2)
5844 2101 chrome
projection: 159 mm



HANSATEMPRA STYLE
thermostatic shower faucet,
DN 15 (G1/2)
5841 0101 chrome



HANSATEMPRA STYLE
thermostatic shower faucet,
DN 15 (G1/2)
5842 9103 chrome
with shower system directly
connected, shower head, solid
brass Ø 220 mm, HANSASTILO
hand shower, 1-spray

HANSAPRISMA



HANSAPRISMA
thermostatic bath faucet,
DN 15 (G1/2)
5810 2101 chrome
THERMO COOL - function
projection: 182 mm




HANSAPRISMA
thermostatic bath faucet,
DN 15 (G1/2)
5807 2101 0067 chrome
THERMO COOL - function,
temperatur limit set to max.
45°C
projection: 184 mm



HANSAPRISMA
thermostatic shower
faucet, DN 15 (G1/2)
5808 0101 chrome
THERMO COOL - function



HANSAPRISMA
thermostatic shower
faucet, DN 15 (G1/2)
5809 9103 chrome
THERMO COOL - function,
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm



HANSAPRISMA
thermostatic shower
faucet, DN 15 (G1/2)
5809 9113 chrome
THERMO COOL - function,
with shower system directly
connected, shower head
square 250 x 250 mm,
HANSASTILO hand shower



HANSAPRISMA
bath renovation set
4810 2131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130), 3-spray



HANSAPRISMA
bath renovation set
4810 2121 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110), 1-spray



HANSAPRISMA
shower renovation set
4808 0131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130), 3-spray



HANSAPRISMA
shower renovation set
4808 0121 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110), 1-spray



HANSAPRISMA
shower renovation set
4808 0021 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110), without
eccentric connections

HANSACARE



HANSACARE
thermostatic bath faucet,
DN 15 (G1/2)
5810 1201 chrome
safety stop against scalding at
38°C, eccentric connections
with shut-off valve
projection: 197 mm




HANSACARE
thermostatic shower
faucet, DN 15 (G1/2)
5808 0201 chrome
safety stop against scalding at
38°C, eccentric connections
with shut-off valve




HANSACARE
thermostatic basin mixer
DN 15
0830 2201 chrome
safety stop against scalding at
38°C, eccentric connections
with shut-off valve
projection: 259 mm

HANSAUNITA



HANSAUNITA
thermostatic bath faucet,
DN 15 (G1/2)
5837 2101 chrome
THERMO COOL - function
projection: 180 mm



HANSAUNITA
thermostatic shower
faucet, DN 15 (G1/2)
5813 0101 chrome
THERMO COOL - function



HANSAUNITA
thermostatic shower
faucet, DN 15 (G1/2)
5813 0301 chrome
centre distance: 120 mm



**HANSAUNITA
bath renovation set**
4837 2131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130)



**HANSAUNITA
thermostatic shower
faucet, DN 15 (G 1/2)**
5814 9103 chrome
THERMO COOL - function,
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm



**HANSAUNITA
thermostatic shower
faucet, DN 15 (G 1/2)**
5814 9113 0067 chrome
THERMO COOL - function,
with shower system directly
connected, shower head
square 200 x 200 mm,
HANSAVIVA hand shower,
100 mm



**HANSAUNITA
shower renovation set**
4813 0131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130)



**HANSAUNITA
shower renovation set**
4813 0121 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110)

HANSAMICRA



**HANSAMICRA
thermostatic bath faucet,
DN 15 (G 1/2)**
5816 2171 chrome
THERMO COOL - function
projection: 159 mm



**HANSAMICRA
thermostatic shower
faucet, DN 15 (G 1/2)**
5815 0171 chrome
THERMO COOL - function



**HANSAMICRA
shower renovation set**
4815 0171 chrome
with HANSABASICJET wall bar
set 920 mm (4467 0133)


HANSAMINIMAT safety thermostatic mixer



**HANSAMINIMAT
safety thermostatic mixer
for angle valve mounting
for basin pillar valves or
mixers**
6341 0020 chrome
Legionella rinsing set



**HANSAMINIMAT
copper pipes**
6638 0100 chrome



**HANSAMINIMAT
hose copper pipe**
6639 0200

HANSA Shower Systems



HANSAEMOTION



**HANSAEMOTION WELLFIT
shower system
thermostatic shower faucet,
DN 15 (G 1/2)**
5865 0172 84 anthracite/chrome
with shower system directly
connected, with Wellfit body
treatment, with spacious shelf,
safety glass, colour anthracite



**HANSAEMOTION WELLFIT
shower system
thermostatic shower faucet,
DN 15 (G 1/2)**
5865 0172 82 white/chrome
with shower system directly
connected, with Wellfit body
treatment, with spacious shelf,
safety glass, colour white



**HANSAEMOTION
shower system
thermostatic shower faucet,
DN 15 (G 1/2)**
5865 0171 84 anthracite/chrome
with shower system directly
connected, with spacious shelf,
safety glass, colour anthracite



**HANSAEMOTION
shower system
thermostatic shower
faucet, DN 15 (G 1/2)**
5865 0171 82 white/chrome
with shower system directly
connected, with spacious shelf,
safety glass, colour white

HANSAUNITA



**HANSAUNITA
thermostatic shower
faucet, DN 15 (G 1/2)**
5814 9103 chrome
THERMO COOL - function,
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm



**HANSAUNITA
thermostatic shower
faucet, DN 15 (G 1/2)**
5814 9113 0067 chrome
THERMO COOL - function,
with shower system directly
connected, shower head
square 200 x 200 mm,
HANSAVIVA hand shower,
100 mm

HANSAFIT



HANSAFIT
thermostatic bath faucet,
DN 15 (G1/2)
6516 9101 chrome
THERMO COOL - function,
with shower system directly
connected, length can be
shortened, headshower
rectangular, 257 x 197 mm




HANSAFIT
thermostatic shower
faucet, DN 15 (G 1/2)
6515 9101 chrome
THERMO COOL - function,
with shower system directly
connected, length can be
shortened, headshower
rectangular, 257 x 197 mm

HANSALANO



HANSALANO
thermostatic shower
faucet, DN 15 (G 1/2)
6415 9101 chrome
THERMO COOL - function,
with shower system directly
connected, length can be
shortened, Hydra head shower
Ø 238 mm

HANSA TEMPRA STYLE




HANSA TEMPRA STYLE
thermostatic shower
faucet, DN 15 (G 1/2)
5842 9103 chrome
with shower system directly
connected, shower head, solid
brass Ø 220 mm, HANASTILO
hand shower, 1-spray

HANSA PRISMA



HANSA PRISMA
thermostatic shower
faucet, DN 15 (G 1/2)
5809 9103 chrome
THERMO COOL - function,
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm



HANSA PRISMA
thermostatic shower
faucet, DN 15 (G 1/2)
5809 9113 chrome
THERMO COOL - function,
with shower system directly
connected, shower head
square 250 x 250 mm,
HANASTILO hand shower

HANSAVIVA




HANSAVIVA
shower system
water-bearing shower rail
4418 0200 chrome
for connection with all
exposed wall-mounted or all
concealed mixers, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



HANSAVIVA
shower system
water-bearing shower rail
4419 0200 chrome
for the direct connection to
the wall connection elbow,
HANSAVIVA headshower
Ø 202 mm, HANSAVIVA hand
shower, 100 mm, 3-spray

HANSA SMARTSHOWER




HANSA SMARTSHOWER
multi-functional wellness
shower system, DN 15
5860 0100 glass, mirrored
for connection with all exposed
wall-mounted or all concealed
mixers



HANSA SMARTSHOWER
multi-functional wellness
shower system, DN 15
5861 0900 glass, mirrored
with HANSACUBE thermostat

HANSA ELECTRA



HANSA ELECTRA
touch-free aluminium
shower panel with
thermostat
battery-operated
6415 2200
optional forced flushing every
24, 48 or 72 hours

Shower series

HANSA ACTIVEJET
Shower set

HANSA ACTIVEJET
Set for bath faucets
8438 0113 light grey/chrome
HANSA ACTIVEJET hand
shower, 1-spray, shower head
size 120 mm, shower hose,
1500 mm



HANSA ACTIVEJET
Set for bath faucets
8438 0133 light grey/chrome
HANSA ACTIVEJET hand
shower, 3-spray, shower head
size 120 mm, shower hose,
1500 mm



HANSA ACTIVEJET STYLE
Set for bath faucets
8438 0213 white/chrome
HANSA ACTIVEJET Style hand
shower, 1-spray, shower head
size 110 mm x 120 mm, shower
hose, 1500 mm



HANSA ACTIVEJET STYLE
Set for bath faucets
8438 0233 white/chrome
HANSA ACTIVEJET Style hand
shower, 3-spray, shower head
size 110 mm x 120 mm, shower
hose, 1500 mm

Hand shower



HANSA ACTIVEJET
hand shower, 1-spray
8431 0100 light grey/chrome
shower head size 120 mm



HANSA ACTIVEJET STYLE
hand shower, 1-spray
8431 0200 white/chrome
shower head size 110 mm x
120 mm

Wall bar



HANSAACTIVEJET
hand shower, 3-spray
8433 0100 light grey/chrome
shower head size 120 mm



HANSAACTIVEJET STYLE
hand shower, 3-spray
8433 0200 white/chrome
shower head size 110 mm x
120 mm



HANSAACTIVEJET
wall bar set 970 mm
8437 0110 light grey/chrome
HANSAACTIVEJET hand
shower, 1-spray, shower hose,
1750 mm, with soap dish



HANSAACTIVEJET
wall bar set 970 mm
8437 0130 light grey/chrome
HANSAACTIVEJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish



HANSAACTIVEJET STYLE
wall bar set 970 mm
8437 0210 white/chrome
HANSAACTIVEJET Style hand
shower, 1-spray, shower hose,
1750 mm, with soap dish



HANSAACTIVEJET STYLE
wall bar set 970 mm
8437 0230 chrome
HANSAACTIVEJET Style hand
shower, 3-spray, shower hose,
1750 mm, with soap dish

Shower hose



HANSA
Silverjet® shower hose
5412 0400 chrome,
length 1250 mm
5412 0600 chrome,
length 1500 mm
5412 0500 chrome,
length 1600 mm
5412 0300 chrome,
length 1750 mm
5412 0200 chrome,
length 2000 mm

HANSAACTIVEJET
wall bar
max. length 740 mm
0478 0200 chrome



HANSAACTIVEJET
soap dish
0480 0100

HANSAACTIVEJET
wall bar
maximum length 970 mm
0479 0200 chrome

HANSAVIVA
Hand shower



HANSAVIVA
hand shower, 1-spray
4431 0100 chrome
Ø 100 mm



HANSAVIVA
hand shower, 3-spray
4433 0100 chrome
Ø 100 mm



HANSAVIVA
hand shower, 3-spray
4434 0100 chrome
Ø 130 mm


Wall bar



HANSAVIVA
wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower,
100 mm, 3-spray, shower
hose, 1750 mm



HANSAVIVA
wall bar set 900 mm
4415 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1750 mm



HANSAVIVA
wall bar 900 mm
4413 0100 chrome



HANSAVIVA
wall bar set 600 mm
4416 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1750 mm

Shower set



HANSAVIVA
wall bar 600 mm
4414 0100 chrome



HANSAVIVA
corner mounting set
4423 0100 chrome



HANSAVIVA
Set for bath faucets
4417 0210 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1750 mm



HANSAVIVA
Set for bath faucets
4417 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1250 mm, wall-mounted
shower bracket, moveable

Overhead shower



HANSAVIVA
overhead shower, DN 15
4426 0100 chrome
shower head, solid brass
Ø 202 mm
projection: 357 mm



HANSAVIVA
overhead shower, DN 15
4426 0300 chrome
shower head, solid brass
Ø 300 mm
projection: 357 mm



HANSAVIVA
overhead shower, DN 15
4427 0100 chrome
shower head, solid brass
Ø 202 mm



**HANSAVIVA
overhead shower, DN 15**
4427 0300 chrome
shower head, solid brass
Ø 300 mm



**HANSAVIVA
overhead shower, DN 15**
4426 0240 chrome
shower head square
200 x 200 mm
projection: 357 mm



**HANSAVIVA
overhead shower, DN 15**
4426 0340 chrome
shower head square
250 x 250 mm
projection: 357 mm




**HANSAVIVA
overhead shower, DN 15**
4427 0240 chrome
shower head square
200 x 200 mm



**HANSAVIVA
overhead shower, DN 15**
4427 0340 chrome
shower head square
250 x 250 mm



**HANSAVIVA
overhead shower, DN 15
for wall-mounting**
0418 0240 chrome
shower head square
200 x 200 mm
projection: 400 mm



**HANSAVIVA
overhead shower, DN 15
for wall-mounting**
0418 0340 chrome
shower head square
250 x 250 mm
projection: 400 mm



**HANSAVIVA
overhead shower, DN 15
ceiling-mount**
0419 0240 chrome
shower head square
200 x 200 mm



**HANSAVIVA
overhead shower, DN 15
ceiling-mount**
0419 0340 chrome
shower head square
250 x 250 mm

HANSAVIVA



**HANSAVIVA
shower system
water-bearing shower rail**
4418 0200 chrome
for connection with all
exposed wall-mounted or all
concealed mixers, HANSAVIVA
handshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



**HANSAVIVA
shower system
water-bearing shower rail**
4419 0200 chrome
for the direct connection to
the wall connection elbow,
HANSAVIVA handshower
Ø 202 mm, HANSAVIVA hand
shower, 100 mm, 3-spray

Accessories



**HANSA
wall connection elbow,
DN 15**
4425 0100 chrome
protected against back-flow



**HANSA
wall connection elbow,
DN 15**
4425 0000 chrome



**HANSAVIVA
wall-mounted shower
bracket**
4424 0100 chrome



**HANSAVIVA
shower hose**
4412 0400 chrome,
length 1250 mm
4412 0300 chrome,
length 1750 mm
4412 0200 chrome,
length 2000 mm



**HANSAVIVA
corner mounting set**
4423 0100 chrome

HANSAMEDIJET

Hand shower



**HANSAJET
hand shower low on
aerosol, DN 15**
0416 0100 chrome
Ø 85 mm



**HANSAMEDIJET
hand shower low on
aerosol, DN 15**
0416 0170 chrome
Ø 100 mm



**HANSAMEDIPRO FLEX
hand shower low on
aerosol, DN 15**
4428 0170 chrome
Ø 100 mm



**HANSAMEDIPRO FLEX
hand shower low on
aerosol, DN 15**
4428 0180 white
sanitizable, Ø 100 mm

Wall bar



**HANSAMEDIJET
wall bar set 900 mm**
0400 0170 chrome
for heavy duty use



**HANSAJET
solid-metal wall bar
wall bar 900 mm**
0448 0100 chrome
without hand shower,
for heavy duty use

Overhead shower



HANSAMEDIJET
head shower low on
aerosol
4429 0170 chrome
Ø 100 mm




HANSAJET
shower arm, DN 15
0411 0200 chrome
projection: 200 mm



HANSAJET
shower arm, DN 15
5199 0200 chrome
projection: 165 mm

Accessories



HANSAMEDIPRO
shower hose
0412 0473 chrome,
mesh optic, length 1250 mm
0412 0573 chrome,
mesh optic, length 1600 mm
0412 0373 chrome,
mesh optic, length 1750 mm
0412 0273 chrome,
mesh optic, length 2000 mm

HANSACLASSICJET

Hand shower



HANSACLASSICJET
hand shower, 1-spray
6531 0100 chrome



HANSACLASSICJET
hand shower, 3-spray
6532 0100 chrome



HANSACLASSICJET
shower hose, 1750 mm
6512 0300 chrome

Shower set



HANSACLASSICJET
wall bar set 900 mm
6535 0110 chrome
hand shower, 1-spray,
shower hose, 1750 mm



HANSACLASSICJET
wall bar set 900 mm
6537 0120 chrome
hand shower, 3-spray,
shower hose, 1750 mm



HANSACLASSICJET
wall bar set 600 mm
with grab handle
6536 0320 chrome
hand shower, 3-spray,
shower hose, 1750 mm



HANSACLASSICJET
shower hose, 1750 mm
6512 0300 chrome

HANSA BASICJET (NEW)

Hand shower



HANSA BASICJET
hand shower, 1-spray
4461 0300 chrome
Ø 95 mm



HANSA BASICJET
hand shower, 1-spray
4461 0400 chrome
Ø 95 mm, water saving set
(9 l/min)




HANSA BASICJET
hand shower, 3-spray
4463 0300 chrome

Wall bar



HANSA BASICJET
wall bar set 650 mm
4478 0211 chrome
HANSA BASICJET hand
shower, 1-spray, shower hose,
1500 mm, with soap dish




HANSA BASICJET
wall bar set 650 mm
4478 0213 chrome
HANSA BASICJET hand
shower, 1-spray, shower hose,
1750 mm



HANSA BASICJET
wall bar set 720 mm
4478 0113 chrome
HANSA BASICJET hand
shower, 1-spray, shower hose,
1750 mm, with soap dish



HANSA BASICJET
wall bar set 920 mm
4467 0113 chrome
HANSA BASICJET hand
shower, 1-spray, shower hose,
1750 mm, with soap dish



HANSA BASICJET
wall bar set 720 mm
4478 0133 chrome
HANSA BASICJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish




HANSA BASICJET
wall bar set 920 mm
4467 0133 chrome
HANSA BASICJET hand
shower, 3-spray, shower hose,
1750 mm, with soap dish




HANSA BASICJET
wall bar set 720 mm
4478 0233 chrome
HANSA BASICJET hand
shower, 3-spray, shower hose,
1750 mm

Shower set



HANSABASICJET
wall bar set 720 mm
4471 0300 chrome
with soap dish



HANSABASICJET
wall bar set 920 mm
4470 0300 chrome
shower hose, 1750 mm,
with soap dish



HANSABASICJET
Set for bath faucets
4468 0113 chrome
HANSABASICJET hand shower,
Ø 95 mm, 1-spray,
shower hose, 1500 mm



HANSABASICJET
Set for bath faucets
4468 0133 chrome
HANSABASICJET hand shower,
3-spray,
shower hose, 1500 mm



HANSA
shower hose
4446 0500 chrome,
length 1500 mm
4446 0300 chrome,
length 1750 mm
4446 0200 chrome,
length 2000 mm

Overhead shower



HANSAJET
shower arm, DN 15
5199 0200 chrome
projection: 165 mm



HANSABASICJET 3
overhead shower, DN 15
4466 0100 chrome



HANSABASICJET 2
overhead shower, DN 15
4465 0100 chrome



HANSABASICJET 1
overhead shower, DN 15
4464 0100 chrome


Accessories



HANSA
wall connection elbow,
DN 15
5252 0100 chrome




HANSA
wall-mounted shower
bracket
4445 0100 chrome



HANSA
soap dish
4473 0100 transparent

Non-series shower range



HANSASTILO
hand shower
5439 0100 chrome




HANSAPROJET
hand shower, DN 15
0430 0100 10 transparent
Ø 75 mm, sanitizable

Wall bar



HANSA
solid-metal wall bar
wall bar 1100 mm
4441 0100 chrome



HANSALIVING
wall bar set 1100 mm
4442 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1600 mm, chrome optic



HANSAMEDIJET
wall bar set 900 mm
0400 0170 chrome
for heavy duty use



HANSAJET
solid-metal wall bar
wall bar 900 mm
0448 0100 chrome
without hand shower, for
heavy duty use

Shower set



HANSALIVING
shower set
4443 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1250 mm, chrome optic



HANSALIVING
shower set
Rosette soft edge -
rounded
4443 0170 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1250 mm, chrome optic



HANSARAIN
overhead shower, DN 15
0418 0100 chrome
shower head, solid brass
Ø 220 mm
projection: 400 mm



HANSARAIN
overhead shower, DN 15
for wall-mounting
0418 0300 chrome
shower head, solid brass
Ø 220 mm
projection: 400 mm



HANSAVIVA
overhead shower, DN 15
for wall-mounting
0418 0240 chrome
shower head square
200 x 200 mm
projection: 400 mm



HANSAVIVA
overhead shower, DN 15
for wall-mounting
0418 0340 chrome
shower head square
250 x 250 mm
projection: 400 mm



HANSAVIVA
overhead shower, DN 15
4426 0100 chrome
shower head, solid brass
Ø 202 mm
projection: 357 mm



HANSAVIVA
overhead shower, DN 15
4426 0300 chrome
shower head, solid brass
projection: 357 mm



HANSAVIVA
overhead shower, DN 15
4426 0240 chrome
shower head square
200 x 200 mm
projection: 357 mm



HANSAVIVA
overhead shower, DN 15
4426 0340 chrome
shower head square
250 x 250 mm
projection: 357 mm



HANSARAIN
overhead shower, DN 15
0419 0100 chrome
shower head, solid brass
Ø 220 mm



HANSARAIN
overhead shower, DN 15
ceiling-mount
0419 0300 chrome
shower head, solid brass
Ø 220 mm



HANSAVIVA
overhead shower, DN 15
ceiling-mount
0419 0240 chrome
shower head square
200 x 200 mm



HANSAVIVA
overhead shower, DN 15
ceiling-mount
0419 0340 chrome
shower head square
250 x 250 mm



HANSAVIVA
overhead shower, DN 15
4427 0100 chrome
shower head, solid brass
Ø 202 mm



HANSAVIVA
overhead shower, DN 15
4427 0300 chrome
shower head, solid brass
Ø 300 mm



HANSAVIVA
overhead shower, DN 15
4427 0240 chrome
shower head square
200 x 200 mm



HANSAVIVA
overhead shower, DN 15
4427 0340 chrome
shower head square
250 x 250 mm



HANSAJET
sport shower, DN 15
0486 0100 chrome
projection: 125 mm



HANSAJET
power shower, DN 15
0440 0100 chrome
amplitude: 95 mm
projection: 125 mm



HANSAJET
power shower, DN 20
0439 0100 chrome
amplitude: 150 mm
projection: 165 mm



HANSAMEDIJET
head shower low on
aerosol
4429 0170 chrome
Ø 100 mm



HANSAJET
shower arm, DN 15
0411 0200 chrome
projection: 200 mm



HANSAJET
shower arm, DN 15
5199 0200 chrome
projection: 165 mm

Accessories

Wall Elbows



HANSA
wall connection elbow,
DN 15
5118 0180 chrome



HANSALIVING
wall connection elbow,
DN 15
5118 0193 chrome



HANSALIVING
wall connection elbow,
DN 15
Rosette soft edge -
rounded
5118 0183 chrome



HANSA
wall connection elbow,
DN 15
5118 0163 chrome



HANSA
wall connection elbow,
DN 15
5118 0170 chrome



HANSA
wall connection elbow,
DN 15
5118 0173 chrome




HANSA
wall connection elbow,
DN 15
5252 0100 chrome



HANSA
wall connection elbow,
DN 15
0446 0100 chrome
shower bracket for HANSA
hand showers



HANSA
wall connection elbow,
DN 15
0442 0100 chrome



HANSA
wall connection elbow,
DN 15
4425 0100 chrome
protected against back-flow



HANSA
wall connection elbow,
DN 15
4425 0000 chrome
protected against back-flow



HANSA
wall connection elbow,
DN 15
4425 0000 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0162 chrome



HANSALIVING
wall connection elbow,
DN 15
with integrated stop
Rosette soft edge -
rounded
5157 0183 chrome
can also be used as an angle
valve



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0163 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0172 chrome
can also be used as an angle
valve



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0173 chrome
can also be used as an angle
valve

Shower holder



HANSALIVING
wall-mounted shower
bracket
4444 0200 chrome



HANSALIVING
wall-mounted shower
bracket
Rosette soft edge -
rounded
4444 0183 chrome



HANSALIVING
wall-mounted shower
bracket
4444 0193 chrome



HANSALIVING
wall-mounted shower
bracket
4444 0163 chrome



HANSA
wall-mounted shower
bracket
4444 0173 chrome




HANSA
wall-mounted shower
bracket
4444 0100 chrome



HANSA
wall connection elbow,
DN 15
0446 0100 chrome
shower bracket for HANSA
hand showers



HANSA
wall-mounted shower
bracket
0443 0100 chrome



HANSA
wall-mounted shower
bracket
6439 0100 chrome



HANSAVIVA
wall-mounted shower
bracket
4424 0100 chrome




HANSA
wall-mounted shower
bracket
4445 0100 chrome



HANSACLASSICJET
shower hose, 1750 mm
6512 0300 chrome




HANSA
Silverjet® shower hose
5412 0400 chrome,
length 1250 mm
5412 0600 chrome,
length 1500 mm
5412 0500 chrome,
length 1600 mm
5412 0300 chrome,
length 1750 mm
5412 0200 chrome,
length 2000 mm



HANSAJET
shower hose
0412 0400 chrome
0412 0400 82 white
length 1250 mm
0412 0500 chrome
0412 0500 82 white
length 1600 mm
0412 0200 chrome
length 2000 mm



HANSAVIVA
shower hose
4412 0400 chrome,
length 1250 mm
4412 0300 chrome,
length 1750 mm
4412 0200 chrome,
length 2000 mm



HANSA MEDIPRO
shower hose
0412 0473 chrome,
mesh optic, length 1250 mm
0412 0573 chrome,
mesh optic, length 1600 mm
0412 0373 chrome,
mesh optic, length 1750 mm
0412 0273 chrome,
mesh optic, length 2000 mm



HANSA
shower hose
4446 0500 chrome,
length 1500 mm
4446 0300 chrome,
length 1750 mm
4446 0200 chrome,
length 2000 mm

HANSA Wall/Bath Spouts
HANSADESIGNO STYLE

HANSADESIGNO STYLE bathtub spout, DN 15
5116 2180 chrome
also compatible with HANSAMATRIX, square rosette, 75 x 75 mm additionally included, Rosette soft edge - rounded, round rosette, Ø 75 mm additionally enclosed
projection: 195 mm

HANSA SIGNATUR



HANSA SIGNATUR bathtub spout, DN 15 (G 1/2)
5572 2100 chrome
also compatible with HANSAMATRIX
projection: 194 mm

HANSALOFT



HANSALOFT bathtub spout, DN 15**
5765 2100 chrome
also compatible with HANSAMATRIX
projection: 197 mm

HANSADESIGNO



HANSADESIGNO bathtub spout, DN 15
5116 2170 chrome
also compatible with HANSAMATRIX
projection: 180 mm

HANSALIGNA



HANSALIGNA bathtub spout, DN 15 (G 1/2)**
0682 2102 chrome
also compatible with HANSAMATRIX
projection: 180 mm

HANSA STELA



HANSA STELA bathtub spout, DN 15 (G 1/2)
5782 2100 chrome
also compatible with HANSAMATRIX
projection: 160 mm

HANSA RONDA



HANSA RONDA bathtub spout, DN 15 (G 1/2)
0582 2172 chrome
also compatible with HANSAMATRIX
projection: 180 mm

Other accessories



HANSA bath/basin wall spout, DN 15
5116 2100 chrome
projection: 200 mm




HANSA bathtub spout, DN 15
5250 2100 chrome
projection: 170 mm

HANSA FILL




HANSA FILL tub filler and drain assembly installation set
0516 0100



HANSA FILL tub filler and drain assembly installation set
0517 0100 chrome

Accessories




HANSA FILL flexible connection hose for installation set
0518 0100



HANSA FILL trim kit
0519 9000 chrome



HANSA trim kit Pipe interrupter*
4481 0000 chrome
also compatible with HANSAMATRIX



HANSA trim kit Pipe interrupter*
4482 0000 chrome

HANSAPUBLIC

Wall-Mounted wash basin/sink mixers




HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for installation
unit HANSAVARIO*
5793 2171 chrome
spout, Ø 19 mm,
can be shortened from
225 to 160 mm
projection: 225 mm



HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for installation
unit HANSAVARIO*
5794 2171 chrome
spout, Ø 26 mm,
can be shortened from
225 to 160 mm
projection: 225 mm



HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for installation
unit HANSAVARIO*
5795 2171 chrome
spout, Ø 19 mm,
can be shortened from
300 to 235 mm
projection: 300 mm



HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for installation
unit HANSAVARIO*
5796 2171 chrome
spout, Ø 26 mm,
can be shortened from
300 to 235 mm
projection: 300 mm

HANSANOVA / STYLE

Washbasin pillar valve



HANSANOVA STYLE
basin pillar valve, DN 15
5093 8101 chrome
5093 8101 82 white
5093 8101 84 black
5093 8101 96 stainless steel
for cold or pre-tempered
water only
projection: 94 mm



HANSANOVA STYLE
basin pillar valve, DN 15
5091 8101 chrome
for cold or pre-tempered
water only
projection: 131 mm



HANSANOVA STYLE
Set basin pillar valve,
DN 15
5093 8191 chrome
with HANSAMINIMAT safety
thermostatic mixer, for cold
or pre-tempered water only
projection: 94 mm



HANSANOVA STYLE
Set basin pillar valve,
DN 15
5091 8191 chrome
with HANSAMINIMAT safety
thermostatic mixer, for cold
or pre-tempered water only
projection: 131 mm

Washbasin wall-mounted mixer



HANSANOVA STYLE
wall-mounted basin valve,
DN 15
5086 8101 chrome
for cold or pre-tempered
water only
projection: 107 mm



HANSANOVA STYLE
wall-mounted basin valve,
DN 15
5096 8101 chrome
for cold or pre-tempered water
only, can be shortened from
186 to 126 mm
projection: 186 mm

Washbasin pillar valve



HANSANOVA
basin pillar valve, DN 15
0093 8101 chrome
for cold or pre-tempered
water only
projection: 93 mm



HANSANOVA
basin pillar valve, DN 15
0091 8101 chrome
for cold or pre-tempered
water only
projection: 127 mm



HANSANOVA K
pillar tap
0089 2116 0050 chrome
projection: 88 mm

Washbasin wall-mounted mixer



HANSANOVA
wall-mounted basin valve,
DN 15
0086 8101 chrome
for cold or pre-tempered
water only
projection: 106 mm



HANSANOVA
wall-mounted basin valve,
DN 15
0096 8101 chrome
for cold or pre-tempered water
only, can be shortened from
186 to 126 mm
projection: 186 mm

HANSALOFT

Washbasin



HANSALOFT
electronic basin faucet,
DN 15
mains supply
5748 2201 chrome
sensory operation (infrared),
incl. power supply and
connection cable, push-pop-up
waste
projection: 143 mm



HANSALOFT
battery-operated
electronic basin faucet,
DN 15
5749 2211 chrome
sensory operation (infrared),
push-pop-up waste
projection: 143 mm

HANSALIGNA



HANSALIGNA
electronic basin faucet,
DN 15
mains supply
0614 2201 chrome
sensory operation (infrared),
incl. power supply and
connection cable, push-pop-up
waste
projection: 110 mm

HANSALIGNA
electronic basin faucet,
DN 15
battery-operated
0615 2211 chrome
sensory operation (infrared),
push-pop-up waste
projection: 110 mm

HANSASTELA



HANSASTELA
electronic basin faucet,
DN 15
mains supply
5712 2201 chrome
sensory operation (infrared),
incl. power supply and
connection cable, push-pop-up
waste
projection: 126 mm

HANSASTELA
electronic basin faucet,
DN 15
battery-operated
5716 2211 chrome
sensory operation (infrared),
push-pop-up waste
projection: 126 mm

HANSAELECTRA

Washbasin



HANSAELECTRA
electronic basin faucet,
DN 15
mains supply
6441 2000 chrome
sensory operation (infrared),
incl. power supply and
connection cable, without
pop-up waste
projection: 96 mm

HANSAELECTRA
electronic basin faucet,
DN 15
mains supply
6441 2001 chrome
sensory operation (infrared),
incl. power supply and
connection cable, without
pop-up waste, hygienic flush
after 72 h for 30 sec
at factory preset
projection: 96 mm

HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6441 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 96 mm

HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6441 2211 chrome
sensory operation (infrared),
without pop-up waste,
hygienic flush after 72 h for
30 sec
at factory preset
projection: 96 mm

HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6440 2210 chrome
sensory operation (infrared),
for cold or pre-tempered water
only, without pop-up waste
projection: 96 mm

HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6440 2211 chrome
sensory operation (infrared),
for cold or pre-tempered water
only, without pop-up waste,
hygienic flush after 72 h for
30 sec
at factory preset
projection: 96 mm



HANSAELECTRA
electronic basin faucet,
DN 15
mains supply
6443 2000 chrome
sensory operation (infrared),
without pop-up waste,
convertible for cold- and
premixed-water, without
power supply
projection: 112 mm

HANSAELECTRA
electronic basin faucet,
DN 15
mains supply 9 V or 12 V
6443 2009 chrome
sensory operation (infrared),
 Bluetooth® compatible,
without pop-up waste,
flexible hoses
projection: 112 mm

HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6443 2210 chrome
sensory operation (infrared),
without pop-up waste,
convertible for cold- and
premixed-water
projection: 112 mm

HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6443 2219 chrome
sensory operation (infrared),
 Bluetooth® compatible,
without pop-up waste,
flexible hoses
projection: 112 mm



HANSAELECTRA
electronic basin faucet,
DN 15
mains supply
6491 2010 chrome
sensory operation (infrared),
incl. power supply and
connection cable, without
pop-up waste
projection: 115 mm



HANSAELECTRA
electronic basin faucet,
DN 15
mains supply
6491 2011 chrome
sensory operation (infrared),
incl. power supply and
connection cable, without
pop-up waste, hygienic flush
after 72 h for 30 sec
at factory preset
projection: 115 mm



HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6491 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 115 mm



HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6491 2211 chrome
sensory operation (infrared),
without pop-up waste,
hygienic flush after 72 h for
30 sec
at factory preset
projection: 115 mm



HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6444 2220 chrome
sensory operation (infrared),
without pop-up waste
projection: 120 mm



HANSAELECTRA
electronic basin faucet,
DN 15
battery-operated
6444 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 170 mm



HANSAELECTRA
6448 0001 chrome
base increase for
HANSAELECTRA fitting
6444 2210

HANSAFIT



HANSAFIT
electronic basin faucet,
DN 15
mains supply
6541 2000 chrome
sensory operation (infrared),
without pop-up waste,
incl. power supply and
connection cable,
flexible hoses
projection: 85 mm



HANSAFIT
electronic basin faucet,
DN 15
battery-operated
6541 2210 chrome
sensory operation (infrared),
without pop-up waste,
flexible hoses
projection: 85 mm

Wall-Mounted washbasin



HANSAELECTRA
electronic basin faucet,
DN 15
**temperature pre-select
mixer
for wall-mounting**
6446 2201 chrome
battery-operated
projection: 100 mm



HANSAELECTRA
electronic basin faucet,
DN 15
**temperature pre-select
mixer
for wall-mounting**
6445 2201 chrome
projection: 200 mm

Washbasin



HANSAELECTRA
electronic basin faucet,
DN 15
0087 0010 chrome
projection: 175 mm



HANSAELECTRA
electronic basin faucet,
DN 15
0088 0010 chrome
projection: 225 mm

Concealed washbasin



HANSAELECTRA
trim kit with function unit
concealed electronic mixer,
DN 15 (G1/2)
for cold or pre-tempered
water only
suitable for
**HANSABUEBOX
concealed unit***
8080 2100 chrome
projection: 170 mm



HANSAELECTRA
trim kit with function unit
concealed electronic mixer,
DN 15 (G1/2)
for cold or pre-tempered
water only
suitable for
**HANSABUEBOX
concealed unit***
8080 2110 chrome
projection: 245 mm




HANSAELECTRA
trim kit with function unit
concealed electronic mixer,
DN 15 (G1/2)
for cold or pre-tempered
water only
suitable for
**HANSABUEBOX
concealed unit***
8080 2120 chrome
projection: 310 mm



HANSAELECTRA
trim kit with function unit
concealed electronic mixer,
DN 15 (G1/2)
with temperature mixing
device
suitable for
**HANSABUEBOX
concealed unit***
8081 2111 chrome
projection: 245 mm



HANSAELECTRA
trim kit with function unit
concealed electronic mixer,
DN 15 (G1/2)
with temperature mixing
device
suitable for
**HANSABUEBOX
concealed unit***
8081 2101 chrome
projection: 170 mm



HANSAELECTRA
trim kit with function unit
concealed electronic mixer,
DN 15 (G1/2)
with temperature mixing
device
suitable for
**HANSABUEBOX
concealed unit***
8081 2121 chrome
projection: 310 mm



HANSAELECTRA
trim kit with function unit
concealed electronic mixer,
DN 15 (G1/2)
for cold or pre-tempered
water only
suitable for
**HANSABUEBOX
concealed unit***
8180 2100 chrome
projection: 170 mm




HANSAELECTRA
trim kit with function unit
concealed electronic
mixer, DN 15 (G1/2) for
cold or pre-tempered
water only suitable for
HANSABLUEBOX
concealed unit*
8180 2110 chrome
projection: 245 mm



HANSAELECTRA
trim kit with function unit
concealed electronic
mixer, DN 15 (G1/2) for
cold or pre-tempered
water only suitable for
HANSABLUEBOX
concealed unit*
8180 2120 chrome
projection: 310 mm



HANSAELECTRA
trim kit with function unit
concealed electronic
mixer, DN 15 (G1/2) with
temperature mixing
device suitable for
HANSABLUEBOX
concealed unit*
8181 2101 chrome
projection: 170 mm



HANSAELECTRA
trim kit with function unit
concealed electronic
mixer, DN 15 (G1/2) with
temperature mixing
device suitable for
HANSABLUEBOX
concealed unit*
8181 2111 chrome
projection: 245 mm



HANSAELECTRA
trim kit with function unit
concealed electronic
mixer, DN 15 (G1/2) with
temperature mixing
device suitable for
HANSABLUEBOX
concealed unit*
8181 2121 chrome
projection: 310 mm

Thermostatic Shower



HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSABLUEBOX
concealed unit*
8090 9001 chrome
sensory operation (infrared)



HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSABLUEBOX
concealed unit*
8091 9001 chrome
self-closing fitting, DN 15



HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSABLUEBOX
concealed unit*
8190 9001 chrome
sensory operation (infrared)



HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSABLUEBOX
concealed unit*
8191 9001 chrome
self-closing fitting, DN 15



HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSAELECTRA
installation unit*
4190 9172 chrome
mains supply, mains supply not
included in delivery




HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSAELECTRA
installation unit*
4190 9272 chrome
Battery operated – sensory
operation (infrared)


Urinal



HANSAELECTRA
sensory urinal operation
battery-operated
0944 0172 chrome
sensory operation (infrared)
projection: 81 mm



HANSAELECTRA
trim kit with function unit
concealed urinal trim kit,
DN 15, mains supply
suitable for
HANSAELECTRA
installation unit*
0946 9172 chrome
mains supply not included
in delivery



HANSAELECTRA
trim kit with function unit
concealed urinal, DN 15,
battery operated
suitable for
HANSAELECTRA
installation unit*
0947 9272 chrome

Concealed units for the HANSA products


HANSAMATRIX Installation System



Suitable for:
HANSALIVING:
HANSASIGNATUR
HANSALOFT
HANSADESIGNO
HANSALIGNA
HANSASTELA
HANSARONDA

Recommended for:
HANSAEDITION


Concealed washbasin



HANSADesigno STYLE
trim kit
concealed electronic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit¹
4492 2010 chrome
with thermostatic temperature
mixing device, sensory
operation (infrared), incl. power
supply and connection cable
projection: 195 mm



HANSASignatur
concealed electronic mixer,
DN 15 (G1/2)
mains supply
suitable for HANSAMATRIX
installation unit
4491 2010 chrome
with thermostatic temperature
mixing device, sensory
operation (infrared), incl.
power supply and connection
cable projection: 195 mm



HANSAMATRIX
concealed installation unit,
DN 15 (G1/2)
for sensory electronically
operated wall mixers
4409 0000



HANSADesigno STYLE
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for HANSAMATRIX
installation unit
suitable for installation unit
HANSAVARIO
5109 2183 chrome
projection: 194 mm



HANSAMATRIX
concealed installation unit,
DN 15 (G1/2)
single-lever faucet
4400 0100
forward outlet



HANSALOFT
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for HANSAMATRIX
installation unit
5757 2103 chrome
projection: 197 mm



HANSADesigno
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for HANSAMATRIX
installation unit
suitable for installation
unit **HANSAVARIO**
5109 2173 chrome
projection: 200 mm




HANSALIGNA
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for HANSAMATRIX
installation unit
4489 2103 chrome
projection: 190 mm



HANSASTELA
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for HANSAMATRIX
installation unit
4490 2103 chrome
projection: 166 mm



HANSARONDA
trim kit
wall-mounted single-lever
basin mixer, DN 15
suitable for HANSAMATRIX
installation unit
4488 2103 chrome
projection: 186 mm



HANSAMATRIX
concealed installation unit,
DN 15 (G1/2)
single-lever faucet
4400 0000
forward outlet

Concealed Bath/Shower



HANSADesigno
trim kit
single-lever faucet
suitable for HANSAMATRIX
installation unit
4451 9583 chrome
with 2-way-diverter



HANSAMATRIX
concealed installation unit,
DN 15 (G1/2)
single-lever faucet
4401 0100
with 2-way-diverter



HANSALOFT
trim kit
single-lever faucet
suitable for HANSAMATRIX
installation unit
5764 9503 chrome
diverter shower/bath, with
2-way-diverter



HANSADesigno
trim kit
single-lever faucet
suitable for HANSAMATRIX
installation unit
4451 9503 chrome
diverter shower/bath, with
2-way-diverter



HANSALIGNA
trim kit
single-lever faucet
suitable for HANSAMATRIX
installation unit
4455 9503 chrome
diverter shower/bath, with
2-way-diverter



HANSASTELA
trim kit
single-lever faucet
suitable for HANSAMATRIX
installation unit
4457 9503 chrome
diverter shower/bath, with
2-way-diverter




HANSARONDA
trim kit
single-lever faucet
suitable for HANSAMATRIX
installation unit
4459 9503 chrome
diverter shower/bath, with
2-way-diverter



HANSAMATRIX
concealed installation unit,
DN 15 (G1/2)
single-lever faucet
4401 0000
diverter shower/bath, with
2-way-diverter




HANSALIVING
trim kit
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit
4472 9503 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADesigno,
HANSALIGNA, HANSASTELA,
HANSARONDA, for 2 outlets,
power supply 230 V/50–60 Hz



HANSAMATRIX
Tiptronik
concealed installation unit,
DN 15 (G1/2)
thermostatic mixer
4407 0000
for 2 outlets



HANSALIVING
trim kit
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit
4473 9503 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADesigno,
HANSALIGNA, HANSASTELA,
HANSARONDA, for 1 outlet,
power supply 230 V/50–60 Hz



HANSAMATRIX
Tiptronik
concealed installation unit,
DN 15 (G1/2)
thermostatic mixer
4408 0000
for 1 outlet

¹ Power supply and connection cables are included in scope of delivery
Please note: Trim kit to be ordered separately. The required concealed units are
always shown on the right of the fitting.



HANSALIVING
trim kit with function unit
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit
4453 9583 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSATELA,
HANSARONDA, with 2-way-
diverter/with volume control



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
thermostatic mixer
4403 0100
with 2-way-diverter, with
protection against scalding




HANSALIVING
trim kit
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit
4452 9583 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSATELA,
HANSARONDA, for 1 wall
outlet/with shut-off valve



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
thermostatic mixer
4402 0100
with shut-off valve, with
protection against scalding




HANSA
trim kit
Pipe interrupter
4481 0000 chrome
also compatible with
HANSAMATRIX



HANSA
Pipe interrupter
concealed installation unit,
DN 15 (G 1/2)
4480 0000
available for 4481 0000
and 4482 0000



HANSAFILL
trim kit
0519 9000 chrome



HANSAFILL
tub filler and drain
assembly
installation set
0516 0100



HANSADESIGNO STYLE
bathtub spout,
DN 15
5116 2180 chrome
also compatible with
HANSAMATRIX, square
rosette, 75 x 75 mm
additionally included,
Rosette soft edge - rounded,
round rosette, Ø 75 mm
additionally enclosed
projection: 195 mm



HANSASIGNATUR
bathtub spout,
DN 15 (G 1/2)
5572 2100 chrome
also compatible with
HANSAMATRIX
projection: 194 mm



HANSALOFT
bathtub spout,
DN 15**
5765 2100 chrome
also compatible with
HANSAMATRIX
projection: 197 mm



HANSADESIGNO
bathtub spout,
DN 15
5116 2170 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSALIGNA
bathtub spout,
DN 15 (G 1/2)**
0682 2102 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSATELA
bathtub spout,
DN 15 (G 1/2)**
5782 2100 chrome
also compatible with
HANSAMATRIX
projection: 160 mm




HANSARONDA
bathtub spout,
DN 15 (G 1/2)**
0582 2172 chrome
also compatible with
HANSAMATRIX
projection: 180 mm

Concealed Shower




HANSALIVING
trim kit
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit
4472 9503 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSATELA,
HANSARONDA, for 2 outlets,
power supply 230 V/50–60 Hz



HANSAMATRIX
Tiptronik
concealed installation unit,
DN 15 (G 1/2)
thermostatic mixer
4407 0000
for 2 outlets



HANSALIVING
trim kit
electronic thermostatic
mixer, DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit
4473 9503 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSATELA,
HANSARONDA, for 1 outlet,
power supply 230 V/50–60 Hz



HANSAMATRIX
Tiptronik
concealed installation unit,
DN 15 (G 1/2)
thermostatic mixer
4408 0000
for 1 outlet



HANSADESIGNO STYLE
trim kit
single-lever faucet
suitable for
HANSAMATRIX
installation unit
4450 9583 chrome
forward outlet



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
single-lever faucet
4400 0100
forward outlet



HANSALOFT
trim kit
single-lever shower mixer
suitable for HANSAMATRIX
installation unit
5763 9503 chrome
forward outlet



HANSADesignNO
trim kit
single-lever shower mixer
suitable for HANSAMATRIX
installation unit
4450 9503 chrome
forward outlet




HANSALIGNA
trim kit
single-lever shower mixer
suitable for HANSAMATRIX
installation unit
4454 9503 chrome
forward outlet




HANSASTEla
trim kit
single-lever shower mixer
suitable for HANSAMATRIX
installation unit
4456 9503 chrome
forward outlet



HANSARONDA
trim kit
single-lever shower mixer
suitable for HANSAMATRIX
installation unit
4458 9503 chrome
forward outlet



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
single-lever faucet
4400 0000
forward outlet



HANSALIVING
wall bar set 1100 mm
4442 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1600 mm, chrome optic



HANSALIVING
shower set
4443 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1250 mm, chrome optic



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
connection angle
4404 0100
with gasket sleeve



HANSAVIVA
overhead shower, DN 15
for wall-mounting
0418 0340 chrome
shower head square
250 x 250 mm
projection: 400 mm



HANSAVIVA
overhead shower, DN 15
for wall-mounting
0418 0240 chrome
shower head square
200 x 200 mm
projection: 400 mm



HANSARAIN
overhead shower, DN 15
for wall-mounting
0418 0300 chrome
shower head, solid brass
Ø 220 mm
projection: 400 mm



HANSAVIVA
overhead shower, DN 15
ceiling-mount
0419 0340 chrome
shower head square
250 x 250 mm



HANSAVIVA
overhead shower, DN 15
ceiling-mount
0419 0240 chrome
shower head square
200 x 200 mm




HANSARAIN
overhead shower, DN 15
ceiling-mount
0419 0300 chrome
shower head, solid brass
Ø 220 mm



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
connection angle
4404 0000

Accessories



HANSAMATRIX
assembly rail
suitable for
HANSAMATRIX and
HANSABLUEBOX
4405 0000



HANSAMATRIX
assembly angle -set
4405 0100



HANSA
wall-mounted shower
bracket
4444 0100 chrome



HANSA
wall connection elbow,
DN 15
5118 0170 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0172 chrome
can also be used as an angle
valve

Concealed installation packages

Bath/Shower



HANSAMATRIX
installation unit set 2.0
single-lever mixer, DN 15
4486 0021
for two wall outlets



HANSAMATRIX
installation unit set 4.0
single-lever mixer, DN 15
4486 0061
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly



HANSAMATRIX
installation unit set 6.0
thermostatic mixer,
DN 15 (G1/2)
4486 0051
for two wall outlets




HANSAMATRIX
TIPTRONIK
installation unit set 7.0
thermostatic mixer,
DN 15 (G1/2)
4486 0110
incl. power supply and
connection cable, for two
wall outlets

Shower




HANSAMATRIX
installation unit set 9.0
single-lever mixer, DN 15
4486 0011
for two wall outlets




HANSAMATRIX
Concealed Installation
set 11.0
thermostatic mixer,
DN 15 (G1/2)
4486 0041
for two wall outlets



HANSAMATRIX
installation unit set 13.0
thermostatic mixer,
DN 15 (G1/2)
4486 0031
for one wall outlet



HANSAMATRIX
Tiptronik
installation unit set 14.0
thermostatic mixer,
DN 15 (G1/2)
4486 0090
incl. power supply and
connection cable, for two
wall outlets



HANSAMATRIX
Tiptronik
installation unit set 15.0
thermostatic mixer,
DN 15 (G1/2)
4486 0100
incl. power supply and
connection cable, for one
wall outlet

HANSABLUEBOX Concealed Unit



Suitable for:
HANSA|LIVING
all series
HANSA|HOME
all series
Except HANSAFIT

Installation unit



HANSABLUEBOX
base unit
concealed installation unit
8000 0000
without shut-off valves



HANSABLUEBOX
base unit
concealed installation unit
8001 0000
with shut-off valves

HANSAVARIO concealed system



Suitable for:
HANSA|LIVING:
HANSALIVING Thermostat
HANSA|HOME
HANSAMIX Thermostat

HANSAVARIO Thermostatic Concealed Unit DN 20 (G3/4)



HANSAVARIO
concealed installation unit
thermostatic mixer,
DN 20 (G3/4)
0805 0290
with shut-off valves

HANSA|HOME Concealed Unit for 3.5 mixers



HANSAVARIO
concealed installation unit
single-lever mixer, DN 15
5000 0100



HANSAVARIO
single-lever mixer,
DN 15 (G 1/2)
for wall-mounting
5050 0100



HANSAVARIO
concealed installation unit
DN 15 (G1/2)
for concealed installation
5051 0100

Other concealed modules 2-hole



Suitable for:
2-hole wall-mounted mixers
HANSALOFT
HANSADESIGNO
HANSALIGNA
HANASTECLA
HANSARONDA
HANSAPUBLIC



HANSAVARIO
concealed installation unit,
DN 15 (G 1/2)
for 2-hole wall-mounted
basin mixer
5786 0100




HANSAVARIO
concealed installation unit,
DN 15 (G 1/2)
for 2-hole wall-mounted
basin mixer
5786 0200

3-hole



Suitable for:
3-hole wall-mounted mixers
HANSADESIGNO
HANSALIGNA
HANASTECLA



HANSAVARIO
installation unit for 3-hole
wall-mounted basin mixer,
DN 15 (G 1/2)
5120 0100

Bath



Suitable for:
Free-standing bath mixers
HANSALOFT
HANSADESIGNO
HANSALIGNA
HANSARONDA



HANSAVARIO
installation unit,
DN 15 (G 1/2)
for bath faucets
5328 0100
ground-standing

Thermostatic Shower mixer (concealed)



HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSAELECTRA
installation unit
4190 9172 chrome
mains supply,
mains supply not included
in delivery




HANSAELECTRA
trim kit with function unit
thermostatic shower
faucet, DN 15 (G 1/2)
suitable for
HANSAELECTRA
installation unit
4190 9272 chrome
Battery operated – sensory
operation (infrared)

Suitable for:
HANSAELECTRA



HANSAELECTRA
concealed installation unit,
DN 15 (G 1/2)
for installation
thermostatic shower mixer
0945 0270
without shut-off valves

Concealed urinal



HANSAELECTRA
trim kit with function unit
concealed urinal trim kit,
DN 15, mains supply
suitable for
HANSAELECTRA
installation unit
0946 9172 chrome
mains supply not included
in delivery



HANSAELECTRA
concealed urinal
installation set, DN 15
0945 0170
with shut-off valves

4-hole wall- /rim mounted




Suitable for:
HANSALIVING
all series


Concealed body



HANSACOMPACT
4-hole rim-mounted
installation unit
for pillar spout, DN 20
for pillar mounting
5302 0200 chrome
can be assembled with all
4-hole trim kits



HANSACOMPACT
wall-mounted and
renovation unit
for 4-hole tiled rim
assembly with installation
unit, DN 20
for pillar spout, DN 20
5308 0200 chrome
for wall-mounting or for
replacing older rim-mounted
fittings, can be assembled with
all 4-hole trim kits



HANSA
4-hole rim-mounted
installation unit, DN 20
5304 0200 chrome
can be assembled with all
4-hole trim kits

3-hole wall- /rim mounted




Suitable for:
HANSALIVING
all series

Concealed body



HANSACOMPACT
3-hole rim-mounted
installation unit
for distant positioned
bathtub spout, DN 20
for pillar mounting
5301 0200 chrome



HANSACOMPACT
wall-mounted and
renovation unit
for 3-hole-tiled rim
assembly with installation
unit, DN 20
for distant positioned
bathtub spout, DN 20
5307 0200 chrome



HANSA
3-hole rim-mounted
installation unit, DN 20
for distant positioned
bathtub spout, DN 20
5303 0200 chrome



HANSAFILL
tub filler and drain
assembly
installation set
0516 0100



HANSAFILL
trim kit
0519 9000 chrome

4-hole wall- /rim mounted




Suitable for:
HANSALIVING
HANSADESIGNO STYLE


Concealed body



HANSACOMPACT
4-hole rim-mounted
installation unit
for pillar spout, DN 20
for pillar mounting
5302 0300 chrome
can be assembled with all
4-hole trim kits



HANSA
4-hole rim-mounted
installation unit, DN 20
5304 0300 chrome
can be assembled with all
4-hole trim kits



HANSACOMPACT
wall-mounted and
renovation unit
for 4-hole tiled rim
assembly with installation
unit, DN 20
for pillar spout, DN 20
5308 0300 chrome
for wall-mounting or for
replacing older rim-mounted
fittings, can be assembled with
all 4-hole trim kits

3-hole wall- /rim mounted



Suitable for:
HANSALIVING
HANSADESIGNO STYLE


Concealed body



HANSACOMPACT
3-hole rim-mounted
installation unit
for distant positioned
bathtub spout, DN 20
for pillar mounting
5301 0300 chrome



HANSA
3-hole rim-mounted
installation unit, DN 20
for distant positioned
bathtub spout, DN 20
5303 0300 chrome



HANSACOMPACT
wall-mounted and
renovation unit
for 3-hole-tiled rim
assembly with installation
unit, DN 20
for distant positioned
bathtub spout, DN 20
5307 0300 chrome



HANSAFILL
tub filler and drain
assembly
installation set
0516 0100



HANSAFILL
trim kit
0519 9000 chrome

ROLLBOX with automatic hose rewind



Suitable for:
HANSA|LIVING
all series
HANSA|HOME
all series

Trim kit for concealed body



HANASTILO
trim kit for ROLLBOX 5306
5354 9170 chrome



HANASTILO
trim kit for ROLLBOX 5306
5354 9120 chrome
square rosette, 75 x 75mm



HANSAACTIVEJET
trim kit for ROLLBOX 5306
5324 9130 chrome



ROLLBOX
installation unit for
individual rim-mounting
5306 0200 chrome



ROLLBOX
installation unit for
individual rim-mounting
Hose guide with automatic
hose rewind
5306 0300 chrome



HANSAFILL
tub filler and drain
assembly
installation set
0516 0100



HANSAFILL
trim kit
0519 9000 chrome

4-hole wall-/rim mounted

HANSACLIFF



HANSACLIFF
4-hole wall-/rim mounted
for 4-hole tiled rim
assembly with installation
unit, DN 20
5046 2071 chrome
projection: 180 mm

3-hole wall-/rim mounted

HANSA|HOME

HANSATWIST



HANSATWIST
3-hole wall-/rim mounted
0937 2001 chrome
projection: 149 mm




HANSATWIST
4-hole wall-/rim mounted
for 4-hole tiled rim
assembly with installation
unit, DN 20
0938 2071 chrome
projection: 149 mm

HANSAPOLO



HANSAPOLO
3-hole wall-/rim mounted
5294 2001 chrome
projection: 135 mm




HANSAPOLO
4-hole wall-/rim mounted
5295 2071 chrome
projection: 135 mm

multi-way-/concealed valve G 3/4 DN 20



HANSA
trim kit
multi-way diverter
0287 9172 chrome
square rosette, 75 x 75mm,
round rosette, Ø 75 mm
additionally enclosed, suitable
for concealed unit 0285 0100



HANSADESIGNO
trim kit
multi-way diverter
0287 9132 chrome



HANSA
trim kit
multi-way diverter
0287 9135 chrome




HANSA
concealed installation unit
0285 0100
for multi-way diverter G 3/4,
DN 20, without volume control

G 1/2 DN 15



**HANSA
trim kit**
0228 9172 chrome
for volume control valves, for
multi-way diverter 0295 0100



**HANSADESIGNO
trim kit**
0228 9132 chrome



**HANSALIVING
trim kit**
0228 8183 chrome



**HANSA
trim kit**
0228 8101 chrome
for volume control valves, for
multi-way diverter 0295 0100



**HANSALIVING
trim kit**
0228 8202 chrome
for volume control valves




**HANSA
trim kit**
0228 8102 chrome
for volume control valves




**HANSA
trim kit**
0628 9105 chrome
for volume control valves, for
multi-way diverter 0295 0100



**HANSA
trim kit**
4228 9135 chrome



**HANSAPRISMA
trim kit**
0228 9134 chrome



**HANSALUX
trim kit**
0228 9135 chrome



**HANSA
concealed installation unit**
0295 0100
for multi-way diverter G 1/2,
DN 15, 2 outlets,
G1/2 internal thread

Trim kit concealed valves



**HANSALIVING
trim kit**
0228 8202 chrome
for volume control valves



**HANSALIVING
trim kit**
0228 8183 chrome



**HANSA
trim kit**
0228 8102 chrome
for volume control valves



**HANSA
trim kit**
0228 9172 chrome
for volume control valves, for
multi-way diverter 0295 0100




**HANSADESIGNO
trim kit**
0228 9132 chrome




**HANSA
trim kit**
0628 9105 chrome
for volume control valves, for
multi-way diverter 0295 0100



**HANSA
trim kit**
4228 9135 chrome



**HANSAPRISMA
trim kit**
0228 9134 chrome



**HANSALUX
trim kit**
0228 9135 chrome



trim kit
0250 9141 chrome
for concealed valves
DN 15/DN 20 (15 mm/22 mm)



**HANSA
trim kit**
0228 8101 chrome
for volume control valves, for
multi-way diverter 0295 0100

Concealed valves



**HANSA
concealed valve with
ceramic discs**
0225 0100
G 1/2 threaded connection



**HANSA
concealed valve with
ceramic discs**
0226 0100
G 3/4 threaded connection



**HANSA
concealed valve with
Präzisa spindle headpart**
0220 0100
G 1/2 threaded connection



**HANSA
concealed valve with
Präzisa spindle headpart**
0221 0100
G 3/4 threaded connection



**HANSA
concealed valve with
Präzisa spindle headpart**
0230 0100
soldered connection

The products shown here represent a limited selection of the comprehensive HANSA program. Our sales branches are at your disposal to give you more information and advice on our complete range.

A MARK OF QUALITY.

HANSA products can be recognized by more than the HANSA logotype; there are also the unusual product quality, the range of product variations, all the many extras, as well as the innovative technologies that all of this is based on.

And because that adds up to quite a long list of benefits, functions and extras, we use explanatory symbols and pictograms. Where a certain pictogram is used on a fittings page, this means that at least one product in the series concerned has the given feature.

HANSA HEAD OFFICE

HANSA Armaturen GmbH
Sigmaringer Str. 107
70567 Stuttgart
Deutschland
Tel.: +49 711 1614 0
Fax: +49 711 1614 368
info@hansa.com

1. HANSA GERMANY

HANSA Kundenzentrum
Sigmaringer Str. 107
70567 Stuttgart
Tel.: +49 711 1614 888
Fax: +49 711 1614 801
kundenzentrum@hansa.de

2. HANSA EUROPE

HANSA Austria GmbH
5020 Salzburg
Tel.: +43 662 433 1000
Fax: +43 662 433 10020
office@hansa.at

HANSA Belgium BVBA-SPRL
B-3540 Herk-de-Stad
Tel.: + 32 (0)13 35 36 10
Fax: + 32 (0)13 66 46 86
info@hansa-belgium.be

HANSA Česko s.r.o.
Mladoboleslavská 968
Praha 9 Kbely 197 00
Tel.: +420 286854892
hansa.cesko@hansa.com

HANSA France SARL
67201 Eckbolsheim
Tel.: +33 (0)3 88 78 88 00
Fax: +33 (0)3 88 76 55 32
info@hansa.fr

HANSA España, S.A.U.
08901 – L'Hospitalet de Llobregat
Barcelona
Tel.: +34 936 374 460
Fax: +34 936 374 568
info@hansa.es

HANSA Italiana S.r.l.
37014 Castelnuovo del Garda (VR)
Tel.: +39 045 7575333
Fax: +39 045 7571258
hansaitaliana@hansa.it

HANSA Nederland B.V.
3861 MA Nijkerk
Tel.: +31 33 2 463 463
info@hansa-nederland.nl

Ecology:
Flow limitation, saving and comfort zones, and other, in some cases, individually adjustable options for optimising water and energy consumption.

Comfort:
Features that make operation of the fitting and use of water easier and particularly pleasant.

Health:
High demands are placed on water quality. We meet them by using special materials and ensure optimum hygiene.

Safety:
Using water should be a pleasure. Our fittings offer reliable product characteristics for long-term safe operation.

Technology:
Product characteristics that may be crucial for suitability in the individual planning situation.

Ecology:
Restriction of the flow rate to 2 / 4 / 5 / 6 / 8 / 9 / 12 l/min (indicated according to product) and intelligent stream formation ensure optimised water consumption with full comfort.
 -  Consumes up to 50% / 60% less water and energy* due to individually usable water saving functions.

Comfort:
 Sensory operation. Maximum comfort, maximum hygiene.
 Very quiet. Fitting complies with the strict conditions of noise protection class 1.
 Quick and easy to clean.
 Integrated lighting elements ensure safer operation and make the 'water experience' even more fascinating.
 Spouts can be shortened or are available in different lengths to give you more freedom in planning and design.
 Precise operability thanks to limited spout swivel radius.
 PULSE SPRAY – concentrated, pulsing stream for focused treatment of specific parts of the body.
 Active – powerful, precision water streams.
 SENSITIVE SPRAY – soft, relaxing stream that indulges the entire body.
 INTENSE SPRAY – a stream for every day, ideal for washing long hair.
 Cascade – splash stream; a single, formed stream (according to the flow rate).
 Rain – voluminous, generous water stream.
 Surface nishes are available in various colours and materials.
 More range and functional benefits thanks to a single or multi-spray pull-out shower.
 Various heights and projections for individual preferred comfort.

Health:
 Sensory operation. Maximum comfort, maximum hygiene.
 Thermostat is suitable for thermal disinfection. This is particularly important for public or large-scale facilities.
 Surface nishes in contact with drinking water without nickel coating.

Safety:
 Scalding protection – our thermostats make for maximum safety.
 Thermo Cool. Improved safety thanks to minimal heat conduction to the fitting housing.

Technology:
 The right product for the modular and design-oriented HANSAMATRIX concealed installation system.
 Low-pressure fitting – for accordingly designed systems
 Suitable for instantaneous water heaters (shower from 20 kW and upwards or bathtub from 24 kW and upwards) with correspondingly limited functionality.
 Battery operation – fittings with battery-powered functions.
 Mains operation – fittings for connecting to the mains power with exposed or concealed power supply units.
 Fittings functions can be set up, controlled and monitored via the HANSA app.

The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc. and HANSA Armaturen GmbH is licensed to use them. Other marks and trade names are the property of their respective owners.

* in comparison with a conventional two-handle mixer

Ecology:

	Restriction of the flow rate to 2 / 4 / 5 / 6 / 8 / 9 / 12 l/min (indicated according to product) and intelligent stream formation ensure optimised water consumption with full comfort.
	Consumes up to 50% / 60% less water and energy* due to individually usable water saving functions.

Comfort:

	Sensory operation. Maximum comfort, maximum hygiene.
	Very quiet. Fitting complies with the strict conditions of noise protection class 1.
	Quick and easy to clean.
	Integrated lighting elements ensure safer operation and make the 'water experience' even more fascinating.
	Spouts can be shortened or are available in different lengths to give you more freedom in planning and design.
	Precise operability thanks to limited spout swivel radius.
	PULSE SPRAY – concentrated, pulsing stream for focused treatment of specific parts of the body.
	Active – powerful, precision water streams.
	SENSITIVE SPRAY – soft, relaxing stream that indulges the entire body.
	INTENSE SPRAY – a stream for every day, ideal for washing long hair.
	Cascade – splash stream; a single, formed stream (according to the flow rate).
	Rain – voluminous, generous water stream.
	Surface finishes are available in various colours and materials.
	More range and functional benefits thanks to a single or multi-spray pull-out shower.
	Various heights and projections for individual preferred comfort.

Health:

	Sensory operation. Maximum comfort, maximum hygiene.
	Thermostat is suitable for thermal disinfection. This is particularly important for public or large-scale facilities.
	Surface finishes in contact with drinking water without nickel coating.

Safety:

	Scalding protection – our thermostats make for maximum safety.
	Thermo Cool. Improved safety thanks to minimal heat conduction to the fitting housing.

Technology:

	The right product for the modular and design-oriented HANSAMATRIX concealed installation system.
	Low-pressure fitting – for accordingly designed systems
	Suitable for instantaneous water heaters (shower from 20 kW and upwards or bathtub from 24 kW and upwards) with correspondingly limited functionality.
	Battery operation – fittings with battery-powered functions.
	Mains operation – fittings for connecting to the mains power with exposed or concealed power supply units.
	Fittings functions can be set up, controlled and monitored via the HANSA app.

The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc. and HANSA Armaturen GmbH is licensed to use them.
Other marks and trade names are the property of their respective owners.

* in comparison with a conventional two-handle mixer

All rights reserved.
Reprinting of articles is subject to written authorisation from HANSA and with exact author credits.
Technical changes and modifications in the design of products reserved. Colour deviations due to technical reasons may occur.
Range and technical details subject to change. Errors and omissions excepted.

www.hansa.com

AQUAPUNKT

Rediscover water.
Visit us in Stuttgart.
www.aquapunkt.com



Apple and the Apple logo are marks of Apple Inc. registered in the USA and other countries.
App Store is a service mark of Apple Inc.



Google Play and the Google Play logo are marks of Google Inc.

Usage of the MIKADO® brand
courtesy of Neoperl GmbH.



a member of orasgroup